

Bokningar Documentation

Link to schema: <https://app.quickdatabasediagrams.com/#/d/w9zPqM>

HammerGuard

Field	Description	Type	Default	Other
iphash		varchar(255)		
created		bigint		

Tokens

Field	Description	Type	Default	Other
token		varchar(255)		
tokentype		varchar(255)		
created		bigint		
username		varchar(255)		NULLABLE

Auth

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
user		varchar(255)		UNIQUE
pwd		varchar(255)		

Bookings

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
number		bigint		
tourId		bigint		FK
group		bit		
cancelled		bit		
cancelledDate		date		NULLABLE
payDate1		date		NULLABLE
payDate2		date		

Reservations

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
tourId		bigint		FK

Field	Description	Type	Default	Other
roomId		bigint		FK
label		varchar(200)		

Customers

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
firstName		varchar(100)		
lastName		varchar(100)		
street		varchar(100)		NULLABLE
zip		int		NULLABLE
city		varchar(100)		NULLABLE
phone		varchar(25)		NULLABLE
email		varchar(60)		NULLABLE
personalNumber		char(11)		NULLABLE
date		date		
category		varchar(60)		NULLABLE
compare		nchar(200)		

Bookings_Customers

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
bookingId		bigint		FK
customerId		bigint		FK
roomId		bigint		FK
requests		varchar(360)		NULLABLE
priceAdjustment		currency		
departureLocation		varchar(100)		NULLABLE
departureTime		time		NULLABLE
cancellationInsurance		bit		NULLABLE

Rooms

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
tourId		bigint		FK
label		varchar(100)		

Field	Description	Type	Default	Other
price		currency		
size		int		
numberAvaliable		int		

Tours

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
label		varchar(100)		
insurancePrice		currency		
reservationFeePrice		currency		
departureDate		date		
isDeleted		bit		
isDisabled		bit		

Categories_Tours

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
tourId		bigint		FK
categoryId		bigint		FK

Categories

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
label		varchar(60)		
isDeleted		bit		
isDisabled		bit		

Payments

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
number		bigint		
bookingId		bigint		FK
customerId		bigint		
date		date		
Amount		currency		

Field	Description	Type	Default	Other
insuranceAmount		currency		NULLABLE
method		varchar(30)		

Leads

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
firstName		varchar(100)		
lastName		varchar(100)		
street		varchar(100)		NULLABLE
zip		bigint		NULLABLE
city		varchar(100)		NULLABLE
phone		varchar(25)		NULLABLE
email		varchar(60)		NULLABLE
date		date		
compare		nchar(200)		

Categories_Leads

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
leadId		bigint		FK
categoryId		bigint		FK

Deadlines

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
tourId		bigint		FK
label		varchar(200)		NULLABLE
duedate		date		NULLABLE

Budgets

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
tourid		bigint		FK, NULLABLE
label		varchar(100)		NULLABLE
rooms		int		

Field	Description	Type	Default	Other
singlerooms		int		NULLABLE
estimatedprice		int		NULLABLE
isDeleted		bit		
isDisabled		bit		

Budgets_Costs

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
budgetId		bigint		FK
label		varchar(100)		
amount		currency		
isFixed		bit		

Budgets_Earnings

Field	Description	Type	Default	Other
id		bigint		PK, IDENTITY
budgetId		bigint		FK
label		varchar(100)		
amount		currency		
isFixed		bit		