

Bokningar Documentation

Link to schema: https://app.quickdatabasediagrams.com/#/schema/w9zPqM6P8UOAWzy4IzSEkQ

HammerGuard

Field	Description	Туре	Default	Other
iphash		varchar(255)		
created		bigint		

Auth_Once

Field	Description	Туре	Default	Other
userID		bigint		FK
tokenid		varchar(255)		
token		varchar(255)		
created		bigint		

Tokens

Field	Description	Туре	Default	Other
Token		varchar(255)		
TokenType		varchar(255)		
Created		bigint		
username		varchar(255)		NULLABLE

Auth

Field	Description	Туре	Default	Other
AuthID		bigint		PK, IDENTITY
user		varchar(255)		UNIQUE
pwd		varchar(255)		

Bokning

Field	Description	Туре	Default	Other
BokningID		bigint		PK, IDENTITY
BokningNr		bigint		
ResalD		bigint		FK
GruppBokning		bit		
Makulerad		bit		
MakuleradDatum		date		NULLABLE
BetalningDatum1		date		NULLABLE

QuickDBD-Bokningar Page 1 of 5



Field	Description	Туре	Default	Other
BetalningDatum2		date		

Reservation

Field	Description	Туре	Default	Other
ReservationID		bigint		PK, IDENTITY
ResalD		bigint		FK
BoendelD		bigint		FK
Reservation		varchar(200)		

Kund

Field	Description	Туре	Default	Other
KundID		bigint		PK, IDENTITY
Fornamn		varchar(100)		
Efternamn		varchar(100)		
Gatuadress		varchar(100)		NULLABLE
Postnr		int		NULLABLE
Postort		varchar(100)		NULLABLE
Telefon		varchar(25)		NULLABLE
Email		varchar(60)		NULLABLE
Personnr		varchar(10)		NULLABLE
Datum		date		
Kategori		varchar(60)		NULLABLE
Compare		nvarchar(300)		

Bokning_Kund

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
BokningID		bigint		FK
KundID		bigint		FK
BoendelD		bigint		FK
Onskemal		varchar(360)		NULLABLE
Prisjustering		bigint		
Avresa		varchar(100)		NULLABLE
AvresaTid		time		NULLABLE
AvbskyddBetalt		bit		NULLABLE

QuickDBD-Bokningar Page 2 of 5



Boende

Field	Description	Туре	Default	Other
BoendelD		bigint		PK, IDENTITY
ResalD		bigint		FK
BoendeNamn		varchar(100)		
Pris		bigint		
Personer		int		
AntalTillg		int		

Resa

Field	Description	Туре	Default	Other
ResalD		bigint		PK, IDENTITY
Resa		varchar(100)		
AvbskyddPris		bigint		
AnmavgPris		bigint		

Kategori_Resa

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
ResalD		bigint		FK
KategorilD		bigint		FK

Kategori

Field	Description	Туре	Default	Other
KategorilD		bigint		PK, IDENTITY
Kategori		varchar(60)		
Aktiv		bit		

Betalning

Field	Description	Туре	Default	Other
BetalningID		bigint		PK, IDENTITY
BetalningNr		bigint		
BokningID		bigint		FK
KundID		bigint		FK
Datum		date		

QuickDBD-Bokningar Page 3 of 5



Field	Description	Туре	Default	Other
Summa		bigint		
AvbskyddSumma		bigint		NULLABLE
Betalningsmetod		varchar(30)		

Programbest

Field	Description	Туре	Default	Other
ProgrambestID		bigint		PK, IDENTITY
Fornamn		varchar(100)		
Efternamn		varchar(100)		
Gatuadress		varchar(100)		NULLABLE
Postnr		bigint		NULLABLE
Postort		varchar(100)		NULLABLE
Telefon		varchar(25)		NULLABLE
Email		varchar(60)		NULLABLE
Datum		date		
Compare		nvarchar(300)		

Kategori_Programbest

Field	Description	Туре	Default	Other
id		bigint		PK, IDENTITY
ProgrambestID		bigint		FK
KategoriID		bigint		FK

Deadline

Field	Description	Туре	Default	Other
DeadlineID		bigint		PK, IDENTITY
ResalD		bigint		FK
DeadlineNote		varchar(200)		NULLABLE
Forfallodatum		date		NULLABLE
Aktiv		bit		NULLABLE

Kalkyl

Field	Description	Туре	Default	Other
KalkyIID		bigint		PK, IDENTITY
ResalD		bigint		FK, NULLABLE

QuickDBD-Bokningar Page 4 of 5



Field	Description	Туре	Default	Other
ResaNamn		varchar(100)		NULLABLE
Antal		int		
AntalER		int		NULLABLE
BeraknatPris		int		NULLABLE

KalkylKostnad

Field	Description	Туре	Default	Other
KostnadID		bigint		PK, IDENTITY
KalkyllD		bigint		FK
Kostnad		varchar(100)	
Fixed		bit		

KalkylIntakt

Field	Description	Туре	Default	Other
IntaktID		bigint		PK, IDENTITY
KalkylID		bigint		FK
Intakt		varchar(100)		
Fixed		bit		

QuickDBD-Bokningar Page 5 of 5