

# Api Documentation

# Table of Contents

|                                |   |
|--------------------------------|---|
| 1. Overview .....              | 1 |
| 1.1. Version information ..... | 1 |
| 1.2. License information ..... | 1 |
| 1.3. URI scheme .....          | 1 |
| 1.4. Tags .....                | 1 |
| 2. Paths .....                 | 3 |
| 2.1. links .....               | 3 |
| 2.1.1. Responses .....         | 3 |
| 2.1.2. Produces .....          | 3 |
| 2.1.3. Tags .....              | 3 |
| 2.1.4. Security .....          | 3 |
| 2.2. handle .....              | 3 |
| 2.2.1. Parameters .....        | 3 |
| 2.2.2. Responses .....         | 4 |
| 2.2.3. Produces .....          | 4 |
| 2.2.4. Tags .....              | 4 |
| 2.2.5. Security .....          | 4 |
| 2.3. handle .....              | 4 |
| 2.3.1. Parameters .....        | 4 |
| 2.3.2. Responses .....         | 4 |
| 2.3.3. Produces .....          | 4 |
| 2.3.4. Tags .....              | 5 |
| 2.3.5. Security .....          | 5 |
| 2.4. handle .....              | 5 |
| 2.4.1. Parameters .....        | 5 |
| 2.4.2. Responses .....         | 5 |
| 2.4.3. Produces .....          | 5 |
| 2.4.4. Tags .....              | 5 |
| 2.4.5. Security .....          | 5 |
| 2.5. getAllCountries .....     | 6 |
| 2.5.1. Responses .....         | 6 |
| 2.5.2. Produces .....          | 6 |
| 2.5.3. Tags .....              | 6 |
| 2.5.4. Security .....          | 6 |
| 2.6. getByCountry .....        | 6 |
| 2.6.1. Parameters .....        | 6 |
| 2.6.2. Responses .....         | 7 |
| 2.6.3. Produces .....          | 7 |

|                               |    |
|-------------------------------|----|
| 2.6.4. Tags                   | 7  |
| 2.6.5. Security               | 7  |
| 2.7. getCitiesByDepartment    | 7  |
| 2.7.1. Parameters             | 7  |
| 2.7.2. Responses              | 7  |
| 2.7.3. Produces               | 8  |
| 2.7.4. Tags                   | 8  |
| 2.7.5. Security               | 8  |
| 2.8. getCitiesByProvince      | 8  |
| 2.8.1. Parameters             | 8  |
| 2.8.2. Responses              | 8  |
| 2.8.3. Produces               | 8  |
| 2.8.4. Tags                   | 8  |
| 2.8.5. Security               | 8  |
| 2.9. getDepartmentsByProvince | 9  |
| 2.9.1. Parameters             | 9  |
| 2.9.2. Responses              | 9  |
| 2.9.3. Produces               | 9  |
| 2.9.4. Tags                   | 9  |
| 2.9.5. Security               | 9  |
| 2.10. login                   | 9  |
| 2.10.1. Parameters            | 10 |
| 2.10.2. Responses             | 10 |
| 2.10.3. Consumes              | 10 |
| 2.10.4. Produces              | 10 |
| 2.10.5. Tags                  | 10 |
| 2.10.6. Security              | 10 |
| 2.11. create                  | 10 |
| 2.11.1. Parameters            | 10 |
| 2.11.2. Responses             | 11 |
| 2.11.3. Consumes              | 11 |
| 2.11.4. Produces              | 11 |
| 2.11.5. Tags                  | 11 |
| 2.11.6. Security              | 11 |
| 2.12. getMany                 | 11 |
| 2.12.1. Parameters            | 11 |
| 2.12.2. Responses             | 11 |
| 2.12.3. Produces              | 12 |
| 2.12.4. Tags                  | 12 |
| 2.12.5. Security              | 12 |
| 2.13. getOne                  | 12 |

|                          |    |
|--------------------------|----|
| 2.13.1. Parameters ..... | 12 |
| 2.13.2. Responses .....  | 12 |
| 2.13.3. Produces .....   | 12 |
| 2.13.4. Tags .....       | 12 |
| 2.13.5. Security .....   | 12 |
| 2.14. update .....       | 13 |
| 2.14.1. Parameters ..... | 13 |
| 2.14.2. Responses .....  | 13 |
| 2.14.3. Consumes .....   | 13 |
| 2.14.4. Produces .....   | 13 |
| 2.14.5. Tags .....       | 13 |
| 2.14.6. Security .....   | 13 |
| 2.15. delete .....       | 13 |
| 2.15.1. Parameters ..... | 14 |
| 2.15.2. Responses .....  | 14 |
| 2.15.3. Produces .....   | 14 |
| 2.15.4. Tags .....       | 14 |
| 2.15.5. Security .....   | 14 |
| 2.16. create .....       | 14 |
| 2.16.1. Parameters ..... | 14 |
| 2.16.2. Responses .....  | 14 |
| 2.16.3. Consumes .....   | 15 |
| 2.16.4. Produces .....   | 15 |
| 2.16.5. Tags .....       | 15 |
| 2.16.6. Security .....   | 15 |
| 2.17. getMany .....      | 15 |
| 2.17.1. Parameters ..... | 15 |
| 2.17.2. Responses .....  | 15 |
| 2.17.3. Produces .....   | 15 |
| 2.17.4. Tags .....       | 16 |
| 2.17.5. Security .....   | 16 |
| 2.18. getOne .....       | 16 |
| 2.18.1. Parameters ..... | 16 |
| 2.18.2. Responses .....  | 16 |
| 2.18.3. Produces .....   | 16 |
| 2.18.4. Tags .....       | 16 |
| 2.18.5. Security .....   | 16 |
| 2.19. update .....       | 17 |
| 2.19.1. Parameters ..... | 17 |
| 2.19.2. Responses .....  | 17 |
| 2.19.3. Consumes .....   | 17 |

|                          |    |
|--------------------------|----|
| 2.19.4. Produces .....   | 17 |
| 2.19.5. Tags .....       | 17 |
| 2.19.6. Security .....   | 17 |
| 2.20. delete .....       | 17 |
| 2.20.1. Parameters ..... | 18 |
| 2.20.2. Responses .....  | 18 |
| 2.20.3. Produces .....   | 18 |
| 2.20.4. Tags .....       | 18 |
| 2.20.5. Security .....   | 18 |
| 2.21. create .....       | 18 |
| 2.21.1. Parameters ..... | 18 |
| 2.21.2. Responses .....  | 18 |
| 2.21.3. Consumes .....   | 19 |
| 2.21.4. Produces .....   | 19 |
| 2.21.5. Tags .....       | 19 |
| 2.21.6. Security .....   | 19 |
| 2.22. getMany .....      | 19 |
| 2.22.1. Parameters ..... | 19 |
| 2.22.2. Responses .....  | 19 |
| 2.22.3. Produces .....   | 19 |
| 2.22.4. Tags .....       | 20 |
| 2.22.5. Security .....   | 20 |
| 2.23. getOne .....       | 20 |
| 2.23.1. Parameters ..... | 20 |
| 2.23.2. Responses .....  | 20 |
| 2.23.3. Produces .....   | 20 |
| 2.23.4. Tags .....       | 20 |
| 2.23.5. Security .....   | 20 |
| 2.24. update .....       | 21 |
| 2.24.1. Parameters ..... | 21 |
| 2.24.2. Responses .....  | 21 |
| 2.24.3. Consumes .....   | 21 |
| 2.24.4. Produces .....   | 21 |
| 2.24.5. Tags .....       | 21 |
| 2.24.6. Security .....   | 21 |
| 2.25. delete .....       | 21 |
| 2.25.1. Parameters ..... | 22 |
| 2.25.2. Responses .....  | 22 |
| 2.25.3. Produces .....   | 22 |
| 2.25.4. Tags .....       | 22 |
| 2.25.5. Security .....   | 22 |

|                    |    |
|--------------------|----|
| 2.26. create       | 22 |
| 2.26.1. Parameters | 22 |
| 2.26.2. Responses  | 22 |
| 2.26.3. Consumes   | 23 |
| 2.26.4. Produces   | 23 |
| 2.26.5. Tags       | 23 |
| 2.26.6. Security   | 23 |
| 2.27. getList      | 23 |
| 2.27.1. Parameters | 23 |
| 2.27.2. Responses  | 24 |
| 2.27.3. Produces   | 24 |
| 2.27.4. Tags       | 24 |
| 2.27.5. Security   | 24 |
| 2.28. getOne       | 24 |
| 2.28.1. Parameters | 24 |
| 2.28.2. Responses  | 24 |
| 2.28.3. Produces   | 25 |
| 2.28.4. Tags       | 25 |
| 2.28.5. Security   | 25 |
| 2.29. update       | 25 |
| 2.29.1. Parameters | 25 |
| 2.29.2. Responses  | 25 |
| 2.29.3. Consumes   | 25 |
| 2.29.4. Produces   | 26 |
| 2.29.5. Tags       | 26 |
| 2.29.6. Security   | 26 |
| 2.30. delete       | 26 |
| 2.30.1. Parameters | 26 |
| 2.30.2. Responses  | 26 |
| 2.30.3. Produces   | 26 |
| 2.30.4. Tags       | 26 |
| 2.30.5. Security   | 26 |
| 2.31. create       | 27 |
| 2.31.1. Parameters | 27 |
| 2.31.2. Responses  | 27 |
| 2.31.3. Consumes   | 27 |
| 2.31.4. Produces   | 27 |
| 2.31.5. Tags       | 27 |
| 2.31.6. Security   | 27 |
| 2.32. getMany      | 27 |
| 2.32.1. Parameters | 28 |

|                    |    |
|--------------------|----|
| 2.32.2. Responses  | 28 |
| 2.32.3. Produces   | 28 |
| 2.32.4. Tags       | 28 |
| 2.32.5. Security   | 28 |
| 2.33. getOne       | 28 |
| 2.33.1. Parameters | 28 |
| 2.33.2. Responses  | 29 |
| 2.33.3. Produces   | 29 |
| 2.33.4. Tags       | 29 |
| 2.33.5. Security   | 29 |
| 2.34. update       | 29 |
| 2.34.1. Parameters | 29 |
| 2.34.2. Responses  | 29 |
| 2.34.3. Consumes   | 30 |
| 2.34.4. Produces   | 30 |
| 2.34.5. Tags       | 30 |
| 2.34.6. Security   | 30 |
| 2.35. delete       | 30 |
| 2.35.1. Parameters | 30 |
| 2.35.2. Responses  | 30 |
| 2.35.3. Produces   | 30 |
| 2.35.4. Tags       | 30 |
| 2.35.5. Security   | 31 |
| 2.36. create       | 31 |
| 2.36.1. Parameters | 31 |
| 2.36.2. Responses  | 31 |
| 2.36.3. Consumes   | 31 |
| 2.36.4. Produces   | 31 |
| 2.36.5. Tags       | 31 |
| 2.36.6. Security   | 31 |
| 2.37. getMany      | 32 |
| 2.37.1. Parameters | 32 |
| 2.37.2. Responses  | 32 |
| 2.37.3. Produces   | 32 |
| 2.37.4. Tags       | 32 |
| 2.37.5. Security   | 32 |
| 2.38. getOne       | 32 |
| 2.38.1. Parameters | 32 |
| 2.38.2. Responses  | 33 |
| 2.38.3. Produces   | 33 |
| 2.38.4. Tags       | 33 |

|                          |    |
|--------------------------|----|
| 2.38.5. Security .....   | 33 |
| 2.39. update .....       | 33 |
| 2.39.1. Parameters ..... | 33 |
| 2.39.2. Responses .....  | 33 |
| 2.39.3. Consumes .....   | 34 |
| 2.39.4. Produces .....   | 34 |
| 2.39.5. Tags .....       | 34 |
| 2.39.6. Security .....   | 34 |
| 2.40. delete .....       | 34 |
| 2.40.1. Parameters ..... | 34 |
| 2.40.2. Responses .....  | 34 |
| 2.40.3. Produces .....   | 34 |
| 2.40.4. Tags .....       | 34 |
| 2.40.5. Security .....   | 35 |
| 2.41. create .....       | 35 |
| 2.41.1. Parameters ..... | 35 |
| 2.41.2. Responses .....  | 35 |
| 2.41.3. Consumes .....   | 35 |
| 2.41.4. Produces .....   | 35 |
| 2.41.5. Tags .....       | 35 |
| 2.41.6. Security .....   | 35 |
| 2.42. getList .....      | 36 |
| 2.42.1. Parameters ..... | 36 |
| 2.42.2. Responses .....  | 36 |
| 2.42.3. Produces .....   | 37 |
| 2.42.4. Tags .....       | 37 |
| 2.42.5. Security .....   | 37 |
| 2.43. getOne .....       | 37 |
| 2.43.1. Parameters ..... | 37 |
| 2.43.2. Responses .....  | 37 |
| 2.43.3. Produces .....   | 37 |
| 2.43.4. Tags .....       | 37 |
| 2.43.5. Security .....   | 38 |
| 2.44. update .....       | 38 |
| 2.44.1. Parameters ..... | 38 |
| 2.44.2. Responses .....  | 38 |
| 2.44.3. Consumes .....   | 38 |
| 2.44.4. Produces .....   | 38 |
| 2.44.5. Tags .....       | 38 |
| 2.44.6. Security .....   | 38 |
| 2.45. delete .....       | 39 |



|                          |    |
|--------------------------|----|
| 2.45.1. Parameters ..... | 39 |
| 2.45.2. Responses .....  | 39 |
| 2.45.3. Produces .....   | 39 |
| 2.45.4. Tags .....       | 39 |
| 2.45.5. Security .....   | 39 |
| 2.46. create .....       | 39 |
| 2.46.1. Parameters ..... | 39 |
| 2.46.2. Responses .....  | 40 |
| 2.46.3. Consumes .....   | 40 |
| 2.46.4. Produces .....   | 40 |
| 2.46.5. Tags .....       | 40 |
| 2.46.6. Security .....   | 40 |
| 2.47. getMany .....      | 40 |
| 2.47.1. Parameters ..... | 40 |
| 2.47.2. Responses .....  | 40 |
| 2.47.3. Produces .....   | 41 |
| 2.47.4. Tags .....       | 41 |
| 2.47.5. Security .....   | 41 |
| 2.48. getOne .....       | 41 |
| 2.48.1. Parameters ..... | 41 |
| 2.48.2. Responses .....  | 41 |
| 2.48.3. Produces .....   | 41 |
| 2.48.4. Tags .....       | 41 |
| 2.48.5. Security .....   | 42 |
| 2.49. update .....       | 42 |
| 2.49.1. Parameters ..... | 42 |
| 2.49.2. Responses .....  | 42 |
| 2.49.3. Consumes .....   | 42 |
| 2.49.4. Produces .....   | 42 |
| 2.49.5. Tags .....       | 42 |
| 2.49.6. Security .....   | 42 |
| 2.50. delete .....       | 43 |
| 2.50.1. Parameters ..... | 43 |
| 2.50.2. Responses .....  | 43 |
| 2.50.3. Produces .....   | 43 |
| 2.50.4. Tags .....       | 43 |
| 2.50.5. Security .....   | 43 |
| 2.51. create .....       | 43 |
| 2.51.1. Parameters ..... | 43 |
| 2.51.2. Responses .....  | 44 |
| 2.51.3. Consumes .....   | 44 |

|                          |    |
|--------------------------|----|
| 2.51.4. Produces .....   | 44 |
| 2.51.5. Tags .....       | 44 |
| 2.51.6. Security .....   | 44 |
| 2.52. getList .....      | 44 |
| 2.52.1. Parameters ..... | 44 |
| 2.52.2. Responses .....  | 45 |
| 2.52.3. Produces .....   | 45 |
| 2.52.4. Tags .....       | 45 |
| 2.52.5. Security .....   | 45 |
| 2.53. getOne .....       | 45 |
| 2.53.1. Parameters ..... | 46 |
| 2.53.2. Responses .....  | 46 |
| 2.53.3. Produces .....   | 46 |
| 2.53.4. Tags .....       | 46 |
| 2.53.5. Security .....   | 46 |
| 2.54. update .....       | 46 |
| 2.54.1. Parameters ..... | 46 |
| 2.54.2. Responses .....  | 47 |
| 2.54.3. Consumes .....   | 47 |
| 2.54.4. Produces .....   | 47 |
| 2.54.5. Tags .....       | 47 |
| 2.54.6. Security .....   | 47 |
| 2.55. delete .....       | 47 |
| 2.55.1. Parameters ..... | 47 |
| 2.55.2. Responses .....  | 47 |
| 2.55.3. Produces .....   | 48 |
| 2.55.4. Tags .....       | 48 |
| 2.55.5. Security .....   | 48 |
| 2.56. create .....       | 48 |
| 2.56.1. Parameters ..... | 48 |
| 2.56.2. Responses .....  | 48 |
| 2.56.3. Consumes .....   | 48 |
| 2.56.4. Produces .....   | 48 |
| 2.56.5. Tags .....       | 48 |
| 2.56.6. Security .....   | 49 |
| 2.57. getMany .....      | 49 |
| 2.57.1. Parameters ..... | 49 |
| 2.57.2. Responses .....  | 49 |
| 2.57.3. Produces .....   | 49 |
| 2.57.4. Tags .....       | 49 |
| 2.57.5. Security .....   | 49 |

|                    |    |
|--------------------|----|
| 2.58. getOne       | 49 |
| 2.58.1. Parameters | 50 |
| 2.58.2. Responses  | 50 |
| 2.58.3. Produces   | 50 |
| 2.58.4. Tags       | 50 |
| 2.58.5. Security   | 50 |
| 2.59. update       | 50 |
| 2.59.1. Parameters | 50 |
| 2.59.2. Responses  | 51 |
| 2.59.3. Consumes   | 51 |
| 2.59.4. Produces   | 51 |
| 2.59.5. Tags       | 51 |
| 2.59.6. Security   | 51 |
| 2.60. delete       | 51 |
| 2.60.1. Parameters | 51 |
| 2.60.2. Responses  | 51 |
| 2.60.3. Produces   | 52 |
| 2.60.4. Tags       | 52 |
| 2.60.5. Security   | 52 |
| 2.61. error        | 52 |
| 2.61.1. Responses  | 52 |
| 2.61.2. Consumes   | 52 |
| 2.61.3. Produces   | 52 |
| 2.61.4. Tags       | 52 |
| 2.61.5. Security   | 52 |
| 2.62. error        | 53 |
| 2.62.1. Responses  | 53 |
| 2.62.2. Produces   | 53 |
| 2.62.3. Tags       | 53 |
| 2.62.4. Security   | 53 |
| 2.63. error        | 53 |
| 2.63.1. Responses  | 53 |
| 2.63.2. Consumes   | 53 |
| 2.63.3. Produces   | 54 |
| 2.63.4. Tags       | 54 |
| 2.63.5. Security   | 54 |
| 2.64. error        | 54 |
| 2.64.1. Responses  | 54 |
| 2.64.2. Produces   | 54 |
| 2.64.3. Tags       | 54 |
| 2.64.4. Security   | 54 |

|                                     |    |
|-------------------------------------|----|
| 2.65. error                         | 54 |
| 2.65.1. Responses                   | 55 |
| 2.65.2. Consumes                    | 55 |
| 2.65.3. Produces                    | 55 |
| 2.65.4. Tags                        | 55 |
| 2.65.5. Security                    | 55 |
| 2.66. error                         | 55 |
| 2.66.1. Responses                   | 55 |
| 2.66.2. Consumes                    | 55 |
| 2.66.3. Produces                    | 55 |
| 2.66.4. Tags                        | 56 |
| 2.66.5. Security                    | 56 |
| 2.67. error                         | 56 |
| 2.67.1. Responses                   | 56 |
| 2.67.2. Consumes                    | 56 |
| 2.67.3. Produces                    | 56 |
| 2.67.4. Tags                        | 56 |
| 2.67.5. Security                    | 56 |
| 2.68. getLanguages                  | 56 |
| 2.68.1. Responses                   | 57 |
| 2.68.2. Produces                    | 57 |
| 2.68.3. Tags                        | 57 |
| 2.68.4. Security                    | 57 |
| 2.69. getAllInternmentPatient       | 57 |
| 2.69.1. Parameters                  | 57 |
| 2.69.2. Responses                   | 57 |
| 2.69.3. Produces                    | 57 |
| 2.69.4. Tags                        | 58 |
| 2.69.5. Security                    | 58 |
| 2.70. getIdentityVerificationStatus | 58 |
| 2.70.1. Responses                   | 58 |
| 2.70.2. Consumes                    | 58 |
| 2.70.3. Produces                    | 58 |
| 2.70.4. Tags                        | 58 |
| 2.70.5. Security                    | 58 |
| 2.71. getIdentityVerificationStatus | 58 |
| 2.71.1. Responses                   | 59 |
| 2.71.2. Produces                    | 59 |
| 2.71.3. Tags                        | 59 |
| 2.71.4. Security                    | 59 |
| 2.72. getIdentityVerificationStatus | 59 |

|                                     |    |
|-------------------------------------|----|
| 2.72.1. Responses                   | 59 |
| 2.72.2. Consumes                    | 59 |
| 2.72.3. Produces                    | 59 |
| 2.72.4. Tags                        | 60 |
| 2.72.5. Security                    | 60 |
| 2.73. getIdentityVerificationStatus | 60 |
| 2.73.1. Responses                   | 60 |
| 2.73.2. Produces                    | 60 |
| 2.73.3. Tags                        | 60 |
| 2.73.4. Security                    | 60 |
| 2.74. getIdentityVerificationStatus | 60 |
| 2.74.1. Responses                   | 61 |
| 2.74.2. Consumes                    | 61 |
| 2.74.3. Produces                    | 61 |
| 2.74.4. Tags                        | 61 |
| 2.74.5. Security                    | 61 |
| 2.75. getIdentityVerificationStatus | 61 |
| 2.75.1. Responses                   | 61 |
| 2.75.2. Consumes                    | 61 |
| 2.75.3. Produces                    | 62 |
| 2.75.4. Tags                        | 62 |
| 2.75.5. Security                    | 62 |
| 2.76. getIdentityVerificationStatus | 62 |
| 2.76.1. Responses                   | 62 |
| 2.76.2. Consumes                    | 62 |
| 2.76.3. Produces                    | 62 |
| 2.76.4. Tags                        | 62 |
| 2.76.5. Security                    | 62 |
| 2.77. updatePassword                | 63 |
| 2.77.1. Parameters                  | 63 |
| 2.77.2. Responses                   | 63 |
| 2.77.3. Consumes                    | 63 |
| 2.77.4. Produces                    | 63 |
| 2.77.5. Tags                        | 63 |
| 2.77.6. Security                    | 63 |
| 2.78. addPatient                    | 63 |
| 2.78.1. Parameters                  | 64 |
| 2.78.2. Responses                   | 64 |
| 2.78.3. Consumes                    | 64 |
| 2.78.4. Produces                    | 64 |
| 2.78.5. Tags                        | 64 |

|                                    |    |
|------------------------------------|----|
| 2.78.6. Security .....             | 64 |
| 2.79. getPatientMinimal .....      | 64 |
| 2.79.1. Parameters .....           | 64 |
| 2.79.2. Responses .....            | 65 |
| 2.79.3. Produces .....             | 65 |
| 2.79.4. Tags .....                 | 65 |
| 2.79.5. Security .....             | 65 |
| 2.80. searchPatient .....          | 65 |
| 2.80.1. Parameters .....           | 65 |
| 2.80.2. Responses .....            | 66 |
| 2.80.3. Produces .....             | 66 |
| 2.80.4. Tags .....                 | 66 |
| 2.80.5. Security .....             | 66 |
| 2.81. getBasicDataPatient .....    | 66 |
| 2.81.1. Parameters .....           | 66 |
| 2.81.2. Responses .....            | 66 |
| 2.81.3. Produces .....             | 66 |
| 2.81.4. Tags .....                 | 67 |
| 2.81.5. Security .....             | 67 |
| 2.82. addPerson .....              | 67 |
| 2.82.1. Parameters .....           | 67 |
| 2.82.2. Responses .....            | 67 |
| 2.82.3. Consumes .....             | 67 |
| 2.82.4. Produces .....             | 67 |
| 2.82.5. Tags .....                 | 67 |
| 2.82.6. Security .....             | 67 |
| 2.83. getPersonMinimal .....       | 68 |
| 2.83.1. Parameters .....           | 68 |
| 2.83.2. Responses .....            | 68 |
| 2.83.3. Produces .....             | 68 |
| 2.83.4. Tags .....                 | 68 |
| 2.83.5. Security .....             | 68 |
| 2.84. getPersonalInformation ..... | 68 |
| 2.84.1. Parameters .....           | 69 |
| 2.84.2. Responses .....            | 69 |
| 2.84.3. Produces .....             | 69 |
| 2.84.4. Tags .....                 | 69 |
| 2.84.5. Security .....             | 69 |
| 2.85. setRoleUser .....            | 69 |
| 2.85.1. Parameters .....           | 69 |
| 2.85.2. Responses .....            | 70 |

|   |    |
|---|----|
| 2.85.3. Consumes  | 70 |
| 2.85.4. Produces  | 70 |
| 2.85.5. Tags  | 70 |
| 2.85.6. Security  | 70 |
| 2.86. addUser   | 70 |
| 2.86.1. Parameters                                      | 70 |
| 2.86.2. Responses                                       | 70 |
| 2.86.3. Consumes  | 71 |
| 2.86.4. Produces  | 71 |
| 2.86.5. Tags  | 71 |
| 2.86.6. Security  | 71 |
| 2.87. getUsers  | 71 |
| 2.87.1. Parameters                                      | 71 |
| 2.87.2. Responses                                       | 71 |
| 2.87.3. Produces  | 72 |
| 2.87.4. Tags  | 72 |
| 2.87.5. Security  | 72 |
| 2.88. changeStatusAccount                               | 72 |
| 2.88.1. Parameters                                      | 72 |
| 2.88.2. Responses                                       | 72 |
| 2.88.3. Consumes  | 72 |
| 2.88.4. Produces  | 72 |
| 2.88.5. Tags  | 73 |
| 2.88.6. Security  | 73 |
| 3. Security   | 74 |
| 3.1. JWT  | 74 |
| 4. Definitions  | 75 |
| 4.1. APatientDto  | 75 |
| 4.2. APersonDto   | 76 |
| 4.3. AddUserDto   | 78 |
| 4.4. Address  | 79 |
| 4.5. AddressDto   | 79 |
| 4.6. AddressProjection                                  | 80 |
| 4.7. BMPatientDto                                       | 80 |
| 4.8. BMPersonDto  | 82 |
| 4.9. BackofficeDeleteResponseOfAddress                  | 84 |
| 4.10. BackofficeDeleteResponseOfBed                     | 84 |
| 4.11. BackofficeDeleteResponseOfCity                    | 84 |
| 4.12. BackofficeDeleteResponseOfClinicalSpecialty       | 85 |
| 4.13. BackofficeDeleteResponseOfClinicalSpecialtySector | 85 |
| 4.14. BackofficeDeleteResponseOfDepartment              | 85 |

|   |    |
|---|----|
| 4.15. BackofficeDeleteResponseOfInstitution | 85 |
| 4.16. BackofficeDeleteResponseOfProvince    | 85 |
| 4.17. BackofficeDeleteResponseOfRoom        | 85 |
| 4.18. BackofficeDeleteResponseOfSector      | 86 |
| 4.19. BasicDataPersonDto                    | 86 |
| 4.20. BasicPatientDto                       | 86 |
| 4.21. Bed                                   | 87 |
| 4.22. BedDto                                | 87 |
| 4.23. Character                             | 87 |
| 4.24. City                                  | 87 |
| 4.25. CityDto                               | 88 |
| 4.26. ClinicalSpecialty                     | 88 |
| 4.27. ClinicalSpecialtyDto                  | 88 |
| 4.28. ClinicalSpecialtySector               | 89 |
| 4.29. Department                            | 89 |
| 4.30. GenderDto                             | 89 |
| 4.31. HealthInsuranceDto                    | 89 |
| 4.32. IdentificationTypeDto                 | 90 |
| 4.33. IdentityVerificationStatus            | 90 |
| 4.34. Institution                           | 90 |
| 4.35. InternmentEpisodeDto                  | 91 |
| 4.36. IterableOfAddress                     | 91 |
| 4.37. IterableOfBed                         | 91 |
| 4.38. IterableOfCity                        | 91 |
| 4.39. IterableOfClinicalSpecialty           | 92 |
| 4.40. IterableOfClinicalSpecialtySector     | 92 |
| 4.41. IterableOfDepartment                  | 92 |
| 4.42. IterableOfInstitution                 | 92 |
| 4.43. IterableOfProvince                    | 92 |
| 4.44. IterableOfRoom                        | 92 |
| 4.45. IterableOfSector                      | 92 |
| 4.46. JWTTokenDto                           | 92 |
| 4.47. Link                                  | 92 |
| 4.48. LoginDto                              | 93 |
| 4.49. MapOfstringAndLink                    | 93 |
| 4.50. ModelAndView                          | 93 |
| 4.51. PageOfAddress                         | 95 |
| 4.52. PageOfBed                             | 96 |
| 4.53. PageOfCity                            | 96 |
| 4.54. PageOfClinicalSpecialty               | 97 |
| 4.55. PageOfClinicalSpecialtySector         | 98 |



|                                    |     |
|------------------------------------|-----|
| 4.56. PageOfDepartment .....       | 99  |
| 4.57. PageOfInstitution .....      | 100 |
| 4.58. PageOfPageableUsers .....    | 101 |
| 4.59. PageOfProvince .....         | 102 |
| 4.60. PageOfRoom .....             | 102 |
| 4.61. PageOfSector .....           | 103 |
| 4.62. Pageable .....               | 104 |
| 4.63. PageableUsers .....          | 104 |
| 4.64. PatientDto .....             | 105 |
| 4.65. PatientSearchDto .....       | 105 |
| 4.66. PersonalInformationDto ..... | 105 |
| 4.67. Province .....               | 106 |
| 4.68. ProvinceDto .....            | 107 |
| 4.69. RequestUserRoleDto .....     | 107 |
| 4.70. ResponsibleDoctorDto .....   | 107 |
| 4.71. Room .....                   | 107 |
| 4.72. RoomDto .....                | 108 |
| 4.73. Sector .....                 | 108 |
| 4.74. SectorDto .....              | 108 |
| 4.75. Sort .....                   | 109 |
| 4.76. UserDto .....                | 109 |
| 4.77. View .....                   | 109 |

# Chapter 1. Overview

Api Documentation

## 1.1. Version information

*Version* : 1.0

## 1.2. License information

*License* : Apache 2.0

*License URL* : <http://www.apache.org/licenses/LICENSE-2.0>

*Terms of service* : urn:tos

## 1.3. URI scheme

*Host* : localhost

*BasePath* : /

## 1.4. Tags

- Address Master Data : Address Master Data Controller
- Authorization : Authentication Controller
- I18n : I 18 N Controller
- Internment Patient : Internment Patient Controller
- Password : User Password Controller
- Patient : Patient Controller
- PatientMasterData : Patient Master Data Controller
- Person : Person Controller
- Role : Role Controller
- User : User Controller
- backoffice-address-controller : Backoffice Address Controller
- backoffice-bed-controller : Backoffice Bed Controller
- backoffice-city-controller : Backoffice City Controller
- backoffice-clinical-specialty-controller : Backoffice Clinical Specialty Controller
- backoffice-clinical-specialty-sector-controller : Backoffice Clinical Specialty Sector Controller
- backoffice-department-controller : Backoffice Department Controller
- backoffice-institution-controller : Backoffice Institution Controller
- backoffice-province-controller : Backoffice Province Controller

- backoffice-room-controller : Backoffice Room Controller
- backoffice-sector-controller : Backoffice Sector Controller
- basic-error-controller : Basic Error Controller
- operation-handler : Operation Handler
- web-mvc-links-handler : Web Mvc Links Handler

# Chapter 2. Paths

## 2.1. links

GET /actuator

### 2.1.1. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | < string, < string, <a href="#">Link</a> > map > map |

### 2.1.2. Produces

- `application/vnd.spring-boot.actuator.v3+json`
- `application/json`
- `application/vnd.spring-boot.actuator.v2+json`

### 2.1.3. Tags

- `web-mvc-links-handler`

### 2.1.4. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.2. handle

GET /actuator/health

### 2.2.1. Parameters

| Type | Name                           | Description | Schema                 |
|------|--------------------------------|-------------|------------------------|
| Body | <b>body</b><br><i>optional</i> | body        | < string, string > map |

### 2.2.2. Responses

| HTTP Code | Description | Schema |
|-----------|-------------|--------|
| 200       | OK          | object |

### 2.2.3. Produces

- `application/vnd.spring-boot.actuator.v3+json`
- `application/json`
- `application/vnd.spring-boot.actuator.v2+json`

### 2.2.4. Tags

- operation-handler

### 2.2.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.3. handle

```
GET /actuator/health/**
```

### 2.3.1. Parameters

| Type | Name                           | Description | Schema                    |
|------|--------------------------------|-------------|---------------------------|
| Body | <b>body</b><br><i>optional</i> | body        | < string, string ><br>map |

### 2.3.2. Responses

| HTTP Code | Description | Schema |
|-----------|-------------|--------|
| 200       | OK          | object |

### 2.3.3. Produces

- `application/vnd.spring-boot.actuator.v3+json`

- `application/json`
- `application/vnd.spring-boot.actuator.v2+json`

### 2.3.4. Tags

- operation-handler

### 2.3.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.4. handle

GET /actuator/info

### 2.4.1. Parameters

| Type | Name                    | Description | Schema                    |
|------|-------------------------|-------------|---------------------------|
| Body | body<br><i>optional</i> | body        | < string, string ><br>map |

### 2.4.2. Responses

| HTTP Code | Description | Schema |
|-----------|-------------|--------|
| 200       | OK          | object |

### 2.4.3. Produces

- `application/vnd.spring-boot.actuator.v3+json`
- `application/json`
- `application/vnd.spring-boot.actuator.v2+json`

### 2.4.4. Tags

- operation-handler

### 2.4.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.5. getAllCountries

GET /address/masterdata/countries

### 2.5.1. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">AddressProjection</a><br>> array |

### 2.5.2. Produces

- [\\*/\\*](#)

### 2.5.3. Tags

- Address Master Data

### 2.5.4. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.6. getByCountry

GET /address/masterdata/country/{countryId}/provinces

### 2.6.1. Parameters

| Type | Name                                | Description | Schema          |
|------|-------------------------------------|-------------|-----------------|
| Path | <b>countryId</b><br><i>required</i> | countryId   | integer (int32) |

## 2.6.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">AddressProjection</a><br>> array |

## 2.6.3. Produces

- *\*/\**

## 2.6.4. Tags

- Address Master Data

## 2.6.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.7. getCitiesByDepartment

```
GET /address/masterdata/department/{department_id}/cities
```

## 2.7.1. Parameters

| Type | Name                                    | Description   | Schema          |
|------|---|---------------|-----------------|
| Path | <b>department_id</b><br><i>required</i> | department_id | integer (int32) |

## 2.7.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">AddressProjection</a><br>> array |



### 2.7.3. Produces

- \*/\*

### 2.7.4. Tags

- Address Master Data

### 2.7.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.8. getCitiesByProvince

GET /address/masterdata/province/{provinceId}/cities

### 2.8.1. Parameters

| Type | Name                          | Description | Schema          |
|------|-------------------------------|-------------|-----------------|
| Path | provinceId<br><i>required</i> | provinceId  | integer (int32) |

### 2.8.2. Responses

| HTTP Code | Description | Schema                            |
|-----------|-------------|-----------------------------------|
| 200       | OK          | <<br>AddressProjection<br>> array |

### 2.8.3. Produces

- \*/\*

### 2.8.4. Tags

- Address Master Data

### 2.8.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.9. getDepartmentsByProvince

GET /address/masterdata/province/{provinceId}/departments

### 2.9.1. Parameters

| Type | Name                                 | Description | Schema          |
|------|--------------------------------------|-------------|-----------------|
| Path | <b>provinceId</b><br><i>required</i> | provinceId  | integer (int32) |

### 2.9.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">AddressProjection</a><br>> array |

### 2.9.3. Produces

- [\\*/\\*](#)

### 2.9.4. Tags

- Address Master Data

### 2.9.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.10. login

POST /auth

### 2.10.1. Parameters

| Type | Name                               | Description | Schema                   |
|------|------------------------------------|-------------|--------------------------|
| Body | <b>loginDto</b><br><i>required</i> | loginDto    | <a href="#">LoginDto</a> |

### 2.10.2. Responses

| HTTP Code | Description | Schema                      |
|-----------|-------------|-----------------------------|
| 200       | OK          | <a href="#">JWTTokenDto</a> |

### 2.10.3. Consumes

- [application/json](#)

### 2.10.4. Produces

- [\\*/\\*](#)

### 2.10.5. Tags

- Authorization

### 2.10.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.11. create

POST /backoffice/addresses

### 2.11.1. Parameters

| Type | Name                             | Description | Schema                  |
|------|----------------------------------|-------------|-------------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Address</a> |

### 2.11.2. Responses

| HTTP Code | Description | Schema                  |
|-----------|-------------|-------------------------|
| 200       | OK          | <a href="#">Address</a> |

### 2.11.3. Consumes

- [application/json](#)

### 2.11.4. Produces

- [\\*/\\*](#)

### 2.11.5. Tags

- backoffice-address-controller

### 2.11.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.12. getMany

GET /backoffice/addresses

### 2.12.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

### 2.12.2. Responses

| HTTP Code | Description | Schema                            |
|-----------|-------------|-----------------------------------|
| 200       | OK          | <a href="#">IterableOfAddress</a> |

### 2.12.3. Produces

- *\*/\**

### 2.12.4. Tags

- backoffice-address-controller

### 2.12.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.13. getOne

GET /backoffice/addresses/{id}

### 2.13.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.13.2. Responses

| HTTP Code | Description | Schema                  |
|-----------|-------------|-------------------------|
| 200       | OK          | <a href="#">Address</a> |

### 2.13.3. Produces

- *\*/\**

### 2.13.4. Tags

- backoffice-address-controller

### 2.13.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.14. update

PUT /backoffice/addresses/{id}

### 2.14.1. Parameters

| Type | Name                           | Description | Schema                  |
|------|--------------------------------|-------------|-------------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)         |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Address</a> |

### 2.14.2. Responses

| HTTP Code | Description | Schema                  |
|-----------|-------------|-------------------------|
| 200       | OK          | <a href="#">Address</a> |

### 2.14.3. Consumes

- [application/json](#)

### 2.14.4. Produces

- [\\*/\\*](#)

### 2.14.5. Tags

- backoffice-address-controller

### 2.14.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.15. delete

DELETE /backoffice/addresses/{id}

### 2.15.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.15.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfAddress</a> |

### 2.15.3. Produces

- *\*/\**

### 2.15.4. Tags

- backoffice-address-controller

### 2.15.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.16. create

POST /backoffice/beds

### 2.16.1. Parameters

| Type | Name                             | Description | Schema              |
|------|----------------------------------|-------------|---------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Bed</a> |

### 2.16.2. Responses

| HTTP Code | Description | Schema              |
|-----------|-------------|---------------------|
| 200       | OK          | <a href="#">Bed</a> |

### 2.16.3. Consumes

- [application/json](#)

### 2.16.4. Produces

- [\\*/\\*](#)

### 2.16.5. Tags

- backoffice-bed-controller

### 2.16.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.17. getMany

GET /backoffice/beds

### 2.17.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

### 2.17.2. Responses

| HTTP Code | Description | Schema                        |
|-----------|-------------|-------------------------------|
| 200       | OK          | <a href="#">IterableOfBed</a> |

### 2.17.3. Produces

- [\\*/\\*](#)



## 2.17.4. Tags

- backoffice-bed-controller

## 2.17.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.18. getOne

GET /backoffice/beds/{id}

## 2.18.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

## 2.18.2. Responses

| HTTP Code | Description | Schema              |
|-----------|-------------|---------------------|
| 200       | OK          | <a href="#">Bed</a> |

## 2.18.3. Produces

- *\*/\**

## 2.18.4. Tags

- backoffice-bed-controller

## 2.18.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.19. update

PUT /backoffice/beds/{id}

### 2.19.1. Parameters

| Type | Name                           | Description | Schema              |
|------|--------------------------------|-------------|---------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)     |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Bed</a> |

### 2.19.2. Responses

| HTTP Code | Description | Schema              |
|-----------|-------------|---------------------|
| 200       | OK          | <a href="#">Bed</a> |

### 2.19.3. Consumes

- [application/json](#)

### 2.19.4. Produces

- [\\*/\\*](#)

### 2.19.5. Tags

- backoffice-bed-controller

### 2.19.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.20. delete

DELETE /backoffice/beds/{id}

### 2.20.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.20.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfBed</a> |

### 2.20.3. Produces

- *\*/\**

### 2.20.4. Tags

- backoffice-bed-controller

### 2.20.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.21. create

POST /backoffice/cities

### 2.21.1. Parameters

| Type | Name                             | Description | Schema               |
|------|----------------------------------|-------------|----------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">City</a> |

### 2.21.2. Responses

| HTTP Code | Description | Schema               |
|-----------|-------------|----------------------|
| 200       | OK          | <a href="#">City</a> |

### 2.21.3. Consumes

- [application/json](#)

### 2.21.4. Produces

- [\\*/\\*](#)

### 2.21.5. Tags

- backoffice-city-controller

### 2.21.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.22. getMany

GET /backoffice/cities

### 2.22.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

### 2.22.2. Responses

| HTTP Code | Description | Schema                         |
|-----------|-------------|--------------------------------|
| 200       | OK          | <a href="#">IterableOfCity</a> |

### 2.22.3. Produces

- [\\*/\\*](#)

## 2.22.4. Tags

- backoffice-city-controller

## 2.22.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.23. getOne

GET /backoffice/cities/{id}

### 2.23.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.23.2. Responses

| HTTP Code | Description | Schema               |
|-----------|-------------|----------------------|
| 200       | OK          | <a href="#">City</a> |

### 2.23.3. Produces

- *\*/\**

## 2.23.4. Tags

- backoffice-city-controller

## 2.23.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.24. update

PUT /backoffice/cities/{id}

### 2.24.1. Parameters

| Type | Name                           | Description | Schema               |
|------|--------------------------------|-------------|----------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)      |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">City</a> |

### 2.24.2. Responses

| HTTP Code | Description | Schema               |
|-----------|-------------|----------------------|
| 200       | OK          | <a href="#">City</a> |

### 2.24.3. Consumes

- [application/json](#)

### 2.24.4. Produces

- [\\*/\\*](#)

### 2.24.5. Tags

- backoffice-city-controller

### 2.24.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.25. delete

DELETE /backoffice/cities/{id}

### 2.25.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.25.2. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfCity</a> |

### 2.25.3. Produces

- *\*/\**

### 2.25.4. Tags

- backoffice-city-controller

### 2.25.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.26. create

POST /backoffice/clinicalspecialties

### 2.26.1. Parameters

| Type | Name                             | Description | Schema                            |
|------|----------------------------------|-------------|-----------------------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">ClinicalSpecialty</a> |

### 2.26.2. Responses

| HTTP Code | Description | Schema                            |
|-----------|-------------|-----------------------------------|
| 200       | OK          | <a href="#">ClinicalSpecialty</a> |

### 2.26.3. Consumes

- `application/json`

### 2.26.4. Produces

- `*/*`

### 2.26.5. Tags

- backoffice-clinical-specialty-controller

### 2.26.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.27. getList

GET /backoffice/clinicalspecialties

### 2.27.1. Parameters

| Type  | Name                                  | Schema          |
|-------|---------------------------------------|-----------------|
| Query | <b>description</b><br><i>optional</i> | string          |
| Query | <b>id</b><br><i>optional</i>          | integer (int32) |
| Query | <b>name</b><br><i>optional</i>        | string          |
| Query | <b>page</b><br><i>optional</i>        | integer (int32) |
| Query | <b>sctidCode</b><br><i>optional</i>   | string          |



| Type  | Name                           | Schema          |
|-------|--------------------------------|-----------------|
| Query | <b>size</b><br><i>optional</i> | integer (int32) |
| Query | <b>sort</b><br><i>optional</i> | string          |

### 2.27.2. Responses

| HTTP Code | Description | Schema                                  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">PageOfClinicalSpecialty</a> |

### 2.27.3. Produces

- *\*/\**

### 2.27.4. Tags

- backoffice-clinical-specialty-controller

### 2.27.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.28. getOne

```
GET /backoffice/clinicalspecialties/{id}
```

### 2.28.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.28.2. Responses

| HTTP Code | Description | Schema                            |
|-----------|-------------|-----------------------------------|
| 200       | OK          | <a href="#">ClinicalSpecialty</a> |

### 2.28.3. Produces

- `*/*`

### 2.28.4. Tags

- backoffice-clinical-specialty-controller

### 2.28.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.29. update

```
PUT /backoffice/clinicalspecialties/{id}
```

### 2.29.1. Parameters

| Type | Name                           | Description | Schema                            |
|------|--------------------------------|-------------|-----------------------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)                   |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">ClinicalSpecialty</a> |

### 2.29.2. Responses

| HTTP Code | Description | Schema                            |
|-----------|-------------|-----------------------------------|
| 200       | OK          | <a href="#">ClinicalSpecialty</a> |

### 2.29.3. Consumes

- `application/json`

## 2.29.4. Produces

- *\*/\**

## 2.29.5. Tags

- backoffice-clinical-specialty-controller

## 2.29.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.30. delete

```
DELETE /backoffice/clinicalspecialties/{id}
```

## 2.30.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

## 2.30.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfClinicalSpecialty</a> |

## 2.30.3. Produces

- *\*/\**

## 2.30.4. Tags

- backoffice-clinical-specialty-controller

## 2.30.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.31. create

POST /backoffice/clinicalspecialtysectors

### 2.31.1. Parameters

| Type | Name                      | Description | Schema                  |
|------|---------------------------|-------------|-------------------------|
| Body | entity<br><i>required</i> | entity      | ClinicalSpecialtySector |

### 2.31.2. Responses

| HTTP Code | Description | Schema                  |
|-----------|-------------|-------------------------|
| 200       | OK          | ClinicalSpecialtySector |

### 2.31.3. Consumes

- application/json

### 2.31.4. Produces

- \*/\*

### 2.31.5. Tags

- backoffice-clinical-specialty-sector-controller

### 2.31.6. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.32. getMany

GET /backoffice/clinicalspecialtysectors

### 2.32.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

### 2.32.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">IterableOfClinicalSpecialtySector</a> |

### 2.32.3. Produces

- *\*/\**

### 2.32.4. Tags

- backoffice-clinical-specialty-sector-controller

### 2.32.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.33. getOne

GET /backoffice/clinicalspecialtysectors/{id}

### 2.33.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.33.2. Responses

| HTTP Code | Description | Schema                                  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">ClinicalSpecialtySector</a> |

### 2.33.3. Produces

- \*/\*

### 2.33.4. Tags

- backoffice-clinical-specialty-sector-controller

### 2.33.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.34. update

```
PUT /backoffice/clinicalspecialtysectors/{id}
```

### 2.34.1. Parameters

| Type | Name                           | Description | Schema                                  |
|------|--------------------------------|-------------|---|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)                         |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">ClinicalSpecialtySector</a> |

### 2.34.2. Responses

| HTTP Code | Description | Schema                                  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">ClinicalSpecialtySector</a> |

### 2.34.3. Consumes

- `application/json`

### 2.34.4. Produces

- `*/*`

### 2.34.5. Tags

- `backoffice-clinical-specialty-sector-controller`

### 2.34.6. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.35. delete

```
DELETE /backoffice/clinicalspecialtysectors/{id}
```

### 2.35.1. Parameters

| Type | Name                  | Description | Schema          |
|------|-----------------------|-------------|-----------------|
| Path | id<br><i>required</i> | id          | integer (int32) |

### 2.35.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfClinicalSpecialtySector</a> |

### 2.35.3. Produces

- `*/*`

### 2.35.4. Tags

- `backoffice-clinical-specialty-sector-controller`

### 2.35.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.36. create

POST /backoffice/departments

### 2.36.1. Parameters

| Type | Name                             | Description | Schema                     |
|------|----------------------------------|-------------|----------------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Department</a> |

### 2.36.2. Responses

| HTTP Code | Description | Schema                     |
|-----------|-------------|----------------------------|
| 200       | OK          | <a href="#">Department</a> |

### 2.36.3. Consumes

- [application/json](#)

### 2.36.4. Produces

- [\\*/\\*](#)

### 2.36.5. Tags

- backoffice-department-controller

### 2.36.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |



## 2.37. getMany

GET /backoffice/departments

### 2.37.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

### 2.37.2. Responses

| HTTP Code | Description | Schema                               |
|-----------|-------------|--------------------------------------|
| 200       | OK          | <a href="#">IterableOfDepartment</a> |

### 2.37.3. Produces

- *\*/\**

### 2.37.4. Tags

- backoffice-department-controller

### 2.37.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.38. getOne

GET /backoffice/departments/{id}

### 2.38.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.38.2. Responses

| HTTP Code | Description | Schema                     |
|-----------|-------------|----------------------------|
| 200       | OK          | <a href="#">Department</a> |

### 2.38.3. Produces

- **\*/\***

### 2.38.4. Tags

- backoffice-department-controller

### 2.38.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.39. update

```
PUT /backoffice/departments/{id}
```

### 2.39.1. Parameters

| Type | Name                           | Description | Schema                     |
|------|--------------------------------|-------------|----------------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)            |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Department</a> |

### 2.39.2. Responses

| HTTP Code | Description | Schema                     |
|-----------|-------------|----------------------------|
| 200       | OK          | <a href="#">Department</a> |

### 2.39.3. Consumes

- `application/json`

### 2.39.4. Produces

- `*/*`

### 2.39.5. Tags

- `backoffice-department-controller`

### 2.39.6. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.40. delete

```
DELETE /backoffice/departments/{id}
```

### 2.40.1. Parameters

| Type | Name                  | Description | Schema          |
|------|-----------------------|-------------|-----------------|
| Path | id<br><i>required</i> | id          | integer (int32) |

### 2.40.2. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfDepartment</a> |

### 2.40.3. Produces

- `*/*`

### 2.40.4. Tags

- `backoffice-department-controller`

## 2.40.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.41. create

POST /backoffice/institutions

### 2.41.1. Parameters

| Type | Name                             | Description | Schema                      |
|------|----------------------------------|-------------|-----------------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Institution</a> |

### 2.41.2. Responses

| HTTP Code | Description | Schema                      |
|-----------|-------------|-----------------------------|
| 200       | OK          | <a href="#">Institution</a> |

### 2.41.3. Consumes

- [application/json](#)

### 2.41.4. Produces

- [\\*/\\*](#)

### 2.41.5. Tags

- backoffice-institution-controller

### 2.41.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.42. getList

GET /backoffice/institutions

### 2.42.1. Parameters

| Type  | Name                                | Schema          |
|-------|-------------------------------------|-----------------|
| Query | <b>addressId</b><br><i>optional</i> | integer (int32) |
| Query | <b>cuit</b><br><i>optional</i>      | string          |
| Query | <b>email</b><br><i>optional</i>     | string          |
| Query | <b>id</b><br><i>optional</i>        | integer (int32) |
| Query | <b>name</b><br><i>optional</i>      | string          |
| Query | <b>page</b><br><i>optional</i>      | integer (int32) |
| Query | <b>phone</b><br><i>optional</i>     | string          |
| Query | <b>sisCode</b><br><i>optional</i>   | string          |
| Query | <b>size</b><br><i>optional</i>      | integer (int32) |
| Query | <b>sort</b><br><i>optional</i>      | string          |
| Query | <b>website</b><br><i>optional</i>   | string          |

### 2.42.2. Responses

| HTTP Code | Description | Schema                            |
|-----------|-------------|-----------------------------------|
| 200       | OK          | <a href="#">PageOfInstitution</a> |

### 2.42.3. Produces

- *\*/\**

### 2.42.4. Tags

- backoffice-institution-controller

### 2.42.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.43. getOne

```
GET /backoffice/institutions/{id}
```

### 2.43.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.43.2. Responses

| HTTP Code | Description | Schema                      |
|-----------|-------------|-----------------------------|
| 200       | OK          | <a href="#">Institution</a> |

### 2.43.3. Produces

- *\*/\**

### 2.43.4. Tags

- backoffice-institution-controller

## 2.43.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.44. update

PUT /backoffice/institutions/{id}

### 2.44.1. Parameters

| Type | Name                           | Description | Schema                      |
|------|--------------------------------|-------------|-----------------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)             |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Institution</a> |

### 2.44.2. Responses

| HTTP Code | Description | Schema                      |
|-----------|-------------|-----------------------------|
| 200       | OK          | <a href="#">Institution</a> |

### 2.44.3. Consumes

- [application/json](#)

### 2.44.4. Produces

- [\\*/\\*](#)

### 2.44.5. Tags

- backoffice-institution-controller

### 2.44.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.45. delete

```
DELETE /backoffice/institutions/{id}
```

### 2.45.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.45.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfInstitution</a> |

### 2.45.3. Produces

- \*/\*

### 2.45.4. Tags

- backoffice-institution-controller

### 2.45.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.46. create

```
POST /backoffice/provinces
```

### 2.46.1. Parameters



| Type | Name                             | Description | Schema                   |
|------|----------------------------------|-------------|--------------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Province</a> |

## 2.46.2. Responses

| HTTP Code | Description | Schema                   |
|-----------|-------------|--------------------------|
| 200       | OK          | <a href="#">Province</a> |

## 2.46.3. Consumes

- `application/json`

## 2.46.4. Produces

- `*/*`

## 2.46.5. Tags

- backoffice-province-controller

## 2.46.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.47. getMany

GET /backoffice/provinces

## 2.47.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

## 2.47.2. Responses

| HTTP Code | Description | Schema                             |
|-----------|-------------|------------------------------------|
| 200       | OK          | <a href="#">IterableOfProvince</a> |

### 2.47.3. Produces

- [\\*/\\*](#)

### 2.47.4. Tags

- backoffice-province-controller

### 2.47.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.48. getOne

GET /backoffice/provinces/{id}

### 2.48.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.48.2. Responses

| HTTP Code | Description | Schema                   |
|-----------|-------------|--------------------------|
| 200       | OK          | <a href="#">Province</a> |

### 2.48.3. Produces

- [\\*/\\*](#)

### 2.48.4. Tags

- backoffice-province-controller

## 2.48.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.49. update

PUT /backoffice/provinces/{id}

### 2.49.1. Parameters

| Type | Name                           | Description | Schema                   |
|------|--------------------------------|-------------|--------------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)          |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Province</a> |

### 2.49.2. Responses

| HTTP Code | Description | Schema                   |
|-----------|-------------|--------------------------|
| 200       | OK          | <a href="#">Province</a> |

### 2.49.3. Consumes

- [application/json](#)

### 2.49.4. Produces

- [\\*/\\*](#)

### 2.49.5. Tags

- backoffice-province-controller

### 2.49.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.50. delete

DELETE /backoffice/provinces/{id}

### 2.50.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.50.2. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfProvince</a> |

### 2.50.3. Produces

- \*/\*

### 2.50.4. Tags

- backoffice-province-controller

### 2.50.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.51. create

POST /backoffice/rooms

### 2.51.1. Parameters

| Type | Name                             | Description | Schema               |
|------|----------------------------------|-------------|----------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Room</a> |

### 2.51.2. Responses

| HTTP Code | Description | Schema               |
|-----------|-------------|----------------------|
| 200       | OK          | <a href="#">Room</a> |

### 2.51.3. Consumes

- `application/json`

### 2.51.4. Produces

- `*/*`

### 2.51.5. Tags

- backoffice-room-controller

### 2.51.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.52. getList

GET /backoffice/rooms

### 2.52.1. Parameters

| Type  | Name                                    | Schema        |
|-------|---|---------------|
| Query | <b>description</b><br><i>optional</i>   | string        |
| Query | <b>dischargeDate</b><br><i>optional</i> | string (date) |

| Type  | Name                               | Schema          |
|-------|------------------------------------|-----------------|
| Query | <b>id</b><br><i>optional</i>       | integer (int32) |
| Query | <b>page</b><br><i>optional</i>     | integer (int32) |
| Query | <b>sectorId</b><br><i>optional</i> | integer (int32) |
| Query | <b>size</b><br><i>optional</i>     | integer (int32) |
| Query | <b>sort</b><br><i>optional</i>     | string          |
| Query | <b>type</b><br><i>optional</i>     | string          |

### 2.52.2. Responses

| HTTP Code | Description | Schema                     |
|-----------|-------------|----------------------------|
| 200       | OK          | <a href="#">PageOfRoom</a> |

### 2.52.3. Produces

- *\*/\**

### 2.52.4. Tags

- backoffice-room-controller

### 2.52.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.53. getOne

```
GET /backoffice/rooms/{id}
```

### 2.53.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.53.2. Responses

| HTTP Code | Description | Schema               |
|-----------|-------------|----------------------|
| 200       | OK          | <a href="#">Room</a> |

### 2.53.3. Produces

- *\*/\**

### 2.53.4. Tags

- backoffice-room-controller

### 2.53.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.54. update

PUT /backoffice/rooms/{id}

### 2.54.1. Parameters

| Type | Name                           | Description | Schema               |
|------|--------------------------------|-------------|----------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)      |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Room</a> |

### 2.54.2. Responses

| HTTP Code | Description | Schema               |
|-----------|-------------|----------------------|
| 200       | OK          | <a href="#">Room</a> |

### 2.54.3. Consumes

- [application/json](#)

### 2.54.4. Produces

- [\\*/\\*](#)

### 2.54.5. Tags

- backoffice-room-controller

### 2.54.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.55. delete

```
DELETE /backoffice/rooms/{id}
```

### 2.55.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.55.2. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfRoom</a> |



### 2.55.3. Produces

- `*/*`

### 2.55.4. Tags

- backoffice-room-controller

### 2.55.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.56. create

POST /backoffice/sectors

### 2.56.1. Parameters

| Type | Name                             | Description | Schema                 |
|------|----------------------------------|-------------|------------------------|
| Body | <b>entity</b><br><i>required</i> | entity      | <a href="#">Sector</a> |

### 2.56.2. Responses

| HTTP Code | Description | Schema                 |
|-----------|-------------|------------------------|
| 200       | OK          | <a href="#">Sector</a> |

### 2.56.3. Consumes

- `application/json`

### 2.56.4. Produces

- `*/*`

### 2.56.5. Tags

- backoffice-sector-controller

## 2.56.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.57. getMany

GET /backoffice/sectors

### 2.57.1. Parameters

| Type  | Name                          | Description | Schema |
|-------|-------------------------------|-------------|--------|
| Query | <b>ids</b><br><i>required</i> | ids         | string |

### 2.57.2. Responses

| HTTP Code | Description | Schema                           |
|-----------|-------------|----------------------------------|
| 200       | OK          | <a href="#">IterableOfSector</a> |

### 2.57.3. Produces

- *\*/\**

### 2.57.4. Tags

- backoffice-sector-controller

### 2.57.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.58. getOne

GET /backoffice/sectors/{id}

### 2.58.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

### 2.58.2. Responses

| HTTP Code | Description | Schema                 |
|-----------|-------------|------------------------|
| 200       | OK          | <a href="#">Sector</a> |

### 2.58.3. Produces

- *\*/\**

### 2.58.4. Tags

- backoffice-sector-controller

### 2.58.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.59. update

PUT /backoffice/sectors/{id}

### 2.59.1. Parameters

| Type | Name                           | Description | Schema                 |
|------|--------------------------------|-------------|------------------------|
| Path | <b>id</b><br><i>required</i>   | id          | integer (int32)        |
| Body | <b>body</b><br><i>required</i> | body        | <a href="#">Sector</a> |

## 2.59.2. Responses

| HTTP Code | Description | Schema                 |
|-----------|-------------|------------------------|
| 200       | OK          | <a href="#">Sector</a> |

## 2.59.3. Consumes

- [application/json](#)

## 2.59.4. Produces

- [\\*/\\*](#)

## 2.59.5. Tags

- backoffice-sector-controller

## 2.59.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.60. delete

```
DELETE /backoffice/sectors/{id}
```

## 2.60.1. Parameters

| Type | Name                         | Description | Schema          |
|------|------------------------------|-------------|-----------------|
| Path | <b>id</b><br><i>required</i> | id          | integer (int32) |

## 2.60.2. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | <a href="#">BackofficeDeleteResponseOfSector</a> |

### 2.60.3. Produces

- \*/\*

### 2.60.4. Tags

- backoffice-sector-controller

### 2.60.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.61. error

POST /error

### 2.61.1. Responses

| HTTP Code | Description | Schema                    |
|-----------|-------------|---------------------------|
| 200       | OK          | < string, object ><br>map |

### 2.61.2. Consumes

- application/json

### 2.61.3. Produces

- \*/\*

### 2.61.4. Tags

- basic-error-controller

### 2.61.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.62. error

GET /error

### 2.62.1. Responses

| HTTP Code | Description | Schema                    |
|-----------|-------------|---------------------------|
| 200       | OK          | < string, object ><br>map |

### 2.62.2. Produces

- \*/\*

### 2.62.3. Tags

- basic-error-controller

### 2.62.4. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.63. error

PUT /error

### 2.63.1. Responses

| HTTP Code | Description | Schema                    |
|-----------|-------------|---------------------------|
| 200       | OK          | < string, object ><br>map |

### 2.63.2. Consumes

- application/json

### 2.63.3. Produces

- **\*/\***

### 2.63.4. Tags

- basic-error-controller

### 2.63.5. Security

| Type   | Name       | Scopes |
|--------|------------|--------|
| apiKey | <b>JWT</b> | global |

## 2.64. error

DELETE /error

### 2.64.1. Responses

| HTTP Code | Description | Schema                    |
|-----------|-------------|---------------------------|
| 200       | OK          | < string, object ><br>map |

### 2.64.2. Produces

- **\*/\***

### 2.64.3. Tags

- basic-error-controller

### 2.64.4. Security

| Type   | Name       | Scopes |
|--------|------------|--------|
| apiKey | <b>JWT</b> | global |

## 2.65. error

PATCH /error

### 2.65.1. Responses

| HTTP Code | Description | Schema                    |
|-----------|-------------|---------------------------|
| 200       | OK          | < string, object ><br>map |

### 2.65.2. Consumes

- `application/json`

### 2.65.3. Produces

- `*/*`

### 2.65.4. Tags

- basic-error-controller

### 2.65.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.66. error

HEAD /error

### 2.66.1. Responses

| HTTP Code | Description | Schema                    |
|-----------|-------------|---------------------------|
| 200       | OK          | < string, object ><br>map |

### 2.66.2. Consumes

- `application/json`

### 2.66.3. Produces

- `*/*`



## 2.66.4. Tags

- basic-error-controller

## 2.66.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.67. error

OPTIONS /error

### 2.67.1. Responses

| HTTP Code | Description | Schema                 |
|-----------|-------------|------------------------|
| 200       | OK          | < string, object > map |

### 2.67.2. Consumes

- application/json

### 2.67.3. Produces

- \*/\*

## 2.67.4. Tags

- basic-error-controller

## 2.67.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.68. getLanguages

GET /i18n/support-languages

### 2.68.1. Responses

| HTTP Code | Description | Schema           |
|-----------|-------------|------------------|
| 200       | OK          | < string > array |

### 2.68.2. Produces

- \*/\*

### 2.68.3. Tags

- I18n

### 2.68.4. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.69. getAllInternmentPatient

GET /institutions/{institutionId}/internments/patients

### 2.69.1. Parameters

| Type | Name                                    | Description   | Schema          |
|------|---|---------------|-----------------|
| Path | <b>institutionId</b><br><i>required</i> | institutionId | integer (int32) |

### 2.69.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">InternmentEpisodeDto</a> > array |

### 2.69.3. Produces

- \*/\*

## 2.69.4. Tags

- Internment Patient

## 2.69.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

# 2.70. getIdentityVerificationStatus

POST /masterdata/patient/withoutIdentityReasons

## 2.70.1. Responses

| HTTP Code | Description | Schema                                  |
|-----------|-------------|---|
| 200       | OK          | <<br>IdentityVerificationStatus > array |

## 2.70.2. Consumes

- application/json

## 2.70.3. Produces

- \*/\*

## 2.70.4. Tags

- PatientMasterData

## 2.70.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

# 2.71. getIdentityVerificationStatus

GET /masterdata/patient/withoutIdentityReasons

### 2.71.1. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">IdentityVerificationStatus</a> > array |

### 2.71.2. Produces

- \*/\*

### 2.71.3. Tags

- PatientMasterData

### 2.71.4. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.72. getIdentityVerificationStatus

PUT /masterdata/patient/withoutIdentityReasons

### 2.72.1. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">IdentityVerificationStatus</a> > array |

### 2.72.2. Consumes

- application/json

### 2.72.3. Produces

- \*/\*

## 2.72.4. Tags

- PatientMasterData

## 2.72.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.73. getIdentityVerificationStatus

DELETE /masterdata/patient/withoutIdentityReasons

## 2.73.1. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">IdentityVerificationStatus</a> > array |

## 2.73.2. Produces

- \*/\*

## 2.73.3. Tags

- PatientMasterData

## 2.73.4. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.74. getIdentityVerificationStatus

PATCH /masterdata/patient/withoutIdentityReasons

### 2.74.1. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">IdentityVerificationStatus</a> > array |

### 2.74.2. Consumes

- [application/json](#)

### 2.74.3. Produces

- [\\*/\\*](#)

### 2.74.4. Tags

- PatientMasterData

### 2.74.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.75. getIdentityVerificationStatus

HEAD /masterdata/patient/withoutIdentityReasons

### 2.75.1. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---|
| 200       | OK          | <<br><a href="#">IdentityVerificationStatus</a> > array |

### 2.75.2. Consumes

- [application/json](#)

### 2.75.3. Produces

- \*/\*

### 2.75.4. Tags

- PatientMasterData

### 2.75.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.76. getIdentityVerificationStatus

OPTIONS /masterdata/patient/withoutIdentityReasons

### 2.76.1. Responses

| HTTP Code | Description | Schema                                  |
|-----------|-------------|---|
| 200       | OK          | <<br>IdentityVerificationStatus > array |

### 2.76.2. Consumes

- application/json

### 2.76.3. Produces

- \*/\*

### 2.76.4. Tags

- PatientMasterData

### 2.76.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.77. updatePassword

PATCH /passwords/{userId}

### 2.77.1. Parameters

| Type | Name                               | Description | Schema          |
|------|------------------------------------|-------------|-----------------|
| Path | <b>userId</b><br><i>required</i>   | userId      | integer (int32) |
| Body | <b>password</b><br><i>required</i> | password    | string          |

### 2.77.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---------|
| 200       | OK          | boolean |

### 2.77.3. Consumes

- `application/json`

### 2.77.4. Produces

- `*/*`

### 2.77.5. Tags

- Password

### 2.77.6. Security

| Type   | Name             | Scopes |
|--------|------------------|--------|
| apiKey | <code>JWT</code> | global |

## 2.78. addPatient

POST /patient



### 2.78.1. Parameters

| Type | Name                                 | Description | Schema                      |
|------|--------------------------------------|-------------|-----------------------------|
| Body | <b>patientDto</b><br><i>required</i> | patientDto  | <a href="#">APatientDto</a> |

### 2.78.2. Responses

| HTTP Code | Description | Schema                       |
|-----------|-------------|------------------------------|
| 200       | OK          | <a href="#">BMPatientDto</a> |

### 2.78.3. Consumes

- [application/json](#)

### 2.78.4. Produces

- [\\*/\\*](#)

### 2.78.5. Tags

- Patient

### 2.78.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.79. getPatientMinimal

GET /patient/minimalsearch

### 2.79.1. Parameters

| Type  | Name                               | Description | Schema          |
|-------|------------------------------------|-------------|-----------------|
| Query | <b>genderId</b><br><i>required</i> | genderId    | integer (int32) |

| Type  | Name   | Description          | Schema          |
|-------|--|----------------------|-----------------|
| Query | <b>identificationNumber</b><br><i>required</i> | identificationNumber | string          |
| Query | <b>identificationTypeId</b><br><i>required</i> | identificationTypeId | integer (int32) |

## 2.79.2. Responses

| HTTP Code | Description | Schema                       |
|-----------|-------------|------------------------------|
| 200       | OK          | < integer (int32) ><br>array |

## 2.79.3. Produces

- *\*/\**

## 2.79.4. Tags

- Patient

## 2.79.5. Security

| Type   | Name       | Scopes |
|--------|------------|--------|
| apiKey | <b>JWT</b> | global |

# 2.80. searchPatient

GET /patient/search

## 2.80.1. Parameters

| Type  | Name                                      | Description     | Schema |
|-------|---|-----------------|--------|
| Query | <b>searchFilterStr</b><br><i>required</i> | searchFilterStr | string |

## 2.80.2. Responses

| HTTP Code | Description | Schema   |
|-----------|-------------|--|
| 200       | OK          | <<br><a href="#">PatientSearchDto</a><br>> array |

## 2.80.3. Produces

- *\*/\**

## 2.80.4. Tags

- Patient

## 2.80.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.81. getBasicDataPatient

```
GET /patient/{patientId}/basicdata
```

## 2.81.1. Parameters

| Type | Name                                | Description | Schema          |
|------|-------------------------------------|-------------|-----------------|
| Path | <b>patientId</b><br><i>required</i> | patientId   | integer (int32) |

## 2.81.2. Responses

| HTTP Code | Description | Schema                          |
|-----------|-------------|---------------------------------|
| 200       | OK          | <a href="#">BasicPatientDto</a> |

## 2.81.3. Produces

- *\*/\**

## 2.81.4. Tags

- Patient

## 2.81.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# 2.82. addPerson

POST /person

## 2.82.1. Parameters

| Type | Name                                | Description | Schema                     |
|------|-------------------------------------|-------------|----------------------------|
| Body | <b>personDto</b><br><i>required</i> | personDto   | <a href="#">APersonDto</a> |

## 2.82.2. Responses

| HTTP Code | Description | Schema                      |
|-----------|-------------|-----------------------------|
| 200       | OK          | <a href="#">BMPersonDto</a> |

## 2.82.3. Consumes

- [application/json](#)

## 2.82.4. Produces

- [\\*/\\*](#)

## 2.82.5. Tags

- Person

## 2.82.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.83. getPersonMinimal

GET /person/minimalsearch

### 2.83.1. Parameters

| Type  | Name   | Description          | Schema          |
|-------|--|----------------------|-----------------|
| Query | <b>genderId</b><br><i>required</i>             | genderId             | integer (int32) |
| Query | <b>identificationNumber</b><br><i>required</i> | identificationNumber | string          |
| Query | <b>identificationTypeId</b><br><i>required</i> | identificationTypeId | integer (int32) |

### 2.83.2. Responses

| HTTP Code | Description | Schema                       |
|-----------|-------------|------------------------------|
| 200       | OK          | < integer (int32) ><br>array |

### 2.83.3. Produces

- *\*/\**

### 2.83.4. Tags

- Person

### 2.83.5. Security

| Type   | Name       | Scopes |
|--------|------------|--------|
| apiKey | <b>JWT</b> | global |

## 2.84. getPersonalInformation

GET /person/{personId}/personalInformation

### 2.84.1. Parameters

| Type | Name                               | Description | Schema          |
|------|------------------------------------|-------------|-----------------|
| Path | <b>personId</b><br><i>required</i> | personId    | integer (int32) |

### 2.84.2. Responses

| HTTP Code | Description | Schema                                 |
|-----------|-------------|--|
| 200       | OK          | <a href="#">PersonalInformationDto</a> |

### 2.84.3. Produces

- *\*/\**

### 2.84.4. Tags

- Person

### 2.84.5. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.85. setRoleUser

POST /roles

### 2.85.1. Parameters

| Type | Name                                  | Description | Schema                             |
|------|---------------------------------------|-------------|------------------------------------|
| Body | <b>userRoleDto</b><br><i>required</i> | userRoleDto | <a href="#">RequestUserRoleDto</a> |

### 2.85.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---------|
| 200       | OK          | boolean |

### 2.85.3. Consumes

- `application/json`

### 2.85.4. Produces

- `*/*`

### 2.85.5. Tags

- Role

### 2.85.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.86. addUser

POST /users

### 2.86.1. Parameters

| Type | Name                              | Description | Schema                     |
|------|-----------------------------------|-------------|----------------------------|
| Body | <b>userDto</b><br><i>required</i> | userDto     | <a href="#">AddUserDto</a> |

### 2.86.2. Responses

| HTTP Code | Description | Schema                  |
|-----------|-------------|-------------------------|
| 200       | OK          | <a href="#">UserDto</a> |

### 2.86.3. Consumes

- `application/json`

### 2.86.4. Produces

- `*/*`

### 2.86.5. Tags

- User

### 2.86.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

## 2.87. getUsers

GET /users/page

### 2.87.1. Parameters

| Type  | Name                           | Schema          |
|-------|--------------------------------|-----------------|
| Query | <b>page</b><br><i>optional</i> | integer (int32) |
| Query | <b>size</b><br><i>optional</i> | integer (int32) |
| Query | <b>sort</b><br><i>optional</i> | string          |

### 2.87.2. Responses

| HTTP Code | Description | Schema                              |
|-----------|-------------|-------------------------------------|
| 200       | OK          | <a href="#">PageOfPageableUsers</a> |



### 2.87.3. Produces

- *\*/\**

### 2.87.4. Tags

- User

### 2.87.5. Security

| Type   | Name | Scopes |
|--------|------|--------|
| apiKey | JWT  | global |

## 2.88. changeStatusAccount

PATCH /users/{id}

### 2.88.1. Parameters

| Type  | Name                      | Description | Schema          |
|-------|---------------------------|-------------|-----------------|
| Path  | id<br><i>required</i>     | id          | integer (int32) |
| Query | status<br><i>required</i> | status      | boolean         |

### 2.88.2. Responses

| HTTP Code | Description | Schema  |
|-----------|-------------|---------|
| 200       | OK          | boolean |

### 2.88.3. Consumes

- *application/json*

### 2.88.4. Produces

- *\*/\**

## 2.88.5. Tags

- User

## 2.88.6. Security

| Type   | Name                | Scopes |
|--------|---------------------|--------|
| apiKey | <a href="#">JWT</a> | global |

# Chapter 3. Security

## 3.1. JWT

*Type* : apiKey

*Name* : X-Auth-Token

*In* : HEADER

# Chapter 4. Definitions

## 4.1. APatientDto

| Name   | Description            | Schema          |
|--|------------------------|-----------------|
| <b>apartment</b><br><i>optional</i>                      |                        | string          |
| <b>birthDate</b><br><i>required</i>                      | Example : "yyyy-MM-dd" | string          |
| <b>cityId</b><br><i>optional</i>                         |                        | integer (int32) |
| <b>cuil</b><br><i>optional</i>                           |                        | string          |
| <b>email</b><br><i>optional</i>                          |                        | string          |
| <b>ethnic</b><br><i>optional</i>                         |                        | string          |
| <b>firstName</b><br><i>required</i>                      |                        | string          |
| <b>floor</b><br><i>optional</i>                          |                        | string          |
| <b>genderId</b><br><i>required</i>                       |                        | integer (int32) |
| <b>genderSelfDet<br/>erminationId</b><br><i>optional</i> |                        | integer (int32) |
| <b>identification<br/>Number</b><br><i>optional</i>      |                        | string          |
| <b>identification<br/>TypeId</b><br><i>required</i>      |                        | integer (int32) |

| Name  | Description | Schema |
|---|-------------|--------|
| <b>lastName</b><br><i>required</i>              |             | string |
| <b>middleNames</b><br><i>optional</i>           |             | string |
| <b>mothersLastName</b><br><i>optional</i>       |             | string |
| <b>nameSelfDetermination</b><br><i>optional</i> |             | string |
| <b>number</b><br><i>optional</i>                |             | string |
| <b>otherLastNames</b><br><i>optional</i>        |             | string |
| <b>phoneNumber</b><br><i>optional</i>           |             | string |
| <b>postcode</b><br><i>optional</i>              |             | string |
| <b>quarter</b><br><i>optional</i>               |             | string |
| <b>religion</b><br><i>optional</i>              |             | string |
| <b>street</b><br><i>optional</i>                |             | string |

## 4.2. APersonDto

| Name                                | Description | Schema |
|-------------------------------------|-------------|--------|
| <b>apartment</b><br><i>optional</i> |             | string |

| Name   | Description            | Schema          |
|--|------------------------|-----------------|
| <b>birthDate</b><br><i>required</i>                      | Example : "yyyy-MM-dd" | string          |
| <b>cityId</b><br><i>optional</i>                         |                        | integer (int32) |
| <b>cuil</b><br><i>optional</i>                           |                        | string          |
| <b>email</b><br><i>optional</i>                          |                        | string          |
| <b>ethnic</b><br><i>optional</i>                         |                        | string          |
| <b>firstName</b><br><i>required</i>                      |                        | string          |
| <b>floor</b><br><i>optional</i>                          |                        | string          |
| <b>genderId</b><br><i>required</i>                       |                        | integer (int32) |
| <b>genderSelfDet<br/>erminationId</b><br><i>optional</i> |                        | integer (int32) |
| <b>identification<br/>Number</b><br><i>optional</i>      |                        | string          |
| <b>identification<br/>TypeId</b><br><i>required</i>      |                        | integer (int32) |
| <b>lastName</b><br><i>required</i>                       |                        | string          |
| <b>middleNames</b><br><i>optional</i>                    |                        | string          |

| Name  | Description | Schema |
|---|-------------|--------|
| <b>mothersLastName</b><br><i>optional</i>       |             | string |
| <b>nameSelfDetermination</b><br><i>optional</i> |             | string |
| <b>number</b><br><i>optional</i>                |             | string |
| <b>otherLastNames</b><br><i>optional</i>        |             | string |
| <b>phoneNumber</b><br><i>optional</i>           |             | string |
| <b>postcode</b><br><i>optional</i>              |             | string |
| <b>quarter</b><br><i>optional</i>               |             | string |
| <b>religion</b><br><i>optional</i>              |             | string |
| <b>street</b><br><i>optional</i>                |             | string |

## 4.3. AddUserDto

| Name                               | Schema |
|------------------------------------|--------|
| <b>email</b><br><i>required</i>    | string |
| <b>password</b><br><i>required</i> | string |

## 4.4. Address

| Name                                | Schema          |
|-------------------------------------|-----------------|
| <b>apartment</b><br><i>optional</i> | string          |
| <b>cityId</b><br><i>optional</i>    | integer (int32) |
| <b>floor</b><br><i>optional</i>     | string          |
| <b>id</b><br><i>optional</i>        | integer (int32) |
| <b>number</b><br><i>optional</i>    | string          |
| <b>postcode</b><br><i>optional</i>  | string          |
| <b>quarter</b><br><i>optional</i>   | string          |
| <b>street</b><br><i>optional</i>    | string          |

## 4.5. AddressDto

| Name                                | Schema                  |
|-------------------------------------|-------------------------|
| <b>apartment</b><br><i>optional</i> | string                  |
| <b>city</b><br><i>optional</i>      | <a href="#">CityDto</a> |
| <b>floor</b><br><i>optional</i>     | string                  |
| <b>id</b><br><i>optional</i>        | integer (int32)         |



| Name                               | Schema                      |
|------------------------------------|-----------------------------|
| <b>number</b><br><i>optional</i>   | string                      |
| <b>postcode</b><br><i>optional</i> | string                      |
| <b>province</b><br><i>optional</i> | <a href="#">ProvinceDto</a> |
| <b>quarter</b><br><i>optional</i>  | string                      |
| <b>street</b><br><i>optional</i>   | string                      |

## 4.6. AddressProjection

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.7. BMPatientDto

| Name                                | Description            | Schema          |
|-------------------------------------|------------------------|-----------------|
| <b>apartment</b><br><i>optional</i> |                        | string          |
| <b>birthDate</b><br><i>required</i> | Example : "yyyy-MM-dd" | string          |
| <b>cityId</b><br><i>optional</i>    |                        | integer (int32) |
| <b>cuil</b><br><i>optional</i>      |                        | string          |

| Name   | Description | Schema          |
|--|-------------|-----------------|
| <b>email</b><br><i>optional</i>                          |             | string          |
| <b>ethnic</b><br><i>optional</i>                         |             | string          |
| <b>firstName</b><br><i>required</i>                      |             | string          |
| <b>floor</b><br><i>optional</i>                          |             | string          |
| <b>genderId</b><br><i>required</i>                       |             | integer (int32) |
| <b>genderSelfDet<br/>erminationId</b><br><i>optional</i> |             | integer (int32) |
| <b>id</b><br><i>optional</i>                             |             | integer (int32) |
| <b>identification<br/>Number</b><br><i>optional</i>      |             | string          |
| <b>identification<br/>TypeId</b><br><i>required</i>      |             | integer (int32) |
| <b>lastName</b><br><i>required</i>                       |             | string          |
| <b>middleNames</b><br><i>optional</i>                    |             | string          |
| <b>mothersLastN<br/>ame</b><br><i>optional</i>           |             | string          |
| <b>nameSelfDete<br/>rmination</b><br><i>optional</i>     |             | string          |

| Name                                     | Description | Schema |
|--|-------------|--------|
| <b>number</b><br><i>optional</i>         |             | string |
| <b>otherLastNames</b><br><i>optional</i> |             | string |
| <b>phoneNumber</b><br><i>optional</i>    |             | string |
| <b>postcode</b><br><i>optional</i>       |             | string |
| <b>quarter</b><br><i>optional</i>        |             | string |
| <b>religion</b><br><i>optional</i>       |             | string |
| <b>street</b><br><i>optional</i>         |             | string |

## 4.8. BMPersonDto

| Name                                | Description            | Schema          |
|-------------------------------------|------------------------|-----------------|
| <b>apartment</b><br><i>optional</i> |                        | string          |
| <b>birthDate</b><br><i>required</i> | Example : "yyyy-MM-dd" | string          |
| <b>cityId</b><br><i>optional</i>    |                        | integer (int32) |
| <b>cuil</b><br><i>optional</i>      |                        | string          |
| <b>email</b><br><i>optional</i>     |                        | string          |

| Name   | Description | Schema          |
|--|-------------|-----------------|
| <b>ethnic</b><br><i>optional</i>                         |             | string          |
| <b>firstName</b><br><i>required</i>                      |             | string          |
| <b>floor</b><br><i>optional</i>                          |             | string          |
| <b>genderId</b><br><i>required</i>                       |             | integer (int32) |
| <b>genderSelfDet<br/>erminationId</b><br><i>optional</i> |             | integer (int32) |
| <b>id</b><br><i>optional</i>                             |             | integer (int32) |
| <b>identification<br/>Number</b><br><i>optional</i>      |             | string          |
| <b>identification<br/>TypeId</b><br><i>required</i>      |             | integer (int32) |
| <b>lastName</b><br><i>required</i>                       |             | string          |
| <b>middleNames</b><br><i>optional</i>                    |             | string          |
| <b>mothersLastN<br/>ame</b><br><i>optional</i>           |             | string          |
| <b>nameSelfDete<br/>rmination</b><br><i>optional</i>     |             | string          |
| <b>number</b><br><i>optional</i>                         |             | string          |

| Name                                     | Description | Schema |
|--|-------------|--------|
| <b>otherLastNames</b><br><i>optional</i> |             | string |
| <b>phoneNumber</b><br><i>optional</i>    |             | string |
| <b>postcode</b><br><i>optional</i>       |             | string |
| <b>quarter</b><br><i>optional</i>        |             | string |
| <b>religion</b><br><i>optional</i>       |             | string |
| <b>street</b><br><i>optional</i>         |             | string |

## 4.9. BackofficeDeleteResponseOfAddress

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.10. BackofficeDeleteResponseOfBed

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.11. BackofficeDeleteResponseOfCity

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.12. BackofficeDeleteResponseOfClinicalSpecialty

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.13.

## BackofficeDeleteResponseOfClinicalSpecialtySector

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.14. BackofficeDeleteResponseOfDepartment

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.15. BackofficeDeleteResponseOfInstitution

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.16. BackofficeDeleteResponseOfProvince

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.17. BackofficeDeleteResponseOfRoom

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.18. BackofficeDeleteResponseOfSector

| Name                         | Schema          |
|------------------------------|-----------------|
| <b>id</b><br><i>optional</i> | integer (int32) |

## 4.19. BasicDataPersonDto

| Name                                | Schema                    |
|-------------------------------------|---------------------------|
| <b>age</b><br><i>optional</i>       | integer (int32)           |
| <b>firstName</b><br><i>optional</i> | string                    |
| <b>gender</b><br><i>optional</i>    | <a href="#">GenderDto</a> |
| <b>id</b><br><i>optional</i>        | integer (int32)           |
| <b>lastName</b><br><i>optional</i>  | string                    |

## 4.20. BasicPatientDto

| Name                             | Schema                             |
|----------------------------------|------------------------------------|
| <b>id</b><br><i>optional</i>     | integer (int32)                    |
| <b>person</b><br><i>optional</i> | <a href="#">BasicDataPersonDto</a> |

## 4.21. Bed

| Name                                    | Schema          |
|---|-----------------|
| <b>bedCategoryId</b><br><i>optional</i> | integer (int32) |
| <b>id</b><br><i>optional</i>            | integer (int32) |
| <b>roomId</b><br><i>optional</i>        | integer (int32) |

## 4.22. BedDto

| Name                                | Schema                  |
|-------------------------------------|-------------------------|
| <b>bedNumber</b><br><i>optional</i> | integer (int32)         |
| <b>id</b><br><i>optional</i>        | integer (int32)         |
| <b>room</b><br><i>optional</i>      | <a href="#">RoomDto</a> |

## 4.23. Character

Type : object

## 4.24. City

| Name                                   | Schema                    |
|--|---------------------------|
| <b>active</b><br><i>optional</i>       | boolean                   |
| <b>city_type</b><br><i>optional</i>    | <a href="#">Character</a> |
| <b>departmentId</b><br><i>optional</i> | integer (int32)           |



| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.25. CityDto

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.26. ClinicalSpecialty

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |
| <b>name</b><br><i>optional</i>        | string          |
| <b>sctidCode</b><br><i>optional</i>   | string          |

## 4.27. ClinicalSpecialtyDto

| Name                           | Schema          |
|--------------------------------|-----------------|
| <b>id</b><br><i>optional</i>   | integer (int32) |
| <b>name</b><br><i>optional</i> | string          |

## 4.28. ClinicalSpecialtySector

| Name  | Schema          |
|---|-----------------|
| <b>clinicalSpecialtyId</b><br><i>optional</i> | integer (int32) |
| <b>description</b><br><i>optional</i>         | string          |
| <b>id</b><br><i>optional</i>                  | integer (int32) |
| <b>sectorId</b><br><i>optional</i>            | integer (int32) |

## 4.29. Department

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |
| <b>provinceId</b><br><i>optional</i>  | integer (int32) |

## 4.30. GenderDto

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.31. HealthInsuranceDto

| Name                              | Schema          |
|-----------------------------------|-----------------|
| <b>acronym</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>      | integer (int32) |
| <b>rnos</b><br><i>optional</i>    | string          |

## 4.32. IdentificationTypeDto

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.33. IdentityVerificationStatus

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.34. Institution

| Name                                | Schema          |
|-------------------------------------|-----------------|
| <b>addressId</b><br><i>optional</i> | integer (int32) |
| <b>cuit</b><br><i>optional</i>      | string          |
| <b>email</b><br><i>optional</i>     | string          |

| Name                               | Schema          |
|------------------------------------|-----------------|
| <b>id</b><br><i>optional</i>       | integer (int32) |
| <b>name</b><br><i>optional</i>     | string          |
| <b>phone</b><br><i>optional</i>    | string          |
| <b>sisacode</b><br><i>optional</i> | string          |
| <b>website</b><br><i>optional</i>  | string          |

## 4.35. InternmentEpisodeDto

| Name                              | Schema                               |
|-----------------------------------|--------------------------------------|
| <b>bed</b><br><i>optional</i>     | <a href="#">BedDto</a>               |
| <b>doctor</b><br><i>optional</i>  | <a href="#">ResponsibleDoctorDto</a> |
| <b>id</b><br><i>optional</i>      | integer (int32)                      |
| <b>patient</b><br><i>optional</i> | <a href="#">PatientDto</a>           |

## 4.36. IterableOfAddress

Type : object

## 4.37. IterableOfBed

Type : object

## 4.38. IterableOfCity

Type : object

## 4.39. IterableOfClinicalSpecialty

Type : object

## 4.40. IterableOfClinicalSpecialtySector

Type : object

## 4.41. IterableOfDepartment

Type : object

## 4.42. IterableOfInstitution

Type : object

## 4.43. IterableOfProvince

Type : object

## 4.44. IterableOfRoom

Type : object

## 4.45. IterableOfSector

Type : object

## 4.46. JWTokenDto

| Name                                   | Schema |
|--|--------|
| <b>refreshToken</b><br><i>optional</i> | string |
| <b>token</b><br><i>optional</i>        | string |

## 4.47. Link

| Name                                | Schema  |
|-------------------------------------|---------|
| <b>href</b><br><i>optional</i>      | string  |
| <b>templated</b><br><i>optional</i> | boolean |

## 4.48. LoginDto

| Name                               | Schema |
|------------------------------------|--------|
| <b>password</b><br><i>required</i> | string |
| <b>username</b><br><i>required</i> | string |

## 4.49. MapOfStringAndLink

Type : < string, [Link](#) > map

## 4.50. ModelAndView

| Name                                | Schema                 |
|-------------------------------------|------------------------|
| <b>empty</b><br><i>optional</i>     | boolean                |
| <b>model</b><br><i>optional</i>     | object                 |
| <b>modelMap</b><br><i>optional</i>  | < string, object > map |
| <b>reference</b><br><i>optional</i> | boolean                |

| Name                             | Schema   |
|----------------------------------|--|
| <b>status</b><br><i>optional</i> | enum (100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED) |
| <b>view</b><br><i>optional</i>   | <a href="#">View</a>   |

| Name                               | Schema |
|------------------------------------|--------|
| <b>viewName</b><br><i>optional</i> | string |

## 4.51. PageOfAddress

| Name                                       | Schema                            |
|--|-----------------------------------|
| <b>content</b><br><i>optional</i>          | < <a href="#">Address</a> > array |
| <b>empty</b><br><i>optional</i>            | boolean                           |
| <b>first</b><br><i>optional</i>            | boolean                           |
| <b>last</b><br><i>optional</i>             | boolean                           |
| <b>number</b><br><i>optional</i>           | integer (int32)                   |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)                   |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a>          |
| <b>size</b><br><i>optional</i>             | integer (int32)                   |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>              |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)                   |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)                   |



## 4.52. PageOfBed

| Name                                       | Schema                        |
|--|-------------------------------|
| <b>content</b><br><i>optional</i>          | < <a href="#">Bed</a> > array |
| <b>empty</b><br><i>optional</i>            | boolean                       |
| <b>first</b><br><i>optional</i>            | boolean                       |
| <b>last</b><br><i>optional</i>             | boolean                       |
| <b>number</b><br><i>optional</i>           | integer (int32)               |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)               |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a>      |
| <b>size</b><br><i>optional</i>             | integer (int32)               |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>          |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)               |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)               |

## 4.53. PageOfCity

| Name                              | Schema                         |
|-----------------------------------|--------------------------------|
| <b>content</b><br><i>optional</i> | < <a href="#">City</a> > array |

| Name                                       | Schema                   |
|--|--------------------------|
| <b>empty</b><br><i>optional</i>            | boolean                  |
| <b>first</b><br><i>optional</i>            | boolean                  |
| <b>last</b><br><i>optional</i>             | boolean                  |
| <b>number</b><br><i>optional</i>           | integer (int32)          |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)          |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a> |
| <b>size</b><br><i>optional</i>             | integer (int32)          |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>     |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)          |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)          |

## 4.54. PageOfClinicalSpecialty

| Name                              | Schema                                      |
|-----------------------------------|---|
| <b>content</b><br><i>optional</i> | < <a href="#">ClinicalSpecialty</a> > array |
| <b>empty</b><br><i>optional</i>   | boolean                                     |
| <b>first</b><br><i>optional</i>   | boolean                                     |

| Name                                       | Schema                   |
|--|--------------------------|
| <b>last</b><br><i>optional</i>             | boolean                  |
| <b>number</b><br><i>optional</i>           | integer (int32)          |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)          |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a> |
| <b>size</b><br><i>optional</i>             | integer (int32)          |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>     |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)          |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)          |

## 4.55. PageOfClinicalSpecialtySector

| Name                              | Schema  |
|-----------------------------------|---|
| <b>content</b><br><i>optional</i> | < <a href="#">ClinicalSpecialtySector</a> > array |
| <b>empty</b><br><i>optional</i>   | boolean   |
| <b>first</b><br><i>optional</i>   | boolean   |
| <b>last</b><br><i>optional</i>    | boolean   |
| <b>number</b><br><i>optional</i>  | integer (int32)                                   |

| Name                                       | Schema                   |
|--|--------------------------|
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)          |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a> |
| <b>size</b><br><i>optional</i>             | integer (int32)          |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>     |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)          |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)          |

## 4.56. PageOfDepartment

| Name                                       | Schema                               |
|--|--------------------------------------|
| <b>content</b><br><i>optional</i>          | < <a href="#">Department</a> > array |
| <b>empty</b><br><i>optional</i>            | boolean                              |
| <b>first</b><br><i>optional</i>            | boolean                              |
| <b>last</b><br><i>optional</i>             | boolean                              |
| <b>number</b><br><i>optional</i>           | integer (int32)                      |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)                      |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a>             |

| Name                                    | Schema               |
|---|----------------------|
| <b>size</b><br><i>optional</i>          | integer (int32)      |
| <b>sort</b><br><i>optional</i>          | <a href="#">Sort</a> |
| <b>totalElements</b><br><i>optional</i> | integer (int64)      |
| <b>totalPages</b><br><i>optional</i>    | integer (int32)      |

## 4.57. PageOfInstitution

| Name                                       | Schema                                |
|--|---------------------------------------|
| <b>content</b><br><i>optional</i>          | < <a href="#">Institution</a> > array |
| <b>empty</b><br><i>optional</i>            | boolean                               |
| <b>first</b><br><i>optional</i>            | boolean                               |
| <b>last</b><br><i>optional</i>             | boolean                               |
| <b>number</b><br><i>optional</i>           | integer (int32)                       |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)                       |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a>              |
| <b>size</b><br><i>optional</i>             | integer (int32)                       |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>                  |

| Name                                    | Schema          |
|---|-----------------|
| <b>totalElements</b><br><i>optional</i> | integer (int64) |
| <b>totalPages</b><br><i>optional</i>    | integer (int32) |

## 4.58. PageOfPageableUsers

| Name                                       | Schema                                  |
|--|---|
| <b>content</b><br><i>optional</i>          | < <a href="#">PageableUsers</a> > array |
| <b>empty</b><br><i>optional</i>            | boolean                                 |
| <b>first</b><br><i>optional</i>            | boolean                                 |
| <b>last</b><br><i>optional</i>             | boolean                                 |
| <b>number</b><br><i>optional</i>           | integer (int32)                         |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)                         |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a>                |
| <b>size</b><br><i>optional</i>             | integer (int32)                         |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>                    |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)                         |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)                         |

## 4.59. PageOfProvince

| Name                                       | Schema                             |
|--|------------------------------------|
| <b>content</b><br><i>optional</i>          | < <a href="#">Province</a> > array |
| <b>empty</b><br><i>optional</i>            | boolean                            |
| <b>first</b><br><i>optional</i>            | boolean                            |
| <b>last</b><br><i>optional</i>             | boolean                            |
| <b>number</b><br><i>optional</i>           | integer (int32)                    |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)                    |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a>           |
| <b>size</b><br><i>optional</i>             | integer (int32)                    |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>               |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)                    |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)                    |

## 4.60. PageOfRoom

| Name                              | Schema                         |
|-----------------------------------|--------------------------------|
| <b>content</b><br><i>optional</i> | < <a href="#">Room</a> > array |

| Name                                       | Schema                   |
|--|--------------------------|
| <b>empty</b><br><i>optional</i>            | boolean                  |
| <b>first</b><br><i>optional</i>            | boolean                  |
| <b>last</b><br><i>optional</i>             | boolean                  |
| <b>number</b><br><i>optional</i>           | integer (int32)          |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)          |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a> |
| <b>size</b><br><i>optional</i>             | integer (int32)          |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>     |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)          |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)          |

## 4.61. PageOfSector

| Name                              | Schema                           |
|-----------------------------------|----------------------------------|
| <b>content</b><br><i>optional</i> | < <a href="#">Sector</a> > array |
| <b>empty</b><br><i>optional</i>   | boolean                          |
| <b>first</b><br><i>optional</i>   | boolean                          |



| Name                                       | Schema                   |
|--|--------------------------|
| <b>last</b><br><i>optional</i>             | boolean                  |
| <b>number</b><br><i>optional</i>           | integer (int32)          |
| <b>numberOfElements</b><br><i>optional</i> | integer (int32)          |
| <b>pageable</b><br><i>optional</i>         | <a href="#">Pageable</a> |
| <b>size</b><br><i>optional</i>             | integer (int32)          |
| <b>sort</b><br><i>optional</i>             | <a href="#">Sort</a>     |
| <b>totalElements</b><br><i>optional</i>    | integer (int64)          |
| <b>totalPages</b><br><i>optional</i>       | integer (int32)          |

## 4.62. Pageable

| Name                           | Schema          |
|--------------------------------|-----------------|
| <b>page</b><br><i>optional</i> | integer (int32) |
| <b>size</b><br><i>optional</i> | integer (int32) |
| <b>sort</b><br><i>optional</i> | string          |

## 4.63. PageableUsers

| Name                                | Schema             |
|-------------------------------------|--------------------|
| <b>enable</b><br><i>optional</i>    | boolean            |
| <b>id</b><br><i>optional</i>        | integer (int32)    |
| <b>lastLogin</b><br><i>optional</i> | string (date-time) |
| <b>role</b><br><i>optional</i>      | string             |
| <b>username</b><br><i>optional</i>  | string             |

## 4.64. PatientDto

| Name                                | Schema          |
|-------------------------------------|-----------------|
| <b>firstName</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>        | integer (int32) |
| <b>lastName</b><br><i>optional</i>  | string          |

## 4.65. PatientSearchDto

| Name                              | Schema                      |
|-----------------------------------|-----------------------------|
| <b>person</b><br><i>optional</i>  | <a href="#">BMPersonDto</a> |
| <b>ranking</b><br><i>optional</i> | number (float)              |

## 4.66. PersonalInformationDto

| Name   | Schema                                |
|--|---------------------------------------|
| <b>address</b><br><i>optional</i>              | <a href="#">AddressDto</a>            |
| <b>birthDate</b><br><i>optional</i>            | string (date)                         |
| <b>cuil</b><br><i>optional</i>                 | string                                |
| <b>email</b><br><i>optional</i>                | string                                |
| <b>healthInsurance</b><br><i>optional</i>      | <a href="#">HealthInsuranceDto</a>    |
| <b>id</b><br><i>optional</i>                   | integer (int32)                       |
| <b>identificationNumber</b><br><i>optional</i> | string                                |
| <b>identificationType</b><br><i>optional</i>   | <a href="#">IdentificationTypeDto</a> |
| <b>phoneNumber</b><br><i>optional</i>          | string                                |

## 4.67. Province

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>countryId</b><br><i>optional</i>   | integer (int32) |
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.68. ProvinceDto

| Name                                  | Schema          |
|---------------------------------------|-----------------|
| <b>description</b><br><i>optional</i> | string          |
| <b>id</b><br><i>optional</i>          | integer (int32) |

## 4.69. RequestUserRoleDto

| Name                             | Schema          |
|----------------------------------|-----------------|
| <b>roleId</b><br><i>optional</i> | integer (int32) |
| <b>userId</b><br><i>required</i> | integer (int32) |

## 4.70. ResponsibleDoctorDto

| Name                              | Schema          |
|-----------------------------------|-----------------|
| <b>id</b><br><i>optional</i>      | integer (int32) |
| <b>name</b><br><i>optional</i>    | string          |
| <b>surname</b><br><i>optional</i> | string          |

## 4.71. Room

| Name                                    | Schema        |
|---|---------------|
| <b>description</b><br><i>optional</i>   | string        |
| <b>dischargeDate</b><br><i>optional</i> | string (date) |

| Name                               | Schema          |
|------------------------------------|-----------------|
| <b>id</b><br><i>optional</i>       | integer (int32) |
| <b>sectorId</b><br><i>optional</i> | integer (int32) |
| <b>type</b><br><i>optional</i>     | string          |

## 4.72. RoomDto

| Name                                 | Schema                               |
|--------------------------------------|--------------------------------------|
| <b>id</b><br><i>optional</i>         | integer (int32)                      |
| <b>roomNumber</b><br><i>optional</i> | integer (int32)                      |
| <b>sector</b><br><i>optional</i>     | <a href="#">SectorDto</a>            |
| <b>specialty</b><br><i>optional</i>  | <a href="#">ClinicalSpecialtyDto</a> |

## 4.73. Sector

| Name                                    | Schema          |
|---|-----------------|
| <b>description</b><br><i>optional</i>   | string          |
| <b>id</b><br><i>optional</i>            | integer (int32) |
| <b>institutionId</b><br><i>optional</i> | integer (int32) |

## 4.74. SectorDto

| Name                           | Schema          |
|--------------------------------|-----------------|
| <b>id</b><br><i>optional</i>   | integer (int32) |
| <b>name</b><br><i>optional</i> | string          |

## 4.75. Sort

| Name                               | Schema  |
|------------------------------------|---------|
| <b>empty</b><br><i>optional</i>    | boolean |
| <b>sorted</b><br><i>optional</i>   | boolean |
| <b>unsorted</b><br><i>optional</i> | boolean |

## 4.76. UserDto

| Name                            | Schema          |
|---------------------------------|-----------------|
| <b>email</b><br><i>required</i> | string          |
| <b>id</b><br><i>optional</i>    | integer (int32) |

## 4.77. View

| Name                                  | Schema |
|---------------------------------------|--------|
| <b>contentType</b><br><i>optional</i> | string |