

### Lab3

Aim: To understand list ,table and Form.

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Real lab1</title>
  <style>
    td , th ,table{
      border-style:double;
      padding: 1%;
      border-spacing:5px;
    }
  </style>
</head>
<body>
  <ol type = "i">
    <li>tea life</li>
    <li>suger</li>
    <li>milk</li>
  </ol>
  <ul type = "square">
    <li>ginger</li>
    <li>ilaich</li>
  </ul>
  <table>
    <tr>
      <th>sr</th>
      <th>name</th>
      <th>price</th>
    </tr>

    <tr><td>1</td>
    <td>milk</td>
    <td>60</td></tr>
    <tr>
      <td>2</td>
      <td>suger</td>
      <td>100</td>
    </tr>
  </table>
  <br>
  <table>
    <tr>
      <th rowspan="2">sr</th>
      <th rowspan="2">name</th>
      <th colspan="2">price</th>
```

```
</tr>
<tr>
  <th>rupi</th>
  <th>pesa</th>
</tr>
<tr><td>1</td>
<td>milk</td>
<td>60</td>
<td>6000</td>
</tr>
<tr>
  <td>2</td>
  <td>suger</td>
  <td>100</td>
  <td>1000</td>
</tr>
</table>
<form action="google.com">
  <label for="username">username</label>
  <input type="text" id="username" name="fhih">
  <br>
  <label for="password">password</label>
  <input type="password" id="password">
  <br>
  <input type="button" id="password" value="submit">
  <br>
  <input type="button" value="Reset">
</form>
</body>
</html>
```

**Output:**

- i. tea life
- ii. suger
- iii. milk

- ginger
- ilaich

sr	name	price
1	milk	60
2	suger	100

sr	name	price	
		rupi	pesa
1	milk	60	6000
2	suger	100	1000

username

password