


Entities

User, Resume, Job Description, Interview Session, Questions, Answer, Feedback Report, Delivery Metrics, STAR Analysis, Content Relevance Score, Model Answer, Body Language Analysis, Post Interview Outcome, **Metric History**



Part-B MongoDB queries

Database Creation

```
> use collegeDB
< switched to db collegeDB
collegeDB>
```

Collection Creation and inserting document

```
> db.students.insertOne({name:"Hitansh",sem:5,city:"Nadiad", department:"CE"})
< {
  acknowledged: true,
  insertedId: ObjectId('6a672368c0a02e9af23357b6')
}
collegeDB>
```

```
> db.createCollection("Faculty")
< { ok: 1 }
collegeDB>
```

Drop Collection

```
> db.Faculty.drop()
< true
```

find() queries

```
> db.students.find()
< {
  _id: ObjectId('6a672368c0a02e9af23357b6'),
  name: 'Hitansh',
  sem: 5,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a6723b1c0a02e9af23357b7'),
  name: 'Parth',
  sem: 5,
  city: 'Vadodara',
  department: 'CE'
}
{
  _id: ObjectId('6a6723c4c0a02e9af23357b8'),
  name: 'Dax',
  sem: 5,
  city: 'Nadiad',
  department: 'CE'
}
```

```
> db.students.find().count()
< 6
collegeDB> |
```

Skip()

```
> db.students.find().skip(2)
< {
  _id: ObjectId('6a6723c4c0a02e9af23357b8'),
  name: 'Dax',
  sem: 5,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a672476c0a02e9af23357b9'),
  name: 'Hitesh',
  sem: 3,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a672476c0a02e9af23357ba'),
  name: 'Het',
  sem: 3,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a672476c0a02e9af23357bb'),
  name: 'Neel',
  sem: 1,
  city: 'Nadiad',
  department: 'CE'
}
```

Limit()

```
> db.students.find().limit(2)
< {
  _id: ObjectId('6a672368c0a02e9af23357b6'),
  name: 'Hitansh',
  sem: 5,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a6723b1c0a02e9af23357b7'),
  name: 'Parth',
  sem: 5,
  city: 'Vadodara',
  department: 'CE'
}
collegeDB> |
```

Projection

```
> db.students.find({}, {name:true, city:true, department:true}).limit(2)
< {
  _id: ObjectId('6a672368c0a02e9af23357b6'),
  name: 'Hitansh',
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a6723b1c0a02e9af23357b7'),
  name: 'Parth',
  city: 'Vadodara',
  department: 'CE'
}
collegeDB> |
```

```
> db.students.find({}, {name:1, sem:1, department:1})
< {
  _id: ObjectId('6a672368c0a02e9af23357b6'),
  name: 'Hitansh',
  sem: 5,
  department: 'CE'
}
{
  _id: ObjectId('6a6723b1c0a02e9af23357b7'),
  name: 'Parth',
  sem: 5,
  department: 'CE'
}
{
  _id: ObjectId('6a6723c4c0a02e9af23357b8'),
  name: 'Dax',
  sem: 5,
  department: 'CE'
}
```

Sort()

```
> db.students.find().sort({sem:1}).limit(2)
< {
  _id: ObjectId('6a672476c0a02e9af23357bb'),
  name: 'Neel',
  sem: 1,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a672476c0a02e9af23357ba'),
  name: 'Het',
  sem: 3,
  city: 'Nadiad',
  department: 'CE'
}
collegeDB>
```

```
> db.students.find({CGPA:{$gt:8}})
< {
  _id: ObjectId('6a67299cc0a02e9af23357c0'),
  name: 'Het',
  sem: 3,
  city: 'Nadiad',
  department: 'CE',
  CGPA: 9
}
{
  _id: ObjectId('6a67299cc0a02e9af23357c1'),
  name: 'Neeł',
  sem: 1,
  city: 'Nadiad',
  department: 'CE',
  CGPA: 10
}
collegeDB>
```

Find() with or

```
> db.students.find({
  $or:[
    {
      city:"Nadiad"
    },
    {
      CGPA:{$gt:8}
    }
  ]
})

      ).skip(3).limit(3)
< {
  _id: ObjectId('6a672476c0a02e9af23357ba'),
  name: 'Het',
  sem: 3,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a672476c0a02e9af23357bb'),
  name: 'Neel',
  sem: 1,
  city: 'Nadiad',
  department: 'CE'
}
{
```

Find() with in operator

```
> db.students.find({name:{$in:["Het", "Neel"]}})
< {
  _id: ObjectId('6a672476c0a02e9af23357ba'),
  name: 'Het',
  sem: 3,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a672476c0a02e9af23357bb'),
  name: 'Neel',
  sem: 1,
  city: 'Nadiad',
  department: 'CE'
}
{
  _id: ObjectId('6a6728efc0a02e9af23357bd'),
  name: 'Het',
  sem: 3,
  city: 'Nadiad',
  department: 'CE'
}
```

Update

```
> db.students.updateOne({name:"Het"},{$set:{city:"Halol"}})
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

```
> db.students.find({name:"Het"})
< {
  _id: ObjectId('6a672476c0a02e9af23357ba'),
  name: 'Het',
  sem: 3,
  city: 'Halol',
  department: 'CE'
}
```

Delete

```
> db.students.deleteOne({name:"Het"})
< {
  acknowledged: true,
  deletedCount: 1
}
```