TECHCOMMAND OS

Integration Approval and Activation Manual

Exact owners, portals, field mappings, messages, approvals, tests, and acceptance gates for completing Version 36 operations.

FIRST ACTION

Open **https://techflexmobility.com/wp-admin/** in Safari. Sign in with an administrator account owned by TechFlex. If no TechFlex-controlled administrator exists, stop and have the current website developer create one for Brandon. Do not share or request the developer's password.

Do not add a webhook yet. The website field IDs must be cleaned up and the receiving endpoint must be activated first, or the automation will faithfully deliver mislabeled data at machine speed.

1. What “fully functional” means

A connection is not complete because a logo appears, a key exists, or a test button turns green. Each integration must pass all seven gates below.

Gate	Required proof
1. Ownership	The provider account, recovery methods, billing, and administrator roles are controlled by TechFlex.
2. Permission	The least-required scopes are approved; secrets are stored only in protected environment settings.
3. Mapping	Every incoming and outgoing field has a named TechCommand destination and an owner for exceptions.
4. Success	One real or sandbox transaction completes end to end and is visible in both systems.
5. Failure	Expired credentials, duplicates, malformed records, timeout, rate limit, and provider outage are handled visibly.
6. Audit	The source, actor, time, external ID, result, retry, and final disposition are recorded.
7. Recovery	Disconnect, credential rotation, replay, export, and rollback are documented and tested.

Version 36 live status: OpenAI and PostHog production variables exist. Google Calendar and Google Drive are connected to this ChatGPT workspace, but that does not connect them to the TechCommand website runtime. The portal still needs its own provider credentials, callbacks, encrypted tokens, workers, and transaction tests.

2. Approval and responsibility matrix

System	Business approver	Technical owner	What Brandon must approve
TechFlex website	Brandon	Current WordPress/Elementor administrator	Owner administrator access, field names, privacy text, webhook destination, and final form tests.
Google Workspace	Brandon / Workspace super admin	TechCommand integration owner	Shared calendar, OAuth consent, Gmail/Drive scopes, sender mailbox, and service-account delegation if used.
Google Maps	Brandon / billing admin	TechCommand integration owner	Cloud billing, restricted key, Routes/Places/Geocoding APIs, and allowed domains.
QuickBooks Online	QuickBooks Company Admin + accounting approver	TechCommand integration owner	Company file, chart mappings, invoice approval rule, webhook, sandbox, and production cutover.
800.com	800.com account admin	TechCommand integration owner	Token, sending number, SMS purpose, consent policy, opt-out handling, and call/SMS event access.
SpinLife/FST	TechFlex account owner + SpinLife account manager	Provider technical contact	Written API/EDI/export authorization, data terms, sandbox, and supported write-back actions.
OpenAI	Brandon	TechCommand owner	Approved document categories, retention, user roles, model budget, and human-approval boundaries.
PostHog	Brandon	Product owner	Permitted event names, no sensitive payloads, retention, session replay policy, and dashboards.

Never paste API keys, passwords, OAuth refresh tokens, QuickBooks financial exports, applicant resumes, or customer documents into chat. Enter secrets directly into the provider or protected TechCommand environment screen.

3. Website integration - exact current-state audit

The live public site was inspected on 8 September 2026. It currently identifies itself as **WordPress 7.0.4**, uses the **Hello Elementor** theme, and serves **Elementor forms**. This makes a controlled Elementor form handler the correct integration point.

Page	Observed form	Integration decision
Home	Full consultation/service form with file upload; newsletter form	Send consultation form to Service Leads. Keep newsletter separate.
Contact	Full contact/service form with supporting-document upload; newsletter form	Send contact form to Business Inquiries or Service Leads based on request type.
Career	Candidate form with resume upload; newsletter form	Send only to Recruiting. Never mix applicant data into customer records.
Biomedical, Facility, Mobility, Delivery	Small Name / Email / Message form; newsletter form	Send to Service Leads with a fixed source page and service-line value.
Contract With Us	Only an email/newsletter-style form was detected	Add a real partnership form before calling this route integrated.
Manufacturers & Retailers	Only an email/newsletter-style form was detected	Add a real partner-service request form before calling this route integrated.

Current blocker: the public site can email Brandon, but there is no verified production handoff that creates a structured TechCommand lead, preserves the exact source page and consent, attaches files, prevents duplicates, and reports failures.

4. Website integration - Step 1: secure administrator control

- **Open:** https://techflexmobility.com/wp-admin/
- **Sign in:** use a TechFlex-owned WordPress administrator account. If the freelancer owns the only administrator, request a new account for Brandon using brandon@techflexmobility.com.
- **Verify role:** WordPress Dashboard > Users > All Users. Brandon must show Administrator. Do not downgrade or delete the existing developer during setup.
- **Verify recovery:** WordPress Settings > General. Confirm the administration email is company controlled. Confirm hosting and domain recovery methods separately.
- **Create staging or backup:** use the host's staging/backup control. Record the restore point and date before changing forms.
- **Open Elementor:** Pages > select the page > Edit with Elementor. Click the form widget, then Content > Form Fields.
- **Name every form:** Home Service Request, Contact Service Request, Career Application, Biomedical Inquiry, Facility Inquiry, Mobility Inquiry, Delivery Inquiry, Partnership Inquiry, Manufacturer/Retailer Inquiry, and Newsletter Signup.
- **Keep two actions during rollout:** Elementor “Email” remains active as the safety copy to Brandon; “Collect Submissions” remains active; the TechCommand webhook becomes the third action only after its endpoint test passes.

Message to the current website administrator

Subject: TechFlex owner administrator access and staging backup

Please create a separate WordPress Administrator account for Brandon at brandon@techflexmobility.com and confirm which hosting account controls backups and staging. Do not send or reuse your password. Before any form changes, please create a dated restore point. Please also confirm that Elementor form submissions are currently stored and emailed, identify the SMTP provider, and tell me whether any webhook or custom-code integration is already active.

5. Website integration - Step 2: correct Elementor field IDs

The visible labels can stay human-friendly. The internal Elementor ID must be stable, lowercase, and descriptive. Edit each field under Content > Form Fields > Advanced > ID.

Contact / Home full service form

Visible field	Current technical problem	Set Elementor ID to
Contact Name	Generic name	contact_name
Company or Facility	Random field_b9b91a0	company
Job Title	Incorrectly named email	job_title
Phone	Random field_3c503dc	phone
Email	Random field_0695e62	email
What can we help you with?	Generic drop_down	request_type
Service City	Random field_e91856a	service_city
State	Random field_408ab69	service_state
Zip Code	Random field_02aad34	service_zip
Supporting documents	Random field_bc4bf89	supporting_documents
Message	Generic message	message
Non-PHI acknowledgment	Random field_405496f	non_phi_ack

Add hidden fields: **form_type**, **source_page**, **site_version**, and **submitted_at**. Use a fixed form_type per form and a dynamic current-page URL for source_page.

6. Website integration - Step 3: remaining form mappings

Career form

Visible field	Set Elementor ID to
Full Name	candidate_name
Phone	phone
Email	email
City	city
State	state
Zip	postal_code
Availability	availability
Position Applied for	position
Years of Experience	years_experience
Upload Resume	resume
Cover Letter	cover_letter

Small service forms

Field	Set Elementor ID to
Name	contact_name
Email	email
Message	message
Hidden page URL	source_page
Hidden service line	service_line
Hidden form type	form_type

Forms that must be added

- **Partnership Inquiry:** contact name, organization, title, phone, email, partnership type, states/coverage needed, expected volume, requested start, message, documents, consent.
- **Manufacturer/Retailer Inquiry:** organization, brand, contact, phone, email, service program, products/equipment, coverage states, estimated monthly volume, portal/API availability, message, documents, consent.

Newsletter rule: newsletter signups create a marketing-consent record only. They must never create a service lead, applicant, customer, or work order.

7. Website integration - Step 4: receiving endpoint contract

Do not enter this endpoint into Elementor until the TechCommand receiver is published and a protected secret has been added.

Planned endpoint

```
https://app.techcommandhq.com/api/integrations/v1/website-leads
```

Required request controls

- HTTPS POST only.
- Authentication header: Authorization: Bearer [protected website intake token]. The token lives in wp-config.php or a protected server setting and in TechCommand Secrets. It must not appear in public JavaScript, page HTML, or query parameters.
- Idempotency-Key header: a unique submission identifier. A retry with the same key must return the original result instead of creating another lead.
- Content-Type: application/json for ordinary fields; multipart/form-data only when the server endpoint explicitly supports secure file transfer.
- Maximum file types: PDF, JPEG, PNG, WebP, and HEIC only. Virus scanning, size limits, filename normalization, and storage audit must occur before the attachment becomes available.
- Response: 202 Accepted with intake ID; 400 validation error; 401 invalid token; 409 duplicate; 413 file too large; 429 retry later; 500 retry with backoff.
- The response must never return private work-order, customer, user, or portal data to the public website.

Minimum normalized payload

```
{
"formType": "service_request",
"sourcePage": "https://techflexmobility.com/contact/",
"contactName": "...",
"company": "...",
"email": "...",
"phone": "...",
"requestType": "...",
"serviceCity": "...",
"serviceState": "...",
"serviceZip": "...",
"message": "...",
"nonPhiAcknowledged": true
}
```

8. Website integration - Step 5: WordPress handoff

Preferred production method: a tiny TechFlex-owned WordPress plugin using Elementor's official **elementor_pro/forms/new_record** hook. This permits stable field mapping, a protected Authorization header, retries, and logging. Elementor's own developer documentation describes this hook for custom form handlers.

Implementation requirements for the WordPress developer

- Create a plugin named TechFlex TechCommand Connector. Do not paste permanent integration code into the theme; theme updates can erase it.
- Read the Elementor form name and fields after validation. Ignore Newsletter Signup unless a separate marketing endpoint exists.
- Normalize fields using the IDs in this manual. Send a server-side POST to the TechCommand endpoint with Authorization and Idempotency-Key headers.
- Store the bearer token as a constant or protected server setting outside page content. Mask it in logs.
- Keep Elementor Email and Collect Submissions active during the first 30 days as fallback evidence.
- On a 2xx response, store TechCommand intake ID in the Elementor submission notes if supported. On failure, retain the submission and email an operations alert without exposing the token.
- Retry 429 and transient 5xx responses with bounded exponential backoff. Never retry permanent 400/401 errors indefinitely.
- For files, upload through the endpoint's documented multipart path. Do not send publicly accessible attachment URLs containing resumes or customer documents.

Exact developer request

Subject: Build TechFlex Elementor to TechCommand connector

Please build a small TechFlex-owned WordPress plugin using Elementor's elementor_pro/forms/new_record hook. It must map the stable field IDs in the attached manual, send server-side HTTPS requests to the TechCommand website-lead endpoint, include a protected bearer token and unique idempotency key, preserve Elementor Email and Collect Submissions, log only masked operational results, retry transient failures, and keep applicant data separate from customer/service data. Do not place the token in JavaScript, HTML, a URL query string, theme functions.php, screenshots, email, or chat. Please implement on staging first and provide one test result for every form type.

9. Website integration - Step 6: acceptance test

Test	Expected result
Service request	Exactly one Service Lead intake; source page, request type, contact, location, message, consent, and attachment preserved.
Duplicate replay	Submitting the same idempotency key returns the same intake; no second lead.
Career	Exactly one Recruiting task; resume restricted to hiring roles; no customer or work order created.
Partnership	Exactly one Partnership Lead with organization, coverage, volume, documents, and owner.
Service-page mini form	Correct service_line and source_page applied automatically.
Newsletter	Marketing consent only; no operational lead.
Bad token	401 response; no record; website retains submission and alerts an administrator.
Missing required field	Clear validation failure; no partial operational record is marked ready.
Unsupported file	Rejected safely; other fields retained for follow-up.
Provider outage	Submission remains stored in WordPress; alert appears; retry creates exactly one intake when service returns.

Website completion evidence to save: staging URL, backup timestamp, form names and IDs, field map, connector version, masked request log, TechCommand intake IDs, screenshots of each success, failure test, responsible owner, and rollback steps.

10. Google Calendar integration

- Open https://calendar.google.com/ with the company-controlled Google Workspace account.
- Beside Other calendars, choose + > Create new calendar. Name: TechCommand Dispatch. Timezone: America/New_York. Do not use Brandon's personal calendar as the system calendar.
- Open Settings and sharing. Give dispatch administrators Make changes to events. Give technicians only the minimum access needed, or write job events to their individually connected calendars.
- Copy the Calendar ID under Integrate calendar. Store it as GOOGLE_CALENDAR_SHARED_ID in protected TechCommand production settings.
- Open https://console.cloud.google.com/. Create/select the company-owned TechCommand Production project. Enable Google Calendar API.
- Configure OAuth consent, authorized domains, and an OAuth web application. The exact redirect URI must match the TechCommand callback published by the integration code.
- Store GOOGLE_CALENDAR_CLIENT_ID and GOOGLE_CALENDAR_CLIENT_SECRET as protected values. Encrypt per-user refresh tokens at rest.
- Each technician sees Connect Google Calendar at first login. They choose the calendar and grant only required permissions. Admin scheduling writes to TechCommand Dispatch and the technician's connected calendar according to policy.
- Implement incremental sync plus push notifications. Google notes that Calendar push notifications are not perfectly reliable, so periodic reconciliation is mandatory.

Acceptance: admin creates, technician moves, portal moves, cancels, detects conflict, handles revoked access, resists duplicate notification, restores a missed change, and renews expiring notification channels. Until those pass, the portal must say Foundation or Credentials ready, not Connected.

11. Gmail, Google Drive, and Google Sheets

Gmail intake

- Use a company mailbox such as service@techflexmobility.com, not a personal inbox.
- Create labels: TC/New Work, TC/Bid, TC/Scheduling, TC/Cancellation, TC/Authorization, TC/Invoice, TC/Applicant, and TC/Exception.
- Build Gmail OAuth or approved Workspace service-account delegation with minimum scopes. A ChatGPT Gmail connection does not grant the portal runtime access.
- Use Gmail history synchronization and a renewable watch notification. Preserve message ID, thread ID, sender, recipients, subject, received time, labels, safe body text, and attachments.
- Create an intake only after sender/domain rules and classification are checked. Put unknowns in TC/Exception; do not let AI silently accept assignments or pricing.
- Expose Open original email in TechCommand using a stable Gmail link available only to authorized Workspace users.

Google Drive archive

- Create a Shared Drive named TechCommand Operations. Avoid a folder owned by one person.
- Top folders: Accounts, Work Orders, Biomedical Assets, Finance Exports, Employees Restricted, Partner Contracts, Reports, and Integration Exceptions.
- Use service-owned or approved delegated access, least privilege, retention rules, and a documented deletion/restore policy.
- Every archive write records Drive file ID, TechCommand record ID, checksum, version, owner, and link. Test replacement, permission denial, restore, and export.

Google Sheets ledger

Keep Sheets as a controlled accounting/operations export, not the master database. Prove one completed work order produces one ledger row, one technician-pay record, and one retry-safe update. Protect formulas and prohibit manual row deletion without an audit process.

12. Google Maps and routing

- Open https://console.cloud.google.com/ and use the TechCommand Production project.
- Enable billing and the Routes API, Places API, and Geocoding API only as needed.
- Create a server-restricted key. Restrict it by API and by the hosting method supported for server calls. Do not place an unrestricted key in browser code.
- Store GOOGLE_MAPS_API_KEY as a protected production value.
- Apply origin precedence: administrator work-order override; technician configured origin; approved current-route proximity; eligible Ohio hub default; never blindly use the technician/address printed on partner paperwork.
- The business hub is 611 Park Meadow Road, Suite B, Westerville, Ohio 43081. It is a suggested default for eligible Ohio white-glove, repair, and evaluation orders only when no higher-priority origin exists.
- AI may recommend grouping nearby open work orders. A dispatcher must approve reassignment, schedule, route, hotel, crew, and final price.

Acceptance set

Scenario	Required result
Ohio hub job	Uses Suite B hub only when policy permits and no admin/technician origin overrides it.
Technician home dispatch	Uses approved technician origin and round-trip logic.
Nearby open job	Suggests bundling; does not alter schedules or price without confirmation.
Non-Ohio order	Does not default to Westerville.
Bad address	Stops pricing and requests correction; no invented mileage.

13. QuickBooks Online - exact activation

- Name one QuickBooks Company Admin and one accounting approver. They may be the same person initially, but every production invoice still needs an accountable approval rule.
- Open https://developer.intuit.com/ using a company-controlled login. Create a QuickBooks Online app owned by TechFlex.
- Create a QuickBooks sandbox company. Never begin with the live company file.
- In Development Settings, add the exact TechCommand OAuth callback URI after that route is published. Copy client ID and secret directly into protected TechCommand values QUICKBOOKS_CLIENT_ID and QUICKBOOKS_CLIENT_SECRET.
- Connect the sandbox through OAuth. Store the realm/company ID and encrypted refresh token. Implement refresh, revocation, disconnect, and reconnect.
- Map customers, service items, classes/locations if used, tax behavior, income accounts, discounts, deposits, payment methods, invoice numbers, credits, voids, and external IDs.
- Configure the signed webhook and store QUICKBOOKS_WEBHOOK_VERIFIER_TOKEN. A webhook should enqueue processing and return promptly.
- TechCommand creates draft accounting proposals. A human approves production invoice posting, credit, refund, payment application, or void.

Required sandbox transactions

Create customer -> create draft invoice -> approve/post -> receive webhook -> record payment -> reconcile -> resend duplicate webhook -> simulate timeout -> refresh expired token -> void or credit -> disconnect -> reconnect. Compare every amount, tax, external ID, and status in both systems.

Email to accountant

Subject: TechCommand and QuickBooks mapping approval

We are preparing a controlled QuickBooks Online connection for TechCommand OS. Please confirm the correct company file, chart-of-accounts mappings, service items, tax treatment, payment methods, invoice approval process, deposits, credits/refunds, and reconciliation owner. We will test everything in an Intuit sandbox first. No production invoice will be posted until the sandbox results and one low-risk production transaction are approved line by line.

14. 800.com - exact activation

- Sign in to the company 800.com account as an administrator.
- Go to Settings > Integrations > API > Create A New Token.
- Token name: TechCommand Production. Copy it once into the company password manager and protected TechCommand setting EIGHT_HUNDRED_API_TOKEN. Never send it by email or chat.
- Record the approved sending number as EIGHT_HUNDRED_FROM_NUMBER.
- Review the current REST API at https://docs.800.com/docs/800com-rest-api/3b74d740bd5c1-800-com-rest-api and confirm which endpoints/events are enabled on the account plan.
- Request inbound call, completed call, missed call, voicemail metadata, contact, inbound SMS, outbound transactional SMS, delivery status, opt-out/STOP, webhook signing, record link, rate limit, and sandbox/test details.
- Implement server-side sending and signed inbound callbacks. Store provider IDs and expose Open in 800.com only when a stable provider URL is documented.
- Separate transactional work-order updates from marketing. Record consent source/time/text. Honor STOP immediately and suppress future automated sends.

Exact support email

To: support@800.com
Subject: TechCommand OS API and event access for TechFlex Mobility Solutions

Hello 800.com Support,

TechFlex Mobility Solutions is connecting our company 800.com account to our internal TechCommand OS. Please confirm which REST API endpoints and event mechanisms are enabled on our plan for inbound calls, completed and missed calls, voicemail metadata, contacts, inbound SMS, outbound transactional SMS, delivery status, opt-out/STOP, and number management.

Please also confirm webhook signing, rate limits, stable record URLs, retention limits, sandbox/test options, and any consent configuration you recommend. Our intended use is service-lead creation, work-order communication, missed-call follow-up, delivery tracking, and auditable customer communication.

Thank you,
Brandon
TechFlex Mobility Solutions

15. SpinLife / FST integration

Do not automate the FST login, scrape pages, reuse a technician's session, or bypass provider controls without written authorization. The correct order is provider-supported API, webhook, EDI, scheduled export, SFTP, or controlled mailbox attachment intake.

Exact request

Subject: Request for authorized SpinLife FST integration specifications

Hello SpinLife Partner/FST Support,

TechFlex Mobility Solutions receives and services work orders through the SpinLife FST workflow. We are developing our internal TechCommand OS to reduce duplicate entry, improve bid accuracy, preserve dispatch documents, track status, and return complete service evidence.

Please provide the supported and authorized integration options for our account, including API, webhook, EDI, scheduled export, SFTP, or secure mailbox attachments. We need specifications for new assignments and bids, work-order updates, service locations, equipment/model/serial data, source technician/reference data, attachments, approved bid, appointment, status, completion documents/photos, and invoice/payment status where permitted.

Please include authentication, sandbox access, schemas, status codes, rate limits, idempotency, webhook signing, attachment limits, data retention, permitted write-back actions, technical terms, and the correct technical contact. We will not automate browser access or scrape the portal without written authorization.

Thank you,
Brandon
TechFlex Mobility Solutions

Temporary approved path

Until SpinLife supplies a supported connector, use Gmail labels plus PDF/CSV/manual intake. Preserve the original FST link and document, let AI propose fields, require human confirmation, and never label the connection “verified.”

16. OpenAI knowledge and document digestion

The OpenAI key is active, but universal business digestion is not complete. Every uploaded document needs an observable lifecycle.

State	Required behavior
Received	Original preserved, source/time/user recorded, checksum and duplicate check.
Scanning	File type/size validated; malware and unsafe-content checks applied.
Classified	Work order, invoice, agreement, pricing rule, applicant file, asset document, evidence, correspondence, or unknown.
Extracting	OCR and structured extraction with confidence and source-page references.
Needs review	Conflicts, missing values, financial/safety effects, and proposed links shown to a human.
Accepted	Approved fields written; rejected AI suggestions retained as audit evidence.
Indexed	Permission-aware search created with citations to source documents.
Linked	Connected to customer, work order, partner, technician, asset, invoice, calendar, and pricing rule where applicable.
Retained	Retention, legal hold, export, deletion, restore, and access policy enforced.

AI remains an assistant. It can extract, compare, summarize, draft, flag, and recommend. It cannot silently approve a bid, change pay, finalize accounting, certify clinical safety, complete a technician's work, accept partner terms, or delete records.

17. PostHog, monitoring, support, and bug closure

- Run controlled production activity after Version 36: owner login, module view, bid upload, technician portal open, technician tab view, status update, completion open, and pay acknowledgment.
- Confirm events appear in PostHog without customer names, addresses, work-order contents, documents, phone numbers, emails, or technician notes.
- Create dashboards: onboarding funnel, bid funnel, technician completion funnel, integration failures, error rate by release, mobile device breakdown, and time-to-completion.
- Add Sentry or an equivalent runtime error system for stack traces and release correlation. PostHog explains behavior; error tracking explains breakage. One tool wearing both hats eventually drops one.
- Create one portal Support form: user role, module, expected behavior, actual behavior, release, device/browser, timestamp, screenshot, urgency, customer impact, and permission to contact.
- Severity: P0 outage/security/data loss; P1 core workflow blocked; P2 major degraded workflow; P3 minor defect; P4 request. Assign response targets and an owner.
- Every bug fix needs reproduction, failing test, correction, regression test, canary, production observation, and closure note.

Version 36 analytics acceptance: at least one controlled event from each critical workflow, no sensitive payloads, no unexplained duplicate events, no startup loss, and a release-filtered dashboard.

18. Exact order of operations

Order	Action	Stop/go test
1	Secure TechFlex WordPress administrator access and create a restore point.	Go only when Brandon can access Users, Pages, Elementor, Plugins, and backups.
2	Rename all Elementor forms and field IDs; add missing partnership and manufacturer forms.	Go only when staging submissions still email and store correctly.
3	Publish TechCommand website-lead receiver and protected secret.	Go only after success, bad-token, duplicate, validation, file, and outage tests pass.
4	Install the TechFlex WordPress connector on staging and run every form test.	Go only when each form creates exactly the correct record and fallback email remains.
5	Production website cutover and 7-day observation.	Go only after daily reconciliation shows zero lost/duplicate submissions.
6	Google Maps routing.	Go after Ohio, technician-origin, nearby-job, non-Ohio, and bad-address tests.
7	Google Calendar two-way sync.	Go after shared and individual calendar tests, revocation, conflict, and recovery.
8	Gmail, Drive, and Sheets.	Go after one real email, document archive, and ledger transaction plus retries.
9	QuickBooks sandbox, then production.	Go after accounting approval and complete sandbox reconciliation.
10	800.com.	Go after consent, delivery, inbound, failure, duplicate, STOP, and revoked-token tests.
11	SpinLife supported pathway.	Go only with written authorization and provider test evidence.
12	General AI document digestion.	Go by document class, not “everything at once,” with source-linked human review.

Do not start twelve integrations simultaneously. The fastest reliable process is one complete transaction at a time. Otherwise every failure becomes a group project with no suspects.

19. What to send back after each user-side step

Return only non-secret evidence. Never send passwords, API keys, tokens, financial exports, applicant resumes, or customer files.

Step	Safe evidence to provide
WordPress access	Screenshot of Dashboard menu and Users list with private emails covered except Brandon's own.
Elementor form cleanup	Screenshot showing form name and field ID list; no customer submissions.
Google Calendar	Calendar name and masked Calendar ID; do not send OAuth secret.
Google Cloud	Screenshot of enabled API names and OAuth redirect list; cover client secret.
QuickBooks	Sandbox company name, mapping decisions, test record IDs; no banking, tokens, or live customer financial data.
800.com	Screenshot of token list showing token name only; never the token value.
SpinLife	Provider response and technical documentation after removing customer data and credentials.
PostHog	Event names/counts and dashboard screenshot without user-identifying properties.

For live guidance on an iPhone, keep this manual in Files or a second Safari tab. Complete one numbered section at a time and send a screenshot before any screen that creates a secret, changes permissions, submits data, or switches production behavior.

20. Source links

- TechFlex website: https://techflexmobility.com/
- WordPress administration: https://techflexmobility.com/wp-admin/
- Elementor official Forms API and new_record hook: https://developers.elementor.com/docs/hooks/forms.html
- Google Cloud Console: https://console.cloud.google.com/
- Google Admin Console: https://admin.google.com/
- Google Calendar: https://calendar.google.com/
- Google Calendar push notifications: https://developers.google.com/workspace/calendar/api/guides/push
- Google Maps Routes best practices: https://developers.google.com/maps/documentation/routes/web-service-best-practices
- Intuit Developer: https://developer.intuit.com/
- 800.com API token instructions: https://support.800.com/en-us/hc/articles/31915582563853-how-to-set-up-an-800-com-api-token
- 800.com REST API: https://docs.800.com/docs/800com-rest-api/3b74d740bd5c1-800-com-rest-api
- 800.com Support: support@800.com
- OpenAI Platform: https://platform.openai.com/
- PostHog: https://us.posthog.com/

Immediate decision

Begin with WordPress owner access and field cleanup. The next TechCommand engineering release should add the authenticated website-lead receiver and integration-health evidence. Do not configure the live webhook until that release is published and the staging acceptance set passes.

TECHCOMMAND OS	Build the bridge. Prove the transaction. Then call it connected.