TECHCOMMAND OS

Complete readiness audit, integration activation plan, and Version 36 candidate release notes

A practical blueprint for turning the portal into a dependable operating system for dispatch, field service, evidence, finance, business knowledge, and AI-assisted work.

62	79	43 / 43	35
linked database tables	API methods audited	workflow tests passing	current live version

AUDIT VERDICT

The portal has a substantial operational foundation and can be improved safely. It is not yet a fully integrated, enterprise-ready CRM. The fastest responsible path is to publish small verified versions, activate one provider at a time, prove one complete transaction, observe usage, and retain an immediate rollback path.

Version 36 is a tested candidate, not yet published. This report distinguishes implemented behavior from planned interfaces and provider-dependent work.

1. Executive verdict

What is ready now

- Core work-order, dispatch, technician, evidence, completion, QA, pricing, audit, and PDF workflows exist and are protected by role checks.
- The bid workspace accepts multiple images and PDFs, keeps original evidence, supports AI extraction, and permits full human override.
- The technician completion path requires operational details, evidence, testing, outcome, customer confirmation, and signature before final submission.
- PostHog instrumentation is present, and the Version 36 candidate fixes a startup race that previously discarded early events.

What is not ready yet

- Calendar, Google Drive, QuickBooks outbound processing, 800.com sending, and SpinLife portal synchronization are not complete end-to-end integrations.
- Several visible modules are foundations rather than finished products: preventive maintenance, parts and inventory, quality and compliance, reports, and system settings.
- General uploads are stored, but only specialized bid workflows currently convert attachments into structured, searchable business knowledge.
- Creating a technician record does not by itself grant access to the hosted Site. The user's email must also be authorized as a Site viewer.

The right durability goal

Software that receives business documents, customer information, AI models, browser updates, and third-party APIs cannot safely remain untouched for years. A durable platform needs stable data contracts, automated testing, backups, monitoring, security updates, provider version tracking, and a controlled release process. That is how the product stays reliable without disruptive rebuilds.

2. Version 36 candidate: corrections completed in this audit

Area	Correction	Operational effect
Technician onboarding	Added a six-step first-login setup covering profile, dispatch origin, calendar status, routes, job stages, evidence, completion, and pay.	A new technician receives guided setup instead of landing in an unexplained dashboard.
Access clarity	Technician creation now states that Site viewer authorization is a separate required step.	Prevents the false expectation that a database profile automatically enables login.
Role navigation	Dispatcher, biomedical, and finance views now hide modules they are not authorized to use.	Reduces confusion and prevents dead-end navigation.
Module honesty	Foundation-only sections are visibly marked Planned.	Users can distinguish finished tools from roadmap placeholders.
Integration status	Credentials-ready is separate from transaction-verified; a connection is verified only after processed operational evidence exists.	Stops a configured secret from being misrepresented as a working integration.
Provider catalog	Google Sheets, Gmail, Drive, Calendar, Maps, OpenAI, QuickBooks, 800.com, SpinLife, partner gateway, and PostHog are tracked separately.	Failures and blockers can be owned and diagnosed per provider.
AI readiness	Removed an unused vector-store requirement from the connection check.	The portal no longer reports OpenAI incomplete when the actual runtime key is present.
PostHog	Queued pre-initialization identity and workflow events; deferred the large analytics bundle.	Prevents lost startup telemetry and materially reduces initial analytics payload.
Technician telemetry	Added portal-open, tab-view, status-change, completion-open, and pay-acknowledgment events.	Creates evidence for usability improvements after production activity begins.

Validation

Production build: pass. Lint: pass. Database schema check: pass. Workflow suite: 43 of 43 pass. Automated API authorization review found that application endpoints are protected; the two intentional external entry points use signed or scoped credentials. Mobile visual QA reached the hosted access boundary, but authenticated screen-by-screen field testing still requires a production-authorized test account.

3. Capability inventory: implemented today

Workflow	Current capability	Guardrail / limit
Bid intake	Up to 10 screenshots, photos, or PDFs; reconciled extraction; address, customer, job, equipment, and partner data; saved originals.	Uncertain fields require confirmation. Road mileage requires Google Maps.
Pricing	Shared pricing rules, recommended bid, margin protection, manual mileage, and editable bid fields.	Every value can be overridden by an authorized user; recommendations remain advisory.
Dispatch	Work-order intake, assignment, statuses, scheduling foundation, evidence continuity, and audit events.	True Google Calendar sync is not yet active.
Technician field work	Mobile workflow, offline-safe drafts, status progression, multiple photos, diagnostics, performed work, final testing, outcome, signature, and submission gates.	Full offline record synchronization and push notifications remain future work.
Completion packet	Dispatch document, TechFlex report, evidence photos, compression, QA approval, and automatic filename using customer initials, work order, and status.	Packet quality depends on source document legibility and required evidence configuration.
AI	Bid extraction, portal copilot, Ask TechFlex, and pre-submission report review.	AI assists; humans approve. It must not invent measurements, part numbers, procedures, prices, or completed actions.
Biomedical	Biomedical asset concepts are isolated to the biomedical area.	Preventive maintenance and full asset lifecycle modules are still foundations.
Partner intake	CSV, document, manual intake, scoped partner API, idempotency, and audit support.	SpinLife direct portal access requires a supported and authorized provider method.
Analytics	Privacy-aware page, role, module, bid, technician, and error instrumentation.	PostHog had no production events at audit time; Version 36 must be published and exercised.

4. Dispatch origin and bid logic: corrected operating rule

The business address is **611 Park Meadow Road, Suite B, Westerville, Ohio 43081**. It is a default operational hub, not an unconditional route origin.

Recommended decision sequence

Priority	Origin source	Rule
1	Administrator override	The origin manually selected for the technician or work order wins.
2	Technician assignment	Use the technician's configured base, current route, or approved dispatch origin when policy permits.
3	Ohio hub default	For eligible Ohio white-glove delivery, repair, or evaluation work, suggest the Westerville hub only when no higher-priority origin exists.
4	Uploaded paperwork	Treat a source-assigned technician or address as extracted reference data, not automatically as route truth.
5	Open-work-order proximity	Suggest route bundling from nearby active jobs, but require dispatcher confirmation before changing schedule, origin, or price.

Every calculated value should retain four fields: **recommended value**, **final human-approved value**, **reason for override**, and **rule/version used**. This preserves flexibility while making the bid auditable and learnable.

AI should extract and recommend; it should never silently finalize a bid, reassign a technician, alter a calendar, accept partner terms, or post financial transactions.

5. Integration activation checklist

Integration	What must be supplied	Build / proof required
Google Maps	Cloud project, billing, Routes/Places/Geocoding enabled, restricted API key.	Install GOOGLE_MAPS_API_KEY. Test one Ohio hub route, one technician-origin route, and one non-Ohio route.
Google Calendar	A separate TechCommand Dispatch calendar, OAuth consent, client credentials, redirect URI, and sharing policy.	Build OAuth callback and two-way sync. Each technician connects or activates a calendar. Verify admin add, technician move, conflict, cancellation, and revocation.
Google Sheets + Gmail	Workspace service account, domain-wide delegation approval, ledger spreadsheet, sender mailbox, review URL.	Process one ledger row and one email through the queue; verify retry, duplicate prevention, and audit record.
Google Drive	Shared Drive or controlled folder, naming, retention, permissions, and owner policy.	Build archive connector; verify upload, permission, lookup, replacement, export, and deletion/retention behavior.
QuickBooks	Intuit developer app, sandbox company, OAuth client, redirect URI, realm ID, webhook verifier.	Build OAuth callback and outbound processor. Prove customer, invoice, payment, webhook, reconciliation, duplicate handling, and production cutover.
800.com	Provider confirmation of API access, token/scopes, sending number, opt-in and consent rules.	Build sender and delivery callbacks. Prove opt-in, send, failure, retry, STOP, delivery, and audit trail.
SpinLife	Provider-approved API, EDI, scheduled export, mailbox attachment flow, or documented technical access terms.	Do not scrape or automate portal login without authorization. Start with email/CSV/document intake and prove reconciliation.
OpenAI	Production key is installed; approve document categories, retention, and access policy.	Build general ingestion statuses, structured extraction, searchable business knowledge, source citations, and human approval queues.
PostHog	Production variables are installed.	Publish Version 36, exercise controlled workflows, confirm first events, then build role and technician funnels. No production event evidence existed at audit time.

6. What 'store and digest everything' must mean

A file vault is not the same as operational knowledge. Every attachment should pass through a visible lifecycle.

Stage	Required behavior	User-visible result
1. Receive	Upload, email, API, scanner, mobile camera, or partner feed; hash and deduplicate.	Original preserved; source and time recorded.
2. Classify	Identify work order, invoice, agreement, pricing rule, asset record, photo evidence, correspondence, or unknown.	Document type and owning record proposed.
3. Extract	OCR and semantic parsing into a versioned schema; preserve page and source coordinates.	Proposed fields, confidence, conflicts, and missing information.
4. Review	Human approves sensitive, financial, safety, pricing, assignment, and status changes.	Accepted fields and rejected suggestions are audited.
5. Link	Attach to customer, partner, work order, technician, asset, invoice, calendar event, and rule where applicable.	One search reveals the complete operational context.
6. Index	Create permission-aware text and semantic indexes with citations back to the source.	Natural-language answers show supporting documents and pages.
7. Act	Generate drafts, reports, tasks, schedules, bids, customer updates, and accounting proposals.	Nothing consequential is finalized without the correct approval.
8. Retain	Apply retention, legal hold, export, deletion, restore, access review, and backup policy.	Administrators can prove what exists, who accessed it, and when it changes.

Required ingestion states

Uploaded -> virus scan -> classified -> extracting -> needs review -> accepted -> indexed -> linked -> retained. Failures must be retryable, visible, and never represented as completed.

7. Expansion features still missing

Capability	Why it matters	Priority
Production access provisioning	Invite, suspend, revoke, and periodically review every technician and administrator across Site access and portal roles.	P0
Backup, export, and restore drills	A system of record is not credible until data can be exported and restored on demand.	P0
Integration health center	Shows credential status, last successful transaction, retry queue, failures, latency, and owner.	P0
Two-way dispatch calendar	Shared dispatch calendar plus user calendars, permissions, conflict detection, rescheduling, and revocation.	P1
Parts and inventory	Truck stock, warehouse stock, reservations, purchase orders, returns, consumption, shortages, and reorder controls.	P1
Biomedical PM	Asset lifecycle, inspection plans, recurring maintenance, calibration, compliance evidence, and service history.	P1
Natural-language reports	Prompt-to-report over governed data with filters, sources, reusable definitions, export, and scheduled delivery.	P1
Operational search	Permission-aware search across work orders, files, messages, customers, assets, invoices, rules, and audit events.	P1
Notification center	Email, SMS, in-app, and push preferences with consent, escalation, quiet hours, and delivery evidence.	P1
Full offline synchronization	Field users need records, forms, photos, conflict resolution, and queued mutations beyond local drafts.	P2
Enterprise identity	MFA policy, SSO, SCIM provisioning, session controls, and partner-tenant boundaries.	P2
Resilience and security	Disaster recovery, load testing, dependency scanning, penetration testing, security incident process, and provider outage modes.	P2

The benchmark is consistent with mature field-service products: official Salesforce materials emphasize offline mobile work, AI scheduling, dispatch, parts, assets, voice and summaries; Microsoft's Field Service documentation emphasizes scheduling, work orders, offline mobile, assets, inventory, purchasing, returns, Copilot, and connected-device signals.

8. Immediate readiness sequence

Window	Exit criteria
Before the next technician	Authorize the user's Site email; create portal role; complete onboarding; test mobile upload; complete one work order; download its evidence PDF; verify suspension and support path.
Before calling an integration connected	Credentials installed; sandbox passed; one real transaction completed; retry and duplicate test passed; audit evidence exists; monitoring and responsible owner assigned.
Before partner pilot	Maps and calendar active; email/ledger pipeline proven; QuickBooks sandbox proven; general document ingestion review queue active; PostHog events confirmed; backup/export/restore drill passed.
Before multi-client launch	Tenant isolation tests; SSO/MFA plan; contract and retention controls; billing separation; per-client configuration; load and security tests; disaster recovery; support SLA; migration and exit export.

Recommended first 10 activation actions

- Name an integration owner and business approver for each provider.
- Create a non-production sandbox and test identities for administrator, dispatcher, technician, biomedical, and finance roles.
- Authorize the first technician as a Site viewer and run the entire onboarding path on a real phone.
- Create the separate TechCommand Dispatch Google Calendar and document sharing rules.
- Provision restricted Google Maps credentials and prove the corrected origin-precedence rules.
- Choose the Google Drive retention and folder policy before writing the connector.
- Open an Intuit developer app and connect a QuickBooks sandbox before production accounting access.
- Request SpinLife's supported API, EDI, export, or email attachment specifications in writing.
- Publish Version 36 to activate corrected analytics, then verify events with controlled test activity.
- Establish a single support intake with severity, reproducible steps, screenshots, user role, device, timestamp, and release number.

9. Publish as you go - with gates

Yes: publish small, tested versions as work progresses. Do not accumulate every connector and feature into one giant release. Large releases make failures difficult to isolate and rollback.

Release gate

Stage	Required evidence
Build	Type checks, lint, schema validation, unit/workflow tests, permission tests, data migration review.
Sandbox	Provider test account; success, failure, retry, duplicate, revoked credential, and rate-limit cases.
Canary	Feature flag or limited role/client exposure; tracked release identifier; no silent data mutation.
Production	One controlled transaction; expected records in both systems; operator acknowledgment.
Observe	PostHog flow, error tracking, integration health, support reports, and performance reviewed.
Rollback	Previous version and data compatibility confirmed; disable switch documented; incident owner assigned.

Definition of done

A screen is not a feature, a key is not a connection, and a queued request is not a completed transaction. A capability is done only when an authorized user can complete it on the intended device, the result is durable and auditable, failures are visible and recoverable, permissions are enforced, tests pass, and a real workflow has been observed.

10. Risk register

Risk	Current observation	Required control
False integration confidence	Earlier status logic could label environment setup as verified.	Version 36 separates credentials-ready from transaction-verified.
Access mismatch	Portal technician profile and hosted Site authorization are separate.	Provisioning checklist now; automated invitation/revocation later.
Unobserved production behavior	PostHog showed no ingested production events during the audit.	Publish fixed client, perform controlled runs, and confirm events before relying on dashboards.
AI overreach	The business wants AI across every workflow.	Read-first context, explicit permissions, source citations, confidence, proposed changes, and human approval for consequential actions.
Sensitive information	Operational files may contain customer or equipment information.	Data classification, minimum necessary access, retention policy, vendor review, encryption, audit, and incident response.
Provider lockout	Automated portal access may violate terms or trigger security controls.	Use provider-approved API, EDI, export, webhook, or mailbox paths; record authorization.
Monolithic release	Many simultaneous integrations could hide causality.	Small releases, feature flags, canaries, health checks, and rollback.
Knowledge corruption	Unreviewed extraction can turn OCR or model errors into business facts.	Source-linked proposals, human acceptance, versioned corrections, and immutable originals.

11. Readiness scorecard

Domain	Status	Meaning
Core work-order operations	Strong foundation	Operational flow exists and is covered by automated tests.
Technician mobile completion	Strong foundation	Guided evidence and final packet exist; authenticated device acceptance testing remains essential.
Bid intelligence	Usable with dependencies	Multi-file extraction and manual override exist; Maps and general ingestion need activation.
AI assistance	Active, bounded	Several workflows use OpenAI; system-wide knowledge ingestion, citations, and action governance remain incomplete.
Analytics	Code-ready, unverified live	Instrumentation exists; production event ingestion must be proven after Version 36 deployment.
Calendar	Foundation only	Schema and UI concepts exist; OAuth and two-way provider sync do not.
Accounting	Partial	Webhook and queue foundations exist; OAuth, outbound processor, and reconciliation must be completed.
Communications	Partial	Queued/manual paths exist; direct 800.com sending and delivery lifecycle do not.
Document system of record	Partial	Storage exists; universal classification, extraction, indexing, retention, and restore controls do not.
Enterprise / multi-client	Not ready	Tenant isolation, enterprise identity, resilience, compliance controls, and scale validation remain.

Bottom line

TechCommand OS is not empty scaffolding; it already contains meaningful operational workflows. It is also not yet the finalized, all-integrations business operating system described in the product vision. Version 36 makes the current product more honest, safer to operate, and easier to onboard. The next progress should be measured by complete provider transactions and real technician acceptance tests, not by the number of visible integration cards.

12. Exact provider portals and owner actions

Provider	Start here	Account-side action
Google Cloud	https://console.cloud.google.com/	Create or select a company-owned project named TechCommand Production; configure billing, OAuth consent, enabled APIs, credentials, and restricted redirect domains.
Google Admin	https://admin.google.com/	Confirm company ownership of the Workspace tenant; approve service-account delegation only for minimum Gmail/Sheets/Drive scopes if that architecture is selected.
Google Calendar	https://calendar.google.com/	Create a secondary calendar named TechCommand Dispatch. Share it with dispatch administrators; do not mix work orders into the owner's personal calendar.
Intuit Developer	https://developer.intuit.com/	Create a company-owned QuickBooks Online app, configure development redirect URI and webhooks, then connect a sandbox company.
QuickBooks sandbox	https://developer.intuit.com/app/developer/sandbox	Create a sandbox and test customers, services, invoices, payments, voids, and duplicate prevention before production.
800.com	Sign in to 800.com, then Settings > Integrations > API	Create a token named TechCommand Production, copy it once, save it in the password manager, and never paste it into chat or source code.
800.com API docs	https://docs.800.com/docs/800com-rest-api/3b74d740bd5c1-800-com-rest-api	Confirm the exact endpoints, scopes, webhook/callback support, rate limits, consent controls, and sending-number ownership available on the current plan.
TechFlex website	https://techflexmobility.com/	Give the website administrator access to configure form delivery or a secure webhook. Preserve the current warning against submitting protected health information.
OpenAI Platform	https://platform.openai.com/	Keep the TechCommand production project, API key, usage limits, and billing controlled by the company; review usage and rotate keys.
PostHog	https://us.posthog.com/	After Version 36 is published, confirm controlled events and create role-based funnels, error views, retention, and release annotations.
USPTO	https://www.uspto.gov/	Search and discuss TechCommand OS and related marks with trademark counsel before filing; use a patent attorney for any patentability review.
U.S. Copyright Office	https://copyright.gov/registration/	Discuss registration of eligible software releases and documentation with counsel; preserve source history and authorship records.

13. Exact Google, email, website, and lead-intake sequence

A. Create the shared dispatch calendar

- Open calendar.google.com while signed into the company-controlled Google Workspace account.
- Beside Other calendars, choose the plus control, then Create new calendar.
- Name it TechCommand Dispatch. Description: Shared operational schedule for TechFlex work orders. Select America/New_York unless the business intentionally chooses a different canonical timezone.
- Open Settings and sharing for that calendar. Share with dispatch administrators using Make changes to events. Give technicians only the access required by policy; individual events may also be written to their connected calendars.
- Copy the Calendar ID from Integrate calendar. Store it as GOOGLE_CALENDAR_SHARED_ID in the production Site environment, not in chat or code.
- In Google Cloud, enable Google Calendar API, create an OAuth web client, add the production callback URL supplied by the implemented connector, and store the client ID and client secret as protected environment values.
- Build and publish the callback, token encryption, refresh, revocation, event mapping, incremental sync, push webhook, channel renewal, and reconciliation worker.
- Test administrator create, technician move, portal move, cancel, conflict, revoked access, duplicate webhook, missed notification recovery, and daylight-saving transitions.

B. Convert website requests into portal leads

The public website already exposes service, partnership, career, contact, newsletter, location, and document-upload inputs. Route each submission into a dedicated TechCommand intake endpoint or a controlled mailbox connector, then show a direct source-page link on the created lead.

Website signal	TechCommand record	Automatic action
Request a Service / appointment	Service lead	Classify service line, location, urgency, company, contact, message, and attachments; assign triage task.
Contract With Us	Partnership lead	Create account/opportunity, store requested coverage, and draft acknowledgment.
Career submission	Candidate lead	Route to hiring workspace, preserve consent and attachments, and never place applicants in customer work orders.
General contact	Business inquiry	Classify sales, service, vendor, complaint, or other; set owner and response deadline.
Newsletter	Marketing consent	Store source, timestamp, consent text/version, and unsubscribe status.

The website handoff is not complete until a real submission creates exactly one lead, retains its original attachment, preserves consent, sends an acknowledgment, links back to the source page, and survives retry without duplicates.

14. Exact QuickBooks and 800.com activation sequence

QuickBooks Online

- Sign in at developer.intuit.com using a company-controlled account and create an app for QuickBooks Online and Payments only if payments are truly required.
- Open Development Settings. Add the exact HTTPS OAuth redirect URL exposed by TechCommand after the callback route is implemented. Do not use a temporary or personal callback in production.
- Store QUICKBOOKS_CLIENT_ID and QUICKBOOKS_CLIENT_SECRET as protected Site environment values.
- Create a sandbox company. From TechCommand, complete Connect to QuickBooks and authorize the minimum scopes. Encrypt refresh tokens and store the realm/company ID.
- Map TechCommand customer, partner, work order, service item, tax behavior, invoice line, payment, credit, void, and external IDs before sending data.
- Configure Intuit webhooks to the signed production endpoint and store the verifier token as QUICKBOOKS_WEBHOOK_VERIFIER_TOKEN.
- Prove: create customer, create draft invoice, human approve/post, receive webhook, record payment, reconcile, retry a timeout, reject a duplicate, refresh an expired token, and disconnect cleanly.
- Only after sandbox acceptance: enter production keys, reconnect to the real company, run one low-risk approved invoice, and compare both systems line by line.

800.com

- Sign in as an 800.com administrator. Go to Settings > Integrations > API > Create A New Token.
- Name the token TechCommand Production. Copy it once and store it in the password manager, then in the protected Site value EIGHT_HUNDRED_API_TOKEN.
- Record the approved sending number in EIGHT_HUNDRED_FROM_NUMBER. Confirm that the current plan exposes the required SMS, contact, call-log, and callback functionality.
- Implement server-side send, inbound message, delivery status, call-completed event, opt-out, retry, rate-limit, and audit handlers. Never call the provider directly from browser code.
- Map inbound call or SMS to an existing contact or create a new lead. Preserve the 800.com record ID and expose an Open in 800.com link where the provider offers a stable URL.
- Require documented consent for automated or marketing messages, honor STOP immediately, suppress blocked numbers, and separate transactional job updates from marketing.
- Test: inbound call, missed call, voicemail if available, inbound SMS, authorized outbound SMS, delivered, failed, duplicate event, STOP, resubscribe policy, and revoked token.

15. Ready-to-send provider proposals

SpinLife / FST technical integration request

Subject: TechFlex request for authorized FST work-order integration specifications

Hello SpinLife Partner/FST Support,

TechFlex Mobility Solutions receives and services work orders through the SpinLife FST workflow. We are developing our internal TechCommand OS to reduce duplicate entry, improve bid accuracy, preserve dispatch documents, track status, and return complete service evidence.

Please provide the supported and authorized integration options for our account, including API, webhook, EDI, scheduled export, secure mailbox attachments, or SFTP. We specifically need documentation for new work orders and bid requests, work-order updates, customer/service location, job type, equipment and serial/model information, assigned technician/reference data, attachments, accepted bid, appointment, status, completion documents, photos, and invoice/payment status where permitted.

Please also provide authentication method, sandbox/test access, rate limits, field definitions, status codes, idempotency guidance, webhook signing, attachment limits, data-retention requirements, technical terms, and the correct technical contact. We will not automate browser access or scrape the portal without written authorization.

Thank you,
Brandon
TechFlex Mobility Solutions
techflexmobility.com

800.com API request

Subject: TechCommand OS API and event access for TechFlex Mobility Solutions

Hello 800.com Support,

TechFlex Mobility Solutions is connecting our company 800.com account to our internal TechCommand OS. Please confirm which REST API endpoints and event mechanisms are enabled on our plan for inbound calls, call completion, voicemail metadata, contacts, inbound SMS, outbound transactional SMS, delivery status, opt-out/STOP, and number management. Please also confirm webhook signing, IP or domain restrictions, rate limits, stable record URLs, retention limits, and sandbox/test options.

Our intended use is service lead creation, work-order communication, missed-call follow-up, delivery-status tracking, and auditable customer communications. Please provide any required compliance or consent configuration and the recommended production setup.

Thank you,
Brandon
TechFlex Mobility Solutions

16. Additional ready-to-send proposals

Website administrator / developer handoff

Subject: Connect TechFlexMobility.com forms to TechCommand OS

Please connect every TechFlexMobility.com service, contact, partnership, and career form to a secure TechCommand OS intake pathway. Each submission must preserve the source page, form type, timestamp, contact fields, location, selected service, message, consent language/version, and original attachments. The integration must use a signed webhook or controlled mailbox/API route; it must not expose portal credentials or secrets in browser code.

Please provide the website platform, form plugin name/version, current delivery destination, administrator access owner, supported webhook/API options, attachment-size limits, anti-spam settings, test/staging method, and rollback procedure. After implementation, submit one test for each form type and confirm exactly one matching TechCommand lead plus the original notification email.

QuickBooks accountant / administrator approval

Subject: Approval and mapping session for TechCommand - QuickBooks Online integration

We are preparing a controlled QuickBooks Online integration for TechCommand OS. Please identify the correct production company, chart-of-accounts mappings, service items, customers, tax behavior, payment methods, invoice approval policy, deposit/revenue accounts, refund/credit process, and reconciliation owner. No production invoice will be posted until the sandbox tests and a line-by-line approval are complete.

Please nominate one accounting approver and a 45-minute mapping session. We will bring sample work orders, bids, invoices, status rules, and the proposed field mapping.

Google Workspace administrator request

Subject: TechCommand Google Workspace integration setup

Please create or confirm a company-controlled Google Cloud project for TechCommand Production, enable Calendar, Gmail, Sheets, Drive, Routes, Places, and Geocoding only as approved, and identify the Workspace administrator who can approve OAuth consent or minimum domain-wide delegation. Create a separate calendar named TechCommand Dispatch. Do not use a personal calendar as the system calendar.

No secret should be emailed. Credentials must be stored directly in the protected production environment. We will validate one real calendar event, one ledger row, one email, one Drive file, and two route-origin scenarios before marking each connection verified.

17. Ownership, trademark, copyright, patent, and commercial protection

This section is an operational checklist, not legal advice. Use qualified intellectual-property and software counsel before filing or selling the product.

Company-control checklist

- Decide and document the legal owner of TechCommand OS. For a commercial product, ownership is commonly held by the operating company or a dedicated IP entity, not merely asserted in a footer.
- Put the source repository, hosting project, domains, Google/Intuit/OpenAI/PostHog/800.com accounts, signing keys, app-store accounts, billing, and password vault under company-controlled identities with at least two authorized administrators.
- Obtain written invention assignment and work-made-for-hire/IP assignment terms from every employee, contractor, designer, and developer who contributes. Preserve third-party license notices and a software bill of materials.
- Maintain immutable release history: requirements, commits, database migrations, test evidence, deployed version, authorship/contributor records, and customer acceptance notes.
- Search TechCommand OS and related names before investing in branding. Counsel should evaluate federal and state trademark strategy, goods/services classes, specimens, and domain/social conflicts.
- Copyright protects eligible original code and documentation; registration strategy should be discussed with counsel. It does not protect functionality, methods, or ideas by itself.
- A patent may protect a new and non-obvious technical invention, not the general goal of an all-in-one CRM. Before public disclosure of a potentially novel method, use patent counsel for invention harvesting, prior-art search, inventorship, ownership, and filing-timeline advice.
- Protect trade secrets through access controls, confidentiality agreements, vendor terms, logging, least privilege, and a documented offboarding process.
- Before multi-client sales, prepare Terms of Service, privacy notice, data-processing terms, security addendum, acceptable-use policy, support/SLA terms, subcontractor list, data retention/deletion process, and customer export/exit process.

The ownership label requested by Brandon should not be hard-coded as the sole legal conclusion until counsel confirms the owning entity. The product UI can state 'TechCommand OS by TechFlex Mobility Solutions'; the repository and contracts should name the precise legal entity that owns or licenses the software.

18. Sources and audit basis

Product benchmark and provider sources

- Salesforce Field Service Management: https://www.salesforce.com/ap/service/field-service-management/
- Microsoft Dynamics 365 Field Service overview: https://learn.microsoft.com/en-us/dynamics365/field-service/
- Google Calendar API authorization and calendar reference: https://developers.google.com/workspace/calendar/api/v3/reference/calendars/get
- Google Calendar push notifications: https://developers.google.com/workspace/calendar/api/guides/push
- Google Maps Routes best practices: https://developers.google.com/maps/documentation/routes/web-service-best-practices
- Intuit QuickBooks Online developer portal: https://developer.intuit.com/app/developer/qbo/docs/get-started/
- 800.com API token setup: https://support.800.com/en-us/hc/articles/31915582563853-how-to-set-up-an-800-com-api-token
- 800.com REST API documentation: https://docs.800.com/docs/800com-rest-api/3b74d740bd5c1-800-com-rest-api
- TechFlex Mobility website and public intake fields: https://techflexmobility.com/
- USPTO trademark, patent, and copyright comparison: https://www.uspto.gov/trademarks/basics/trademark-patent-copyright

Internal audit basis

- TechCommand OS source and database schema inspected on 8 September 2026.
- Production configuration reviewed without exposing secret values.
- PostHog project state reviewed: no ingested production events were present at audit time.
- Production build, lint, database schema validation, 43 workflow tests, integration status behavior, authorization patterns, and bundle composition were checked.
- Live hosting remained on Version 35 during this audit. Version 36 is a local, tested candidate pending explicit publication.

Decision statement

Publish Version 36 as the next small corrective release, then perform a controlled technician onboarding and PostHog verification. Activate providers in this order: access provisioning, Maps, Calendar, Workspace mail/ledger, Drive archive, QuickBooks sandbox, 800.com, and an authorized SpinLife pathway. Promote an integration to Transaction verified only after its real evidence exists.

TECHCOMMAND OS	Operational intelligence with human control