Grocery Store Management

Database Systems

CS541

Student Name: DACHA HITESH KUMAR

UID:U00344406

Table of Figures

Fig 1: ER Diagram 3

Fig 2: Describing the Python code for SQL connection and login screen 7

Fig 3: Login Screen 7

Fig 4: Python code for User validation 8

Fig 5: User Validation 8

Fig 6: Python code for Invalid password 8

Fig 7: Invalid password 9

Fig 8: Main Screen _ Upon successful login 9

Fig 9: Python Code to navigate to Employees Information Screen 10

Fig 10: Employees Information Screen 10

Fig 11: Python code for Inserting data into MySQL database 11

Fig 12:Error when user didn't fill all the fields 11

Fig 13: Python code for search screen 12

Fig 14: Search screen 12

Fig 15: Data Displayed on Search 13

Fig 16: In case no data found 13

Fig 17: Select to edit the data _ Options to Update and Delete 14

Fig 18 : Python code for manager screen 15

Fig 19 GUI for Managaer Information 15

Fig 20 My SQL Queries for database creation 16

Final Project Report of Data Dive

1.Objective

The goal of our project is to design a GUI for Grocery store Management System which incorporates details of the Employees, Manager, Designation of the employees, categories of the products, details of the Customer, list of available commodities and location information of the grocery stores. Suppliers and details of commodities which shows which items are going to be out of stock for the store which has various branches situated at various areas with different Managers taking care of that data set.

This database is efficacious in running the grocery stores. The users of the database will be the store managers.

2 ER Diagram



Fig 1: ER Diagram

Grocery store ER diagram.png

3.1 List of tables

In Grocery store management, we have the following tables which will store the corresponding data.

3.2 Location

The Location table has records about the location information of the grocery stores. For now, we have defined grocery stores in 20 locations.

A unique Location_ID is defined for all the locations and this acts as primary key for this table. Other information includes City, Street, Zip Code of the particular location. Only the city column can have null values stored in them and we have every other column defined as not null (A value must exist for these columns).

3.3 Employees

Employees table has records of the Employees working in the grocery store. As we have defined our model to have managers for each store and they exclusively have the access to the data base of the grocery store (DB Users), for now, we have defined all the managers for all the grocery stores listed in the Location table.

This table gets information of Location Id from Location table and Dsgn Id from Designation table. Employees table has information about First Name, Last Name, Unique Employee Id, Employee Mobile number. Employee email address and the designation Id of the employee.

E_Id (Employee_Id) is defined as the primary key of this table. We have also defined Location_Id and Dsgn_Id as foreign keys with references from Location and Designation tables respectively. Every column in Employees table is defined as not null, meaning, every column must have some value, if defined.

3.4 Designation

The Designation table has various records of different designations applicable/available in the grocery store. We have defined some designations like Level* and Staff* which we are not using now, but might be using in the future.

Dsgn_Id and Designation are defined as not null, as they are the primary information in this table. Storing salary for any designation is optional. Dsgn_Id is defined as the primary key.

3.5 Customers

The Customers table holds the details of the customer such as the Cust_Id which is the Primary key and other details such as Fname, Lname and Phone. This table provides details of the Customers with reference to the Location_Id from Location table. Hence, it is considered as the foreign key.

3.6 Manager

The Manager table holds the details the employee such as the E_Id which is the primary key, mobile and Email. Managers are the DB users in our store. As the E_Id is taken reference from Employee table it is considered as the foreign key.

3.7 DB Users

DB Users are the Managers and they need the E_Id, Username and Password to login to Database. Username and E_Id can be referred from the Manager table. E_Id is considered as the foreign key.

3.8 Commodities

The Commodities table holds the details of various products such as the Product_No, Product_Name, Prod_Quantity and Prod_Price. Product_No is considered as the Primary key of Commodities table.

3.9 Suppliers

The Suppliers table holds the details of the product suppliers such as the Supplier_No, Supplier_Name, Mobile, Location_Id, Email, Product_No and Prd_Actual_Price. Supplier_No is considered as the Primary key where as Product_No is the foreign key which is referred from the Commodities table and Location_Id is the foreign key which is referred from the Location table.

3.10 Categories

The Categories table holds the details of the Product categories such as the Category_Id, Category_Name and Product_No which is referred from the Commodities table is considered as the foreign key.

4.1 GUI

The GUI for our project, Grocery Store Management system is built using Python Tkinter. We have created GUI for all our tables, where we can perform operations, such as INSERT, UPDATE, DELETE, SEARCH on all the tables of our Grocery Store database. Elements such as Window, Labels, Buttons, Treeview, Dropdown, Images are used in building the GUI. 3.1 Database connection to GUI

In order to establish connection to database and GUI the following syntax needs to be used.

```
#Establishing a connection with database
conn = mysql.connector.connect(host="localhost", user="root", password="root", database="grocerystore")
```

Here, I have used the credentials of my localhost database connection, however, one has to replace it with their own credentials in their system. By using this, the user can connect to database and a GUI will be displayed accordingly.

4.2 Description of GUI

The main.py file has to be run, in which all the other modules are imported. Each module is for each table in our database. Main.py holds everything and it directs us to different modules with the help of buttons. When we run “main.py”, a login window, where we have to enter the credentials will be displayed and will only take you inside, if you enter valid credentials. If the credentials are correct, then a window is displayed with image buttons for all our tables.

When we click on each button, it will be redirected to the respective module and connection is established with the database. In order to establish a successful connection with the database “Grocery store “, it should be available in our system .

4.3 Explanation of GUI

4.3.1 Main.py

Main.py file is executed. It has all modules imported into it. It is configured in such a way that only managers can access the database and credentials are provided only to them.

It displays the login screen as shown below.

```
# Creating a login screen
login = Tk()
login.title("Login")
login.geometry("300x200+0+0")
login.configure(bg = "snow2")

# Database connection - To access the username and password from a table
conn = mysql.connector.connect(host="localhost", user="root", password="root", database="grocerystore")
mycursor = conn.cursor()

# labels and text boxes displayed on the login screen
usernameLabel = Label(login, text = "Username", bg = "snow2")
usernameLabel.place(x = 0, y = 10)
usernameBox = Entry(login)
usernameBox.place(x = 100, y = 10)

passwordLabel = Label(login, text = "Password", bg = "snow2")
passwordLabel.place(x = 0, y = 60)
passwordBox = Entry(login, show = "*")
passwordBox.place(x = 100, y = 60)
username = ""
password = ""
actualPassword = ""
```

Fig 2: Describing the Python code for SQL connection and login screen



Fig 3 : Login Screen

In case of invalid username, an error will be popped up.

```python
# Function for login button on the login screen
def submit():
    global username, password, actual
    username = usernameBox.get()
    password = passwordBox.get()
    query = "SELECT Password from dbusers where Username = %s"
    values = (username,)
    mycursor.execute(query, values)
    actualPassword = mycursor.fetchall()
    try:
        actual = actualPassword[0][0]
        mainFun()
    except:
        tkinter.messagebox.showinfo("Error", "Invalid Username", parent = login)
```

Fig 4 : Python code for User validation



Fig 5 : Invalid Username

In case of wrong password, an error like below will be popped up.

```python
# Function that will get us into main screen, on a successful login
def mainFun():
    global root
    if password == actual:
        login.withdraw()
        root = Toplevel()
        root.title("Grocery Store Management")
        mainWindow(root)
        root.geometry("1600x1600+0+0")
        root.mainloop()
    else:
        tkinter.messagebox.showinfo("Error", "Please enter correct password", parent = login)
```

Fig 6 : Python code for Invalid Password

Fig 7 : Invalid Password

If valid credentials are entered, the main screen with access to all our database will be displayed.

Fig 8 : Main Screen – Upon successful login

The images displayed on the screen are buttons and are clickable. Corresponding text is displayed on each button.

Every subpage has the same view, but with the different content. Let us check one sub module, to know how exactly does our GUI looks and how we can perform operations such as INSERT, DELETE, UPDATE and SEARCH.

We have also added menu to the screen _ About Us, Contact Us, Help/Exit which has options to close the screen, and our emails to reach out to us.

4.3.2 Employees.py

Click on Employees Button. It will be redirected to the employees information page in the same window.

```
def mainEmployees(self):
    ee.Employees(self.window)
    if ee.Employees(self.window).exit_now:
        self.__init__(root)
```

Fig 9 : Python Code to navigate to Employees Information Screen

Fig 10 : Employees Information Screen

Text is displayed using Labels and to input data, textboxes are used.

The above window has four options in it _

1. Add Employee:

By using add Employee we can insert data into our table. If no information is filled and clicked on add employee which is shown in below screenshot, a message box will be displayed as shown below asking to fill all the fields. A function is written in a way that it inserts data into our table taking all the information from the GUI.

```python
# Function to call when add employee is clicked
def add_employee(self):
    """This function is used add employees into the Employees table of our Grocery Store Management system"""
    self.val1 = self.first_name.get()
    self.val2 = self.last_name.get()
    self.val3 = self.loc_id.get()
    self.val4 = self.email.get()
    self.val5 = self.mobile.get()
    self.val6 = self.e_id.get()
    self.val7 = self.dsgn_id.get()

    if self.val1 == '' or self.val2 == '' or self.val3 =='' or self.val4 =='' or self.val5 =='' or self.val6 =='' or self.val7 ==''':
        tkinter.messagebox.showinfo("Error", "Fill in all fields")
    else:
        query = "INSERT INTO employees(Location_ID , Email, Mobile , First_Name , Last_Name , E_Id , Dsgn_Id ) " \
                "values(%s, %s, %s, %s, %s, %s, %s) "
        values = (self.val3, self.val4, self.val5, self.val1, self.val2, self.val6, self.val7)
        mycursor.execute(query, values)
        conn.commit()
        self.clear2()
        tkinter.messagebox.showinfo("Success", "Successfully added", parent = self.left)
```

Fig 11 : Python code for Inserting data into MySQL database



Fig12 : Error when user didn't fill in all fields

1. Close:

This will navigate us to initial main window.

2. Clear:

This will clear if any data filled in the text box and refreshes the window.

3.Click to search:

For searching employees, we need to select option in database. This will open a new window upon clicking on it and will provide various options, which will be discussed later.

For searching employees, we need to select option in database. This will open a new window upon clicking on it and will provide various options, which will be discussed later.

```python
def searchEmployee(self):
    """This function opens a new window, when the user clicks on the search button in the main window. It provides other options like
    self.search_employees = Tk()
    self.search_employees.title("Search Employees")
    self.search_employees.geometry("1600x1000")
    #self.search_label = Label(self.search_employees, text = "Employee Last Name",font=('arial 10 bold'))
    #self.search_label.place(x = 0, y = 50)
    self.drop = ttk.Combobox(self.search_employees, value = ["Last Name", "First Name", "Employee ID","Dsgn ID", "Loc ID"])
    self.drop.current(0)
    self.drop.place(x = 0, y = 50)
    self.search_box = Entry(self.search_employees)
    self.search_box.place(x = 150, y = 50)
    # Search button
    self.search_now = Button(self.search_employees, text = "Search Employee",
                             width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.searchNow)
    self.search_now.place(x = 100, y = 100)
    #close button
    self.exit_now = Button(self.search_employees, text = "Close",
                           width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.search_employees.destroy)
    self.exit_now.place(x = 250, y = 100)
    #Edit button
    self.edit_now = Button(self.search_employees, text = "Change",
                           width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.editNow)
    self.edit_now.place(x = 400, y = 100)
    #Clear button
    self.clear_now = Button(self.search_employees, text ="Clear",
                            width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.clear)
    self.clear_now.place(x = 550, y = 100)
```

Fig 13 : Python code for search screen



Fig 14 : Search Screen

There is dropdown with the column names present in tables of our database. We can search with any option available in the dropdown.

Options available in search window are as below:

1. Search Employee:

This is used to search for an employee.



Fig 15 : Data Displayed on Search

Output is displayed with Treeview structure. If there is no EE, then a message will be displayed as “Employee Not Found” as shown below.



Fig 16 : In case no data found

2. Close:

This close is used to close the search window.

3.Clear:

This Clear option is used to refresh the window.

4.Change:

This change option is used to update or delete employee. When we click on change, the GUI asks us to select the employee first. When an employee is selected and clicked on the change, the options to update and delete will be visible as shown below.



Fig 17 : Select to edit the data – Options to Update and Delete

As Employee Id is the primary key and it cannot be changed, EE ID is grayed out and all the information of the selected item will be populated in the respective fields. Now, there are two options, update and delete. To perform each operation, a separate function is created. If the operation is successfully performed, a pop up with message is displayed showing that the particular operation is successful.
E.g.: “Successfully Updated”.

4.3.3 Manager.py:

It has options only to search, clear and close. The button which says Branch _ Manager gives us the view with details of manager and the concerned branch address.

```
self.drop = ttk.Combobox(self.left, value = ["Employee ID", "Email", "All"])
self.drop.current(0)
self.drop.place(x = 0, y = 100)
self.search_box = Entry(self.left, bg = "ghost white")
self.search_box.place(x = 150, y = 100)
# Search button
self.search_now = Button(self.left, text = "Search Manager",
                         width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.searchNow)
self.search_now.place(x = 100, y = 200)

self.exit_now = Button(self.left, text = "Close",
                       width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.window.destroy)
self.exit_now.place(x = 250, y = 200)
self.clear_now2 = Button(self.left, text ="Clear",
                         width = 15, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.clear2)
self.clear_now2.place(x = 390, y = 200)

self.view_manager = Button(self.left, text ="Branch-Manager",
                           width = 20, height = 2,font=('arial 10 bold'),bg = "light gray", command = self.viewManager)
self.view_manager.place(x = 550, y = 200)
```

Fig 18 : Python code for manager screen



Fig 19 : GUI for Managaer Information

The GUI is same for all other tables too, with appropriate information.

5. SQL

We have used the database queries effectively and carefully to implement the insert, update, delete and search. We have also used a view to join out tables and view the records. Database with the name grocerystore has been created.

```
-- create database

create database if not exists grocerystore;
```

By using the database, we have created the following tables:



Fig 20 : MySQL Queries for database creation

Data has been inserted into the tables and modified accordingly.

6. Git Repository

Once we are done with the project, we pushed the code to Github repository and the link is been provided to the team member and the professor to access the code files and work on it if any further changes are required.

Git Repository Link:

You can access the code files in the below link.

https://github.com/Charitha13/Grocery_Management_System

7. References

https://anzeljg.github.io/rin2/book2/2405/docs/tkinter/ttk-Treeview.html

https://www.tutorialspoint.com/python/python_gui_programming.htm

https://www.w3schools.com/sql/default.asp https://codemy.com/intro-tkinter-python-gui-apps/