

Possible Extensions to Effective Free-Energy Descriptions in Coherent Nonequilibrium Electromagnetic Systems

Erick Sangalang

April 29, 2026

Abstract

Classical Gibbs free-energy theory successfully describes equilibrium thermodynamics across chemistry, condensed matter physics, materials science, and statistical mechanics. However, strongly driven coherent electromagnetic systems operating far from equilibrium may exhibit transient ordered field structures not fully characterized by conventional equilibrium-state descriptions alone. This paper proposes a restrained phenomenological framework for exploring whether resonant electromagnetic confinement, asymmetric boundary conditions, and coherent field organization may contribute effective nonequilibrium ordering terms to macroscopic free-energy descriptions without violating conservation laws or the second law of thermodynamics. The work does not claim verified anomalous energy production, antigravity, or perpetual motion behavior. Instead, it investigates whether coherent nonequilibrium electromagnetic systems may warrant generalized effective-state descriptions analogous to those already employed in superconductivity, plasma physics, cavity electrodynamics, and dissipative self-organizing systems. Potential experimental consequences, limitations, and falsifiability criteria are discussed.

1 Introduction

Thermodynamics remains one of the most experimentally validated frameworks in modern physics. In particular, Gibbs free-energy theory provides a remarkably successful description of equilibrium-state transitions, chemical spontaneity, electrochemical processes, and phase behavior across a vast range of systems [1, 2].

The classical Gibbs free energy is given by

$$G = H - TS, \tag{1}$$

where H is enthalpy, T is temperature, and S is entropy. Under conditions of constant temperature and pressure, systems evolve toward states minimizing Gibbs free energy.

Despite its broad applicability, classical Gibbs theory is fundamentally rooted in assumptions of local thermodynamic equilibrium and statistical averaging over microscopic degrees of freedom [2, 3]. In contrast, many modern physical systems operate under strongly driven nonequilibrium conditions involving coherent forcing, resonant confinement, metastability, long-range correlations, and self-organization.

Throughout this work, the systems considered are assumed to remain open, externally driven nonequilibrium systems rather than isolated equilibrium systems.

Examples include:

- nonlinear optical cavities,
- plasma confinement systems,
- superconducting resonators,

- driven quantum systems,
- active matter systems,
- and dissipative structures far from equilibrium.

The present work explores whether coherent electromagnetic systems operating under strong nonequilibrium forcing may motivate generalized effective free-energy descriptions involving transient field-ordering contributions beyond conventional equilibrium-state variables alone.

Importantly, this paper does not claim:

- violation of conservation laws,
- extraction of unlimited energy,
- perpetual motion,
- or experimentally verified anomalous propulsion phenomena.

Rather, the work proposes a constrained phenomenological framework intended to motivate falsifiable experimental investigation into coherent nonequilibrium electromagnetic organization.

2 Background

2.1 Classical Gibbs Free Energy

For systems at constant temperature and pressure, the differential Gibbs relation is

$$dG = dH - TdS - SdT. \quad (2)$$

Under equilibrium conditions, spontaneous processes satisfy

$$\Delta G < 0. \quad (3)$$

The Gibbs formalism has proven extraordinarily successful in describing:

- chemical equilibria,
- electrochemical cells,
- phase transitions,
- reaction kinetics,
- and thermodynamic stability.

However, classical equilibrium thermodynamics generally assumes:

1. ergodic statistical averaging,
2. weak long-range coherence,
3. near-equilibrium relaxation,
4. and absence of sustained coherent external driving.

Strongly driven electromagnetic resonant systems may operate outside some of these simplifying assumptions while still remaining fully consistent with conservation laws.

2.2 Nonequilibrium Self-Organization

Far-from-equilibrium systems are known to exhibit emergent ordered behavior [4, 5, 6]. Examples include:

- Bénard convection,
- laser coherence,
- synchronized oscillators,
- plasma self-organization,
- and nonlinear pattern formation.

Such systems locally reduce entropy through continuous energy throughput while globally satisfying the second law.

Prigogine’s dissipative structure framework demonstrated that externally driven nonequilibrium systems may transiently develop ordered macroscopic structures inaccessible under equilibrium assumptions [4].

This raises the question motivating the present work:

Can coherent electromagnetic boundary conditions and resonant field confinement contribute measurable effective ordering terms in strongly driven nonequilibrium systems?

3 Phenomenological Extension Framework

We consider a generalized effective free-energy functional of the form

$$G_{\text{eff}} = H - TS + \Phi_{\text{coh}} + \Phi_{\text{vac}}. \quad (4)$$

Here:

- Φ_{coh} represents a phenomenological coherent-ordering contribution associated with resonant electromagnetic structure,
- Φ_{vac} represents a speculative boundary-condition-dependent field contribution under nonequilibrium electromagnetic forcing.

Equation (4) is not proposed as a replacement for Gibbs thermodynamics, but rather as an exploratory effective-state descriptor applicable only to highly driven nonequilibrium systems.

Effective thermodynamic potentials are commonly employed in condensed matter physics, superconductivity, nonlinear optics, and driven quantum systems as phenomenological descriptors of emergent collective behavior.

3.1 Illustrative Dissipation Scaling

As a purely phenomenological illustration, coherent ordering may hypothetically alter effective dissipation pathways according to a relation of the form

$$\Gamma_{\text{eff}} = \Gamma_0 e^{-\alpha C}, \quad (5)$$

where:

- Γ_{eff} is an effective dissipation rate,




Figure 1: Illustrative conceptual free-energy landscape showing possible transient metastable ordering states in coherently driven nonequilibrium electromagnetic systems. The dashed basin represents a phenomenological nonequilibrium coherent state sustained through continuous external driving. The illustrated landscape is qualitative and intended only to visualize possible nonequilibrium metastability under continuous external driving. The figure is conceptual only and is not derived from a microscopic theory.

- Γ_0 is a baseline dissipative coefficient,
- C represents a generalized coherence parameter,
- and α is a phenomenological coupling constant.

The above expression is introduced solely as an illustrative reduced-order descriptor intended to motivate possible experimental parameterization. It is not derived from microscopic theory and should not be interpreted as predictive.

3.2 Interpretation of the Coherent Ordering Term

The term Φ_{coh} may conceptually represent:

- resonant field localization,
- phase coherence,
- metastable electromagnetic confinement,

- or reduced dissipative pathways due to coherent mode structure.

Analogous effective-order parameters already appear in:

- superconductivity,
- Ginzburg–Landau theory,
- cavity quantum electrodynamics,
- and nonlinear optics.

No violation of thermodynamic principles is implied.




Figure 2: Conceptual open-system thermodynamic flow structure for a coherently driven nonequilibrium electromagnetic system. Continuous external energy input sustains transient ordered electromagnetic organization while compensating entropy production and dissipation remain globally consistent with the second law of thermodynamics.

3.3 Speculative Vacuum-Response Contribution

The vacuum-response term Φ_{vac} is introduced only phenomenologically and remains highly speculative.

Possible interpretations include:

- modified vacuum fluctuation coupling,
- boundary-condition-dependent mode suppression,
- Casimir-like energy redistribution,
- or nonequilibrium vacuum polarization effects.

The term “vacuum” is used here in the limited field-theoretic sense associated with boundary-condition-dependent electromagnetic ground-state structure rather than as a source of unrestricted extractable energy.

At present, no direct experimental evidence confirms macroscopic vacuum-ordering effects of the type discussed here.

Accordingly, the present framework should be viewed as hypothesis-generating rather than predictive.

4 Potential Experimental Relevance

The framework motivates experimental investigation into whether coherent nonequilibrium electromagnetic systems exhibit measurable deviations from conventional dissipative expectations.

Candidate systems include:

- high-Q resonant microwave cavities,
- asymmetric dielectric resonators,
- strongly driven plasma confinement geometries,
- superconducting cavity systems,
- and metamaterial field-localization structures.

Potential observables may include:

- anomalous dissipation scaling,
- metastable energy retention,
- coherence-enhanced energy localization,
- nonequilibrium force transients,
- or boundary-condition-dependent relaxation dynamics.

Table 1: Illustrative comparison between conventional equilibrium descriptions and proposed coherent nonequilibrium extensions.

Conventional Equilibrium Framework	Proposed Nonequilibrium Extension
Near-equilibrium relaxation	Strong external driving
Thermal averaging dominated	Coherent metastability
Passive dissipation	Structured field organization
Weak long-range coherence	Sustained resonant coherence
Static equilibrium minima	Dynamically maintained ordering states

Any claimed effects would require rigorous elimination of:

- thermal gradients,
- electrohydrodynamic forces,
- vibrational coupling,
- Lorentz-force artifacts,
- electromagnetic leakage,
- and instrumentation bias.

5 Conservation Laws and Thermodynamic Consistency

A central principle of the present framework is preservation of standard conservation laws. Specifically:

- energy conservation is assumed intact,
- entropy production remains globally positive,
- and no perpetual-motion behavior is proposed.

Any transient local ordering effects would necessarily require:

- continuous external energy input,
- nonequilibrium driving,
- and compensating entropy generation elsewhere in the system.

The proposed framework therefore concerns effective energy organization and redistribution rather than unrestricted energy creation.

6 Limitations

The present work possesses substantial limitations:

1. No microscopic derivation for Φ_{coh} or Φ_{vac} is provided.
2. No experimentally verified anomalous effects are claimed.
3. The framework remains phenomenological rather than fundamental.
4. The proposed extensions may ultimately reduce to conventional nonequilibrium electrodynamics under more complete analysis.

Consequently, the paper should be interpreted as exploratory theoretical groundwork intended to motivate carefully constrained experiments rather than as confirmation of new physics.

7 Future Work

Future investigation may explore:

- experimentally constrained coherence-dependent dissipation measurements,
- resonant cavity localization studies,
- nonequilibrium electromagnetic self-organization,
- and possible effective-state parameterizations for strongly driven coherent systems.

Future investigation may also examine whether coherent nonequilibrium electromagnetic ordering can be experimentally distinguished from conventional dissipative mode-confinement effects.

Any future theoretical development would require substantially more rigorous microscopic derivation and experimental validation.

8 Conclusion

This paper explored the possibility that coherent nonequilibrium electromagnetic systems may motivate generalized effective free-energy descriptions involving transient field-ordering contributions beyond conventional equilibrium-state variables alone.

The proposed framework does not replace Gibbs thermodynamics, violate conservation laws, or claim verified anomalous energy phenomena. Instead, it investigates whether resonant electromagnetic coherence, asymmetric boundary conditions, and nonequilibrium organization may contribute measurable phenomenological ordering terms in highly driven systems.

No new fundamental interaction is asserted by the present framework.

Even if future experiments yield null results, precision investigation of coherent electromagnetic nonequilibrium systems may still provide valuable constraints on vacuum-response hypotheses, metastable field organization, and dissipative structure formation under strong electromagnetic forcing.

More broadly, the work suggests that coherent electromagnetic systems may offer a useful platform for investigating whether nonequilibrium field organization and boundary-condition physics are richer than presently understood within conventional equilibrium descriptions.

References

- [1] J. W. Gibbs, *On the Equilibrium of Heterogeneous Substances*, Transactions of the Connecticut Academy, 1876–1878. DOI: 10.5962/bhl.title.5501
- [2] H. B. Callen, *Thermodynamics and an Introduction to Thermostatistics*, 2nd Edition, Wiley, 1985. DOI: 10.1002/9780470117731
- [3] L. E. Reichl, *A Modern Course in Statistical Physics*, 4th Edition, Wiley-VCH, 2016. DOI: 10.1002/9783527697033
- [4] I. Prigogine and I. Stengers, *Order Out of Chaos*, Bantam Books, 1984. DOI: 10.1063/1.2915327
- [5] G. Nicolis and I. Prigogine, *Self-Organization in Nonequilibrium Systems*, Wiley, 1977. DOI: 10.1002/9780470142566
- [6] H. Haken, *Synergetics: An Introduction*, Springer, 1983. DOI: 10.1007/978-3-642-88338-5
- [7] L. D. Landau and E. M. Lifshitz, *Statistical Physics*, Pergamon Press, 1980. DOI: 10.1016/C2009-0-25569-1
- [8] V. L. Ginzburg and L. D. Landau, “On the Theory of Superconductivity,” *Zh. Eksp. Teor. Fiz.*, 1950. DOI: 10.1007/BF02731494
- [9] J. D. Jackson, *Classical Electrodynamics*, 3rd Edition, Wiley, 1998. DOI: 10.1002/9781119015500
- [10] P. W. Milonni, *The Quantum Vacuum*, Academic Press, 1994. DOI: 10.1016/C2009-0-21276-3
- [11] S. Haroche and J.-M. Raimond, *Exploring the Quantum*, Oxford University Press, 2006. DOI: 10.1093/acprof:oso/9780198509146.001.0001
- [12] A. Taflov and S. Hagness, *Computational Electrodynamics*, Artech House, 2005. DOI: 10.1002/0471654507
- [13] S. H. Strogatz, *Sync: The Emerging Science of Spontaneous Order*, Hyperion, 2003. DOI: 10.1119/1.1767105