SC-635 Advanced Topics in Mobile Robotics

Experiment Module : Custom messages and trilateration

February 10, 2020

Systems and Control Engineering

Indian Institute of Technology Bombay

Overview

1. Custom messages

2. Assignment

Custom messages

In assignment 0: we implemented

- Name publisher with *String* message type
- Roll number publisher with *Numeric* message type

We created separate nodes to publish each type.

With custom messages we can encode specialized information such as collection of simple message types.
Some examples:

- Collection of robot poses in multi-agent setting.
- Sensor parameters

Custom message: Student_info

Lets create a custom message *student_info* with following fields

- Name
- Roll number

Custom messages are placed under the msg directory

Student_info.msg contents

```
1 string name
2 int64 roll_number
```

Directory structure

The directory structure should look as follows:



Modifications 1

The custom message type we defined needs to be built with *catkin_make*

We notify *catkin_make* by modifying the contents of *package.xml* file

```
1  <?xml version="1.0"?>
2  <package format="2">
3    <name>template_a3</name>
4    <version>0.0.0</version>
5    <description>The template_a3 package</description>
6     ...
7    <buildtool_depend>catkin</buildtool_depend>
8    <build_depend>rospy</build_depend>
9
10   <build_depend>message_generation</build_depend>
11   <exec_depend>message_runtime</exec_depend>
12
13     <build_export_depend>rospy</build_export_depend>
14   <exec_depend>rospy</exec_depend>
15
16   <export>
17     <!-- Other tools can request additional information be placed here -->
18   </export>
19 </package>
```

Line 10,11 are added to let the build system know that we want to use custom messages.

Modifications 2

We also need to modify CMakeLists.txt file

```
1  cmake_minimum_required(VERSION 2.8.3)
2  project(template_a3)
3  ## Components
4  find_package(catkin REQUIRED COMPONENTS
5    rospy
6    roscpp
7    std_msgs                          ## modified
8    message_generation                ## modified
9  )
10 ## Generate messages in the 'msg' folder
11 add_message_files(
12      FILES
13      Student_info.msg                ## modified
14      Landmark.msg                    ## modified
15      Trilateration.msg               ## modified
16 )
17 ## Generate added messages and services with any dependencies listed here
18 generate_messages(
19   DEPENDENCIES
20   std_msgs                          ## modified
21 )
22 ## catkin specific configuration
23 catkin_package(
24  CATKIN_DEPENDS message_runtime     ##modified
25 )
26
27 ## Specify additional locations of header files
28 include_directories(
29   ${catkin_INCLUDE_DIRS}
30 )
```

Custom message: Publisher

Lets use the custom message by writing a publisher:

```
1  #!/usr/bin/env python
2  import rospy
3  from template_a3.msg import Student_info
4
5  def talker():
6      pub = rospy.Publisher('chatter', Student_info, queue_size=10)
7      rospy.init_node('talker', anonymous=True)
8      rate = rospy.Rate(1)
9      while not rospy.is_shutdown():
10         t = Student_info("vivek", 164230001)
11         pub.publish(t)
12         rospy.loginfo("Sent a message!")
13         rate.sleep()
14
15 if __name__ == '__main__':
16     try:
17         talker()
18     except rospy.ROSInterruptException:
19         pass
```

In line 5, we are creating a custom message.

Custom message : Result

We expect to see the following results:



Assignment 3

The robot loads with pose (0, 0, 0). Three landmarks are placed at [7,7], [-7,-7], [7,-7], the distance and identity of the landmarks is being published under the topic name **/trilateration_data**.

- Calculate the position (x,y) of robot using the trilateration data. This part of code should be written inside the callback function (see line 30 of controller.py).
- Calculate the heading of the robot using two consecutive poses of the robot. This part will also go inside the callback function (see line 32 of controller.py)
- Track a circular trajectory with radius 5 meter centered at origin.
- Plot the waypoints and the tracked trajectory. Save figure with labels and title.
- Calculate the mean squared error for one complete traversal of the circular trajectory.
  - Sample 100 points along the tracked trajectory
  - For each robot pose $X_r = (x,y,\theta)$ find the closest point X_c on the circle $x^2 + y^2 = 5^2$
  - Calculate the distance to D_{error} and square it
  - Sum all D^2_{error} terms and divide by 100 to obtain you MSE. Report this number in a file named RESULT.txt.

The template project is located at :

http://bit.ly/2tdpTemplateA4

Thank you