



THREAT ADVISORY

**ATTACK
REPORT**

Who is behind the Cisco attack?

Date of Publication

August 11, 2022

Admiralty Code

B2

TA Number

TA2022170

Summary

Cisco has revealed that they have faced a breach carried out by threat actors, the UNC2447, the Lapsus\$, and the Yanluowang ransomware gang. They stole around 2.8 GB of data, which included non-disclosure agreements, data dumps, and technical drawings.

Potential MITRE ATT&CK TTPs

TA0001 Initial Access	T1490 Phishing	T1078 Valid Accounts	TA0002 Execution
T1569 System Services	T1569.002 Service Execution	TA0003 Persistence	T1136 Create Account
T1136.001 Local Account	T1098 Account Manipulation	T1098.005 Device Registration	TA0004 Privilege Escalation
T1546 Event Triggered Execution	T1546.012 Image File Execution Options Injection	T1070 Indicator Removal on Host	T1070.001 Clear Windows Event Logs
TA0005 Defense Evasion	T1036 Masquerading	T1003 OS Credential Dumping	T1003.001 LSASS Memory
T1562 Impair Defenses	T1112 Modify Registry	TA0006 Credential Access	T1003.003 NTDS
T1036.005 Match Legitimate Name or Location	T1003.002 Security Account Manager	T1562.004 Disable or Modify System Firewall	T1621 Multi-Factor Authentication Request Generation
TA0008 Lateral Movement	T1021 Remote Services	TA0007 Discovery	T1012 Query Registry
TA0011 Command and Control	T1090 Proxy	T1071.001 Web Protocols	T1573 Encrypted Channel
T1573.002 Asymmetric Cryptography	T1219 Remote Access Software	T1048 Exfiltration Over Alternative Protocol	T1071 Application Layer Protocol
TA0010 Exfiltration	T1090.003 Multi-hop Proxy		

Technical Details

#1

The initial access was gained by compromising a Cisco employee's personal Google account, following which an attacker got control of the credentials that were saved in the victim's browser which were being synced.

#2

After obtaining the user's credentials, the attacker attempted to bypass multifactor authentication (MFA) using a variety of tactics, including voice phishing (aka vishing) and MFA fatigue. The attacker was successful in obtaining MFA push approval, enabling them access to the VPN in the context of the targeted user.

#3

After obtaining access, the threat actor installed several tools, including remote access tools like LogMeIn and TeamViewer, offensive security tools like Cobalt Strike, PowerSploit, Mimikatz, and Impacket, as well as backdoor accounts and persistence mechanisms in order to maintain access, minimize forensic artifacts, and increase their level of access to systems.

#4

This attack has been associated with the UNC2447, an initial access broker (IAB), Lapsus\$, and Yanluowang ransomware gang due to similarities in the obtained tactics, methods, and procedures (TTPs).

Actor Details

NAME	MOTIVE	ORIGIN	TARGET LOCATIONS	TARGET INDUSTRIES
UNC2447 (Hello Kitty/ FiveHands)	Financial gain	Unkown	Europe and North America	Finance, Telecommunication
Lapsus\$ (DEV-0537)	Data theft and Destruction	Brazil	Brazil, Portugal, USA	Telecommunication, Technology, Higher education, gaming and government organizations
Yanluowang ransomware gang	Financial gain	China	USA, Brazil, Turkey, Germany	Telecommunications, Professional Services, Retail



Indicator of Compromise (IOC)

TYPE	VALUE
SHA-256	184a2570d71eedc3c77b63fd9d2a066cd025d20ceef0f75d428c6f7e5c6965f3 2fc5bf9edcfa19d48e235315e8f571638c99a1220be867e24f3965328fe94a03 542c9da985633d027317e9a226ee70b4f0742dcbc59dfd2d4e59977bb870058d 61176a5756c7b953bc31e5a53580d640629980a344aa5ff147a20fb7d770b610 753952aed395ea845c52e3037f19738cfc9a415070515de277e1a1baeff20647 8df89eef51cdf43b2a992ade6ad998b267ebb5e61305aeb765e4232e66eaf79a 8e5733484982d0833abbd9c73a05a667ec2d9d005bbf517b1c8cd4b1daf57190 99be6e7e31f0a1d7eebd1e45ac3b9398384c1f0fa594565137abb14dc28c8a7f bb62138d173de997b36e9b07c20b2ca13ea15e9e6cd75ea0e8162e0d3ded83b7 eb3452c64970f805f1448b78cd3c05d851d758421896edd5dfbe68e08e783d18
Domains	cisco-help[.]cf cisco-helpdesk[.]cf ciscovpn1[.]com ciscovpn2[.]com ciscovpn3[.]com devcisco[.]com devciscoprograms[.]com helpzonecisco[.]com kazaboldu[.]net mycisco[.]cf mycisco[.]gq mycisco-helpdesk[.]ml primecisco[.]com pwresetcisco[.]com
Email Addresses	costacancordia[@]protonmail[.]com
IP Addresses	104.131.30[.]201 108.191.224[.]47 131.150.216[.]118 134.209.88[.]140 138.68.227[.]71 139.177.192[.]145 139.60.160[.]20

TYPE	VALUE
IP Addresses	139.60.161[.]99
	143.198.110[.]248
	143.198.131[.]210
	159.65.246[.]188
	161.35.137[.]163
	162.33.177[.]27
	162.33.178[.]244
	162.33.179[.]17
	165.227.219[.]211
	165.227.23[.]218
	165.232.154[.]73
	166.205.190[.]23
	167.99.160[.]91
	172.56.42[.]39
	172.58.220[.]52
	172.58.239[.]34
	174.205.239[.]164
	176.59.109[.]115
	178.128.171[.]206
	185.220.100[.]244
	185.220.101[.]10
	185.220.101[.]13
	185.220.101[.]15
	185.220.101[.]16
	185.220.101[.]2
	185.220.101[.]20
	185.220.101[.]34
	185.220.101[.]45
	185.220.101[.]6
	185.220.101[.]65
	185.220.101[.]73
	185.220.101[.]79
	185.220.102[.]242
	185.220.102[.]250
	192.241.133[.]130
	194.165.16[.]98
	195.149.87[.]136



References

<https://blog.talosintelligence.com/2022/08/recent-cyber-attack.html>

What Next?

Book a free demo with **HivePro Uni5** to check your exposure to this advisory. HivePro Uni5 is a Threat Exposure Management Solution that proactively reduces an organization's attack surface before it gets exploited.



At Hive Pro we take a long hard look at your vulnerabilities so you can bolster your defenses and fine-tune your offensive cybersecurity tactics.

REPORT GENERATED ON

August 11, 2022 • 5:45 AM

© 2022 All Rights are Reserved by HivePro



More at www.hivepro.com