

Date of Publication
September 23, 2024



HiveForce Labs
WEEKLY
THREAT DIGEST

Attacks, Vulnerabilities and Actors

16 to 22 SEPTEMBER 2024

Table Of Contents


<u>Summary</u>	03
<u>High Level Statistics</u>	04
<u>Insights</u>	05
<u>Targeted Countries</u>	06
<u>Targeted Industries</u>	07
<u>Top MITRE ATT&CK TTPs</u>	07
<u>Attacks Executed</u>	08
<u>Vulnerabilities Exploited</u>	14
<u>Adversaries in Action</u>	18
<u>Recommendations</u>	21
<u>Threat Advisories</u>	22
<u>Appendix</u>	23
<u>What Next?</u>	27

Summary

HiveForce Labs recently made several significant discoveries in the realm of cybersecurity threats. In the past week alone, **ten** attacks were executed, **seven** vulnerabilities were uncovered, and **three** active adversaries were identified, underscoring the persistent danger of cyberattacks.

HiveForce Labs has reported that the hacktivist group **Head Mare** is actively targeting organizations in Russia and Belarus, exposing sensitive information about their victims. In these attacks, the group has exploited the WinRAR zero-day vulnerability, **CVE-2023-38831**, to gain initial access to the targeted systems.

Additionally, Ivanti has issued a critical patch for vulnerabilities **CVE-2024-8190** and **CVE-2024-8963** in its Cloud Services Appliance (CSA), both actively exploited in the wild. These flaws allow attackers to bypass admin authentication and execute commands. Similarly, attackers are exploiting SQL injection vulnerabilities, including **CVE-2024-6670**, in WhatsUp Gold, with active attacks following the release of PoC exploit code. These escalating threats pose a significant and immediate risk to users worldwide.



High Level Statistics

10

Attacks
Executed

7

Vulnerabilities
Exploited

3

Adversaries in
Action

- [Atlantida](#)
- [GomorraH](#)
- [Stealer](#)
- [PhantomDL](#)
- [PhantomCore](#)
- [LockBit](#)
- [Babuk](#)
- [SambaSpy](#)
- [Gootloader](#)
- [Supper backdoor](#)
- [INC Ransomware](#)

- [CVE-2024-8190](#)
- [CVE-2024-8963](#)
- [CVE-2024-43461](#)
- [CVE-2024-29847](#)
- [CVE-2024-38112](#)
- [CVE-2023-38831](#)
- [CVE-2024-6670](#)

- [Void Banshee](#)
- [APT](#)
- [Head Mare](#)
- [Vanilla Tempest](#)



Insights

Head Mare

Exploiting the WinRAR zero-day flaw to target companies in Russia and Belarus

Void Banshee APT

Exploiting a zero-day flaw in Microsoft Windows, CVE-2024-43461 to deploy Atlantida Infostealer

Gomorra

Stealer

a sophisticated MaaS focusing on exfiltrating sensitive data from browsers and cryptocurrency wallets

CVE-2024-6670

a critical SQL injection vulnerability in WhatsUp Gold that has been actively exploited by attackers since the release of proof-of-concept (PoC) exploit code


Vanilla Tempest

a cyber threat actor actively targeting sectors such as healthcare and education using INC ransomware. This group typically gains initial access through Gootloader malware

SambaSpy RAT

targeting Italian-speaking users through an advanced phishing campaign


Threat Distribution



■ Information stealer ■ Backdoor ■ RAT ■ Ransomware ■ Loader



Targeted Countries



Powered by Bing
© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, Open Places, OpenStreetMap, TomTom, Zenrin

Countries
United Kingdom
Germany
China
Australia
Italy
Belarus
Russia
Canada
United States
Peru
Maldives
Sweden
Azerbaijan
Nauru
Bahamas
Seychelles
Bahrain
United Arab Emirates
Bangladesh
Moldova
Barbados


Countries
North Macedonia
Algeria
Saint Kitts & Nevis
Belgium
South Korea
Belize
Tonga
Benin
Luxembourg
Bhutan
Mauritania
Bolivia
Morocco
Bosnia and Herzegovina
Nicaragua
Botswana
Palau
Brazil
Qatar
Brunei
Sao Tome & Principe

Countries
Bulgaria
Slovenia
Burkina Faso
St. Vincent & Grenadines
Burundi
Tanzania
Cabo Verde
Turkmenistan
Cambodia
Liechtenstein
Cameroon
Malawi
Andorra
Malta
Central African Republic
Mexico
Chad
Mongolia
Chile
Myanmar
Angola

Countries
Romania
Honduras
Rwanda
Hungary
Saint Lucia
Iceland
San Marino
India
Saudi Arabia
Indonesia
Serbia
Iran
Sierra Leone
Iraq
Slovakia
Ireland
Solomon Islands
Israel
South Africa
Argentina
South Sudan



Targeted Industries



TOP MITRE ATT&CK TTPs

T1059

Command and Scripting Interpreter

T1588

Obtain Capabilities

T1588.006

Vulnerabilities

T1068

Exploitation for Privilege Escalation

T1203

Exploitation for Client Execution

T1588.005

Exploits

T1204

User Execution

T1204.002

Malicious File

T1071

Application Layer Protocol

T1041

Exfiltration Over C2 Channel

T1566

Phishing

T1497

Virtualization/Sandbox Evasion

T1486

Data Encrypted for Impact

T1059.00

1
PowerShell

T1556

Modify Authentication Process

T1071.001

Web Protocols

T1036

Masquerading

T1021

Remote Services

T1003

OS Credential Dumping

T1078

Valid Accounts

Attacks Executed

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs	
<u>Atlantida</u>	Atlantida stealer is an info-stealer malware targeting sensitive information from various applications, including Telegram, Steam, FileZilla, cryptocurrency wallets, and web browsers. This malware extracts stored sensitive and potentially valuable data, such as passwords and cookies, and collects files with specific extensions from the infected system's desktop. Additionally, Atlantida stealer captures the victim's screen and gathers comprehensive system information, enhancing its ability to exploit compromised systems.	Exploiting Vulnerabilities	CVE-2024-43461 CVE-2024-38112	
TYPE		IMPACT	AFFECTED PRODUCTS	
Information stealer				
ASSOCIATED ACTOR				Microsoft Windows
Void Banshee APT				PATCH LINK
	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-43461 , https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-38112			
	Data theft			
IOC TYPE	VALUE			
SHA256	6f1f3415c3e52dcdbb012f412aef7b9744786b2d4a1b850f1f4561048716c750			

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Gomorrah Stealer	Gomorrah Stealer is an advanced piece of malware designed to steal sensitive information from compromised systems. It uses various evasion techniques to avoid detection while gathering data from multiple sources, including the Windows registry, web browsers, VPNs, cryptocurrency wallets, and configuration files. Its primary functions include stealing passwords, accessing cryptocurrency wallets, and loading additional tasks and payloads.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Information stealer		Data theft	Windows
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	2f8a79b12a7a989ac7e5f6ec65050036588a92e65aeb6841e08dc228ff0e21b4, 62c6aebb6bcc4d2faf985a4af59b111ae1e162419acfae7e7f126189073bddf1		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
PhantomDL	PhantomDL is a Go-based backdoor malware designed for delivering additional payloads and exfiltrating files to a command-and-control (C2) server. This backdoor enables attackers to maintain persistent access to compromised systems, allowing them to deploy further malicious software and steal sensitive data.	Phishing, Exploiting Vulnerability	CVE-2023-38831
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Remote access	WinRAR
ASSOCIATED ACTOR			PATCH LINK
Head Mare			Upgrade to WinRAR version 6.23 or later
IOC TYPE	VALUE		
SHA256	201f8dd57bce6fd70a0e1242b07a17f489c5f873278475af2eaf82a751c24fa8, 582c4674ba4880f0e5dec38917e970f906ac18205499de67b076d8fb17c0dd22		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
PhantomCore	PhantomCore, also known as PhantomRAT, is the predecessor to PhantomDL. PhantomCore was a remote access trojan (RAT) that provided attackers with control over compromised systems, enabling them to steal data, execute commands, and deploy additional malware.	Phishing, Exploiting Vulnerability	CVE-2023-38831
TYPE		IMPACT	AFFECTED PRODUCTS
RAT		Remote control	WinRAR
ASSOCIATED ACTOR			PATCH LINK
Head Mare			Upgrade to WinRAR version 6.23 or later
IOC TYPE	VALUE		
SHA256	5d924a9ab2774120c4d45a386272287997fd7e6708be47fb93a4cad271f32a03, 0060c80acddb1801830b50ec87c1f66e3d00fbc9e83ea732b83ffb871217406f		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
LockBit ransomware	LockBit is a prominent ransomware-as-a-service (RaaS) operation known for its aggressive tactics. It employs data encryption and exfiltration, demanding high ransoms. The group has evolved through multiple versions, each with enhanced capabilities, making it a persistent and sophisticated threat to organizations worldwide.	Phishing, Exploiting Vulnerability	CVE-2023-38831
TYPE		IMPACT	AFFECTED PRODUCTS
Ransomware		Data encryption	WinRAR
ASSOCIATED ACTOR			PATCH LINK
Head Mare			Upgrade to WinRAR version 6.23 or later
IOC TYPE	VALUE		
SHA256	311edf744c2e90d7bfc550c893478f43d1d7977694d5dcecf219795f3eb99b86, da2191203b39fda0823520a85a9ca0bb8c42c4ef5b341a929d69dfd99e971d7d		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Babuk ransomware	Babuk is a ransomware strain that emerged in 2021, targeting large enterprises. Initially focusing on data encryption for ransom, the group later shifted to data theft and extortion. Known for its aggressive tactics and leaked source code.	Phishing, Exploiting Vulnerability	CVE-2023-38831
TYPE		IMPACT	AFFECTED PRODUCTS
Ransomware		Data encryption	WinRAR
ASSOCIATED ACTOR			PATCH LINK
Head Mare			Upgrade to WinRAR version 6.23 or later
IOC TYPE	VALUE		
SHA256	102bf13dede7455f750e20aba4655a37d20637488bb7c928d5b2463bc1a9f744, 1c37c8168e39204387de4ffe7097b32e1793b16df0f33597761e1a4e4dd3702c,		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
SambaSpy RAT	SambaSpy is a sophisticated, Java-based remote access trojan (RAT) obfuscated with Zelix KlassMaster, featuring encrypted strings and obfuscated class names to evade detection, with capabilities that include file and process management, webcam control, keystroke logging, clipboard control, screenshot capture, remote desktop management, password stealing, plugin loading at runtime, remote shell access, and victim interaction.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
RAT		Remote control	-
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	9948b75391069f635189c5c5e24c7fafd88490901b204bcd4075f72ece5ec265		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>INC Ransomware</u>	Inc. ransomware is an extortion operation that emerged in July 2023, positioning itself as a "service" to victims. This ransomware group employs a multi-extortion approach, stealing sensitive data and threatening to leak it online if their demands are not met.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Ransomware		Data encryption	-
ASSOCIATED ACTOR			PATCH LINK
Vanilla Tempest, Storm-0494			-
IOC TYPE	VALUE		
SHA256	fcef50ed02c8d315272a94f860451bfd3d86fa6ffac215e69dfa26a7a5deced		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Gootloader</u>	Gootloader is a JScript-based malware family known for using SEO poisoning and compromised websites to trick victims into downloading a ZIP archive that appears to be a legitimate document. Once executed, Gootloader checks if the infected system is connected to an Active Directory domain before deploying multiple stages of JScript and PowerShell payloads, which can lead to various threats.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Loads malware/ Malware execution	-
ASSOCIATED ACTOR			PATCH LINK
Vanilla Tempest, Storm-0494			-
IOC TYPE	VALUE		
SHA256	b939ec9447140804710f0ce2a7d33ec89f758ff8e7caab6ee38fe2446e3ac988, c853d91501111a873a027bd3b9b4dab9dd940e89fcfec51efbb6f0db0ba6687b		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Supper backdoor</u>	Supper backdoor is a malicious software used by cyber threat actors like Vanilla Tempest to gain persistent access to compromised systems. It allows attackers to remotely control infected devices, execute commands, and exfiltrate sensitive data. Supper is often deployed in conjunction with other malware, such as ransomware, to maximize the impact of attacks.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor			-
ASSOCIATED ACTOR			PATCH LINK
Vanilla Tempest, Storm-0494			-
IOC TYPE	VALUE		
SHA256	4cd01348769bffa6623e9871ff2169de2f5e15f4c5128b232b666e0c62398cff		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.



Vulnerabilities Exploited

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-8190</u>		CSA 4.6 (All versions before Patch 519)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:a:ivanti:endpoint_manager_cloud_services_appliance:4.6:-:*:*:*:*:* cpe:2.3:a:ivanti:endpoint_manager_cloud_services_appliance:4.6:patch_512:*:*:*:*:*	-
Ivanti Cloud Services Appliance OS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE- 78	T1059: Command and Scripting Interpreter T1190: Exploit Public-Facing Application	https://forums.ivanti.com/s/article/CSA-4-6-Patch-519 , https://forums.ivanti.com/s/article/CSA-5-0-Download

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-8963</u>		CSA 4.6 (All versions before Patch 519)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:a:ivanti:endpoint_manager_cloud_services_appliance:4.6:-:*:*:*:*:*	-
Ivanti Cloud Services Appliance (CSA) Path Traversal Vulnerability		cpe:2.3:a:ivanti:endpoint_manager_cloud_services_appliance:4.6:patch_512:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-22	T1059: Command and Scripting Interpreter	https://forums.ivanti.com/s/article/CSA-4-6-Patch-519 , https://forums.ivanti.com/s/article/CSA-5-0-Download

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-43461</u>		Windows: 10 - 11 23H2 Windows Server: 2008 - 2022 23H2	Void Banshee APT
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:o:microsoft:windows:*:*:*:*:*:*	Atlantida
Microsoft Windows MSHTML Platform Spoofing Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-451	T1059: Command and Scripting Interpreter, T1204: User Execution	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-43461

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
CVE-2024-38112		Windows: 10 - 11 23H2 Windows Server: 2008 - 2022 23H2	Void Banshee APT
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows:*:*:*:*:*:*	Atlantida
Microsoft Windows MSHTML Platform Spoofing Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-451	T1059: Command and Scripting, T1204: User Execution	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-38112

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
CVE-2024-29847		Ivanti Endpoint Manager 2022 SU5 and prior Ivanti Endpoint Manager 2024	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:a:ivanti:endpoint_manager:*:*:*:*:*:*	-
Ivanti Endpoint Manager Deserialization of Untrusted Data Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-502	T1059: Command and Scripting Interpreter	https://forums.ivanti.com/s/article/Security-Advisory-EPM-September-2024-for-EPM-2024-and-EPM-2022

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-38831</u>		WinRAR version 6.22 and older versions	Head Mare
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:rarlab:winrar:6.23:beta 1:*:*:*:*:*	PhantomDL, PhantomCore, LockBit ransomware, Babuk ransomware
RARLAB WinRAR Code Execution Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-20	T1059: Command and Scripting Interpreter	Update WinRAR version to 6.23 or later versions

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-6670</u>		Progress WhatsUp Gold versions released before 2024.0.0	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:progress:what sup_gold:*:*:*:*:*:*	-
Progress WhatsUp Gold SQL Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-89	T1059: Command and Scripting Interpreter	https://community.progress.com/s/article/WhatsUp-Gold-Security-Bulletin-August-2024



Adversaries in Action

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Void Banshee APT</u>	-	All	All
	MOTIVE		
	Financial Gain, Information Theft		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	CVE-2024-43461 CVE-2024-38112	Atlantida	Microsoft Windows
TTPs			
TA0004: Privilege Escalation; TA0042: Resource Development; TA0005: Defense Evasion; TA0002: Execution; T1068: Exploitation for Privilege Escalation; T1588.006: Vulnerabilities; T1588: Obtain Capabilities; T1588.005: Exploits; T1204: User Execution; T1204.002: Malicious File; T1036: Masquerading; T1059: Command and Scripting Interpreter; T1587.001: Malware; T1587: Develop Capabilities			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 Head Mare	Linked to Russian-speaking	Government, Transportation, Energy, Manufacturing, Entertainment	Russia and Belarus
	MOTIVE		
	Information Theft, Espionage, Financial Gain, Hacktivism		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	CVE-2023-38831	PhantomDL, PhantomCore, LockBit ransomware, Babuk ransomware	WinRAR
TTPs			
TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0010: Exfiltration; TA0011: Command and Control; TA0040: Impact; T1012: Query Registry; T1105: Ingress Tool Transfer; T1497.001: System Checks; T1566: Phishing; T1203: Exploitation for Client Execution; T1071: Application Layer Protocol; T1219: Remote Access Software; T1486: Data Encrypted for Impact; T1003: OS Credential Dumping; T1562: Impair Defenses; T1543: Create or Modify System Process; T1571: Non-Standard Port; T1059.003: Windows Command Shell; T1059: Command and Scripting Interpreter; T1497: Virtualization/Sandbox Evasion; T1041: Exfiltration Over C2 Channel			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Vanilla Tempest (DEV-0832, Vice Society)</u>	-	Education, Healthcare, IT, and Manufacturing	United States, United Kingdom, Canada, Australia, Germany, China
	MOTIVE		
	Financial Gain		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	INC Ransomware, Gootloader, Supper backdoor	-
TTPs			
TA0004: Privilege Escalation; TA0042: Resource Development; TA0002: Execution; TA0005: Defense Evasion; TA0003: Persistence; TA0008: Lateral Movement; TA0040: Impact; T1588: Obtain Capabilities; T1588.006: Vulnerabilities; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1068: Exploitation for Privilege Escalation T1021.001: Remote Desktop Protocol; T1021: Remote Services; T1047: Windows Management Instrumentation; T1486: Data Encrypted for Impact			

Recommendations

Security Teams

This digest can be utilized as a drive to force security teams to prioritize the **seven exploited vulnerabilities** and block the indicators related to the threat actors **Void Banshee APT, Head Mare, Vanilla Tempest** and malware **Atlantida, Gomorrah Stealer, PhantomDL, PhantomCore, LockBit, Babuk, SambaSpy, Gootloader, Supper backdoor, INC Ransomware**.

Uni5 Users

This is an actionable threat digest for HivePro Uni5 customers and they can get comprehensive insights into their threat exposure and can action it effortlessly over the HivePro Uni5 dashboard by

- Running a Scan to discover the assets impacted by the **seven exploited vulnerabilities**.
- Testing the efficacy of their security controls by simulating the attacks related to the threat actor **Void Banshee APT, Head Mare, Vanilla Tempest** and malware **Atlantida, Gomorrah Stealer, PhantomDL, PhantomCore, LockBit, SambaSpy, Gootloader, Supper backdoor, INC Ransomware** in Breach and Attack Simulation(BAS).

Threat Advisories

[Ivanti Sounds Alarm on Active Exploitation of Flaws in Cloud Service Appliance](#)

[Windows Zero-Day Vulnerability Exploited by Void Banshee APT](#)

[D-Link Patches Wireless Routers, Fixing Multiple Critical Vulnerabilities](#)

[GomorraH Stealer v5.1: A MaaS Malware with a Growing Arsenal](#)

[CVE-2024-29847: Ivanti EPM Agent Portal Deserialization RCE Flaw](#)

[Hacktivism in Action the Case of Head Mare Campaigns](#)

[SolarWinds Critical ARM Flaw Exposing Systems to Remote Code Execution](#)

[Critical WhatsUp Gold Flaw POC Leads to Active Attacks](#)

[SambaSpy RAT a New Breed of Malware Targeting Italy](#)

[Vanilla Tempest Targets Healthcare with INC Ransomware](#)

Appendix

Known Exploited Vulnerabilities (KEV): Software vulnerabilities for which there are public exploits or proof-of-concept (PoC) code available, and for which there is a high risk of potential harm to an organization's systems or data if left unaddressed.

Celebrity Vulnerabilities: Software vulnerabilities that have gained significant attention and have been branded with catchy names and logos due to their profound and multifaceted impact. These vulnerabilities provide threat actors with opportunities to breach sensitive systems, potentially resulting in unauthorized access and the compromise of critical information.

🔗 Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>Atlantida</u>	SHA256	6f1f3415c3e52dcdbb012f412aef7b9744786b2d4a1b850f1f4561048716c750, ab59a8412e4f8bf3a7e20cd656edacf72e484246dfb6b7766d467c2a1e4cdab0
<u>Gomorra</u> <u>Stealer</u>	MD5	E02089570b24b11d6350337069b7e823, 201fb3d8b93205488e1a6a408ce18539, B479fa60615c730d0417b67c1a26274f, 3afd64484a2a34fc34d1155747dd3847
	SHA256	2f8a79b12a7a989ac7e5f6ec65050036588a92e65aeb6841e08dc228ff0e21b4, 62c6aebb6bcc4d2faf985a4af59b111ae1e162419acfae7e7f126189073bdfdf1, dc33943da400ea506484952ba242737460c73dd2b3e88c16f0f18a0fd6dc459c, bf78263914c6d3f84f825504536338fadd15868d788bf30d30613ca27abeb7a9
	Domain	rougecommunications[.]org
	IPv4	172[.]93[.]223[.]99
<u>PhantomDL</u>	MD5	15333d5315202ea428de43655b598eda, a2bd0b9b64fbdb13537a4a4a1f3051c0
	SHA1	b6212da07dc3a4f39a33bc0f0242c86a0f4433e6, 69383141c5270ca8876674026c0a228011bb5d7d

Attack Name	TYPE	VALUE
<u>PhantomDL</u>	SHA256	201f8dd57bce6fd70a0e1242b07a17f489c5f873278475af2eaf82a751c24fa8, 582c4674ba4880f0e5dec38917e970f906ac18205499de67b076d8fb17c0dd22, 08dc76d561ba2f707da534c455495a13b52f65427636c771d445de9b10293470, 9f5b780c3bd739920716397547a8c0e152f51976229836e7442cf7f83acfdc69
<u>PhantomCore</u>	MD5	16f97ec7e116fe3272709927ab07844e, 855b1cba23fb51da5a8f34f11c149538, 55239cc43ba49947bb1e1178fb0e9748, 0e14852853f54023807c999b4ff55f64, 99b0f80e9ae2f1fb15bfe5f068440ab8
	SHA1	9ab4d91d3db34431f451106ede4f0ed5b163ce94, 0695028a13d35aa60732b6f5069b9907d6987576, 17f6119755f80fb0308bb9aaa77b6706e5649edc, 508b88a1cdc936be6da3d58a7ea6c82b491956ee, a27c67cec10295f27c660e25ee00648d77300a01
	SHA256	5d924a9ab2774120c4d45a386272287997fd7e6708be47fb93a4cad271f32a03, 0060c80acddb1801830b50ec87c1f66e3d00fbc9e83ea732b83ffb871217406f, 5a3c5c165d0070304fe2d2a5371f5f6fdd1b5c964ea4f9d41a672382991499c9, 5192a92730e5eee19dea67ba65ec4ed8eaab4314b389faa44ea051290a4b4a66, 22eb1e647e4c5f7f0d0dcc45af02d5ac44e270ed067ca1eed504692f80014bc6, 9b005340e716c6812a12396bcd4624b8cfb06835f88479fa6cfde6861015c9e0, dc3e4a549e3b95614dee580f73a63d75272d0fba8ca1ad6e93d99e44b9f95caa, b8447ef3f429dae0ac69c38c18e8bdbbfd82170e396200579b6b0eff4c8b9a984
<u>LockBit</u>	MD5	76b23dd72a883d8b1302bb4a514b7967, 6ddc56e77f57a069539dcc7f97064983, 7acc6093d1bc18866cdd3fecb6da26a, 59242b7291a77ce3e59d715906046148, 6568ab1c62e61237baf4a4b09c16bb86, f7abdaae63bf59ca468124c48257f752, 79d871ff25d9d8a1f50b998b28ff752d, 78cc508882aba99425e4d5a470371cb1, 1d2d6e2d30933743b941f63e767957fb

Attack Name	TYPE	VALUE
<u>LockBit</u>	SHA1	338e19e8a3615c29d8a825ebba66cf55fa0caa2c, 8fee139dc37447f2f221b0858734a88ff8eafc05, 41e19260552d038009f0835e7a19ddecaca8ae34, 3af0cb27b6a509c34bb4485fd64a0e777e9aace2, 3a8120cfd574e6eccc15aec2fa3fa1e50e98e1a7, b9ca6711d007d1b6f0ef8bd262987fad96595968, 7bcb6cb60fc08c8cf446e7b631e524a00f924fc3, 1da019570a4af615eba5d6ca85fa5ed392503450, f3e489cf30036bce1e07a6c5bca23df6c7f469d6
	SHA256	311edf744c2e90d7bfc550c893478f43d1d7977694d5dcecf219795f3eb 99b86, da2191203b39fda0823520a85a9ca0bb8c42c4ef5b341a929d69dfd99e 971d7d, d10996d627adec7ae4cfd25a23b034387db98de569da9f7795520c0c49 944698, 9c62569f840151c89e776f57669f74ccbcaa29fa7f644653084117aee76 b1d53, 2d3db0ff10edd28ee75b7cf39fcf42e9dd51a6867eb5962e8dc1a51d6a5 bac50, 072be899f5a9892c39250aae8a6fd89c480c02135ed0a85e0d7a181577 e67454, 0edd5b8945061d801ecb60a852dcecd507e839c23f7c93036c244c75 4b93459, 5fb9263c435c494b7e5b25da3d772ce62945e0efbd4d2bb64529c75b9 dd1e47c, 1fe97e87d00f0141449bfb3e50e2749d5c2519923bd50b9c586d7e9508 9698f6, 4c218953296131d0a8e67d70aeea8fa5ae04fd52f43f8f917145f2ee19f 30271
<u>Babuk</u>	SHA256	102bf13dede7455f750e20aba4655a37d20637488bb7c928d5b2463bc 1a9f744, 1c37c8168e39204387de4ffe7097b32e1793b16df0f33597761e1a4e4d d3702c, 9b243cca7d84f0685c5f73ebf6bc4924b2350b3be3936aa5e5ecccbb4c 648b9, 91608d0a98e5df17de04c006aa7842e2f16faaf09a0c2f518b9058a2757 7ba0b, 5363cedd35284855a632d38f4c198c9c74df70f5ed1b7312036335620e 931752
<u>SambaSpy</u>	MD5	0f3b46d496bbf47e8a2485f794132b48
	SHA1	28911b5edd5235db1119acd2e09349320d665b88
	SHA256	9948b75391069f635189c5c5e24c7fafd88490901b204bcd4075f72ece5 ec265


Attack Name	TYPE	VALUE
<u>SambaSpy</u>	SHA256	d3effd483815a7de1e1288ab6f4fb673b44a129386ef461466472e22140d47f8, 43f86b6d3300050f8cc0fa83948fbc92fc69af546f1f215313bad2e2a040c0fa
<u>Gootloader</u>	SHA256	b939ec9447140804710f0ce2a7d33ec89f758ff8e7caab6ee38fe2446e3ac988, c853d91501111a873a027bd3b9b4dab9dd940e89fcfec51efbb6f0db0ba6687b
<u>Supper backdoor</u>	MD5	0b175136f48d88e094318cc78792b876, 032bf67c14d00b5468ce0aeab927c86c, 7ca12616c3e964dcf3dccb30f8ee6a18, f176d8ee8c58223c3a1ca5b1dff274b8, c1cd52785f2ca5ef177e259c7ae3596f
	SHA267	4cd01348769bffa6623e9871ff2169de2f5e15f4c5128b232b666e0c62398cff
<u>INC Ransomware</u>	SHA256	fcefe50ed02c8d315272a94f860451bfd3d86fa6ffac215e69dfa26a7a5deced

A comprehensive list of IOCs (Indicators of Compromise) associated with the executed attacks is available on the Uni5Xposure platform.

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5:Threat Exposure Management Platform.



REPORT GENERATED ON

September 23, 2024 • 8:35 AM

© 2024 All Rights are Reserved by Hive Pro



More at www.hivepro.com