

Date of Publication
October 21, 2024



HiveForce Labs
WEEKLY
THREAT DIGEST

Attacks, Vulnerabilities and Actors

14 to 20 OCTOBER 2024

Table Of Contents


<u>Summary</u>	03
<u>High Level Statistics</u>	04
<u>Insights</u>	05
<u>Targeted Countries</u>	06
<u>Targeted Industries</u>	07
<u>Top MITRE ATT&CK TTPs</u>	07
<u>Attacks Executed</u>	08
<u>Vulnerabilities Exploited</u>	17
<u>Adversaries in Action</u>	19
<u>Recommendations</u>	24
<u>Threat Advisories</u>	25
<u>Appendix</u>	26
<u>What Next?</u>	33

Summary

HiveForce Labs recently made several significant discoveries in the realm of cybersecurity threats. In the past week alone, **eighteen** attacks were executed, **three** vulnerabilities were uncovered, and **five** active adversaries were identified, underscoring the persistent danger of cyberattacks.

HiveForce Labs has revealed that the Iranian state-sponsored hacking group, **APT34**, is actively targeting organizations in the United Arab Emirates (UAE) and across the broader Gulf region. This group is exploiting a vulnerability in the Windows Kernel, tracked as **CVE-2024-30088**, to infiltrate networks. As part of this campaign, they have deployed a new backdoor, named **StealHook**, designed to facilitate data exfiltration from compromised systems.

Additionally, a newly discovered malware called **CoreWarrior** has surfaced. This trojan is particularly concerning due to its ability to rapidly spread by creating multiple copies of itself across infected systems, making it difficult to contain. Meanwhile, the **ErrorFather** campaign has been identified using a variant of the **Cerberus** Banking Trojan, specifically targeting Android users. This campaign employs a sophisticated multi-stage infection process to evade detection, with the goal of stealing financial information from compromised devices. These escalating threats pose a significant and immediate risk to users worldwide.



High Level Statistics

18

Attacks
Executed

3

Vulnerabilities
Exploited

5

Adversaries in
Action

- [StealHook](#)
- [DULLDROP](#)
- [TONESHELL](#)
- [WavyExfiller](#)
- [OneDoor](#)
- [BingoShell](#)
- [CoreWarrior](#)
- [Cerberus](#)
- [DarkVision RAT](#)
- [PureCrypter](#)
- [Donut](#)
- [Astaroth](#)
- [SingleCamper](#)
- [RustClaw](#)
- [MeltingClaw](#)
- [DustyHammock](#)
- [ShadyHammock](#)
- [Cicada3301](#)

- [CVE-2024-30088](#)
- [CVE-2020-1472](#)
- [CVE-2024-9486](#)

- [APT34](#)
- [CeranaKeeper](#)
- [Water Makara](#)
- [UAT-5647](#)
- [Repellent](#)
[Scorpius](#)



Insights

APT34

Exploiting CVE-2024-30088 in the Windows Kernel, to deploy a new backdoor called 'StealHook'

The ErrorFather campaign

targeting Android users, delivering the variant of Cerberus Banking Trojan, stealing financial information

CeranaKeeper

a China-aligned threat actor targeting government entities in Southeast Asia with new addition to its arsenal

EDRSilencer


a red team tool originally designed to test security defenses, has now been weaponized by hackers in live attacks

Repellent Scorpis has distributed the Cicada3301 Ransomware-as-a-Service (RaaS), focusing on the United States and the United Kingdom in 24 confirmed attacks

ZeroLogon

flaw exploited by Iranian threat actors to steal sensitive information

Threat Distribution






Targeted Countries

Most

Least



© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, Open Places, OpenStreetMap, TomTom, Zenrin
Powered by Bing


Countries
United Arab Emirates
Panama
Mexico
Costa Rica
Haiti
Cuba
Japan
Dominican Republic
Nicaragua
El Salvador
Thailand
Guatemala
Honduras
Qatar
Myanmar
Colombia
Antigua and Barbuda
Paraguay
Argentina
Suriname
Denmark

Countries
Malaysia
Dominica
Oman
Bahamas
Philippines
Ecuador
Saudi Arabia
Bahrain
Chile
Grenada
Vietnam
Barbados
Brunei
Guyana
Cambodia
Belize
Canada
Ukraine
Peru
Bolivia
Poland

Countries
United States
Saint Lucia
Italy
Singapore
Jamaica
Switzerland
Brazil
Trinidad and Tobago
Kuwait
Laos
United Kingdom
Indonesia
Uruguay
Iraq
Venezuela
Equatorial Guinea
Seychelles
Croatia
Fiji
Sweden
Finland

Countries
Russia
India
Samoa
Burkina Faso
Senegal
Iran
Algeria
Burundi
Somalia
Ireland
Spain
Israel
Sudan
Cabo Verde
Syria
Azerbaijan
Timor-Leste
Cameroon
Tunisia
Jordan
Uganda

Targeted Industries



TOP MITRE ATT&CK TTPs

T1059

Command and Scripting Interpreter

T1588

Obtain Capabilities

T1070

Indicator Removal

T1059.00

1
PowerShell

T1082

System Information Discovery

T1572

Protocol Tunneling

T1562

Impair Defenses

T1105

Ingress Tool Transfer

T1053

Scheduled Task/Job

T1562.001

Disable or Modify Tools

T1068

Exploitation for Privilege Escalation

T1078

Valid Accounts

T1132

Data Encoding

T1547.001

Registry Run Keys / Startup Folder

T1574

Hijack Execution Flow

T1048

Exfiltration Over Alternative Protocol

T1071

Application Layer Protocol

T1543

Create or Modify System Process

T1071.00

1
Web Protocols

T1560

Archive Collected Data

Attacks Executed

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>StealHook</u>	StealHook is an advanced backdoor designed for stealthy infiltration and data exfiltration. Its primary function is to harvest domain credentials from compromised systems, allowing attackers to infiltrate Microsoft Exchange servers within targeted organizations. Once inside, StealHook uses the compromised email accounts to exfiltrate sensitive data, through legitimate-looking email attachments.	Exploiting Vulnerabilities	CVE-2024-30088
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Steal Sensitive Data	Windows Kernel
ASSOCIATED ACTOR			PATCH LINK
APT34			https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-30088
IOC TYPE	VALUE		
SHA256	a24303234e0cc6f403fca8943e7170c90b69976015b6a84d64a9667810023ed7		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>DULLDROP</u>	DULLDROP is a stealthy Trojan that typically infiltrates systems as a secondary payload, either dropped by other malware or downloaded unknowingly from malicious websites. It remains inactive until executed with a specific argument, parameter, or component, or when triggered within a particular environment. This unique execution requirement allows DULLDROP to evade detection and avoid premature activation on unintended systems.	Dropped by malware	CVE-2024-30088
TYPE		IMPACT	AFFECTED PRODUCTS
Trojan		Data Theft	Windows Kernel
ASSOCIATED ACTOR			PATCH LINK
APT34			https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-30088
IOC TYPE	VALUE		
SHA256	b3257f0c0ef298363f89c7a61ab27a706e9e308c22f1820dc4f02dfa0f68d897		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
TONESHELL	The TONESHELL backdoor employs a sophisticated side-loading technique and uses a precise series of commands to extract files from an infiltrated network.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Data Theft	-
ASSOCIATED ACTOR			PATCH LINK
CeranaKeeper			-
IOC TYPE	VALUE		
SHA256	e6ab24b826c034a6d9e152673b91159201577a3a9d626776f95222f01b7c21db, 6655c5686b9b0292cf5121fc6346341bb888704b421a85a15011456a9a2c192a		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>WavyExfiller</u>	WavyExfiller is a Python-based tool specifically designed to extract data from connected devices such as USB drives and hard drives. The tool targets external storage media, collecting sensitive files and information for later exfiltration. What sets WavyExfiller apart is its use of cloud-based services like Dropbox and PixelDrain to transfer stolen data, allowing it to bypass conventional detection mechanisms that monitor network traffic.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Stealer			
ASSOCIATED ACTOR			
CeranaKeeper			
		Data Theft	-
IOC TYPE	VALUE		
SHA256	e7b6164b6ec7b7552c93713403507b531f625a8c64d36b60d660d66e82646696, 451ee465675e674cebe3c42ed41356ae2c972703e1dc7800a187426a6b34efdc		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
OneDoor	OneDoor is a sophisticated C++ backdoor that targets the Microsoft OneDrive REST API, leveraging its vulnerabilities to execute commands and facilitate data exfiltration.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Data Theft	-
ASSOCIATED ACTOR			PATCH LINK
CeranaKeeper			-
IOC TYPE	VALUE		
SHA256	3f81d1e70d9ee39c83b582ac3bcc1cdf038f5da31331cdbc4ff1a2d15bb7c8		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
BingoShell	BingoShell is a covert Python backdoor that exploits the pull request and issue comment features of GitHub to create a reverse shell. By leveraging these legitimate platform functionalities, BingoShell allows attackers to gain remote access to compromised systems, enabling them to execute commands and maintain control undetected.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		System Compromise	-
ASSOCIATED ACTOR			PATCH LINK
CeranaKeeper			-
IOC TYPE	VALUE		
SHA256	24e12b8b1255df4e6619ed1a6ae1c75b17341eef7418450e661b74b144570017		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
CoreWarrior	CoreWarrior is a persistent trojan designed for rapid propagation by generating numerous copies of itself. It reaches out to multiple IP addresses, establishing several sockets for backdoor access. This malware also hooks into Windows UI elements, enabling it to monitor user activities and interactions.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Trojan			Windows
ASSOCIATED ACTOR			PATCH LINK
-		System Compromise	-
IOC TYPE	VALUE		
SHA256	85A6E921E4D5107D13C1EB8647B130A1D54BA2B6409118BE7945FD71C6C8235F, 8C97329CF7E48BB1464AC5132B6A02488B5F0358752B71E3135D9D0E4501B48D		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Cerberus	Cerberus is a sophisticated Android banking malware, originally to steal financial data through various malicious techniques, including keylogging, overlay attacks, and remote control via VNC. The malware's capabilities include capturing keystrokes, executing overlay attacks for phishing, and enabling remote access to infected devices through VNC functionality. It can steal login credentials for banking apps, credit card details and other personal information.	Social Engineering	-
TYPE		IMPACT	AFFECTED PRODUCTS
Banking Trojan			Android
ASSOCIATED ACTOR			PATCH LINK
-		Data Theft	-
IOC TYPE	VALUE		
SHA256	6c045a521d4d19bd52165ea992e91d338473a70962bcfded9213e592cea27359		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>DarkVision RAT</u>	DarkVision RAT is a highly flexible remote access trojan (RAT) written in C/C++ and assembly. Its powerful capabilities include keylogging, screen capturing, file manipulation, process injection, remote code execution, and password theft, making it a versatile tool for cybercriminals. Initially sold on Hack Forums and its official website for \$40, the price of DarkVision RAT has since increased to \$60, reflecting its growing demand and enhanced malicious features.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
RAT		System Compromise	-
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	7aa49795bbe025328e0aa5d76e46341a95255e13123306311671678fdeabb617, 0de5f042eb250092454d786b6303dee434202d45dc3fec9e6b39237f9e92514f		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>PureCrypter</u>	PureCrypter is a .NET-based malware loader obfuscated using SmartAssembly, employing compression, encryption, and obfuscation techniques to evade detection by antivirus software. Its key features include persistence, code injection, and defense mechanisms, which are configurable using Google’s Protocol Buffer message format. PureCrypter has been observed distributing a range of malicious payloads, including RATs and information stealers, making it a versatile and dangerous tool in cybercriminal campaigns.	Social Engineering	-
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Deploy malware	-
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	27ccb9f336282e591e44c65841f1b5bc7f495e8561349977680161e76857be5d		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Donut	Donut is an open-source in-memory injector and loader designed for executing VBScript, JScript, EXE, DLL files, and .NET assemblies. As a shellcode generation tool, Donut creates x86 or x64 shellcode payloads from .NET assemblies, which can then be injected into arbitrary Windows processes. This allows attackers to run the injected code directly in memory, bypassing disk-based detection mechanisms. Due to its ability to execute a variety of file formats and deliver payloads stealthily.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Deploy malware	-
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	6e3346d47044d6df85a07aeda745d88f9cd46b20d22028d231add555bf00bf41		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Astaroth malware (aka Guildma)	Astaroth is a widely used information-stealing banking trojan, primarily targeting financial institutions in Latin America. Developed in Delphi, it employs advanced execution and attack methods to evade detection. In addition to stealing banking credentials, Astaroth seeks to capture login information for email accounts, e-commerce platforms, and streaming services.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Banking Trojan			
ASSOCIATED ACTOR		Data Theft	-
Water Makara			PATCH LINK
		-	
IOC TYPE	VALUE		
URLs	annotmykim[.]gruposenhordobonfim[.]io/?2/, blogonbel84[.]gruposenhordobonfim[.]org/?1/		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
SingleCamper	SingleCamper, a new variant of the RomCom malware family, utilizes advanced infection and evasion techniques. Typically distributed through phishing emails disguised as PDF attachments, it downloads additional malicious payloads from remote command-and-control servers. SingleCamper is equipped with capabilities for remote command execution and data exfiltration, while employing anti-sandbox techniques to evade detection.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor			-
ASSOCIATED ACTOR			PATCH LINK
UAT-5647		System Compromise	-
IOC TYPE	VALUE		
SHA256	dee849e0170184d3773077a9e7ce63d2b767bb19e85441d9c55ee44d6f129df9, 2474a6c6b3df3f1ac4eadcb8b2c70db289c066ec4b284ac632354e9dbe488e4d		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
RustClaw	RustyClaw is a malware downloader built in RUST, incorporating advanced anti-analysis measures. Before initiating its malicious actions, the malware verifies the system's keyboard layout against specific language codes. Additionally, it generates a hash of its file name and checks it against a hardcoded value to prevent execution in sandbox environments with randomized file names. Once these checks are successful, RustyClaw can optionally display a decoy PDF to the infected user while downloading the next-stage implant to proceed with the attack.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Downloader			-
ASSOCIATED ACTOR			PATCH LINK
UAT-5647		Downloads additional payload	-
IOC TYPE	VALUE		
SHA256	12bf973b503296da400fd6f9e3a4c688f14d56ce82ffcfa9edddd7e4b6b93ba9, 260a6644ab63f392d090853ccd7c4d927aba3845ced473e13741152cdf274bbd		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
MeltingClaw	MeltingClaw is a C++-based downloader, sharing behavioral similarities with RustyClaw but featuring different configurations, such as distinct file names and storage locations. Like its counterpart, MeltingClaw downloads additional malicious payloads, but instead of traditional file storage, it stores these payloads within the Windows registry.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Downloader		Downloads additional payload	-
ASSOCIATED ACTOR			PATCH LINK
UAT-5647			-
IOC TYPE	VALUE		
SHA256	45adf6f32f9b3c398ee27f02427a55bb3df74687e378edcb7e23caf6a6f7bf2a, B9677c50b20a1ed951962edcb593cce5f1ed9c742bc7bff827a6fc420202b045		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
DustyHammock	DustyHammock is a RUST-based backdoor designed to act as the central malicious component in an infection, facilitating communication with its command and control (C2) server and executing harmful actions. It begins by running hardcoded reconnaissance commands on the infected system, collecting information such as MAC addresses, Windows version, and the computer/username using the "whoami" and "chcp" commands. This data is then sent to the C2 server, which responds with specific tasks for DustyHammock to execute, enabling it to adapt and perform targeted malicious activities.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		System Compromise	-
ASSOCIATED ACTOR			PATCH LINK
UAT-5647			-
IOC TYPE	VALUE		
SHA256	951b89f25f7d8be0619b1dfdcc63939b0792b63fa34ebfa9010f0055d009a2d3		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>ShadyHammock</u>	ShadyHammock is a C++-based backdoor equipped with the ability to bind to the system and listen for incoming requests. Its main functions include loading and executing payloads stored in designated registry locations, which are typically placed by its parent malware, MeltingClaw, and binding to localhost to receive commands from another malicious component.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		System Compromise	-
ASSOCIATED ACTOR			PATCH LINK
UAT-5647			-
IOC TYPE	VALUE		
SHA256	ce8b46370fd72d7684ad6ade16f868ac19f03b85e35317025511d6eeee288c64, 9f635fa106dbe7181b4162266379703b3fdf53408e5b8faa6ae08f1965d3a2		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs	
Cicada3301	Cicada 3301 is a Rust-based ransomware that infiltrates systems and encrypts files with 36 different extensions, demanding a ransom for the decryption key. Beyond just encrypting data, it allows attackers to retain access to the compromised system, execute remote commands, and potentially return for further attacks, including data exfiltration and theft.	-	-	
TYPE		IMPACT	AFFECTED PRODUCTS	
Ransomware				
ASSOCIATED ACTOR				-
Repellent Scorpis				PATCH LINK
		Encrypt data, Data Theft	-	
IOC TYPE	VALUE			
SHA256	7b3022437b637c44f42741a92c7f7ed251845fd02dda642c0a47fde179bd984e, dd98133b825a1632879b689b864b15a66741208343bc8ba080354e0133181d69			

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.



Vulnerabilities Exploited

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-30088</u>		Windows Kernel	APT34
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows:*:*:*:*:*:* cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	StealHook, DULLDROP
Microsoft Windows Kernel TOCTOU Race Condition Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-367	T1068: Exploitation for Privilege Escalation	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-30088

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-9486</u>		Kubernetes Image Builder	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:kubernetes-sigs:image-builder:*:*:*:*:*:*	-
Kubernetes Image Builder Hardcoded Credential Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-798	T1552: Unsecured Credentials	https://github.com/kubernetes-sigs/image-builder/releases

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2020-1472</u>		Microsoft Netlogon	Iranian Threat Actors
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:o:microsoft:windows_server:*:*:*:*:*	-
ZeroLogon (Microsoft Netlogon Privilege Escalation Vulnerability)			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-330	T1068: Exploitation for Privilege Escalation; T1210: Exploitation of Remote Services	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2020-1472



Adversaries in Action

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>APT34 (aka Earth Simnavaz, Helix Kitten, Twisted Kitten, Crambus, Chrysene, Cobalt Gypsy, TA452, IRN2, ATK 40, ITG13, DEV-0861, EUROPIUM, Hazel Sandstorm, Scarred Manticore, Evasive Serpens, Yellow Maero, Storm-0861, OilRig)</u>	Iran	Aviation, Chemical, Defense, Education, Energy, Financial, Government, High-Tech, IT, Hospitality, Oil and gas, Telecommunications, Critical Infrastructure	Albania, Azerbaijan, Bahrain, China, Egypt, Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritius, Oman, Pakistan, Qatar, Saudi Arabia, Turkey, UAE, UK, USA
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	CVE-2024-30088	StealHook, DULLDROP	Windows Kernel
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0004: Privilege Escalation; TA0005: Defense Evasion; TA0009: Collection; TA0010: Exfiltration; TA0011: Command and Control; T1588: Obtain Capabilities; T1588.006: Vulnerabilities; T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1572: Protocol Tunneling; T1102: Web Service; T1132: Data Encoding; T1132.001: Standard Encoding; T1041: Exfiltration Over C2 Channel; T1556: Modify Authentication Process; T1556.002: Password Filter DLL; T1068: Exploitation for Privilege Escalation; T1105: Ingress Tool Transfer; T1078: Valid Accounts; T1078.003: Local Accounts; T1505: Server Software Component; T1505.003: Web Shell; T1048: Exfiltration Over Alternative Protocol; T1053: Scheduled Task/Job; T1070: Indicator Removal; T1112: Modify Registry; T1074: Data Staged; T1047: Windows Management Instrumentation			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>CeranaKeeper</u>	China	Government	Thailand, Myanmar, Philippines, Japan, Taiwan, Brunei, Cambodia, East Timor, Indonesia, Laos, Malaysia, Singapore, Vietnam
	MOTIVE		
	Information theft and Espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	TONESHELL, WavyExfiller, OneDoor, BingoShell	-

TTPs

TA0042: Resource Development; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0009: Collection; TA0011: Command and Control; TA0010: Exfiltration; T1583: Acquire Infrastructure; T1583.001: Domains; T1583.003: Virtual Private Server; T1587: Develop Capabilities; T1587.001: Malware; T1585: Establish Accounts; T1585.003: Cloud Accounts; T1072: Software Deployment Tools; T1547: Boot or Logon Autostart Execution; T1547.001: Registry Run Keys / Startup Folder; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1140: Deobfuscate/Decode Files or Information; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1560: Archive Collected Data; T1560.001: Archive via Utility; T1005: Data from Local System; T1039: Data from Network Shared Drive; T1074: Data Staged; T1074.001: Local Data Staging; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1132: Data Encoding; T1132.002: Non-Standard Encoding; T1573: Encrypted Channel; T1573.001: Symmetric Cryptography; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1102: Web Service; T1102.002: Bidirectional Communication; T1567: Exfiltration Over Web Service; T1567.002: Exfiltration to Cloud Storage; T1588.002: Tool; T1588: Obtain Capabilities; T1105: Ingress Tool Transfer

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Water Makara</u>	-	Manufacturing, Retail, Government, Healthcare, Construction, Automotive, Agriculture, Biotechnology, Technology, Media, Consulting	Latin America
	MOTIVE		
	Information theft and Espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	Astaroth malware (aka Guildma)	-
TTPs			
TA0001: Initial Access; TA0002: Execution; TA0005: Defense Evasion; TA0011: Command and Control; T1566: Phishing; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.002: Malicious File; T1059: Command and Scripting Interpreter; T1059.007: JavaScript; T1218: System Binary Proxy Execution; T1218.005: Mshta; T1036: Masquerading; T1036.008: Masquerade File Type; T1568: Dynamic Resolution; T1568.002: Domain Generation Algorithms; T1027: Obfuscated Files or Information; T1027.010: Command Obfuscation; T1132: Data Encoding; T1132.001: Standard Encoding			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>UAT-5647 (aka RomCom, Tropical Scorpis, Void Rabisu, DEV-0978, Storm-0978)</u>	Russia	Construction, Education, Energy, Financial, Government, Healthcare, High-Tech, Manufacturing, Shipping and Logistics, Transportation	Ukraine and Poland
	MOTIVE		
	Information theft and espionage, Financial gain		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	SingleCamper (aka RomCom RAT, RomCom, SnipBot, RomCom 5.0), RustClaw, MeltingClaw, DustyHammock, ShadyHammock	-
TTPs			
TA0043: Reconnaissance; TA0001: Initial Access; TA0002: Execution; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0010: Exfiltration; TA0011: Command and Control; T1566: Phishing; T1566.001: Spearphishing Attachment; T1572: Protocol Tunneling; T1016: System Network Configuration Discovery; T1135: Network Share Discovery; T1033: System Owner/User Discovery; T1614: System Location Discovery; T1614.001: System Language Discovery; T1082: System Information Discovery; T1482: Domain Trust Discovery; T1083: File and Directory Discovery; T1069: Permission Groups Discovery; T1069.001: Local Groups; T1012: Query Registry; T1560: Archive Collected Data; T1003: OS Credential Dumping; T1104: Multi-Stage Channels; T1070: Indicator Removal; T1059: Command and Scripting Interpreter; T1059.001: PowerShell			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Repellent Scorpis</u>	-	Advertising, Construction, Consulting & Professional Services, Consumer, E-commerce, Education, Financial Services, Food & Beverage, Gaming, Government, Healthcare, Hospitality, IT, Legal, Manufacturing, Medicine, Military, Real Estate, Retail, Technology, Telecommunications, Transportation, Travel & Tourism	United States, United Kingdom, Denmark, United Arab Emirates, Switzerland, Japan, Italy, England, Thailand, Canada, Greenland, Mexico, Nicaragua, Honduras, Cuba, Guatemala, Panama, Costa Rica, Dominican Republic, Haiti, Belize, El Salvador, Bahamas, Jamaica, Puerto Rico, Trinidad and Tobago, Dominica, Antigua and Barbuda, Barbados, Grenada
	MOTIVE		
	Information theft and espionage, Financial gain		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	Cicada3301	-
TTPs			
TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0007: Discovery; TA0008: Lateral Movement; TA0011: Command and Control; TA0010: Exfiltration; TA0040: Impact; T1041: Exfiltration Over C2 Channel; T1574: Hijack Execution Flow; T1543: Create or Modify System Process; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1070: Indicator Removal; T1070.004: File Deletion; T1046: Network Service Discovery; T1016: System Network Configuration Discovery; T1570: Lateral Tool Transfer; T1486: Data Encrypted for Impact; T1490: Inhibit System Recovery; T1489: Service Stop; T1562: Impair Defenses; T1562.002: Disable Windows Event Logging; T1562.001: Disable or Modify Tools; T1562.004: Disable or Modify System Firewall; T1070.001: Clear Windows Event Logs; T1497: Virtualization/Sandbox Evasion; T1030: Data Transfer Size Limits;			

Recommendations

Security Teams

This digest can be utilized as a drive to force security teams to prioritize the **three exploited vulnerabilities** and block the indicators related to the threat actors **APT34, CeranaKeeper, Water Makara, UAT-5647, Repellent Scorpis** and malware **StealHook, DULLDROP, TONESHELL, WavyExfiller, OneDoor, BingoShell, CoreWarrior, Cerberus, DarkVision RAT, PureCrypter, Donut, Astaroth** malware, **SingleCamper, RustClaw, MeltingClaw, DustyHammock, ShadyHammock, Cicada3301**.

Uni5 Users

This is an actionable threat digest for HivePro Uni5 customers and they can get comprehensive insights into their threat exposure and can action it effortlessly over the HivePro Uni5 dashboard by

- Running a Scan to discover the assets impacted by the **three exploited vulnerabilities**.
- Testing the efficacy of their security controls by simulating the attacks related to the threat actor **APT34, CeranaKeeper, Water Makara, UAT-5647, Repellent Scorpis** and malware **StealHook, DULLDROP, CoreWarrior, WavyExfiller, TONESHELL, DarkVision RAT, PureCrypter, ShadyHammock, MeltingClaw, RustyClaw, Cicada3301** in Breach and Attack Simulation(BAS).

Threat Advisories

[APT34 Tightens Cyber Espionage Grip on Gulf with Kernel Exploitation](#)

[CeranaKeeper: The Hive Mind of Cyber Espionage](#)

[CoreWarrior Unleashed: A Stealthy Trojan Wreaking Havoc on Windows Systems](#)

[ErrorFather: A Multi-Stage Cerberus Attack on Android](#)

[Silent Sabotage: EDRSilencer Disables Detection and Enables Stealth Attacks](#)

[DarkVision RAT That You Can't Afford to Ignore](#)

[Critical Kubernetes Image Builder Flaws Could Lead VM Compromise](#)

[Astaroth Strikes Again: Water Makara's Sophisticated Phishing Attacks Targeting Brazil](#)

[UAT-5647 Unleashes New Malware Arsenal in Targeted Espionage Campaigns](#)

[Cicada3301 The RaaS Predator Preying on Enterprises](#)

[Iranian Cyber Actors Target Critical Infrastructure](#)

Appendix

Known Exploited Vulnerabilities (KEV): Software vulnerabilities for which there are public exploits or proof-of-concept (PoC) code available, and for which there is a high risk of potential harm to an organization's systems or data if left unaddressed.

Celebrity Vulnerabilities: Software vulnerabilities that have gained significant attention and have been branded with catchy names and logos due to their profound and multifaceted impact. These vulnerabilities provide threat actors with opportunities to breach sensitive systems, potentially resulting in unauthorized access and the compromise of critical information.

✂ Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>StealHook</u>	SHA256	a24303234e0cc6f403fca8943e7170c90b69976015b6a84d64a9667810023ed7
<u>DULLDROP</u>	SHA256	b3257f0c0ef298363f89c7a61ab27a706e9e308c22f1820dc4f02dfa0f68d897, 54e8fbae0aa7a279aaedb6d8eec0f95971397fea7fcee6c143772c8ee6e6b498
<u>TONESHELL</u>	SHA256	e6ab24b826c034a6d9e152673b91159201577a3a9d626776f95222f01b7c21db, 6655c5686b9b0292cf5121fc6346341bb888704b421a85a15011456a9a2c192a, b15ba83681c4d2c2716602615288b7e64a1d4a9f4805779cebfd5e6c2399afb5
	File Name	MsOcrRes.orp, avk.dll, TurboActivate.dll
<u>WavyExfiller</u>	SHA256	e7b6164b6ec7b7552c93713403507b531f625a8c64d36b60d660d66e82646696, 451ee465675e674cebe3c42ed41356ae2c972703e1dc7800a187426a6b34efdc
	File Name	SearchApp.exe
<u>OneDoor</u>	SHA256	3f81d1e70d9ee39c83b582ac3bcc1cdf038f5da31331cdbc4ff1a2d15bb7c8
	File Name	OneDrive.exe

Attack Name	TYPE	VALUE
<u>BingoShell</u>	SHA256	24e12b8b1255df4e6619ed1a6ae1c75b17341eef7418450e661b74b144570017
	File Name	Update.exe
<u>CoreWarrior</u>	SHA256	85A6E921E4D5107D13C1EB8647B130A1D54BA2B6409118BE7945FD71C6C8235F, 8C97329CF7E48BB1464AC5132B6A02488B5F0358752B71E3135D9D0E4501B48D
<u>Cerberus</u>	SHA256	6c045a521d4d19bd52165ea992e91d338473a70962bcfded9213e592cea27359, 4c7f90d103b54ba78b85f92d967ef4cdcc0102d3756e1400383e774d2f27bb2e, 8f3e3a2a63110674ea63fb6abe4a1889fc516dd6851e8c47298c7987e67ff9b6, c570e075f9676e79a1c43e9879945f4fe0f54ef5c78a5289fe72ce3ef6232a14, a2c701fcea4ed167fdb3131d292124eb55389bc746fcef8ca2c8642ba925895c, 8faa93be87bb327e760420b2faa33f0f972899a47c80dc2bc07b260c18dfcb14, ee87b4c50e5573cba366efaa01b8719902b8bed8277f1903e764f9b4334778d0, 136d00629e8cd59a6be639b0eaef925fd8cd68cbcbdb71a3a407836c560b8579, 516282073b7d81c630d4c5955d396e1e47a2f476f03dea7308461fa62f465c11, 5bd21d0007d34f67faeb71081309e25903f15f237c1f7b094634584ca9dd873e, 6b8911dfdf1961de9dd2c3f9b141a6c5b1029311c66e9ded9bca4d21635c0c49, befe69191247abf80c5a725e1f1024f7195fa85a7af759db2546941711f6e6ae, 9d966baefa96213861756fde502569d7bba9c755d13e586e7aaca3d0949cbdc3, 0c27ec44ad5333b4440fbe235428ee58f623a878baefe08f2dcdad62ad5ffce7, 880c9f65c5e2007bfed3a2179e64e36854266023a00e1a7066cbcf8ee6c93cbc,
	SHA1	c7ebf2adfd6482e1eb2c3b05f79cdff5c733c47b
	MD5	f9d5b402acee67675f87d33d7d52b364
<u>DarkVision RAT</u>	Domain	severdops[.]ddns[.]net[:] 8120
	SHA256	7aa49795bbe025328e0aa5d76e46341a95255e13123306311671678fdeabb617, 0de5f042eb250092454d786b6303dee434202d45dc3fec9e6b39237f9e92514f,

Attack Name	TYPE	VALUE
<u>DarkVision</u> <u>RAT</u>	SHA256	0fa8acdb672f0e6c184fc5d04bb8af92c0bf5db73de096606f23f4c38ef3347b, 10667e9d67706397f7ff96e892d3c0f0ae05d81df5bc17caf85fb356d531c0b8, 1a230bb362cde9ead2d9f867af181ae51292c626a3c9d1d30f5f3751b84ffe85, 201f31c84755a5cd6081c3db30626cc3f17cf84804c2deb66e27866daad259a3, 3295199ba2b4e9cfc448a574cb9e89f3ef131fd19dcf366fe2abb7b3b79eb887, 40d48f5e965a250ac45f2f9c9426743c66fe899f07e16c42339149e30b1956e9, 44de5a248b6e9c24ad547e73c3ba3c8cc9693ba6eaa5190be9b377845844ffb6, 47070e4f6545f9f1308a5aec1e6943e6a29891bce9523db5596544a52f9b3bf4, 478cf5482905fa2ac2a2280a03ad6716f153c372c15cd957a23a67ff3260c867, 5174ef9f7d5420ab4890173792d8aa50b8bb3191b4c24f6f58ae73bd7212c3, 5cce814cadb4fac6631ff3c988516b4c6618f0c71c7de3588fc0d7038c220f31, 7f97ba9a8e6b70708a001cff8677992fc1e768a62f9f21ddd14fb1c6924281bc, 808680e6761782a7817fd8e3f90463738d17216b3bca51f3ca4e7375458cba1b, a3bd7d3e7006439d1d53cf8db1f403df2162c8f7e8172d6911be203ea58a2d8d, b75354d8ad3f4e0f675ec6a64c82226d75116535198ef4974b17984ccebab63e, bf1c8cf3ab6213c250d1abf8094180fdcf8e871674482fce1930abe9826e61b9, cb06287e314bf4c684323c7925922cce2932a9e9e9b6aac34634487ac7741afd, e91586b66e6d05e3b118991b72896d37c3e625e4f54ceb4ad6b04f047a31593b, eafa30bac261cc682556812c7c513827f09ef75fc33dbeb61e5d3ff46c9f3808, ee1b2b016b56950986db7b08f451220b91f1d91a70fec0624e289e96c648cb44, f36626f1a71c68c4647347b25eb0000c0e6c5d7700cf16047a3d9967321cf14b, F3b00f34857586056178a56517e4c07effe1182604b11665fb8efb71be78cec4

Attack Name	TYPE	VALUE
<u>PureCrypter</u>	SHA256	27ccb9f336282e591e44c65841f1b5bc7f495e8561349977680161e76857be5d, 0a06a5dbe4358d59077f92924cc1418dc0919e2c8f97b92cc5cf5d8bcc83d844
<u>Donut</u>	SHA256	6e3346d47044d6df85a07aeda745d88f9cd46b20d22028d231add555bf00bf41
<u>Astaroth malware (aka Guildma)</u>	URLs	annotmykim[.]gruposenhordobonfim[.]io/?2/ blogonbel84[.]gruposenhordobonfim[.]org/?1/ blogonben[.]gruposenhordobonfim[.]org/?1/ blogonben8[.]gruposenhordobonfim[.]org/?1/ bruconlincol587[.]luminisconsultoria[.]io/?3/ bruncolinc59[.]lumiscoconsupoltronsia[.]org/?3/ claronqual[.]gruposenhordobonfim[.]org/?2/ clindnor[.]cenithbonfim[.]net/?2/ crafer[.]grupobonfim[.]net/?5/ crecil[.]gruposenhordobonfim[.]org/?2/ crgricill[.]gruposenhordobonfim[.]net/?3/ crigonval[.]gruposenhordobonfim[.]org/?5/ crigoval[.]gruposenhordobonfim[.]org/?5/ crigvalbon[.]gruposenhordobonfim[.]org/?2/ dragounzolonoff[.]ceritbonfim[.]com/?3/ dramainco54[.]groupomonflowsacodonbonsait[.]io/?2/ drapunzol[.]cemiteriobonfim[.]com/?1/ drapunzol[.]cemiteriobonfim[.]com/?5/ drocannanbel[.]veritasinvest[.]io/?1/ florvaz[.]cemisionfinanceinvest[.]com/?3/ flovaz138[.]cemiteriobonfim[.]com/?3/ frulinzol[.]grupobonfim[.]org/?5/ gaminqual[.]soluclaoled[.]world/?2/ gramdinlhar[.]grupobonfim[.]org/?5/ graminqual[.]solucaoled[.]world/?2/ grammidhal[.]gruposenhordobonfim[.]org/?1/ htruriz[.]grupobonfim[.]net/?3/ murankel.limpanzin[.]io/?2/ plamine1516[.]gruposenhordobonfim[.]com/?1/ planhal[.]grupobonfim[.]org/?1/ planhalconnalminsenior[.]io/?3/ plarandiz[.]gruposenhordobonfim[.]org/?3/ plikinvintez371[.]gruposenhordobonfim[.]com/?3/ plikkentin37h[.]gruposenhordobonfim[.]com/?3/ prawinvinbil2[.]clienteasciendig[.]world/?2/ prawinzinbil66[.]clienteasciendig[.]world/?2/ prawinzinbil66[.]clienteascindig[.]world/?2/ pregonfer[.]gruposenhordobonfim[.]com/?5/

Attack Name	TYPE	VALUE
<u>Astaroth malware (aka Guildma)</u>	URLs	<pre> prehenninlhar[.]gruposenhordobonfim[.]org/?2/, preharbisonvirenanal3[.]plurianbonfim[.]net/?2/, prehenninal6v[.]gruposenhordobonfim[.]com/?2/, prepor854[.]grupobonfim[.]net/?1/, prerheningbron38[.]grupatibonfim[.]net/?2/, prisonfinfel[.]grupobonfim[.]org/?3/, pritonggopatrimoniosoberano[.]world/?5/, pritongongor[.]patrimoniosoberano[.]world/?5/, rawinzinbil66[.]clienteascindig[.]world/?2/, rigonval[.]gruposenhordobonfim[.]org/?5/, sasanal[.]gruposenhordobonfim[.]org/?2/, scropenpaz[.]subindometa[.]world/?1/, sp[.]runal[.]pad[.]rimonios[.]oberano[.]world/?5/, sprunal[.]patrimoniosoberano[.]world/?5/, spunalu[.]patrimoniosoberano[.]world/?5/, stragir[.]nexuspatrimonial[.]city/?3/, stragiran48xpatrimonial[.]city/?3/, stredenpintal7[.]sistemapreparatorio[.]io/?5/, stredential7[.]sistemaapreparatorio[.]io/?5/, stredential7[.]sistemapreparatorio[.]io/?5/, strehen78zinal[.]islandofinvolomartyreasurgical[.]io/?5/, strehensinvel[.]jlldobrasil[.]world/?1/, stresanal[.]gruposenhordobonfim[.]com/?2/, tibilaniznale7[.]jintyoberbonfim[.]net/?2/, titblansuperioniank3[.]cenithbonfim[.]net/?3/, tribenpanrimonial[.]cfdauctions[.]org/?2/, tripanroncol68[.]aberturaazulvision[.]xyz/?5/, tritanpinvaz[.]nexuspatrimonial[.]city/?5/, tritum[.]gruposenhordobonfim[.]org/?5/, trubenpal[.]paineira[.]cfd/?2/, trugomen[.]copinasultanbolimansire[.]io/?2/, trugonmennil[.]luminisconsultoria[.]io/?3/, trujanel[.]gruposenhordobonfim[.]net/?5/, urnasinvest[.]yunusgroup[.]net/?2/, valcredonlin59[.]unicicomonsultanlonko[.]org/?1/, valentininvest37[.]patrickbonfim[.]net/?5/, vaval[.]gruposenhordobonfim[.]net/?5/, velvinet6[.]unovetsnahels[.]org/?3/, veritasinvestio[.]io/?1/, veritasinvestio[.]io/?3/, vinherena[.]sonyofbonfim[.]net/?3/ </pre>


Attack Name	TYPE	VALUE
<u>SingleCamper</u>	SHA256	dee849e0170184d3773077a9e7ce63d2b767bb19e85441d9c55ee44d6f129df9, 2474a6c6b3df3f1ac4eadcb8b2c70db289c066ec4b284ac632354e9dbe488e4d
<u>RustClaw</u>	SHA256	12bf973b503296da400fd6f9e3a4c688f14d56ce82ffcfa9edddd7e4b6b93ba9, 260a6644ab63f392d090853ccd7c4d927aba3845ced473e13741152cdf274bbd, 9062d0f5f788bec4b487faf5f9b4bb450557e178ba114324ef7056a22b3f8b8b, 43a15c4ee10787997682b79a54ac49a90d26a126f5eeeb8569022850a2b96057, aa09e9dca4994404a5f654be2a051c46f8799b0e987bcefef2b52412ac402105, 585ed48d4c0289ce66db669393889482ec29236dc3d04827604cf778c79fda36, 62f59766e62c7bd519621ba74f4d0ad122cca82179d022596b38bd76c7a430c4, 9fd5dee828c69e190e46763b818b1a14f147d1469dc577a99b759403a9dadf04, b1fe8fbbb0b6de0f1dcd4146d674a71c511488a9eb4538689294bd782df040df, 7602e2c1ae27e1b36ee4aed357e505f14496f63db29fb4fcdd0d8a9db067a5c4, f3fe04a7e8da68dc05acb7164b402ffc6675a478972cf624de84b3e2e4945b93, 10e1d453d4f9ca05ff6af3dcd7766a17ca1470ee89ba90feee5d52f8d2b18a4c, a265ae8fed205efb5bcc2fb59e60f743f45b7ad402cb827bc98dee397069830c, 8104fdf9ff6be096b7e5011e362400ee8dd89d829c608be21eb1de959404b4b9, b55f70467f13fbad6dde354d8653d1d6180788569496a50b06f2ece1f57a5e91, bd25618f382fc032016e8c9bc61f0bc24993a06baf925d987dcec4881108ea2a, 78eaa3d831df27a5bc4377536e73606cd84a89ea2da725f5d381536d5d920d8, 88a4b39fb0466ef9af2dcd49139eaff18309b32231a762b57ff9f778cc3d2dd7, 01ebc558aa7028723bebd8301fd110d01cbd66d9a8b04685afd4f04f76e7b80c, 7c9775b0f44419207b02e531c357fe02f5856c17dbd88b3f32ec748047014df8,

Attack Name	TYPE	VALUE
<u>RustClaw</u>	SHA256	54ce280ec0f086d89ee338029f12cef8e1297ee740af76dda245a08cb91bab4d, bf5f2bdc3d2acbf218192710c8d27133bf51c1da1a778244617d3ba9c20e6f7, fdb6648c6f922ffcd2b351791099e893e183680fc86f48bf18815d8ae98a4f7, ac9e3bf1cc87bc86318b258498572793d9fb082417e3f2ff17050cf6ec1d0bb5, 0a02901d364dc9d70b8fcdc8a2ec120b14f3c393186f99e2e4c5317db1edc889
<u>MeltingClaw</u>	SHA256	45adf6f32f9b3c398ee27f02427a55bb3df74687e378edcb7e23caf6a6f7bf2a, B9677c50b20a1ed951962edcb593cce5f1ed9c742bc7bff827a6fc420202b045, 45adf6f32f9b3c398ee27f02427a55bb3df74687e378edcb7e23caf6a6f7bf2a
<u>DustyHammock</u>	SHA256	951b89f25f7d8be0619b1dfdcc63939b0792b63fa34ebfa9010f0055d009a2d3, 951b8951b89f25f7d8be0619b1dfdcc63939b0792b63fa34ebfa9010f0055d009a2d3
<u>ShadyHammock</u>	SHA256	ce8b46370fd72d7684ad6ade16f868ac19f03b85e35317025511d6eeee288c64, 9f635fa106dbe7181b4162266379703b3fdf53408e5b8faa6ae08f1965d3a2, 1fa96e7f3c26743295a6af7917837c98c1d6ac0da30a804fed820daace6f90b0
<u>Cicada3301</u>	TOR Address	cicadabv7vicyvgz5khl7v2x5yygcgow7ryy6yppwmxii4eoobdaztqd[.]onion
	SHA256	7b3022437b637c44f42741a92c7f7ed251845fd02dda642c0a47fde179bd984e, dd98133b825a1632879b689b864b15a66741208343bc8ba080354e0133181d69, 2d614f088f486f0870b3839ddb361e33efb73526a0a585f691874039f23171cc, 3969e1a88a063155a6f61b0ca1ac33114c1a39151f3c7dd019084abd30553eab

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5:Threat Exposure Management Platform.



REPORT GENERATED ON
October 21, 2024 • 10:30 PM

© 2024 All Rights are Reserved by Hive Pro



More at www.hivepro.com