

Date of Publication
December 2, 2024



HiveForce Labs
MONTHLY
THREAT DIGEST

Vulnerabilities, Attacks, and Actors

NOVEMBER 2024

Table Of Contents


<u>Summary</u>	03
<u>Insights</u>	04
<u>Threat Landscape</u>	05
<u>Celebrity Vulnerabilities</u>	06
<u>Vulnerabilities Summary</u>	09
<u>Attacks Summary</u>	13
<u>Adversaries Summary</u>	16
<u>Targeted Products</u>	18
<u>Targeted Countries</u>	21
<u>Targeted Industries</u>	22
<u>Top MITRE ATT&CK TTPs</u>	23
<u>Top Indicators of Compromise (IOCs)</u>	24
<u>Vulnerabilities Exploited</u>	27
<u>Attacks Executed</u>	48
<u>Adversaries in Action</u>	64
<u>MITRE ATT&CK TTPs</u>	73
<u>Top 5 Takeaways</u>	77
<u>Recommendations</u>	78
<u>Hive Pro Threat Advisories</u>	79
<u>Appendix</u>	80
<u>Indicators of Compromise (IoCs)</u>	81
<u>What Next?</u>	90

Summary

November brought a series of alarming developments in the cybersecurity landscape, with **Eighteen** zero-day vulnerabilities identified alongside critical flaws in widely used platforms. Among these, VMware's vCenter Server was found vulnerable to **CVE-2024-38812**, which enables remote code execution through a heap overflow, and **CVE-2024-38813**, allowing privilege escalation. Both vulnerabilities are actively exploited in the wild, underscoring the urgent need for mitigation. Similarly, Palo Alto Networks released patches for two zero-day vulnerabilities in its PAN-OS software **CVE-2024-0012** and **CVE-2024-9474** which are being weaponized in a global reconnaissance campaign targeting critical infrastructure across various sectors.

In parallel, ransomware attacks surged, with groups like **Helldown** and **Ymir** leading aggressive campaigns. These incidents highlight the evolving complexity of ransomware tactics, emphasizing the importance of robust backup and disaster recovery plans as well as ongoing employee training to detect and avoid phishing schemes.

Throughout November, at least **nine** distinct threat actors carried out targeted operations. Among them, **Earth Estries**, a Chinese cyber-espionage group, targeted telecommunications, government organizations, and ISPs in regions such as the U.S., APAC, the Middle East, and South Africa. Exploiting vulnerabilities in public-facing servers, the group deployed tools like **GhostSpider**, **SNAPPYBEE**, and **MASOL RAT** for sustained espionage. Concurrently, **Matrix**, believed to be operating out of Russia, executed a highly disruptive Distributed Denial-of-Service (DDoS) campaign. By exploiting vulnerabilities in IoT devices, routers, and enterprise systems, and leveraging weak credentials, Matrix created a global botnet powered by the notorious **Mirai** malware.



In November 2024, a geopolitical cybersecurity landscape unfolds, revealing **United States, Switzerland** and **San Marino** as the top-targeted countries

Highlighted in **November 2024** is a cyber battleground encompassing the **Government, Defense, Technology** and **Media** sectors, designating them as the top industries

Matrix actor orchestrates a global DDoS blitz, weaponizing Mirai-powered botnets for maximum disruption

Helldown ransomware exploits CVE-2024-42057 in Zyxel firewalls, affecting over 30 organizations across various sectors

CVE-2024-21287
flaw in Oracle Agile (PLM) Framework exploited in the wild, allowing attackers to download sensitive files without authorization

RomCom
leveraging two zero-day flaws in an attack chain targeting Firefox and Tor Browser users across Europe and North America

Palo Alto Zero-Day Flaws CVE-2024-0012 and CVE-2024-9474 chained for complete system compromise

TAG-110
a Russia-aligned threat group, conducted a cyber-espionage campaign targeting various sectors using custom malware HATVIBE and CHERRYSPY


Apple 0-Days

CVE-2024-44308 in JavaScriptCore and CVE-2024-44309 in WebKit exploited in wild urges immediate patching

Earth Estries

exploits server flaws, leveraging GhostSpider, SNAPPYBEE, and MASOL RAT for stealthy and persistent espionage operations

Threat Landscape



- Malware Attacks
- Denial-of-Service Attack
- Password Attack
- Social Engineering
- Injection Attacks



Celebrity Vulnerabilities

CVE ID	ZERO-DAY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2019-0708</u>		CBL Mariner Windows: 10 - 11 23H2 Windows Server: 2019 - 2022 23H2	Emennet Pasargad
	CISA KEY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME		cpe:2.3:o:microsoft:windows:*:*:*:*:* cpe:2.3:o:microsoft:windows_server:*:*:*:*:*	-
BlueKeep (Microsoft Remote Desktop Services Remote Code Execution Vulnerability)	CWE ID	ASSOCIATED TTPs	PATCH DETAILS
	CWE-416	T1021.001: Remote Desktop Protocol, T1068 : Exploitation for Privilege Escalation, T1059: Command and Scripting	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2019-0708

CVE ID	ZERO-DAY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2018-7600</u>		Drupal before 7.58, 8.x before 8.3.9, 8.4.x before 8.4.6, and 8.5.x before 8.5.1	Emennet Pasargad
	CISA KEY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME		cpe:2.3:a:drupal:drupal:*:*:*:*:*	-
Drupalgeddon2 (Drupal Core Remote Code Execution Vulnerability)	CWE ID	ASSOCIATED TTPs	PATCH DETAILS
	CWE-20	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application	https://groups.drupal.org/security/faq-2018-002

CVE ID	ZERO-DAY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2021-26855</u>		Microsoft Exchange Server	Earth Estries
	CISA KEY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME		cpe:2.3:a:microsoft:exchange_server:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)			
		CWE ID	ASSOCIATED TTPs
	CWE-918	T1556: Modify Authentication Process; T1190: Exploit Public-Facing Application	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26855

CVE ID	ZERO-DAY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2021-26857</u>		Microsoft Exchange Server	Earth Estries
	CISA KEY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME		cpe:2.3:a:microsoft:exchange_server:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)			
		CWE ID	ASSOCIATED TTPs
	CWE-502	T1059: Command and Scripting Interpreter	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26857

CVE ID	ZERO-DAY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2021-26858</u>		Microsoft Exchange Server	Earth Estries
	CISA KEV		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME		cpe:2.3:a:microsoft:exchange_server:-:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)	CWE ID	ASSOCIATED TTPs	PATCH DETAILS
	CWE-20	T1505.003: Web Shell	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26858

CVE ID	ZERO-DAY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2021-27065</u>		Microsoft Exchange Server	Earth Estries
	CISA KEV		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME		cpe:2.3:a:microsoft:exchange_server:-:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)	CWE ID	ASSOCIATED TTPs	PATCH DETAILS
	CWE-22	T1505.003: Web Shell	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-27065

Vulnerabilities Summary

CVE	NAME	AFFECTED PRODUCT	ZERO -DAY	KEV	PATCH
CVE-2024-38094	Microsoft SharePoint Remote Code Execution Vulnerability	Microsoft SharePoint			
CVE-2019-0708	Microsoft Remote Desktop Services Remote Code Execution Vulnerability	Microsoft Remote Desktop Services			
CVE-2018-7600	Drupal Core Remote Code Execution Vulnerability	Drupal Core			
CVE-2024-5910	Palo Alto Expedition Missing Authentication Vulnerability	Palo Alto Expedition			
CVE-2024-9464	Palo Alto Expedition OS Command Injection Vulnerability	Palo Alto Expedition			
CVE-2017-0199	Microsoft Office And WordPad Remote Code Execution Vulnerability	Microsoft Office and WordPad			
CVE-2024-49039	Windows Task Scheduler Elevation of Privilege Vulnerability	Microsoft Windows			
CVE-2024-43451	NTLM Hash Disclosure Spoofing Vulnerability	Microsoft Windows			
CVE-2024-49040	Microsoft Exchange Server Spoofing Vulnerability	Microsoft Exchange Server			
CVE-2024-49019	Active Directory Certificate Services Elevation of Privilege Vulnerability	Microsoft Active Directory			
CVE-2024-49056	Airlift.microsoft.com Elevation of Privilege Vulnerability	Microsoft Windows			
CVE-2024-10914	D-Link NAS Command Injection Vulnerability	D-Link NAS devices			
CVE-2024-9463	Palo Alto Networks Expedition OS Command Injection Vulnerability	Palo Alto Networks Expedition			

CVE	NAME	AFFECTED PRODUCT	ZERO -DAY	KEV	PATCH
CVE-2024-9465	Palo Alto Networks Expedition SQL Injection Vulnerability	Palo Alto Networks Expedition			
CVE-2024-11120	GeoVision OS Command Injection Vulnerability	GeoVision Devices			
CVE-2024-38812	VMware vCenter Server HeapOverflow Vulnerability	VMwarevCenter Server			
CVE-2024-38813	VMware vCenter Server Privilege Escalation Vulnerability	VMware vCenter Server			
CVE-2024-0012	Palo Alto Networks PANOS Management Interface Authentication Bypass Vulnerability	Palo Alto Networks PAN-OS software			
CVE-2024-9474	Palo Alto Networks PANOS Management Interface OS Command Injection Vulnerability	Palo Alto Networks PAN-OS software			
CVE-2024-44308	Apple Multiple Products Code Execution Vulnerability	macOS, iOS, visionOS, iPadOS and Safari			
CVE-2024-44309	Apple Multiple Products Cross Site Scripting (XSS) Vulnerability	macOS, iOS, visionOS, iPadOS and Safari			
CVE-2024-42057	Zyxel ATP series Command Injection Vulnerability	Zyxel ATP series			
CVE-2024-21287	Oracle Agile Product Lifecycle Management (PLM) Incorrect Authorization Vulnerability	Oracle Agile Product Lifecycle Management (PLM) Framework			
CVE-2024-23692	Rejetto HTTP File Server Template Injection Vulnerability	Rejetto HTTP File Server			
CVE-2023-36884	Microsoft Windows Search Remote Code Execution Vulnerability	Microsoft Office and Windows			
CVE-2024-9680	Mozilla Firefox Use-After-Free Vulnerability	Mozilla Firefox and Firefox ESR			

CVE	NAME	AFFECTED PRODUCT	ZERO-DAY	KEV	PATCH
CVE-2017-18368	Zyxel P660HN-T1A Routers Command Injection Vulnerability	Zyxel P660HN-T1A Routers			
CVE-2021-20090	Arcadyan Buffalo Firmware Path Traversal Vulnerability	Buffalo WSR firmware			
CVE-2024-27348	Apache HugeGraph-Server Improper Access Control Vulnerability	Apache HugeGraph-Server			
CVE-2022-30525	Zyxel Multiple Firewalls OS Command Injection Vulnerability	Zyxel Multiple Firewalls			
CVE-2018-10562	Dasan GPON Routers Command Injection Vulnerability	Dasan GPON home routers			
CVE-2018-10561	Dasan GPON Routers Command Injection Vulnerability	Dasan GPON home routers			
CVE-2017-17215	Huawei HG532 RCE Vulnerability	Huawei HG532 router: All versions			
CVE-2014-8361	Realtek SDF Improper Input Validation Vulnerability	Realtek SDK: All versions			
CVE-2023-46805	Ivanti Connect Secure and Policy Secure Authentication Bypass Vulnerability	Ivanti Connect Secure and Policy Secure			
CVE-2024-21887	Ivanti Connect Secure and Policy Secure Command Injection Vulnerability	Ivanti Connect Secure and Policy Secure			
CVE-2023-48788	Fortinet FortiClient EMS SQL Injection Vulnerability	Fortinet FortiClientEMS			
CVE-2022-3236	Sophos Firewall Code Injection Vulnerability	Sophos Firewall			

CVE	NAME	AFFECTED PRODUCT	ZERO-DAY	KEV	PATCH
CVE-2021-26855	ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)	Microsoft Exchange Server			
CVE-2021-26857	ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)	Microsoft Exchange Server			
CVE-2021-26858	ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)	Microsoft Exchange Server			
CVE-2021-27065	ProxyLogon (Microsoft Exchange Server Remote Code Execution Vulnerability)	Microsoft Exchange Server			

Attacks Summary

ATTACK NAME	TYPE	CVEs	IMPACTED PRODUCT	PATCH	DELIVERY METHOD
Rhadamanthys	Information stealer	-	-	-	Phishing
BeaverTail	Trojan	-	Windows, macOS	-	Social engineering
InvisibleFerret	Backdoor	-	Windows, macOS	-	Phishing
PivotBox	Backdoor	-	Windows	-	Phishing
Chisel	Hack tool	-	-	-	Phishing
GootLoader	Loader	-	-	-	-
GootKit	RAT	-	-	-	GootLoader
Ymir ransomware	Ransomware	-	-	-	-
RustyStealer	Credential Stealer	-	-	-	-
Remcos RAT	RAT	CVE-2017-0199	Windows		Phishing
IronWind Loader	Downloader	-	-	-	-
Havoc Demon	Framework	-	-	-	Social Engineering
SameCoin Wiper	Wiper	-	-	-	Disguised as an INCD security update
Mirai	Botnet	CVE-2024-11120	GeoVision Devices	End of Life GeoVision device is affected	Exploiting Vulnerability in GeoVision

ATTACK NAME	TYPE	CVEs	IMPACTED PRODUCT	PATCH	DELIVERY METHOD
Mirai	Botnet	CVE-2017-18368 CVE-2021-20090 CVE-2024-27348 CVE-2022-30525 CVE-2022-30075 CVE-2018-10562 CVE-2018-10561 CVE-2018-9995 CVE-2017-17215 CVE-2017-17106 CVE-2014-8361	Zyxel P660HN-T1A Routers, Buffalo WSR Firmware, Apache HugeGraph-Server, Zyxel Multiple Firewalls, TP-Link Router AX50 Firmware, Dasan GPON home Routers, TBK DVR devices, Huawei HG532 router: All Versions, Zivif PR115-204-P-RS Webcams, Realtek SDK: All versions	 	Exploiting Vulnerability
Helldown	Ransomware	CVE-2024-42057	Zyxel ATP series		Exploitation of vulnerabilities in Zyxel
DEEPDATA	Post-exploitation tool	-	FortiClient	-	Exploiting Vulnerability
LIGHTSPY	Modular Backdoor	-	FortiClient	-	Exploiting Vulnerability
NodeStealer	Stealer	-	-	-	-
WolfsBane	Backdoor	-	-	-	-
FireWood	Backdoor	-	-	-	-
HATVIBE	Loader	CVE-2024-23692	Rejetto HTTP File Server		Phishing, Exploitation of vulnerable web-facing services
CHERRYSPY	Backdoor	CVE-2024-23692	Rejetto HTTP File Server		Phishing, Exploitation of vulnerable web-facing services
RomCom	Backdoor	CVE-2023-36884 CVE-2024-9680	Microsoft Office and Windows, Mozilla Firefox and Firefox ESR		Exploiting Vulnerability

ATTACK NAME	TYPE	CVEs	IMPACTED PRODUCT	PATCH	DELIVERY METHOD
GHOSTSPIDER	Modular Backdoor	CVE-2023-46805, CVE-2024-21887, CVE-2023-48788, CVE-2022-3236, CVE-2021-26855, CVE-2021-26857, CVE-2021-26858, CVE-2021-27065	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server		Exploiting Vulnerability
SNAPPYBEE	Modular Backdoor	CVE-2023-46805, CVE-2024-21887, CVE-2023-48788, CVE-2022-3236, CVE-2021-26855, CVE-2021-26857, CVE-2021-26858, CVE-2021-27065	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server		Exploiting Vulnerability
MASOL RAT	Backdoor	CVE-2023-46805, CVE-2024-21887, CVE-2023-48788, CVE-2022-3236, CVE-2021-26855, CVE-2021-26857, CVE-2021-26858, CVE-2021-27065	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server		Exploiting Vulnerability

Adversaries Summary

ACTOR NAME	MOTIVE	ORIGIN	CVEs	ATTACK	PRODUCT
Emennet Pasargad	Hacktivism, Espionage, Financial Gains	Iran	-	-	-
TAG-112	Information theft and espionage	China	-	-	-
WIRTE	Information theft and espionage	Middle East	-	IronWind Loader, Havoc Demon, SameCoin Wiper	-
BrazenBambo o	Information Theft, Espionage	China	-	DEEPDATA, LIGHTSPY	FortiClient
Gelsemium	Information Theft, Espionage	China	-	WolfsBane, FireWood	-
TAG110	Information Theft, Espionage	Russia	CVE-2024-23692	HATVIBE and CHERRYSPY	Rejetto HTTP File Server
RomCom	Information Theft, Espionage, Financial gain	Russia	CVE-2023-36884 CVE-2024-9680	RomCom backdoor	Microsoft Office and Windows, Mozilla Firefox and Firefox ESR
Matrix	Information Theft, Espionage	Russia	CVE-2017-18368 CVE-2021-20090 CVE-2024-27348 CVE-2022-30525 CVE-2022-30075 CVE-2018-10562 CVE-2018-10561 CVE-2018-9995 CVE-2017-17215 CVE-2017-17106 CVE-2014-8361	Mirai botnet	Zyxel P660HN-T1A Routers, Buffalo WSR Firmware, Apache HugeGraph-Server, Zyxel Multiple Firewalls, TP-Link Router AX50 Firmware, Dasan GPON home Routers, TBK DVR devices, Huawei HG532 router: All Versions, Zivif PR115-204-P-RS Webcams, Realtek SDK: All versions

ACTOR NAME	MOTIVE	ORIGIN	CVEs	ATTACK	PRODUCT
Earth Estries	Information Theft, Espionage	China	CVE-2023-46805, CVE-2024-21887, CVE-2023-48788, CVE-2022-3236, CVE-2021-26855, CVE-2021-26857, CVE-2021-26858, CVE-2021-27065	GHOSTSPIDER, SNAPPYBEE (aka Deed RAT), MASOL RAT	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server



Targeted Products

VENDOR	PRODUCT TYPE	PRODUCT WITH VERSION
 Microsoft	Application	Microsoft SharePoint Server Subscription Edition Microsoft SharePoint Server 2019 Microsoft SharePoint Enterprise Server 2016
	Server	CBL Mariner Windows: 10 - 11 23H2 Windows Server: 2019 - 2022 23H2
	Applications	Microsoft Office and WordPad
	Server	Microsoft Exchange Server 2016 & 2019, Microsoft Exchange Server
	Website	Airlift.microsoft.com
	Applications	Microsoft Office and Windows
	Server	Windows: 10 - 11 24H2 Windows Server: 2016 - 2025
	Server	Windows: 10 - 11 24H2 Windows Server: 2008 - 2025
	Server	Windows Server: 2008 - 2025
	CMS	Drupal before 7.58, 8.x before 8.3.9, 8.4.x before 8.4.6, and 8.5.x before 8.5.1
	Network Tool	Palo Alto Networks' Expedition versions prior to 1.2.92
	Network Devices	Palo Alto Networks PAN-OS Versions Prior to 11.2.4-h1, Versions Prior to 11.1.5-h1, Versions Prior to 11.0.6-h1, Versions Prior to 10.2.12-h2

VENDOR	PRODUCT TYPE	PRODUCT ALONG WITH VERSION
	Router	DNS-320 Version 1.00, DNS-320LW Version 1.01.0914.2012, DNS-325 Version 1.01, Version 1.02, DNS-340L Version 1.08
	Video Server	GeoVision VS12, GeoVision VS11, GeoVision DSP_LPR_V3, GeoVision LX 4 V2, GeoVision LX 4 V3
	Server	VMware vCenter Server: 7.0 -8.0, VMware Cloud Foundation: 4.x - 5.1.x
	OS	Safari Version Prior to 18.1, macOS Version Prior to 15.1, iOS and iPadOS Version Prior to 18.1, visionOS Version Prior to 2.1
	Network Devices	ZyXel ATP series, ZyXel P660HN- T1A Routers, ZyXel Multiple Firewalls
	Framework	Oracle Agile PLM Framework Version 9.3.6
	File Server	Rejetto HTTP File Server
	Browser	Mozilla Firefox and Firefox ESR
	Network Device	Arcadyan Buffalo WSR firmware
	Server	Apache HugeGraph-Server
	Network Device	TP-Link Router AX50 firmware

VENDOR	PRODUCT TYPE	PRODUCT ALONG WITH VERSION
	Routers	Dasan GPON home routers
	DVR devices	TBK DVR devices
	Routers	Huawei HG532 router: All versions
	Webcams	Zivif PR115-204-P-RS webcams
	Software Development kit	Realtek SDK: All versions
	NAC	Ivanti Connect Secure and Policy Secure
	Endpoint Management Server	Fortinet FortiClientEMS
	Network Device	Sophos Firewall




Targeted Countries

Most



Least



© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, Open Places, OpenStreetMap, TomTom, Zenrin
Powered by Bing

Color	Countries	Color	Countries	Color	Countries	Color	Countries	Color	Countries
	United States		Mexico		Norway		Ukraine		Cambodia
	Switzerland		China		Greece		Barbados		Sri Lanka
	San Marino		Netherlands		Portugal		North Korea		Papua New Guinea
	Poland		Costa Rica		Guatemala		Tuvalu		Chile
	Andorra		Panama		Serbia		Iran		Peru
	Spain		Croatia		Holy See		Singapore		Malaysia
	Malta		Slovakia		Slovenia		Myanmar		Philippines
	Monaco		Cuba		Honduras		Timor-Leste		Tonga
	Liechtenstein		United Kingdom		Sweden		New Zealand		India
	Mongolia		Denmark		Hungary		Vanuatu		Bangladesh
	Ireland		Israel		Iceland		Brazil		Qatar
	Romania		Dominican Republic		Lithuania		Ecuador		Marshall Islands
	Austria		Latvia		Czech Republic (Czechia)		Vietnam		Kiribati
	Luxembourg		El Salvador		Thailand		Syria		Bhutan
	Belarus		Albania		Saudi Arabia		Cyprus		Kuwait
	North Macedonia		Estonia		Bahamas		Maldives		Fiji
	Belgium		Moldova		Australia		Oman		Laos
	South Korea		Finland		Grenada		United Arab Emirates		Nepal
	Bosnia and Herzegovina		Montenegro		Russia		Brunei		Venezuela
	Italy		France		Bahrain		Indonesia		Eswatini
	Bulgaria		Germany		Egypt		Palau		South Africa
					Haiti		Solomon Islands		Bolivia
					Norway				
					Greece				

Targeted Industries



TOP 25 MITRE ATT&CK TTPS

T1059

Command and Scripting Interpreter

T1027

Obfuscated Files or Information

T1588

Obtain Capabilities

T1588.00

5
Exploits

T1036

Masquerading

T1071.001

Web Protocols

T1588.006

Vulnerabilities

T1071

Application Layer Protocol

T1190

Exploit Public-Facing Application

T1083

File and Directory Discovery

T1005

Data from Local System

T1204.001

Malicious Link

T1583

Acquire Infrastructure

T1041

Exfiltration Over C2 Channel

T1566

Phishing

T1068

Exploitation for Privilege Escalation

T1587

Develop Capabilities

T1070

Indicator Removal

T1053

Scheduled Task/Job

T1204

User Execution

T1218

System Binary Proxy Execution

T1587.001

Malware

T1189

Drive-by Compromise

T1573

Encrypted Channel

T1053.005

Scheduled Task



Top Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>Rhadamanthys</u>	SHA256	cf9d93951e558ed22815b34446cfa2bd2cf3d1582d8bd97912612f4d4128a64e, 48aaa2dec95537cdf9fc471dbcb4ff726be4a0647dbdf6300fa61858c2b0099, 00fc4b8a4c65c06766608f3ef3f92385c8e147f5991dabe290e33dd14b39ad44, 0ad65fd0897a6547f6fbf398708ab2d423a8f8834b53136219cb490ec3ebd13, 11ba24d023b544e28c37b6cb8afe27d06638175d7f56c2e4d4ff97bf7bd813b6, 1a2399ecc38f3288206c75b55762d125d3d75254062a2c0d85c86e7f896736ac, 258ffcc13dbe110bcce21b91f7f075995719791fdd3c9f55ea5934984fa4373d, 2cbc1e8a4cb5d18a867666adbd3417bc88d48a74ae6500593959aec1a1c92d2d, 342a5c7df2bdd040570f4b83c74366d4c96a90d6418149d432cb5e8577f2f6b1, 3648e89e7449ea433a8b3ef0e5b605b5dc4157048c03b20dedc5e3b920fa8552, 5418e42706bca4712ff2a3db67853eb42a2310660c51cff2f9020586cffe deb3, 69573694d16b7ccadfa208ff976bfe1b3e36837aba3e5dc4dfc80e66341ef61e, 6de4f65b1d738d84f8e825613092bbd360194195fe8a1c986e12a9bb704217c1, 751f149665f87dd20cc8dff743f28e5da1ff2a5f04874d4b8569b9afceeedfec, 78200cd816acbd39b6664c6582e06500f6d46085b62b49d2f914bea5a004197a, 783c7f4bf23072343f6247ee14e54e4af0b147553ad1ef42b4e7fb44386d667c, 7f99e506c17676b98dcc08e6a19f100ef933cde3e0423c6d4072f6802a9196bb, 8d0b1174cbda6b102bb98c91ba123e9f404b9fad23b49a4e29f3cfd8d20a577a, 90c7688e0dc23ba4530bac1d567bad920c4ef1c06cbf4b2d867eeb363271ee fe, 9102e564c3262b2c291e8ca3d67f8a55c06650aa86f617c919916f6053c03c9b, 9327aa03760431b6d86eeb2f1a3efc36aa443b842b5116fbbe0f2a7794c4e70e, 97286b6f3a6535ff1172ef65172e6967e3670c6b14a3313c3bf0d6c171b1fc85,

Attack Name	TYPE	VALUE
<u>Rhadamanthys</u>	SHA256	98e28d3423f5d414effe3c0ed6fd0f1c8154942e5e127ecee5f051e1196ffc75, 99c0bebd8cb7b0948000a601f510fc70487f9da532be199b8641512a2db9839, 9bdf49b27fd4d80ef087f63e0bfa0a0822686814863eca09ac506404ad76dfda, b2588061ba5ee9948bbccd320b40c6d7b8d6a693d181f3bce61e5e267f53aa7e, b936853a0c50a0cd0bc8b33103b55bd88e19c6c28768d990b954c11d714286ca, f2429f4bd09897653d0ffa41206a14cafa55356d5edc04dc0915c116867f8c27
<u>IronWind Loader</u>	SHA256	c068b9e7130f6fb5763beb9564e92a89644755f223b2f65dc762ed5c77c5b8e3
<u>SameCoin Wiper</u>	SHA256	2abff990d33d99a0732ddbb3a39831c2c292f36955381d45cd8d40a816d9b47a, 7c0a8d3dec1675fd8ba0a73fb5b8eee3bef0214aa78a7aab73b8ba9814651f9f, b447ba4370d9becf9ad084e7cdf8e1395bafde1d15e82e23ca1b9808fef13a7
<u>Remcos RAT</u>	IPv4:PORT	107[.]173[.]4[.]16[:]2404
	URLs	hxxps://og1[.]in/2Rxzb3, hxxp://192[.]3[.]220[.]22/xampp/en/cookienetbookinetcahce.hta, hxxp://192[.]3[.]220[.]22/hFXELFSwRHRwqbE214.bin, hxxp://192[.]3[.]220[.]22/430/dllhost.exe
	SHA256	4A670E3D4B8481CED88C74458FEC448A0FE40064AB2B1B00A289AB504015E944, F99757C98007DA241258AE12EC0FD5083F0475A993CA6309811263AAD17D4661, 9124D7696D2B94E7959933C3F7A8F68E61A5CE29CD5934A4D0379C2193B126BE, D4D98FDBE306D61986BED62340744554E0A288C5A804ED5C924F66885CBF3514, F9B744D0223EFE3C01C94D526881A95523C2F5E457F03774DD1D661944E60852, 24A4EBF1DE71F332F38DE69BAF2DA3019A87D45129411AD4F7D3EA48F506119D
<u>Mirai</u>	SHA256	37a59fed3530d15fa1cdf7c0da92530e9477cfda4d943a45146434c760fe4623, b90ee829760f9ed154033b1e3c428368b808cfcd39cb161b67f6b618af9a36ee, edd1c8dab9d8821408e1983365de1b5e804771f22a1bb9644ef5a6ed642754cb, e4cb3440dcad461a9c2cb9aa0728859efb4ce0f2b94b93e97f3b52de0e5b1447, 8e8f40bb6fa0a14d57b6656b7c020556fca02a721797fb316864460506b9b969, 888f4a852642ce70197f77e213456ea2b3cfca4a592b94647827ca45adf2a5b8,

Attack Name	TYPE	VALUE
<u>Mirai</u>	SHA256	b43a8a56c10ba17ddd6fa9a8ce10ab264c6495b82a38620e9d54d66ec8677b0c, 4f53eb7fbfa5b68cad3a0850b570cbbcb2d4864e62b5bf0492b54bde2bdbe44b
<u>Helldown</u>	SHA256	0bfe25de8c46834e9a7c216f99057d855e272eafafdfef98a6012cecbddcfab, 7cd7c04c62d2a8b4697ceebbe7dd95c910d687e4a6989c1d839117e55c1cafd7, 7731d73e048a351205615821b90ed4f2507abc65acf4d6fe30ecdb211f0b0872, 3e3fad9888856ce195c9c239ad014074f687ba288c78ef26660be93ddd97289e, 2621c5c7e1c12560c6062fdf2eeeb815de4ce3856376022a1a9f8421b4bae8e1, 47635e2cf9d41cab4b73f2a37e6a59a7de29428b75a7b4481205aee4330d4d19, cb48e4298b216ae532cfd3c89c8f2cbd1e32bb402866d2c81682c6671aa4f8ea, 67aea3de7ab23b72e02347cbf6514f28fb726d313e62934b5de6d154215ee733, 2b15e09b98bc2835a4430c4560d3f5b25011141c9efa4331f66e9a707e2a23c0, 6ef9a0b6301d737763f6c59ae6d5b3be4cf38941a69517be0f069d0a35f394dd, 9ab19741ac36e198fb2fd912620bf320aa7fdeeeb8d4a9e956f3eb3d2092c92c, ccd78d3eba6c53959835c6407d81262d3094e8d06bf2712fefa4b04baadd4bfe



Vulnerabilities Exploited

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-38094</u>		Microsoft SharePoint Server Subscription Edition Microsoft SharePoint Server 2019	-
	ZERO-DAY	Microsoft SharePoint Enterprise Server 2016	
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:a:microsoft:sharepoint_server:*:*:*:*:*	-
Microsoft SharePoint Remote Code Execution Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-502	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application, T1078 : Valid Accounts	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-38094

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-5910</u>		Palo Alto Networks' Expedition versions prior to 1.2.92	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:paloaltonetworks:expedition:*:*:*:*:*:*	-
Palo Alto Expedition Missing Authentication Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-306	T1059: Command and Scripting Interpreter, T1078 : Valid Accounts, T1068 : Exploitation for Privilege Escalation	https://live.paloaltonetworks.com/t5/expedition-release-notes/expedition-1-2-96-hotfix-information/ta-p/599340

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-9464</u>		Palo Alto Networks' Expedition versions prior to 1.2.96	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:paloaltonetworks:expedition:*:*:*:*:*:*	-
Palo Alto Expedition OS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter, T1068 : Exploitation for Privilege Escalation	https://live.paloaltonetworks.com/t5/expedition-release-notes/expedition-1-2-96-hotfix-information/ta-p/599340

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2017-0199</u>		Microsoft Office and WordPad	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:microsoft:office:*:*:*:*:*:*	Remcos RAT
Microsoft Office and WordPad Remote Code Execution Vulnerability		cpe:2.3:o:microsoft:windows:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	
	CWE-20	T1059: Command and Scripting Interpreter	https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2017-0199

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-49039</u>		Windows: 10 - 11 24H2 Windows Server: 2016 - 2025	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows:*:*:*:*:*	-
Windows Task Scheduler Elevation of Privilege Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	
	CWE-287	T1068: Exploitation for Privilege Escalation	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-49039

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-43451</u>		Windows: 10 - 11 24H2 Windows Server: 2008 - 2025	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:o:microsoft:windows:*:*:*:*:*:*	-
NTLM Hash Disclosure Spoofing Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-73	T1204: User Execution	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-43451

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-49040</u>		Microsoft Exchange Server 2016 & 2019	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:a:microsoft:exchange_server:2016:*:*:*:*:*	-
Microsoft Exchange Server Spoofing Vulnerability		cpe:2.3:a:microsoft:exchange_server:2019:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-451	T1204: User Execution	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-49040

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-49019</u>		Windows Server: 2008 - 2025	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	-
Active Directory Certificate Services Elevation of Privilege Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-1390	T1068: Exploitation for Privilege Escalation	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2024-49019

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-49056</u>		airlift.microsoft.com	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:a:microsoft:airlift.microsoft.com:*:*:*:*:*:*	-
Airlift.microsoft.com Elevation of Privilege Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-302	T1068: Exploitation for Privilege Escalation	No patch

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-10914</u>		DNS-320 Version 1.00, DNS-320LW Version 1.01.0914.2012, DNS-325 Version 1.01, Version 1.02, DNS-340L Version 1.08	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:o:dlink:dns-320_firmware:*:*:*:*:*:* cpe:2.3:o:dlink:dns-320lw_firmware:*:*:*:*:*:* cpe:2.3:o:dlink:dns-325_firmware:*:*:*:*:*:* cpe:2.3:o:dlink:dns-340l_firmware:*:*:*:*:*:*	-
D-Link NAS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-77	T1059: Command and Scripting Interpreter	No patches are available as these devices are no longer supported, by the vendor.

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-9463</u>		Palo Alto Networks' Expedition versions prior to 1.2.92	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:a:paloaltonetworks:expedition:*.~.*.*.*.*.*.*	-
Palo Alto Networks Expedition OS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter, T1068: Exploitation for Privilege Escalation	https://live.paloalto networks.com/t5/expedition-release-notes/expedition-1-2-96-hotfix-information/ta-p/599340

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-9465</u>		Palo Alto Networks' Expedition versions prior to 1.2.92	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:a:paloaltonetworks:expedition:*.~.*.*.*.*.*.*	-
Palo Alto Networks Expedition SQL Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-89	T1059: Command and Scripting Interpreter	https://live.paloalto networks.com/t5/expedition-release-notes/expedition-1-2-96-hotfix-information/ta-p/599340

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTOR
<u>CVE-2024-11120</u>		GeoVision VS12, GeoVision VS11, GeoVision DSP_LPR_V3, GeoVision LX 4 V2, GeoVision LX 4 V3	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSO MWARE
NAME	CISA KEY	cpe:2.3:o:geovision:gvlx_4_v3_firmw are:*.~*.~*.~*.~*.~*.~* cpe:2.3:o:geovision:gvlx_4_v2_firmw are:*.~*.~*.~*.~*.~*.~* cpe:2.3:o:geovision:gv-vs12_firmware:*.~*.~*.~*.~*.~*.~* cpe:2.3:o:geovision:gv-vs11_firmware:*.~*.~*.~*.~*.~*.~* cpe:2.3:o:geovision:gv-dsp_lpr_v3_firmware:*.~*.~*.~*.~*.~*.~*	Mirai
GeoVision OS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH DETAILS
	CWE-78	T1498: Network Denial of Service, T1059: Command and Scripting Interpreter, T1588.005: Exploits	End of Life GeoVision device is affected

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-38812</u>		VMware vCenter Server: 7.0 - 8.0, VMware Cloud Foundation: 4.x - 5.1.x	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:vmware:vcenter_server:*:*:*:*:*:* cpe:2.3:a:vmware:cloud_foundation:*:*:*:*:*:*	-
VMware vCenter Server Heap-Overflow Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-122	T1574: Hijack Execution Flow, T1021.003: Distributed Component Object Model	https://support.broadcom.com/web/ecx/support-content-notification/-/external/content/SecurityAdvisories/0/24968

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-38813</u>		VMware vCenter Server: 7.0 - 8.0, VMware Cloud Foundation: 4.x - 5.1.x	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:vmware:vcenter_server:*:*:*:*:*:* cpe:2.3:a:vmware:cloud_foundation:*:*:*:*:*:*	-
VMware vCenter Server Privilege Escalation Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1068: Exploitation for Privilege Escalation	https://support.broadcom.com/web/ecx/support-content-notification/-/external/content/SecurityAdvisories/0/24968

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-0012</u>		Palo Alto Networks PAN-OS Versions Prior to 11.2.4-h1, Versions Prior to 11.1.5-h1, Versions Prior to 11.0.6-h1, Versions Prior to 10.2.12-h2	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:paloaltonetworks:pan-os:*:*:*:*:*:*	-
Palo Alto Networks PAN-OS Management Interface Authentication Bypass Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-306	T1556: Modify Authentication Process	https://security.paloaltonetworks.com/CVE-2024-0012

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-9474</u>		Palo Alto Networks PAN-OS Versions Prior to 11.2.4-h1, Versions Prior to 11.1.5-h1, Versions Prior to 11.0.6-h1, Versions Prior to 10.2.12-h2, Versions Prior to 10.1.14-h6	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:paloaltonetworks:pan-os:*:*:*:*:*:*	-
Palo Alto Networks PAN-OS Management Interface OS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter	https://security.paloaltonetworks.com/CVE-2024-9474

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-44308</u>		Safari Version Prior to 18.1, macOS Version Prior to 15.1, iOS and iPadOS Version Prior to 18.1, visionOS Version Prior to 2.1	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:apple:visionos:*:*:*:*:*:*:*:* cpe:2.3:a:apple:safari:*:*:*:*:*:*:*:* cpe:2.3:a:apple:macos:*:*:*:*:*:*:*:* cpe:2.3:a:apple:ios:*:*:*:*:*:*:*:*	-
Apple Multiple Products Code Execution Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-20	T1059: Command and Scripting Interpreter	https://support.apple.com/en-us/118575 https://support.apple.com/en-us/118481 https://support.apple.com/en-us/108382

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-44309</u>		Safari Version Prior to 18.1, macOS Version Prior to 15.1, iOS and iPadOS Version Prior to 18.1, visionOS Version Prior to 2.1	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSO MWARE
NAME	CISA KEY	cpe:2.3:a:apple:visionos:*:*:*:*:*:*:*	-
Apple Multiple Products Cross-Site Scripting (XSS) Vulnerability		cpe:2.3:a:apple:safari:*:*:*:*:*:*:*	
		cpe:2.3:a:apple:macos:*:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-79	T1189: Drive-by Compromise	https://support.apple.com/en-us/118575 https://support.apple.com/en-us/118481 https://support.apple.com/en-us/108382

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-42057</u>		Zyxel ATP series	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:zyxel:zld_firmware:*:*:*:*:*:*	Helldown ransomware
Zyxel ATP series Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter, T1133: External Remote Services	https://www.zyxel.com/global/en/support/security-advisories/zyxel-security-advisory-for-multiple-vulnerabilities-in-firewalls-09-03-2024

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-21287</u>		Oracle Agile PLM Framework Version 9.3.6	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:oracle:agile_plm_framework:*:*:*:*:*:*	-
Oracle Agile Product Lifecycle Management (PLM) Incorrect Authorization Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-863	T1565: Data Manipulation, T1068: Exploitation for Privilege Escalation, T1190: Exploit Public-Facing Application	https://support.oracle.com/rs?type=doc&id=3058429.1

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-23692</u>		Rejetto HTTP File Server	TAG110
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:rejetto:http_file_server:*:*:*:*:*	HATVIBE and CHERRYSPY
Rejetto HTTP File Server Improper Neutralization of Special Elements Used in a Template Engine Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-94	T1059: Command and Scripting Interpreter	https://www.rejetto.com/hfs/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-36884</u>		Microsoft Office and Windows	RomCom
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows:*:*:*:*:* cpe:2.3:o:microsoft:windows_server:*:*:*:*:*	RomCom backdoor
Microsoft Windows Search Remote Code Execution Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-362	T1059: Command and Scripting Interpreter	https://msrc.microsoft.com/update-guide/vulnerability/CVE-2023-36884

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-9680</u>		Mozilla Firefox and Firefox ESR	RomCom
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSO MWARE
NAME	CISA KEV	cpe:2.3:a:mozilla:firefox:*:*:*:esr:*:*:*	RomCom backdoor
Mozilla Firefox Use-After-Free Vulnerability		cpe:2.3:a:mozilla:firefox:*:*:*:*:-.*:*:*	
		cpe:2.3:a:mozilla:thunderbird:*:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-416	T1059: Command and Scripting Interpreter	https://www.mozilla.org/en-US/firefox/new/ , https://www.mozilla.org/en-US/firefox/enterprise/#download

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2017-18368</u>		Zyxel P660HN-T1A Routers	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:h:zyxel:p660hn-t1a_v2:-:*:*:*:*:*:*	Mirai botnet
Zyxel P660HN-T1A Routers Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter	https://www.zyxel.com/global/en/support/security-advisories/zyxel-security-advisory-for-a-new-variant-of-gafgyt-malware

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2021-20090</u>		Buffalo WSR firmware	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:buffalo:wsr-2533dhpl2-bk_firmware:*:*:*:*:*:* cpe:2.3:h:buffalo:wsr-2533dhpl2-bk:-:*:*:*:*:*:*	Mirai botnet
Arcadyan Buffalo Firmware Path Traversal Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-22	T1202: Indirect Command Execution	https://www.buffalo-technology.com/service-support/downloads/software-firmware-updates/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-27348</u>		Apache HugeGraph-Server	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:apache:hugegraph:*:*:*:*:*:*	Mirai botnet
Apache HugeGraph-Server Improper Access Control Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-284	T1222: File and Directory Permissions Modification	https://hugegraph.apache.org/docs/download/download/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2022-30525</u>		Zyxel Multiple Firewalls	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:zyxel:- .*.*.*.*.*.*.*.*	Mirai botnet
Zyxel Multiple Firewalls OS Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter	https://www.zyxel.com/global/en/support/security-advisories/zyxel-security-advisory-for-os-command-injection-vulnerability-of-firewalls

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2018-10562</u>		Dasan GPON home routers	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:dasannetworks:gpou_router_firmware:-:.*.*.*.*.*.*.*.* cpe:2.3:h:dasannetworks:gpou_router:-:.*.*.*.*.*.*.*.*	Mirai botnet
Dasan GPON Routers Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1059: Command and Scripting Interpreter	

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2018-10561</u>		Dasan GPON home routers	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:dasannetworks:gpon_router_firmware:- :*:*:*:*:*:*	Mirai botnet
Dasan GPON Routers Command Injection Vulnerability		cpe:2.3:h:dasannetworks:gpon_router:-:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-287	T1059: Command and Scripting Interpreter	

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2017-17215</u>		Huawei HG532 router: All versions	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:h:huawei:hg532:- :*:*:*:*:*:*	Mirai botnet
Huawei HG532 RCE Vulnerability		cpe:2.3:o:huawei:hg532_firmware:- :*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-20	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application	https://www.huawei.com/en/psirt/security-notices/huawei-sn-20171130-01-hg532-en

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2014-8361</u>		Realtek SDK: All versions	Matrix
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:dlink:dir-905l_firmware:*:*:*:*:*:*	Mirai botnet
Realtek SDK Improper Input Validation Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-20	T1059: Command and Scripting Interpreter	https://support.announcement.us.dlink.com/security/publication.aspx?name=SAP10055

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-46805</u>		Ivanti Connect Secure and Policy Secure	Earth Estries
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:ivanti:connect_secure:*:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
Ivanti Connect Secure and Policy Secure Authentication Bypass Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-287	T1190: Exploit Public-Facing Application, T1040: Network Sniffing	https://forums.ivanti.com/s/article/CVE-2023-46805-Authentication-Bypass-CVE-2024-21887-Command-Injection-for-Ivanti-Connect-Secure-and-Ivanti-Policy-Secure-Gateways?language=en_US

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-21887</u>		Ivanti Connect Secure and Policy Secure	Earth Estries
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:ivanti:connect_secure:-:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
Ivanti Connect Secure and Policy Secure Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-77	T1059: Command and Scripting Interpreter	https://forums.ivanti.com/s/article/CVE-2023-46805-Authentication-Bypass-CVE-2024-21887-Command-Injection-for-Ivanti-Connect-Secure-and-Ivanti-Policy-Secure-Gateways?language=en_US

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-48788</u>		Fortinet FortiClientEMS	Earth Estries
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:fortinet:forticlient_enterprise_management_server:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
Fortinet FortiClient EMS SQL Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-89	T1059: Command and Scripting Interpreter	https://fortiguard.fortinet.com/psirt/FG-IR-24-007

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2022-3236</u>		Sophos Firewall	Earth Estries
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:sophos:firewall:*:*:*:*:*:*:*	GHOSTSPIDER, SNAPPYBEE, MASOL RAT
Sophos Firewall Code Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-94	T1059: Command and Scripting Interpreter	https://www.sophos.com/en-us/security-advisories/sophos-sa-20220923-sfos-rce

Attacks Executed

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
Rhadamanthys	Rhadamanthys is an information stealer featuring a versatile array of modules and a multi-layered architecture. Available on the black market and regularly updated, it poses a continual threat. Its sophisticated design enables it to evade detection while carrying out various malicious activities, including the theft and exfiltration of sensitive information.	Phishing	-
		IMPACT	AFFECTED PRODUCTS
TYPE		Operational Disruption, Data Theft, Financial Loss	-
Information stealer			PATCH LINK
ASSOCIATED ACTOR			-
-			

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
BeaverTail	BeaverTail is a JavaScript stealer malware that targets software developers through a supposed job interview process. It can steal sensitive information from web browsers, crypto wallets, and system data.	Social engineering	-
TYPE		IMPACT	AFFECTED PRODUCTS
Trojan		Data theft	Windows, macOS
ASSOCIATED ACTOR			PATCH LINK
-			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>InvisibleFerret</u>	InvisibleFerret is a newly discovered, cross-platform Python backdoor malware that is part of a campaign targeting job seekers. It consists of various components for fingerprinting, remote control, keylogging, data exfiltration, browser stealing, and downloading the AnyDesk client for additional control.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Data theft	Windows, macOS
ASSOCIATED ACTOR			PATCH LINK
-			-

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>PivotBox</u>	PivotBox is a customized version of TinyBox, emulated using QEMU, which is designed to run in the background with preconfigured settings. It has been modified to include a Chisel backdoor.	Phishing	-
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Remote access, Data theft	Windows
ASSOCIATED ACTOR			PATCH LINK
-			--

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Chisel</u>	Chisel is an Open Source tool designed for fast TCP/UDP tunneling, secured using SSH and transported over HTTP. Developed in Go and employed by Threat Actors for establishing C2 connections.	Phishing	-
		IMPACT	AFFECTED PRODUCTS
TYPE		Remote access, Data exfiltration	-
Hack tool			PATCH LINK
ASSOCIATED ACTOR			
-			-

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>GootLoader</u>	GootLoader is a stealthy malware acting as a first-stage downloader targeting Windows systems. It plays a key role in Initial-Access-as-a-Service (IAaaS), a cornerstone of the Ransomware-as-a-Service (RaaS) criminal ecosystem. Its origins trace back to GootKit, a banking trojan and stealer active since 2014, which served as its earliest second-stage payload.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Loads other malware	-
ASSOCIATED ACTOR			PATCH LINK
-			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
GootKit	GootKit is a banking trojan with an x86 loader and a Node.js-powered payload. The loader stores the payload in the registry, injects it into its process, and places encrypted DLLs into browser processes. These DLLs enable man-in-the-browser attacks, allowing GootKit to intercept and modify HTTP/HTTPS traffic using web injects from its command-and-control server for data theft and manipulation.	GootLoader	-
TYPE		IMPACT	AFFECTED PRODUCTS
RAT		Steal Data	-
ASSOCIATED ACTOR			PATCH LINK
-			-

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Ymir ransomware	The Ymir ransomware is a sophisticated new threat that uses in-memory execution and advanced evasion techniques to bypass traditional detection methods. Linked to credential-stealing malware like RustyStealer, Ymir operates by executing key functions directly within system memory through specialized memory management operations, making it a formidable addition to the ransomware landscape.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Ransomware		Encrypt Data	-
ASSOCIATED ACTOR			PATCH LINK
-			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>RustyStealer</u>	RustyStealer, first identified in 2021, is a credential-stealing malware designed to harvest login data and enable unauthorized access. By targeting high-privilege accounts, it facilitates lateral movement within networks, creating a pathway for deploying Ymir ransomware.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Credential Stealer		Steal data	-
ASSOCIATED ACTOR			PATCH LINK
-			-

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Remcos RAT</u>	Remcos is a remote access trojan (RAT) that grants attackers backdoor access to infected systems, enabling the collection of sensitive data. It evades detection through techniques like process injection and process hollowing, running within legitimate processes. Its core functionality includes encrypted communication with command-and-control (C2) servers, often using Distributed DNS to generate multiple domains for C2 infrastructure.	Phishing	CVE-2017-0199
TYPE		IMPACT	AFFECTED PRODUCTS
RAT		Steal data	Windows
ASSOCIATED ACTOR			PATCH LINK
-			https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2017-0199

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
IronWind Loader	IronWind is a newly identified initial access downloader designed to connect to attacker-controlled servers to retrieve additional payloads. Among these, it often delivers post-exploitation toolkits, enabling further malicious activities on compromised systems.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Downloader		Loads Malware	-
ASSOCIATED ACTOR			PATCH LINK
WIRTE (aka White Dev 21)			-

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
Havoc Demon	Havoc is an open-source command-and-control (C2) framework emerging as an alternative to tools like Cobalt Strike and Brute Ratel. Threat actors deliver its Havoc Demon Agent via a ZIP archive named "ZeroTwo.zip", which contains a downloader file and a decoy document to initiate the infection chain.	Social Engineering	-
TYPE		IMPACT	AFFECTED PRODUCTS
Framework		Remote Access, System Compromise	-
ASSOCIATED ACTOR			PATCH LINK
WIRTE (aka White Dev 21)			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>SameCoin Wiper</u>	SameCoin is a multi-platform wiper targeting Android and Windows systems, disguised as an INCD security update. On infection, it modifies the system's background while executing its destructive payload.	Disguised as an INCD security update	-
TYPE		IMPACT	AFFECTED PRODUCTS
Wiper		Wipe Data, Modify Data	-
ASSOCIATED ACTOR			PATCH LINK
WIRTE (aka White Dev 21)			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Mirai</u>	Mirai is a self-replicating malware that scours the internet for vulnerable IoT devices, infecting them to form a botnet. Variants of Mirai leverage lists of commonly used default credentials to gain unauthorized access to these devices.	Exploiting Vulnerabilities	CVE-2024-11120, CVE-2017-18368, CVE-2021-20090, CVE-2024-27348, CVE-2022-30525, CVE-2022-30075, CVE-2018-10562, CVE-2018-10561, CVE-2018-9995, CVE-2017-17215, CVE-2017-17106, CVE-2014-8361
TYPE		IMPACT	AFFECTED PRODUCT
Botnet		Distributed Denial of Service (DDoS) Attacks, Information Theft	GeoVision Devices, Zyxel P660HN-T1A Routers, Buffalo WSR Firmware, Apache HugeGraph-Server, Zyxel Multiple Firewalls, TP-Link Router AX50 Firmware, Dasan GPON home Routers, TBK DVR devices, Huawei HG532 router: All Versions, Zivif PR115-204-P-RS Webcams, Realtek SDK: All versions
ASSOCIATED ACTOR			PATCH DETAILS
Matrix			End of Life GeoVision device is affected https://www.zyxel.com/global/en/support/security-advisories/zyxel-security-advisory-for-a-new-variant-of-gafgyt-malware , https://www.buffalo-technology.com/service-support/downloads/software-firmware-updates/ , https://hugegraph.apache.org/docs/download/download/ , https://www.zyxel.com/global/en/support/security-advisories/zyxel-security-advisory-for-os-command-injection-vulnerability-of-firewalls , https://www.tp-link.com/us/support/download/archer-ax50/ , https://www.huawei.com/en/psirt/security-notices/huawei-sn-20171130-01-hg532-en , https://supportannouncement.us.dlink.com/security/publication.aspx?name=SAP10055

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Helldown</u>	Helldown ransomware utilizes a double extortion approach, encrypting data while simultaneously threatening to expose sensitive information unless the ransom is paid. Although Helldown shares code similarities with LockBit 3.0, it remains a distinct variant and is actively being developed.	Exploitation of vulnerabilities in Zyxel	CVE-2024-42057
TYPE		IMPACT	AFFECTED PRODUCT
Ransomware			
ASSOCIATED ACTOR			
-			
		Financial Loss, Data Breaches and Reputation Damage	Zyxel ATP series
			PATCH LINK
			https://www.zyxel.com/global/en/support/security-advisories/zyxel-security-advisory-for-multiple-vulnerabilities-in-firewalls-09-03-2024

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>DEEPDATA</u>	The DEEPDATA toolkit is a modular post-exploitation framework crafted to extract sensitive information from compromised Windows systems. Operating through command-line execution, its FortiClient plugin leverages the msenvico.dll library file to exploit a zero-day vulnerability. Upon deployment, the plugin extracts VPN credentials directly from the process memory of the FortiClient application.	Exploiting Vulnerability	-
TYPE		IMPACT	AFFECTED PRODUCT
Post-exploitation tool			
ASSOCIATED ACTOR			
BrazenBamboo			
		Information Theft, Post-Exploitation Persistence	FortiClient
			PATCH LINK
			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>LIGHTSPY</u>	LIGHTSPY is a multi-platform malware family with documented Android, iOS, and macOS variants. As a modular backdoor, it enables attackers to execute shell commands and manipulate files on compromised devices remotely. Additionally, LIGHTSPY has various modules designed to exfiltrate data from the infected system.	Exploiting Vulnerability	-
		IMPACT	AFFECTED PRODUCT
TYPE		Information Theft, Remote Command Execution	FortiClient
Modular Backdoor			PATCH LINK
ASSOCIATED ACTOR			-
BrzenBamboo			

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>NodeStealer</u>	NodeStealer is a Python-based stealer malware that has evolved with enhanced capabilities to cause greater damage. This version targets not only credentials stored in web browsers but also sensitive credit card information. Furthermore, it has been upgraded to extract additional data from victims' Facebook Ads Manager accounts, significantly increasing its potential impact on businesses and individuals.	-	-
		IMPACT	AFFECTED PRODUCT
TYPE		Credential Theft, Business and Individual Reputational Damage	-
Stealer			PATCH LINK
ASSOCIATED ACTOR			-
-			

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>WolfsBane</u>	WolfsBane showcases exceptional complexity through its refined deployment framework, incorporating a dropper, launcher, and backdoor. Its use of custom-built libraries for network interactions, along with rootkits to obscure its operations, reflects a modular design and precision similar to its Windows counterpart.	Unknown	-
TYPE		IMPACT	AFFECTED PRODUCT
Backdoor		Information Theft, Remote Control, Network Breach	-
ASSOCIATED ACTOR			PATCH LINK
Gelsemium			-

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>FireWood</u>	The FireWood backdoor builds on the Project Wood lineage by employing kernel-level rootkits to conceal processes and advanced encryption techniques like TEA to guarantee secure communication.	Unknown	-
TYPE		IMPACT	AFFECTED PRODUCT
Backdoor		Information Theft, Persistence	-
ASSOCIATED ACTOR			PATCH LINK
Gelsemium			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>HATVIBE</u>	HATVIBE is a custom HTML Application (HTA) loader designed to deploy additional malware, including the CHERRYSPY backdoor. It ensures persistence by using a scheduled task to execute the HTA file through mshta.exe. HATVIBE also employs two layers of obfuscation to evade detection.	Phishing, Exploitation of vulnerable web-facing services	CVE-2024-23692
		IMPACT	AFFECTED PRODUCT
TYPE		Malware Deployment, Persistence	Rejetto HTTP File Server
Loader			PATCH LINK
ASSOCIATED ACTOR			https://www.rejetto.com/hfs/
TAG-110			

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>CHERRYSPY</u>	CHERRYSPY is a custom Python backdoor designed for espionage. HATVIBE typically downloads it along with a Python interpreter, which is used for execution. Once activated, CHERRYSPY establishes a secure communication channel with a hard-coded C2 server via HTTP POST requests.	Phishing, Exploitation of vulnerable web-facing services	CVE-2024-23692
		IMPACT	AFFECTED PRODUCT
TYPE		Information Theft, Remote Access	Rejetto HTTP File Server
Backdoor			PATCH LINK
ASSOCIATED ACTOR			https://www.rejetto.com/hfs/
TAG-110			

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>RomCom</u>	The RomCom backdoor maintains persistence by hijacking DLLs loaded by explorer.exe or wordpad.exe. It identifies debuggers by registering an exception handler and checks the system state before execution. Furthermore, it employs a browser stealer module to gather passwords, cookies, and session data.	Exploiting vulnerabilities	CVE-2023-36884 CVE-2024-9680
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Information Theft, Remote Access	Microsoft Office, Windows, Mozilla Firefox, and Firefox ESR
ASSOCIATED ACTOR			PATCH LINKS
RomCom			https://msrc.microsoft.com/update-guide/vulnerability/CVE-2023-36884 , https://www.mozilla.org/en-US/firefox/new/ , https://www.mozilla.org/en-US/firefox/enterprise/#download

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>GHOSTSPIDER</u>	GHOSTSPIDER is a sophisticated, multi-modular backdoor designed with multiple layers to load different modules for specific tasks. It communicates with its command-and-control (C&C) server using a custom protocol secured by Transport Layer Security (TLS), ensuring encrypted and secure communication.	Exploiting public-facing server vulnerabilities	CVE-2023-46805 CVE-2024-21887 CVE-2023-48788 CVE-2022-3236 CVE-2021-26855 CVE-2021-26857 CVE-2021-26858 CVE-2021-27065
TYPE		IMPACT	AFFECTED PRODUCTS
Modular Backdoor		Information Theft, Remote Access, Persistence	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server
ASSOCIATED ACTOR			PATCH LINKS
Earth Estries			https://forums.ivanti.com/s/article/CVE-2023-46805-Authentication-Bypass-CVE-2024-21887-Command-Injection-for-Ivanti-Connect-Secure-and-Ivanti-Policy-Secure-Gateways?language=en_US , https://fortiguard.fortinet.com/p/sirt/FG-IR-24-007 , https://www.sophos.com/en-us/security-advisories/sophos-sa-20220923-sfos-rce , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26855 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26857 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26858 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-27065

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
SNAPPYBEE (aka Deed RAT)	SNAPPYBEE is a modular backdoor designed for sustained access and espionage. It enables activities such as data exfiltration, system surveillance, and the execution of malicious commands by the attacker.	Exploiting public-facing server vulnerabilities	CVE-2023-46805 CVE-2024-21887 CVE-2023-48788 CVE-2022-3236 CVE-2021-26855 CVE-2021-26857 CVE-2021-26858 CVE-2021-27065
		IMPACT	AFFECTED PRODUCTS
TYPE		Espionage, Information Theft, Remote Access, Persistence	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server
Modular Backdoor			PATCH LINKS
ASSOCIATED ACTOR			https://forums.ivanti.com/s/article/CVE-2023-46805-Authentication-Bypass-CVE-2024-21887-Command-Injection-for-Ivanti-Connect-Secure-and-Ivanti-Policy-Secure-Gateways?language=en_US , https://fortiguard.fortinet.com/psirt/FG-IR-24-007 , https://www.sophos.com/en-us/security-advisories/sophos-sa-20220923-sfos-rce , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26855 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26857 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26858 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-27065
Earth Estries			

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
MASOL RAT (aka Backdr-NQ)	MASOL RAT is a cross-platform backdoor first observed in attacks aimed at Southeast Asian governments. It mainly targets Linux servers, offering remote access and the capability to execute commands.	Exploiting public-facing server vulnerabilities	CVE-2023-46805 CVE-2024-21887 CVE-2023-48788 CVE-2022-3236 CVE-2021-26855 CVE-2021-26857 CVE-2021-26858 CVE-2021-27065
TYPE		IMPACT	AFFECTED PRODUCTS
Backdoor		Espionage, Information Theft, Remote Access, Persistence	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server
ASSOCIATED ACTOR			PATCH LINKS
Earth Estries			https://forums.ivanti.com/s/article/CVE-2023-46805-Authentication-Bypass-CVE-2024-21887-Command-Injection-for-Ivanti-Connect-Secure-and-Ivanti-Policy-Secure-Gateways?language=en_US , https://fortiguard.fortinet.com/psirt/FG-IR-24-007 , https://www.sophos.com/en-us/security-advisories/sophos-sa-20220923-sfos-rce , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26855 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26857 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-26858 , https://msrc.microsoft.com/update-guide/en-US/advisory/CVE-2021-27065

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

Adversaries in Action

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Emennet Pasargad (aka Holy Souls, Vice Leaker, Haywire Kitten, Neptunium, Cotton Sandstorm, DEV-0198, Yellow Dev 19, Magic Kitten, Black Magic, ViceLeaker, kalin3t, Eeleyanet Gostar, EeleyanetGostar, Net Peygard Samavat, Hackers of Savior, Deus, Group 42, Voyeur, MARNANBRIDGE)</u>	Iran	Government, Energy, Financial, High Tech, NGOs, Civil Society, Shipping, Transportation, Political, Military, Airline, Manufacturing, Media, Travel, Hotels, Airlines, Oil, Petrochemical, Telecommunications	Israel, Akrotiri and Dhekelia, Bahrain, Cyprus, Egypt, Iraq, Jordan, Kuwait, Lebanon, Oman, Palestine, Qatar, Saudi Arabia, Syria, Turkey, United Arab Emirates, Yemen, Germany, United Kingdom, France, Italy, Spain, Poland, Romania, Netherlands, Belgium, Czech Republic, Sweden, Portugal, Greece, Hungary, Austria, Belarus, Switzerland, Bulgaria, Serbia, Denmark, Finland, Norway, Slovakia, Ireland, Croatia, Bosnia and Herzegovina, Moldova, Lithuania, Albania, Slovenia, Latvia, North Macedonia, Estonia, Luxembourg, Montenegro, Malta, Iceland, Andorra, Liechtenstein, Monaco, San Marino, Holy See, United States, Isle of Man, Faeroe Islands
	MOTIVE		
	Hacktivism, Espionage, Financial Gains		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	-	-	-

TTPs
TA0043: Reconnaissance, TA0042: Resource Development, TA0001: Initial Access, TA0006: Credential Access, TA0011: Command and Control, T1596: Search Open Technical Databases, T1589: Gather Victim Identity Information, T1589.002: Email Addresses, T1589.003: Employee Names, T1591.001: Determine Physical Locations, T1595.002: Vulnerability Scanning, T1590.001: Domain Properties, T1595.001: Scanning IP Blocks, T1650: Acquire Access, T1583: Acquire Infrastructure, T1587: Develop Capabilities, T1190: Exploit Public-Facing Application, T1110.001: Password Guessing, T1110.002: Password Cracking, T1071.001: Web Protocols, T1219: Remote Access Software

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>TAG-112</u>	China	Media, Education	Worldwide
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	-	-
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0011: Command and Control; T1583: Acquire Infrastructure; T1583.004: Server; T1583.006: Web Services; T1584: Compromise Infrastructure; T1584.004: Server; T1189: Drive-by Compromise; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1071: Application Layer Protocol; T1204: User Execution; T1204.001: Malicious Link; T1539: Steal Web Session Cookie; T1573: Encrypted Channel; T1057: Process Discovery; T1105: Ingress Tool Transfer			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>WIRTE (aka White Dev 21)</u>	Middle East	Government, diplomatic, defense, financial, military, legal, healthcare, and technology	Jordan, Egypt, Saudi Arabia, Iraq, Israel, Palestine
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	-	IronWind Loader, Havoc Demon, SameCoin Wiper	-
TTPs			
TA0003: Persistence; TA0005: Defense Evasion ; TA0001: Initial Access; TA0002: Execution; TA0010: Exfiltration; TA0040: Impact; TA0011: Command and Control; T1053.005: Scheduled Task; T1059: Command and Scripting Interpreter; T1566: Phishing; T1027: Obfuscated Files or Information; T1055: Process Injection; T1574.002: DLL Side-Loading; T1574: Hijack Execution Flow; T1041: Exfiltration Over C2 Channel; T1584: Compromise Infrastructure; T1140: Deobfuscate/Decode Files or Information; T1204.002: Malicious File; T1053: Scheduled Task/Job; T1204.001: Malicious Link; T1204: User Execution; T1505.005: Terminal Services DLL; T1505: Server Software Component			

NAME	ORIGIN	TARGETED INDUSTRY	TARGETED REGION
 <u>BrazenBamboo</u>	China	All	Worldwide
	MOTIVE		
	Information Theft, Espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOM WARE	AFFECTED PRODUCT
	-	DEEPDATA, LIGHTSPY	FortiClient
TTPs			
TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0010: Exfiltration; TA0042: Resource Development; T1059: Command and Scripting Interpreter; T1059.003: Windows Command Shell; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1083: File and Directory Discovery; T1584: Compromise Infrastructure; T1587: Develop Capabilities; T1587.001: Malware; T1587.004: Exploits; T1133: External Remote Services; T1078: Valid Accounts; T1543: Create or Modify System Process; T1562: Impair Defenses; T1212: Exploitation for Credential Access; T1005: Data from Local System			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Gelsemium</u>	China	Education, Gaming, Government, High-Tech, NGOs and religious organizations	Worldwide
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOM WARE	AFFECTED PRODUCTS
	-	WolfsBane, FireWood	-

TTPs
TA0042: Resource Development; TA0002: Execution; TA0003: Persistence; TA0004: Privilege Escalation; TA0005: Defense Evasion; TA0007: Discovery; TA0009: Collection; TA0010: Exfiltration; T1583: Acquire Infrastructure; T1583.001: Domains; T1583.004: Server; T1587: Develop Capabilities; T1587.001: Malware; T1059: Command and Scripting Interpreter; T1059.004: Unix Shell; T1037: Boot or Logon Initialization Scripts; T1037.004: RC Scripts; T1543: Create or Modify System Process; T1543.002: Systemd Service; T1574: Hijack Execution Flow; T1574.006: Dynamic Linker Hijacking; T1547: Boot or Logon Autostart Execution; T1547.013: XDG Autostart Entries; T1546: Event Triggered Execution; T1546.004: Unix Shell Configuration Modification; T1548: Abuse Elevation Control Mechanism; T1548.001: Setuid and Setgid; T1070: Indicator Removal; T1070.004: File Deletion; T1070.006: Timestomp; T1070.009: Clear Persistence; T1564: Hide Artifacts; T1564.001: Hidden Files and Directories; T1222: File and Directory Permissions Modification; T1222.002: Linux and Mac File and Directory Permissions Modification; T1027: Obfuscated Files or Information; T1027.009: Embedded Payloads; T1014: Rootkit; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1082: System Information Discovery; T1083: File and Directory Discovery; T1056: Input Capture; T1041: Exfiltration Over C2 Channel

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>TAG110 (aka UAC-0063)</u>	Russia	Government entities, Human rights groups, and Educational institutions	Central Asia, Europe, and East Asia
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOM WARE	AFFECTED PRODUCTS
	CVE-2024-23692	HATVIBE and CHERRYSPY	Rejetto HTTP File Server
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0011: Command and Control; T1583: Acquire Infrastructure; T1583.003: Virtual Private Server; T1190: Exploit Public-Facing Application; T1566: Phishing; T1566.001: Spearphishing Attachment; T1059: Command and Scripting Interpreter; T1059.005: Visual Basic; T1204: User Execution; T1204.002: Malicious File; T1053: Scheduled Task/Job; T1053.005: Scheduled Task; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1218: System Binary Proxy Execution; T1218.005: Mshta; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1573: Encrypted Channel; T1573.001: Symmetric Cryptography; T1573.002: Asymmetric Cryptography;			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>RomCom (aka Storm-0978, Tropical Scorpius, UNC2596, Void Rabisu, DEV-0978)</u>	Russia	Construction, Education, Energy, Financial, Government, Healthcare, High-Tech, Manufacturing, Shipping and Logistics, Transportation	Europe and North America
	MOTIVE		
	Information theft and espionage, Financial gain		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOM WARE	AFFECTED PRODUCTS
	CVE-2023-36884, CVE-2024-9680	RomCom backdoor	Microsoft Office and Windows, Mozilla Firefox and Firefox ESR

TTPs

TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0004: Privilege Escalation; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0008: Lateral Movement; TA0009: Collection; TA0010: Exfiltration; TA0011: Command and Control; TA0040: Impact; T1583: Acquire Infrastructure; T1587: Develop Capabilities; T1587.001: Malware; T1587.004: Exploits; T1588: Obtain Capabilities; T1588.003: Code Signing Certificates; T1588.005: Exploits; T1588.006: Vulnerabilities; T1608: Stage Capabilities; T1189: Drive-by Compromise; T1053: Scheduled Task/Job; T1053.005: Scheduled Task; T1546: Event Triggered Execution; T1546.015: Component Object Model Hijacking; T1068: Exploitation for Privilege Escalation; T1622: Debugger Evasion; T1480: Execution Guardrails; T1027: Obfuscated Files or Information; T1027.011: Fileless Storage; T1553: Subvert Trust Controls; T1553.002: Code Signing; T1555: Credentials from Password Stores; T1555.003: Credentials from Web Browsers; T1552: Unsecured Credentials; T1552.001: Credentials In Files; T1087: Account Discovery; T1518: Software Discovery; T1614: System Location Discovery; T1021: Remote Services; T1560: Archive Collected Data; T1185: Browser Session Hijacking; T1005: Data from Local System; T1114: Email Collection; T1114.001: Local Email Collection; T1113: Screen Capture; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1041: Exfiltration Over C2 Channel; T1565: Data Manipulation; T1657: Financial Theft;

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Matrix</u>	Russia	All	Asia, Americas
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSO MWARE	AFFECTED PRODUCTS
	CVE-2017-18368, CVE-2021-20090, CVE-2024-27348, CVE-2022-30525, CVE-2022-30075, CVE-2018-10562, CVE-2018-10561, CVE-2018-9995, CVE-2017-17215, CVE-2017-17106, CVE-2014-8361	Mirai botnet	Zyxel P660HN-T1A Routers, Buffalo WSR Firmware, Apache HugeGraph-Server, Zyxel Multiple Firewalls, TP-Link Router AX50 Firmware, Dasan GPON home Routers, TBK DVR devices, Huawei HG532 router: All Versions, Zivif PR115-204-P-RS Webcams, Realtek SDK: All versions

TTPs
TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0008: Lateral Movement; TA0009: Collection; TA0011: Command and Control; TA0040: Impact; T1190: Exploit Public-Facing Application; T1078: Valid Accounts; T1059: Command and Scripting Interpreter; T1059.006: Python; T1543: Create or Modify System Process; T1562: Impair Defenses; T1562.001: Disable or Modify Tools; T1036: Masquerading; T1110: Brute Force; T1046: Network Service Discovery; T1210: Exploitation of Remote Services; T1563: Remote Service Session Hijacking; T1563.001: SSH Hijacking; T1005: Data from Local System; T1102: Web Service; T1573: Encrypted Channel; T1496: Resource Hijacking; T1499: Endpoint Denial of Service; T1499.002: Service Exhaustion Flood;

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 <u>Earth Estries (aka Salt Typhoon, FamousSparrow, GhostEmperor, UNC2286)</u>	China	Engineering, Government, Hospitality and law firms, Chemical, Consulting Firms, Military, NGOs, Non-Profit Organizations, Technology, Telecommunications, Transportation	Brazil, Burkina Faso, Canada, France, Guatemala, Israel, Lithuania, Saudi Arabia, South Africa, Taiwan, Thailand, UK, APAC, Middle East, Africa, Parts of the Americas
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	CVE-2023-46805, CVE-2024-21887, CVE-2023-48788, CVE-2022-3236, CVE-2021-26855, CVE-2021-26857, CVE-2021-26858, CVE-2021-27065	GHOSTSPIDER, SNAPPYBEE (aka Deed RAT), MASOL RAT	Ivanti Connect Secure and Policy Secure, Fortinet FortiClientEMS, Sophos Firewall, Microsoft Exchange Server

TTPs

TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0008: Lateral Movement; TA0009: Collection; TA0011: Command and Control; TA0010: Exfiltration; T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter; T1071.001: Web Protocols; T1059.003: Windows Command Shell; T1112: Modify Registry; T1070.004: File Deletion; T1070: Indicator Removal; T1027: Obfuscated Files or Information; T1083: File and Directory Discovery; T1005: Data from Local System; T1041: Exfiltration Over C2 Channel; T1071: Application Layer Protocol; T1053: Scheduled Task/Job; T1047: Windows Management Instrumentation; T1588.002: Tool; T1588: Obtain Capabilities; T1105: Ingress Tool Transfer; T1588.006: Vulnerabilities; T1587: Develop Capabilities; T1587.001: Malware

MITRE ATT&CK TTPS

Tactic	Technique	Sub-technique
TA0043: Reconnaissance	T1596: Search Open Technical Databases	
	T1589: Gather Victim Identity Information	T1589.003: Employee Names T1589.002: Email Addresses
	T1595: Active Scanning	T1595.002: Vulnerability Scanning T1595.001: Scanning IP Blocks
	T1590: Gather Victim Network Information	T1590.001: Domain Properties
	T1591: Gather Victim Org Information	T1591.001: Determine Physical Locations
	T1592: Gather Victim Host Information	
TA0042: Resource Development	T1650: Acquire Access	
	T1587: Develop Capabilities	T1587.001: Malware T1587.004: Exploits
	T1583: Acquire Infrastructure	T1583.006: Web Services T1583.004: Server T1583.001: Domains
		T1583.003: Virtual Private Server
	T1588: Obtain Capabilities	T1588.006: Vulnerabilities T1588.005: Exploits T1588.007: Artificial Intelligence T1588.003: Code Signing Certificates
		T1588.002: Tool
	T1608: Stage Capabilities	T1608.006: SEO Poisoning T1608.001: Upload Malware
	T1584: Compromise Infrastructure	T1584.004: Server
TA0001: Initial Access	T1190: Exploit Public-Facing Application	
	T1133: External Remote Services	
	T1078: Valid Accounts	T1078.002: Domain Accounts
	T1566: Phishing	T1566.002: Spearphishing Link T1566.003: Spearphishing via Service
		T1566.001: Spearphishing Attachment
	T1189: Drive-by Compromise	
TA0002: Execution	T1053: Scheduled Task/Job	T1053.005: Scheduled Task
		T1059.003: Windows Command Shell T1059.005: Visual Basic T1059.002: AppleScript T1059.001: PowerShell
	T1059: Command and Scripting Interpreter	T1059.007: JavaScript T1059.006: Python
	T1204: User Execution	T1204.002: Malicious File T1204.001: Malicious Link
	T1072: Software Deployment Tools	
	T1129: Shared Modules	
	T1106: Native API	
	T1203: Exploitation for Client Execution	
	T1569: System Services	T1569.002: Service Execution
	T1059.004: Unix Shell	
	T1047: Windows Management Instrumentation	

Tactic	Technique	Sub-technique
TA0003: Persistence	T1078: Valid Accounts	T1078.002: Domain Accounts
	T1053: Scheduled Task/Job	T1053.005: Scheduled Task
	T1574: Hijack Execution Flow	T1574.002: DLL Side-Loading
		T1574.004: Dylib Hijacking
		T1574.006: Dynamic Linker Hijacking
	T1547: Boot or Logon Autostart Execution	T1547.001: Registry Run Keys / Startup Folder
		T1547.013: XDG Autostart Entries
	T1505: Server Software Component	T1505.005: Terminal Services DLL
		T1505.003: Web Shell
	T1556: Modify Authentication Process	T1556.001: Domain Controller Authentication
	T1136: Create Account	T1136.001: Local Account
	T1543: Create or Modify System Process	T1543.003: Windows Service
		T1543.002: Systemd Service
	T1133: External Remote Services	
	T1037: Boot or Logon Initialization Scripts	T1037.004: RC Scripts
	T1546: Event Triggered Execution	T1546.004: Unix Shell Configuration Modification
		T1546.015: Component Object Model Hijacking
TA0004: Privilege Escalation	T1078: Valid Accounts	T1078.002: Domain Accounts
	T1053: Scheduled Task/Job	T1053.005: Scheduled Task
	T1068: Exploitation for Privilege Escalation	
	T1574: Hijack Execution Flow	T1574.002: DLL Side-Loading
		T1574.004: Dylib Hijacking
		T1574.006: Dynamic Linker Hijacking
	T1547: Boot or Logon Autostart Execution	T1547.001: Registry Run Keys / Startup Folder
		T1547.006: Kernel Modules and Extensions
	T1055: Process Injection	T1055.012: Process Hollowing
		T1543.002: Systemd Service
	T1543: Create or Modify System Process	T1543.003: Windows Service
	T1037: Boot or Logon Initialization Scripts	T1037.004: RC Scripts
	T1548: Abuse Elevation Control Mechanism	T1548.001: Setuid and Setgid
	T1546: Event Triggered Execution	T1546.004: Unix Shell Configuration Modification
		T1546.015: Component Object Model Hijacking
	T1562: Impair Defenses	
TA0005: Defense Evasion	T1078: Valid Accounts	T1078.002: Domain Accounts
	T1070: Indicator Removal	T1070.004: File Deletion
		T1070.009: Clear Persistence
		T1070.006: Timestamp
	T1656: Impersonation	

Tactic	Technique	Sub-technique
TA0005: Defense Evasion		T1574.002: DLL Side-Loading
		T1574.006: Dynamic Linker Hijacking
	T1574: Hijack Execution Flow	T1574.004: Dylib Hijacking
	T1036: Masquerading	T1036.005: Match Legitimate Name or Location
		T1027.011: Fileless Storage
		T1027.009: Embedded Payloads
	T1027: Obfuscated Files or Information	T1027.013: Encrypted/Encoded File
		T1218.011: Rundll32
	T1218: System Binary Proxy Execution	T1218.005: Mshta
		T1564.006: Run Virtual Instance
	T1564: Hide Artifacts	T1564.001: Hidden Files and Directories
	T1497: Virtualization/Sandbox Evasion	T1497.003: Time Based Evasion
	T1055: Process Injection	T1055.012: Process Hollowing
	T1140: Deobfuscate/Decode Files or Information	
	T1112: Modify Registry	
	T1556: Modify Authentication Process	T1556.001: Domain Controller Authentication
	T1548: Abuse Elevation Control Mechanism	
		T1548.001: Setuid and Setgid
	T1222: File and Directory Permissions Modification	T1222.002: Linux and Mac File and Directory Permissions Modification
	T1014: Rootkit	
	T1622: Debugger Evasion	
TA0006: Credential Access		T1110.004: Credential Stuffing
		T1110.002: Password Cracking
	T1110: Brute Force	T1110.001: Password Guessing
	T1003: OS Credential Dumping	
	T1555: Credentials from Password Stores	T1555.003: Credentials from Web Browsers
	T1056: Input Capture	T1056.001: Keylogging
	T1539: Steal Web Session Cookie	
		T1556.001: Domain Controller Authentication
	T1556: Modify Authentication Process	
	T1606: Forge Web Credentials	T1606.001: Web Cookies
	T1212: Exploitation for Credential Access	
	T1552: Unsecured Credentials	T1552.001: Credentials In Files
TA0007: Discovery	T1135: Network Share Discovery	
	T1087: Account Discovery	
	T1083: File and Directory Discovery	
	T1082: System Information Discovery	
	T1497: Virtualization/Sandbox Evasion	T1497.003: Time Based Evasion
	T1057: Process Discovery	
	T1217: Browser Information Discovery	
	T1622: Debugger Evasion	
	T1614: System Location Discovery	
	T1518: Software Discovery	
	T1046: Network Service Discovery	

Tactic	Technique	Sub-technique
TA0008: Lateral Movement	T1021: Remote Services	T1021.001: Remote Desktop Protocol
	T1072: Software Deployment Tools	
	T1563: Remote Service Session Hijacking	T1563.001: SSH Hijacking
	T1210: Exploitation of Remote Services	
TA0009: Collection	T1560: Archive Collected Data	T1560.001: Archive via Utility
	T1005: Data from Local System	
	T1056: Input Capture	T1056.001: Keylogging
	T1074: Data Staged	
	T1185: Browser Session Hijacking	
	T1114: Email Collection	T1114.001: Local Email Collection
	T1113: Screen Capture	
TA0011: Command and Control	T1105: Ingress Tool Transfer	
	T1090: Proxy	
	T1219: Remote Access Software	
		T1071.001: Web Protocols
	T1071: Application Layer Protocol	T1071.002: File Transfer Protocols
	T1001: Data Obfuscation	T1001.002: Steganography
	T1572: Protocol Tunneling	
	T1132: Data Encoding	
		T1573.002: Asymmetric Cryptography
	T1573: Encrypted Channel	T1573.001: Symmetric Cryptography
TA0010: Exfiltration	T1102: Web Service	
	T1041: Exfiltration Over C2 Channel	
	T1567: Exfiltration Over Web Service	
	T1048: Exfiltration Over Alternative Protocol	
TA0040: Impact	T1486: Data Encrypted for Impact	
	T1498: Network Denial of Service	
	T1490: Inhibit System Recovery	
	T1529: System Shutdown/Reboot	
	T1565: Data Manipulation	
	T1657: Financial Theft	
	T1499: Endpoint Denial of Service	T1499.002: Service Exhaustion Flood
	T1496: Resource Hijacking	

Top 5 Takeaways

#1

In **November**, there were **six zero-day** vulnerabilities, with the '**Three Celebrity Vulnerabilities**' taking center stage. These featured flaws such as **BlueKeep**, **Drupalgeddon2**, **ProxyLogon**.

#2

Over the past month, ransomware activity surged with notable campaigns led by **Helldown** and **Ymir** ransomware, aggressively targeting victims across various sectors. Meanwhile, the **Matrix** threat actor, suspected to operate from Russia, launched a highly disruptive Distributed Denial-of-Service (DDoS) campaign. Exploiting vulnerabilities in IoT devices, routers, and enterprise systems, **Matrix** capitalized on weak credentials to assemble a massive global botnet driven by the infamous **Mirai malware**.

#3

A diverse array of malware families has been recently detected actively targeting victims in real-world environments. These include the **RomCom backdoor**, **GHOSTSPIDER**, **SNAPPYBEE**, **MASOL RAT** and **Ymir Ransomware**.

#4

Nine active adversaries were identified across multiple campaigns, targeting the following key industries: **Government**, **Defense**, **Technology** and **Media**.

#5

Multiple campaigns leveraging sophisticated, previously unseen malware and ransomware variants orchestrated a total of 26 attacks. These attacks top impacted **United States**, **Switzerland** and **San Marino**.

Recommendations

Security Teams

This digest can be used as a guide to help security teams prioritize the **42 significant vulnerabilities** and block the indicators related to the **9 active threat actors**, **26 active malware**, and **180 potential MITRE TTPs**.

Uni5 Users

This is an actionable threat digest for HivePro Uni5 customers, who can get comprehensive insights into their threat exposure and take action easily through the HivePro Uni5 dashboard by:

- Running a scan to discover the assets impacted by the **42 significant vulnerabilities**.
- Testing the efficacy of their security controls by simulating the attacks related to **active threat actors**, **active malware**, and **potential MITRE TTPs** in Breach and Attack Simulation(BAS).

Hive Pro Threat Advisories (NOVEMBER 2024)

MONDAY		TUESDAY		WEDNESDAY		THURSDAY		FRIDAY		SATURDAY		SUNDAY	
						 		1		2		3	
4		5		6		7		    		9		10	
11		12		   		14		15		16		17	
18		19		20		21		22		23		24	
 						 							
25		26		27		28		29		30			
 													

Click on any of the icons to get directed to the advisory

	Red Vulnerability Report		Amber Attack Report
	Amber Vulnerability Report		Red Actor Report
	Green Vulnerability Report		Amber Actor Report
	Red Attack Report		

Appendix

Known Exploited Vulnerabilities (KEV): Software vulnerabilities for which there are public exploits or proof-of-concept (PoC) code available, and for which there is a high risk of potential harm to an organization's systems or data if left unaddressed.

Celebrity Vulnerabilities: Software vulnerabilities that have gained significant attention and have been branded with catchy names and logos due to their profound and multifaceted impact. These vulnerabilities provide malicious actors with opportunities to breach sensitive systems, potentially resulting in unauthorized access and the compromise of critical information.

Social engineering: is an attack that relies on human interaction to persuade people into compromising security. It involves various strategies aimed at extracting specific information or performing illicit activities from a target.

Supply chain attack: Also known as a value-chain or third-party attack, occurs when an outside partner or provider with access to your systems and data infiltrates your system. The purpose is to gain access to source codes, development processes, or update mechanisms in order to distribute malware by infecting legitimate programs.

Eavesdropping: Often known as sniffing or spying, is a significant risk in cybersecurity. Passwords, credit card information, and other sensitive data are easily stolen during these attacks as they are transmitted from one device to another. This type of network attack often occurs when unsecured networks, such as public Wi-Fi connections or shared electronic devices, are used.

Glossary:

CISA KEV - Cybersecurity & Infrastructure Security Agency Known Exploited Vulnerabilities

CVE - Common Vulnerabilities and Exposures

CPE - Common Platform Enumeration

CWE - Common Weakness Enumeration

✂ Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>BeaverTail</u>	SHA256	d801ad1beeab3500c65434da51326d7648a3c54923d794b2411b7b6a2960f31e, d5c0b89e1dfbe9f5e5b2c3f745af895a36adf772f0b72a22052ae6dfa045cea6, c0110cb21ae0e7fb5dec83ca90db9e250b47a394662810f230eb621b0728aa97, 9e3a9dbf10793a27361b3cef4d2c87dbd3662646f4470e5242074df4cb96c6b4, 91f96f2ddfa293806ec3effb8e05bc6941660237de90215b23281d706a2bc706, 24b89c77eaeabd4b02c8e8ab6ad3bd7abaa18893ecd469a6a04eda5e374dd305, 0f5f0a3ac843df675168f82021c24180ea22f764f87f82f9f77fe8f0ba0b7132, 0d8119f01d727beacbe6fe877541b3c11b084ffdc53c8bae436aca3dbc197076, 0621d37818c35e2557fdd8a729e50ea662ba518df8ca61a44cc3add5c6deb3cd
<u>InvisibleFerret</u>	SHA256	5bdd872a2a49b5682b297350222eee847c0a1e52125688acb9aa8a7b9ec4de29
	SHA1	9c1fddc45a6ad5a5b738e1ead5efd46051fdfd35
	MD5	2f7e6d05caab11bac4d585108a14d3c2
<u>Rhadamanthys</u>	SHA256	cf9d93951e558ed22815b34446cfa2bd2cf3d1582d8bd97912612f4d4128a64e, 48aaa2dec95537cdf9fc471dbcb4ff726be4a0647dbdf6300fa61858c2b0099, 00fc4b8a4c65c06766608f3ef3f92385c8e147f5991dabe290e33dd14b39ad44, 0ad65fd0897a6547f6febf398708ab2d423a8f8834b53136219cb490ec3ebd13, 11ba24d023b544e28c37b6cb8afe27d06638175d7f56c2e4d4ff97bf7bd813b6, 1a2399ecc38f3288206c75b55762d125d3d75254062a2c0d85c86e7f896736ac, 258ffcc13dbe110bcce21b91f7f075995719791fdd3c9f55ea5934984fa4373d, 2cbc1e8a4cb5d18a867666adbd3417bc88d48a74ae6500593959aec1a1c92d2d, 342a5c7df2bdd040570f4b83c74366d4c96a90d6418149d432cb5e8577f2f6b1, 3648e89e7449ea433a8b3ef0e5b605b5dc4157048c03b20dedc5e3b920fa8552, 5418e42706bca4712ff2a3db67853eb42a2310660c51cff2f9020586cf fedeb3, 69573694d16b7ccadfa208ff976bfe1b3e36837aba3e5dc4dfc80e66341ef61e,

Attack Name	TYPE	VALUE
<u>Rhadamanthys</u>	SHA256	6de4f65b1d738d84f8e825613092bbd360194195fe8a1c986e12a9bb704217c1, 751f149665f87dd20cc8dff743f28e5da1ff2a5f04874d4b8569b9afceedfec, 78200cd816acbd39b6664c6582e06500f6d46085b62b49d2f914bea5a004197a, 783c7f4bf23072343f6247ee14e54e4af0b147553ad1ef42b4e7fb44386d667c, 7f99e506c17676b98dcc08e6a19f100ef933cde3e0423c6d4072f6802a9196bb, 8d0b1174cbda6b102bb98c91ba123e9f404b9fad23b49a4e29f3cf d8d20a577a, 90c7688e0dc23ba4530bac1d567bad920c4ef1c06cbf4b2d867eeb363271eefe, 9102e564c3262b2c291e8ca3d67f8a55c06650aa86f617c919916f6053c03c9b, 9327aa03760431b6d86eeb2f1a3efc36aa443b842b5116fbbe0f2a7794c4e70e, 97286b6f3a6535ff1172ef65172e6967e3670c6b14a3313c3bf0d6c171b1fc85, 98e28d3423f5d414effe3c0ed6fd0f1c8154942e5e127ecee5f051e1196ffc75, 99c0bebd8c8b7b0948000a601f510fc70487f9da532be199b8641512a2db9839, 9bdf49b27fd4d80ef087f63e0bfa0a0822686814863eca09ac506404ad76dfda, b2588061ba5ee9948bbccd320b40c6d7b8d6a693d181f3bce61e5e267f53aa7e, b936853a0c50a0cd0bc8b33103b55bd88e19c6c28768d990b954c11d714286ca, f2429f4bd09897653d0ffa41206a14cfa55356d5edc04dc0915c116867f8c27
<u>PivotBox</u>	SHA256	5A8BC06587CE40B3A8D8DD4037D0EF272EFC64A69E21F6689FFE3F5FBB04A468 4C91070877C6D116F5A27EFADDBBFBC339455628E9D6585A4EA5F9B6972BF92B
<u>Chisel</u>	SHA256	3E6A47DA0A226A4C98FB53A06EC1894B4BFD15E73D0CEA856B7D2A001CADA7E9
<u>GootLoader</u>	SHA256	882ff7d228e6c2494393bb964b039920139b8fab5bbcadfb5ce863b3950edf26, 4d2befd04bd2aff3c0ca7880f3e659a5e23cf6c399798e577fa0d5172b460c5d, 94895c34d4467687f818ed661384b8736b6662c12514b26c94ec1b3f66bf4bdc, c4b3e2224c23826d1b72923ee5089f26f9b79ada450b10545c8ffa6725c010b2, 05d7c90f77b08d730e1b5fa600fad48cbb942a53686665de87695d0202377506,

Attack Name	TYPE	VALUE
<u>GootLoader</u>	SHA256	c236db30c0d4a72c859c1e9bed572f4a481da8738fb32431648c631b922cdc7c, d0c9246d858e08fabfa000ba6c12ad55dc227023fc6a411c1fdf3668dfe dac80, 5b119d32c6bf846edf88a6d1cfc65fe0ed84062f147f58c00c38005b4c0 bfe57, 5bd1ea3189abff1bcd3abb80ebbec1112f3decd1b973983817fabff41b2 c70e2, f6d028706168ea5155e325384278b6a5c17c63c47c72f0400f193d0e9b bb799b, b760bd6055aec8392be58b731c84a5496ef8c1777b9ce24efb015d717 4c26b9b, f28d53019112dcbf1019c27d8b2f59c5c82c9af7a446d99cce6c836cb26 4be57, ae7d1d1aecaa1054570b26cbfe4bb1e1b6e0bdb3d5b0090ee0973419 d75a0af3, 6fb715415bec220d6bff3507ca3f78412154870c9bc20675e1598e3b83 06212a, 425f4fcfecfeec8d5eb3d3f1051b67a1999bef16f983a1281d7c13be3eb e0e7b, c70be3e7fcdaef811f5c3471bf08502dda83d65e32268ddabd7a0e3f30 4fb347, 517fd5c641f732f308e0b0346ff2ae9abd08bb36ad5a8565ac4f9122ab7 0b965, eb104343436305c6b469386868084f65c5755917f3a366fd840889e56 1645415, 447f36c5fb3310a72df2ddcfa1717a8ded05d0d2330e8d256b2ce913c6 baa89e, 2af54118c2934178ec28866dde98f05bbcffc56d472afbce01fd68f4040 4d716, 933915ca590e6cae2d359b56a9e6fca3afea4d23f35ac996c07c643c05e 6d8be c54dc4217b3629c3d84733208d65e5fec94a13d144b26fe3b041aa550 ab5d7be, fa6891cf009fbc98e3b860fb96ca03c84083fcb919ee75a296561137bbf 9c49d, 6b869c6592e2f52bd2501c36959cf2936c50b0c28c32a3bf51574c04e9 c3bd66, 273178f2dab81c0907dcdda645285a0d297d9c38f45ff2559dff32fe9c4 7eaef, 568eeaab68afe15f420fcdc4ac5174dfae9cb1b56b365ddf0951dee35f9 16dff, b939ec9447140804710f0ce2a7d33ec89f758ff8e7caab6ee38fe2446e3 ac988
<u>GootKit</u>	SHA256	1615ac8c21cce75cb9e66d60151215e368f6b2aef2547feee2bf68f99870 2eb9, 282d2563e428a52e763353b3f2155984f9e0f483d6386300822f8da86f0 23750, 14d150a2ea315ad6ebe5b0f6cf2093d474636c3ed7af97f5f322f5619407 7bf9,

Attack Name	TYPE	VALUE
<u>GootKit</u>	SHA256	b1f70bd7d0c27a06e65aae69ae221a7f77d378177bf7c1faeccaf04e3bdc861f, 38933984f5ff8b71c054d1c1155e308ac02377b89315ef17cea859178a30dbab, 6b6f47abe5a8103adf1b12e5f3651ed24b632a64c5c94ce297a6f9ca0710f772, 9e7580489a6e346a26ac16c42a33e1857d67801bcc4191c1303d158e52c931ae, 92e2bf4ecdfbc1d16650902698b047e659e7e25ed22665aabfc0b2e22817b679, 7166921e37458ba67f1e96a7ed289edf0e6157664f8e8e84767a215c9ecc9cd3, b683ccee257c2edb5dada7ca00e936cfbb7a81e006719afc5c91778188d349e5, 35fd40cd3529e9b39b363bba62990949468f3a97ebb7e30e0f7629a64ae3c1d3, F7ecd1b95bc537cc04d2b4503c66000c465f4398b71da2a00e2a0d804477c992
<u>Ymir</u>	MD5	dd7799d822f052cfa8ad1e16b33bb2cb
	SHA1	fe6de75d6042de714c28c0a3c0816b37e0fa4bb3
	SHA256	04dce8eb632250f64f1741f47707e6cb991926d35f4157d540c2fc3230b6a92f
<u>RustyStealer</u>	MD5	5ee1befc69d120976a60a97d3254e9eb
	SHA1	e6c4d3e360a705e272ae0b505e58e3d928fb1387
	SHA256	7c00152cc68f0104e7436f9ce8b4c99e685d05f4361f50af307d4bfdbc90bca0
<u>Remcos RAT</u>	IPv4:PORT	107[.]173[.]4[.]16[::]2404
	URLs	hxxps://og1[.]in/2Rxzb3, hxxp://192[.]3[.]220[.]22/xampp/en/cookienetbookinetcahce.hta, hxxp://192[.]3[.]220[.]22/hFXELFSwRHRWqbeE214.bin, hxxp://192[.]3[.]220[.]22/430/dllhost.exe
	SHA256	4A670E3D4B8481CED88C74458FEC448A0FE40064AB2B1B00A289AB504015E944, F99757C98007DA241258AE12EC0FD5083F0475A993CA6309811263AAD17D4661, 9124D7696D2B94E7959933C3F7A8F68E61A5CE29CD5934A4D0379C2193B126BE, D4D98FDBE306D61986BED62340744554E0A288C5A804ED5C924F66885CBF3514, F9B744D0223EFE3C01C94D526881A95523C2F5E457F03774DD1D661944E60852, 24A4EBF1DE71F332F38DE69BAF2DA3019A87D45129411AD4F7D3EA48F506119D
<u>IronWind Loader</u>	SHA256	c068b9e7130f6fb5763beb9564e92a89644755f223b2f65dc762ed5c77c5b8e3

Attack Name	TYPE	VALUE
<u>Havoc Demon</u>	SHA256	c22f0544e29c803d2cacbca3a57617496e3691389e9b65da84c374c90e699433
<u>SameCoin Wiper</u>	SHA256	2abff990d33d99a0732ddbb3a39831c2c292f36955381d45cd8d40a816d9b47a, 7c0a8d3dec1675fd8ba0a73fb5b8eee3bef0214aa78a7aab73b8ba9814651f9f, b447ba4370d9becef9ad084e7cdf8e1395bafde1d15e82e23ca1b9808fef13a7
<u>Mirai</u>	SHA256	37a59fed3530d15fa1cdf7c0da92530e9477cfda4d943a45146434c760fe4623, b90ee829760f9ed154033b1e3c428368b808cfdc39cb161b67f6b618af9a36ee, edd1c8dab9d8821408e1983365de1b5e804771f22a1bb9644ef5a6ed642754cb, e4cb3440dcad461a9c2cb9aa0728859efb4ce0f2b94b93e97f3b52de0e5b1447, 8e8f40bb6fa0a14d57b6656b7c020556fca02a721797fb316864460506b9b969, 888f4a852642ce70197f77e213456ea2b3cfca4a592b94647827ca45adf2a5b8, b43a8a56c10ba17ddd6fa9a8ce10ab264c6495b82a38620e9d54d66ec8677b0c, 4f53eb7fbfa5b68cad3a0850b570cbbcb2d4864e62b5bf0492b54bde2bdbe44b, fa1b9e78b59cdb26d98da8b00fe701697a55ae9ea3bd11b00695cfbba2b67a7a, 7c41cb2df7b0c34985a18c20267c46b20ed365141fced770f7cdf0ed2214296d, 3c0c87bbc1a908ee2d698bf59722fc050b29aa5dcc9312a7c33c04910ad2f067
	MD5	df521f97af1591efff0be31a7fe8b925, d653fa6f1050ac276d8ded0919c25a6f, 866c52bc44c007685c49f5f7c51e05ca
	SHA1	ada6c6646cc86e12a09355944700debf8abd2a55, 339c5f229ae62f7139bf7de6f8c6ab136213e8c1, 83bb15de9ff6d7501897689e97907fe80f329604
<u>Helldown</u>	SHA256	0bfe25de8c46834e9a7c216f99057d855e272eafafdfef98a6012cecbddcfab, 7cd7c04c62d2a8b4697ceebbe7dd95c910d687e4a6989c1d839117e55c1cafd7, 7731d73e048a351205615821b90ed4f2507abc65acf4d6fe30ecdb211f0b0872, 3e3fad9888856ce195c9c239ad014074f687ba288c78ef26660be93ddd97289e, 2621c5c7e1c12560c6062fdf2eeeb815de4ce3856376022a1a9f8421b4bae8e1, 47635e2cf9d41cab4b73f2a37e6a59a7de29428b75a7b4481205aee4330d4d19, cb48e4298b216ae532cfd3c89c8f2cbd1e32bb402866d2c81682c6671aa4f8ea,

Attack Name	TYPE	VALUE
<u>Helldown</u>	SHA256	67aea3de7ab23b72e02347cbf6514f28fb726d313e62934b5de6d154215ee733, 2b15e09b98bc2835a4430c4560d3f5b25011141c9efa4331f66e9a707e2a23c0, 6ef9a0b6301d737763f6c59ae6d5b3be4cf38941a69517be0f069d0a35f394dd, 9ab19741ac36e198fb2fd912620bf320aa7fdeeeb8d4a9e956f3eb3d2092c92c, ccd78d3eba6c53959835c6407d81262d3094e8d06bf2712fefa4b04baadd4bfe
<u>DEEPDATA</u>	SHA256	f4e72145e761bcc8226353bb121eb8e549dc0000c6535bfa627795351037dc8e, 041c13a29d3bee8d2e4bd9d8bde8152b5ac8305c1efcc198244b224e33635282
<u>LIGHTSPY</u>	SHA256	32f2348a5cd8de57f3b1c6b68f4b95c4e1c9d2b55f257bd0c2deca7f81ad1c4c, 98dc1fb1773277bbea2bdeaf88b1ece101b5b0e7aec2857017268001a6996e9f, 2689e08a103682095ef8eba016f28909199cb4365b84c815183be64686a11084, 6a5d7e2c950960d9a541ff27e9c74185d27564f879d42f261f70f8f7cb70b5ce, c4e5dc5f301a5be652b4cf491c7337dd0d15f4b09982e5a361d06dcba95a32d, a3fcaf7b16ea46100c1cadbbf770492de07633afb4720c78fd1981627aa9f3c6, 3c3aca2a6d4a4f7210c869affe55e05b55c110d53fc3fb9d46cb2847fb115238, ddd950ddceff147922cef44f781c2c4b77b6e803613f83761ee6d5e2bb1450b7, 562ae257506a25de48019cb13947090d164181ba4e107ea19a0ab8274ad696df, 7fe822ef8e51efece5c0c6540aeeb454985ab91518aad12c6bf24c025a0350fe, 8b686507065623248f8292524195c39d4ae94e2a7a1315bb9d8a22178a5b1942, 90ac267222e38ce06724527fb780816db57bef12b939d37d6d827b826fa909d7, bdfb0e52ebb6f79d37736fab0150cfb96e2965d62c242adc830b6aab7b1d37db, 9c86203004ed0a519d8dcc674fd0e4b1b736289ea5f33e37b4d4dd111767fd37, aa81f6dc28086656a6e69c7a696e6fedf6e35b242dc072ee7960449c806af7ae, b7dd27414ba4afddaf946e4ab9d8d775a511f3ad99933bde19456216477f3716, c5d84c20a379320bd06ab09ed84c5cd2003cbb0e518f561853fc0c9f9970d49a, 7802b373a8c26211d0c2624910a414555fbc509d46ab9fb8aad5f2686d98dd8e,

Attack Name	TYPE	VALUE
<u>LIGHTSPY</u>	SHA256	5bdcd83c8561255764f91fda531e8cbdda808600eb75758e44e66df3d1ae1311, 2af751cc194213a40aa8b1cd6f589da260cea81c0509bd694ae28dfca87cd160, db66cd7f1a84d29977af4c9eccc36c84e42903766401a2760ea4321b71ba92ff, 15528f109da5ffd687e41eb1a193ff28711bc6054a538b7ba58eef3fbaf10b09, 02f36b26b73cd4fe632e45fc1d668b57045068e167d737f9befa652046880561, 36f72df74306363676488ef2f6842c653fd565b7a50ad6867ceb0b95cab40411, 31466e06d8bea3f2b567be103a630fe2b2249c3818efd45de37f8c3bbe248984, dd08c6f797f068a267f997895651dadf9dda7e0fc5f7cb66302934a7269839af, 1f77953f4ced82c4a5df3e7a85643054ef4bc5fe9dd13f87a9f042c5986b3169, e4e2eccc3a545a3c925fe4f54cb1f9c7d6259098c01659781900876543a89eba, f31b9ca07b9d70aee742d92e2b8f7c9ea6033beff6b85a64900cfd7b8878c3a0, 5cdcb1cacb27c539494e02aba7e264e0959741184215c69da66a11a5815c5025, 3cf03ce0ed2b9840d8d9ed467d105df177dac2818101964c97ba9a281a180558, 0f66a4daba647486d2c9d838592cba298df2dbf38f2008b6571af8a562bc306c
<u>NodeStealer</u>	SHA256	c5d4e4d9fa2c201d74a14fd1972b670fde243f087451a3a7dc52a9a6db61a1cb, 641f2db9e9fb8255337672fb8da9226225fa8e393b651c7c7ebbb5b555d4b755, ea25dd47b43ddaa3df11e6d16544702a8fabbcd0031ba11d1df51461704a8973, 4613225317e768d6d69b412843a314e2af64960856a0cfd798ed52285867bc36, 8dccc38514c8167c849c1bba9c3c6ef20f219a7439d2fc1f889410e34d8f6c9
<u>WolfsBane</u>	SHA256	ccf8e4d6e661ceaea598851923bb8b983bd820ffd02448b8245e6ac780977784, fddec9ff14ebd957038f9c24843bff935c4f73651e9704b553dec116851f7ae5, 1ec286f2194199206e4ce345f1bf322b6b0b4c947b1cf32db59cca2d89370738
	SHA1	44947903b2bc760ac2e736b25574be33bf7af40b, 0ab53321bb9699d354a032259423175c08fec1a4, 8532eca04c0f58172d80d8a446ae33907d509377, b2a14e77c96640914399e5f46e1dec279e7b940f
	Domain	dsdsei[.]com

Attack Name	TYPE	VALUE
<u>FireWood</u>	SHA256	cff20753e36a4c942dc4dab5a91fd621a42330e17a89185a5b7262280bcd9263
	SHA1	0fef89711da11c550d3914debc0e663f5d2fb86c
	Domain	asidomain[.]com
<u>HATVIBE</u>	SHA256	332d9db35daa83c5ad226b9bf50e992713bc6a69c9ecd52a1223b81e992bc725
<u>CHERRYSPY</u>	Domains	internalsecurity[.]us, errorreporting[.]net, lanmangraphics[.]com, retaildemo[.]info, tieringservice[.]com, enrollmenttdm[.]com
<u>RomCom</u>	SHA1	a4aad0e2ac1ee0c8dd25968fa4631805689757b6, ca6f8966a3b2640f49b19434ba8c21832e77a031, 21918cfd17b378eb4152910f1246d2446f9b5b11,
	SHA1	703a25f053e356eb6ece4d16a048344c55dc89fd, abb54c4751f97a9fc1c9598fed1ec9fb9e6b1db6, a9d445b77f6f4e90c29e385264d4b1b95947add5
	IPv4	194[.]87[.]189[.]171, 178[.]236[.]246[.]241, 62[.]60[.]238[.]81, 147[.]45[.]78[.]102, 46[.]226[.]163[.]67, 62[.]60[.]237[.]116, 62[.]60[.]237[.]38, 194[.]87[.]189[.]19, 45[.]138[.]74[.]238, 176[.]124[.]206[.]88
	SHA256	05681ff7cae6b28f5714628a269caa5115da49c94737ce82ec09b4312e40fd26, 068117b406940ac510ed59efd1d7c7651f645a31bd70db6de16aba12c055aae6, 28950cff484550312f2c91e17d7da89300981f17b19a7cd9c5432a4b76e281d2, 28b2a0f5441a5c50c73bb2044e48c7e404b848b84da9d1043771c783e17647d8, 3e3a7116eeadf99963077dc87680952cca87ff4fe60a552041a2def6b45cbeea, ff8eccc561e07a4d3b1a229b307cd1e787fe9fe21a781f361e3f01750def89c, 2ba51d7e338242bc6a8109317b91dd13137e296693c535ceacc1288775acc81f, 65778e3afc448f89680e8de9791500d21a22e2279759d8d93e2ece2bc8dae04d, 0501d09a219131657c54dba71faf2b9d793e466f2c7fdf6b0b3c50ec5b866b2a, 6d3ab9e729bb03ae8ae3fcd824474c5052a165de6cb4c27334969a542c7b261d

Attack Name	TYPE	VALUE
<u>GHOSTSPIDER</u>	IPv4	139[.]59[.]108[.]43, 185[.]105[.]1[.]243, 143[.]198[.]92[.]175, 139[.]99[.]114[.]108, 139[.]59[.]236[.]31, 104[.]194[.]153[.]65
	Domains	billing[.]clothwors[.]com, helpdesk[.]stnekpro[.]com, jasmine[.]lhousewares[.]com, private[.]royalnas[.]com, telcom[.]grishamarkovgf8936[.]workers[.]dev
<u>SNAPPYBEE</u>	SHA256	fc3be6917fd37a083646ed4b97ebd2d45734a1e154e69c9c33ab00b 0589a09e5, fba149eb5ef063bc6a2b15bd67132ea798919ed36c5acda46ee9b11 18b823098, 25b9fdef3061c7dfea744830774ca0e289dba7c14be85f0d4695d382 763b409b, 6d64643c044fe534dbb2c1158409138fcded757e550c6f79eada15e6 9a7865bc, b2b617e62353a672626c13cc7ad81b27f23f91282aad7a3a0db471d 84852a9ac, 05840de7fa648c41c60844c4e5d53dbb3bc2a5250dcb158a95b77bc 0f68fa870, 1a38303fb392ccc5a88d236b4f97ed404a89c1617f34b96ed826e7bb 7257e296
	IPv4	158[.]247[.]222[.]165, 91[.]245[.]253[.]27
	Domains	api[.]solveblemten[.]com, esh[.]hoovernamosong[.]com
<u>MASOL RAT</u>	SHA256	44ea2e85ea6cffba66f5928768c1ee401f3a6d6cd2a04e0d681d695f9 3cc5a1f

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5: Threat Exposure Management Platform.



REPORT GENERATED ON

December 2, 2024 • 10:30 PM

© 2024 All Rights are Reserved by Hive Pro



More at www.hivepro.com