

Date of Publication
February 17, 2025



HiveForce Labs
WEEKLY
THREAT DIGEST

Attacks, Vulnerabilities and Actors

10 to 16 FEBRUARY 2025

Table Of Contents


<u>Summary</u>	03
<u>High Level Statistics</u>	04
<u>Insights</u>	05
<u>Targeted Countries</u>	06
<u>Targeted Industries</u>	07
<u>Top MITRE ATT&CK TTPs</u>	07
<u>Attacks Executed</u>	08
<u>Vulnerabilities Exploited</u>	12
<u>Adversaries in Action</u>	16
<u>Recommendations</u>	18
<u>Threat Advisories</u>	19
<u>Appendix</u>	20
<u>What Next?</u>	24

Summary


HiveForce Labs has identified a surge in cybersecurity threats, highlighting the increasing complexity and frequency of cyber incidents. Over the past week, **seven** major attacks were detected, **seven** critical vulnerabilities were actively exploited, and **two** threat actor groups were closely monitored, reflecting a relentless rise in malicious activities.

Apple recently patched **CVE-2025-24200**, a **zero-day vulnerability** in iOS and iPadOS that was actively exploited in highly sophisticated cyberattacks. Meanwhile, the **Sandworm** cyber-espionage group, linked to the **Russian military**, targets Windows users in **Ukraine** by embedding malware into **trojanized Microsoft KMS activators** and fake Windows updates.

Adding to the growing cyber threats, **Abyss Locker**, a ransomware group, primarily targets **VMware ESXi** servers and corporate networks by exploiting VPN appliance vulnerabilities and SSH weaknesses. On the defensive front, **Microsoft's February 2025 Patch Tuesday** addresses **63** security flaws, including **two** actively exploited **zero-days**. These escalating threats underscore the increasing sophistication of cyber adversaries and the urgent need for proactive, resilient cybersecurity measures to combat the rapidly evolving global threat landscape.



- Total Vulnerabilities Published
- Vulnerabilities Published in the Week
- Exploited Vulnerabilities



High Level Statistics

7

Attacks
Executed

- [BACKORDER](#)
- [DarkCrystal](#)
- [Kalambur](#)
- [Abyss Locker](#)
- [PATHLOADER](#)
- [FINALDRAFT](#)
- [GUILOADER](#)

7

Vulnerabilities
Exploited

- [CVE-2025-24200](#)
- [CVE-2021-20038](#)
- [CVE-2024-53704](#)
- [CVE-2025-21377](#)
- [CVE-2025-21391](#)
- [CVE-2025-21418](#)
- [CVE-2025-21194](#)

2

Adversaries in
Action

- [Sandworm](#)
- [Kimsuky](#)



Insights

Hackers Make a Mistake!

REF7707's OpSec
Failure Reveals
Espionage Tactics

CVE-2025-24200: The Zero-Day That Let Attackers Override iPhone Security


Kimsuky's DEEP#DRIVE
Campaign Hits
Government, Business
& Crypto Sectors

Russia-Backed Cyberwarfare: Sandworm Uses Fake Windows Updates for Spying

Abyss Locker: The Ransomware Group Turning Enterprise Networks Into Hostages

Microsoft Seals 63 Security Holes Including **Two** Actively Exploited Zero-Days

Threat Distribution



■ Loader

■ RAT

■ Ransomware

■ Backdoor




Targeted Countries

Most




Least



Powered by Bing
© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, Open Places, OpenStreetMap, TomTom, Zenrin

Countries	Countries	Countries	Countries
Paraguay	Bulgaria	Rwanda	Panama
Uruguay	Palau	Congo	Australia
South Korea	Burkina Faso	Serbia	Belize
Argentina	Sri Lanka	Costa Rica	Egypt
Malaysia	Burundi	South Africa	Romania
Bolivia	Mauritania	Côte d'Ivoire	El Salvador
Philippines	Cabo Verde	Sweden	Saint Lucia
Brazil	Nicaragua	Croatia	Equatorial Guinea
Thailand	Antigua and Barbuda	Tonga	Saudi Arabia
Brunei	Portugal	Cuba	Eritrea
Venezuela	Cameroon	United Arab Emirates	Sierra Leone
Cambodia	Slovakia	Cyprus	Estonia
Myanmar	Canada	Malta	Solomon Islands
Chile	Tanzania	Czech Republic	Eswatini
Peru	Central African Republic	Mexico	South Sudan
Colombia	Uzbekistan	Denmark	Ethiopia
Singapore	Chad	Mongolia	Sudan
Ecuador	Moldova	Djibouti	Falkland Islands
Suriname	Albania	Barbados	Syria
Guyana	Nauru	Dominica	Fiji
Ukraine	China	Netherlands	Timor-Leste
Indonesia	North Macedonia	Dominican Republic	Finland
Laos	Armenia	Nigeria	Tunisia
Vietnam	Belarus	DR Congo	France
San Marino	Comoros	Oman	Uganda
Morocco		East Timor	French Guiana
Turkmenistan			United States

Targeted Industries



TOP MITRE ATT&CK TTPs

T1059

Command and Scripting Interpreter

T1068

Exploitation for Privilege Escalation

T1190

Exploit Public-Facing Application

T1567

Exfiltration Over Web Service

T1562

Impair Defenses

T1053.005

Scheduled Task

T1071.001

Web Protocols

T1036

Masquerading

T1204

User Execution

T1059.001

PowerShell

T1566

Phishing

T1588

Obtain Capabilities

T1053

Scheduled Task/Job

T1588.006

Vulnerabilities

T1071

Application Layer Protocol

T1133

External Remote Services

T1555

Credentials from Password Stores

T1588.005

Exploits

T1567.002

Exfiltration to Cloud Storage

T1021

Remote Services

Attacks Executed

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>BACKORDER</u>	The GO-based loader "BACKORDER" operates silently in the background, allowing malicious activities to unfold without detection by Windows Defender. It disables Windows Defender and creates exclusion rules for specific folders, further evading detection.	Trojanized Microsoft Key Management Service (KMS) activation tools and fake Windows Update	-
		IMPACT	AFFECTED PRODUCTS
		Exfiltration of Data, Malware delivery	Windows
			PATCH LINK
			-
TYPE			
Loader			
ASSOCIATED ACTOR			
Sandworm			
IOC TYPE	VALUE		
SHA256	48450c0a00b9d1ecce930eadbac27c3c80db73360bc099d3098c08567a59cdd3, 22c79153e0519f13b575f4bfc65a5280ff93e054099f9356a842ce3266e40c3d		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>DarkCrystal</u> (aka DCRat)	DCrat, also known as Dark Crystal RAT, is a remote access trojan (RAT) first discovered in 2018. This modular malware can be tailored to execute various malicious actions, such as stealing passwords, accessing cryptocurrency wallet information, and hijacking Telegram and Steam accounts.	Deployed by BACKORDER	-
		IMPACT	AFFECTED PRODUCTS
		Exfiltration of Data, Account Hijacking, System Compromise	Windows
			PATCH LINK
TYPE RAT			
ASSOCIATED ACTOR Sandworm			-
IOC TYPE	VALUE		
SHA256	039c8dd066efa3dd7ac653689bfa07b2089ce4d8473c907547231c6dd2b136ec, 0e58d38fd2df86eeb4a556030a0996c04bd63e09e669b34d3bbc10558edf31a6		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Kalambur</u>	Kalambur is a C#-based backdoor and downloader crafted to retrieve a repackaged TOR binary within a ZIP file. It subsequently downloads additional malicious tools from what appears to be an attacker-controlled TOR onion site.	Fake Windows Update	-
		IMPACT	AFFECTED PRODUCTS
		Remote Access, Malware delivery, Exfiltration of Data	Windows
			PATCH LINK
TYPE Backdoor			
ASSOCIATED ACTOR Sandworm			-
IOC TYPE	VALUE		
SHA256	aadd85e88c0ebb0a3af63d241648c0670599c3365ff7e5620eb8d06902fdde83, 7d92b10859cd9897d59247eb2ca6fb8ec52d8ce23a43ef99ff9d9de4605ca12b		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Abyss Locker</u> (aka <u>AbyssLocker</u>)	Abyss Locker is a ransomware group that surfaced in 2023 and quickly escalated its cyberattacks through 2024 and into 2025. The group utilizes advanced tactics to breach corporate networks, exfiltrate sensitive data, and encrypt systems, with a particular focus on critical network devices, such as VMware ESXi servers.	Exploiting vulnerabilities in edge devices	CVE-2021-20038
TYPE		IMPACT	AFFECTED PRODUCTS
Ransomware		Exfiltration of Data, Financial Loss, Reputation Damage	Windows, Linux and VMware ESXi
ASSOCIATED ACTOR			PATCH LINK
-			https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2021-0026
IOC TYPE	VALUE		
SHA256	05b82d46ad331cc16bdc00de5c6332c1ef818df8ceefcd49c726553209b3a0da, 6042a84529958a04a2d46384139da3ef016bf9498e791cd5e34dfeccec2baa1d2		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>PATHLOADER</u>	PATHLOADER is a compact Windows PE file, just 206 kilobytes in size, that downloads and executes encrypted shellcode from an external server. This lightweight executable facilitates the retrieval and execution of malicious code hosted on remote infrastructure.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Malware Delivery, Exfiltration of Data	Windows and Linux
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	9a11d6fcf76583f7f70ff55297fb550fed774b61f35ee2edd95cf6f959853bcf		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>FINALDRAFT</u>	FINALDRAFT is a 64-bit malware written in C++ designed for data exfiltration and process injection. It contains additional modules, part of the FINALDRAFT toolkit, which can be injected into targeted processes. The collected data from these modules is then transmitted to the command-and-control (C2) server.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
RAT			Windows and Linux
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	83406905710e52f6af35b4b3c27549a12c28a628c492429d3a411fdb2d28cc8c		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>GUILOADER</u>	GUIDLOADER is a novel malware loader recently observed in the REF7707 cyber-espionage campaign. It is designed to deploy additional malicious payloads on compromised systems, enabling further exploitation and persistence.	-	-
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Malware Deployment, System Compromise	Windows and Linux
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	17b2c6723c11348ab438891bc52d0b29f38fc435c6ba091d4464f9f2a1b926e0, 20508edac0ca872b7977d1d2b04425aaa999ecf0b8d362c0400abb58bd686f92		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.



Vulnerabilities Exploited

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2025-24200</u>		Apple iPadOS Version before 17.7.5, Apple iOS and iPadOS Version before 18.3.1	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:a:apple:ipados:*:*:*:*:*:*:*:* cpe:2.3:a:apple:ios:*:*:*:*:*:*:*:*	-
Apple iOS and iPadOS Incorrect Authorization Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-254	T1068: Exploitation for Privilege Escalation	https://support.apple.com/en-us/118575

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2021-20038</u>		SonicWall SMA 200, 210, 400, 410 and 500v appliances firmware 10.2.0.8-37sv, 10.2.1.1-19sv, 10.2.1.2-24sv and earlier versions.	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:sonicwall:sma_200_firmware:-:*:*:*:*:*:*	Abyss Locker Ransomware
SonicWall SMA 100 Appliances Stack-Based Buffer Overflow Vulnerability		cpe:2.3:h:sonicwall:sma_200:-:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-787 CWE-121	T1574: Hijack Execution Flow, T1499: Endpoint Denial of Service, T1499.004: Application or System Exploitation	https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2021-0026

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2024-53704</u>		SonicWALL Gen7 NSv Version Prior to 7.0.1-5165, SonicWALL Gen7 Firewalls Version Prior to 7.1.3-7015, SonicWALL TZ80 Version Prior to 8.0.0-8037	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:sonicwall:sonicos:*.~*~*~*~*~*~*	-
SonicWall SonicOS SSLVPN Authentication Bypass Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-287	T1556: Modify Authentication Process, T1133: External Remote Services, T1068: Exploitation for Privilege Escalation	https://psirt.global.sonicwall.com/vuln-detail/SNWLID-2025-0003

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2025-21377</u>		Windows 10, 11 Windows Server 2008, 2012, 2016, 2019, 2022, 2025	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows :*:*:*:*:*:*:*	-
NTLM Hash Disclosure Spoofing Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-73	T1187: Forced Authentication	https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2025-21377

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2025-21391</u>		Windows 10, 11 Windows Server 2016, 2019, 2022, 2025	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows :*:*:*:*:*:*:*	-
Windows Storage Elevation of Privilege Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-59	T1068: Exploitation for Privilege Escalation	https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2025-21391

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2025-21418</u>		Windows Server 2008, 2012, 2016, 2019, 2022, 2025 Windows 10, 11	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:windows :*:*:*:*:*:*:*	-
Windows Ancillary Function Driver for WinSock Elevation of Privilege Vulnerability		cpe:2.3:o:microsoft:windows_server:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-122	T1068: Exploitation for Privilege Escalation	https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2025-21418

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2025-21194</u>		Microsoft Surface	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:microsoft:surface:- :*:*:*:*:*:*:*	-
Microsoft Surface Security Feature Bypass Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-20	T1499: Endpoint Denial of Service, T1190: Exploit Public-Facing Application	https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2025-21194

Adversaries in Action

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRY
 <u>Sandworm (aka Sandworm Team, Iron Viking, CTG-7263, Voodoo Bear, Quedagh, TEMP.Noble, ATK 14, BE2, UAC-0082, UAC-0113, UAC-0125, FROZENBARENTS, IRIDIUM, Seashell Blizzard, APT 44)</u>	Russia	Critical Infrastructure, Government	Ukraine
	MOTIVE		
	Sabotage and Destruction		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOM WARE	AFFECTED PRODUCTS
	-	BACKORDER, DarkCrystal RAT (aka DcRAT), Kalambur backdoor	Windows
TTPs			
TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0004: Privilege Escalation; TA0005: Defense Evasion; TA0007: Discovery; TA0008: Lateral Movement; TA0009: Collection; TA0010: Exfiltration; TA0011: Command and Control; T1566: Phishing; T1204: User Execution; T1204.002: Malicious File; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1218: System Binary Proxy Execution; T1218.011: Rundll32; T1569: System Services; T1569.002: Service Execution; T1053: Scheduled Task/Job; T1053.005: Scheduled Task; T1548: Abuse Elevation Control Mechanism; T1548.002: Bypass User Account Control; T1562: Impair Defenses; T1562.001: Disable or Modify Tools; T1070: Indicator Removal; T1070.004: File Deletion; T1555: Credentials from Password Stores; T1555.003: Credentials from Web Browsers; T1056: Input Capture; T1056.001: Keylogging; T1082: System Information Discovery; T1021: Remote Services; T1021.001: Remote Desktop Protocol; T1021.004: SSH; T1113: Screen Capture; T1005: Data from Local System; T1090: Proxy; T1090.003: Multi-hop Proxy; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1105: Ingress Tool Transfer; T1041: Exfiltration Over C2 Channel; T1036: Masquerading			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRY
 <u>Kimsuky (aka Velvet Chollima, Thallium, Black Banshee, SharpTongue, ITG16, TA406, TA427, APT 43, ARCHIPELAGO, Emerald Sleet, KTA082, UAT-5394, Sparkling Pisces, Springtail)</u>	North Korea	Business, Cryptocurrency and Government sectors	South Korea
	MOTIVE		
	Information theft and Espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOM WARE	AFFECTED PRODUCTS
	-	-	-
TTPs			
TA0043: Reconnaissance; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0010: Exfiltration; TA0011: Command and Control; T1566: Phishing; T1566.001: Spearphishing Attachment; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1132: Data Encoding; T1027: Obfuscated Files or Information; T1027.010: Command Obfuscation; T1036: Masquerading; T1036.007: Double File Extension; T1140: Deobfuscate/Decode Files or Information; T1620: Reflective Code Loading; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1059.003: Windows Command Shell; T1204: User Execution; T1204.002: Malicious File; T1102: Web Service; T1567: Exfiltration Over Web Service; T1567.002: Exfiltration to Cloud Storage; T1053: Scheduled Task/Job; T1053.005: Scheduled Task; T1592: Gather Victim Host Information; T1590: Gather Victim Network Information; T1590.005: IP Addresses; T1112: Modify Registry			

Recommendations

Security Teams

This digest can be utilized as a drive to force security teams to prioritize the **seven exploited vulnerabilities** and block the indicators related to the threat actors **Kimsuky, Sandworm**, and malware **BACKORDER, DarkCrystal, Kalambur, Abyss Locker, PATHLOADER, FINALDRAFT, GUILOADER**.

Uni5 Users

This is an actionable threat digest for HivePro Uni5 customers and they can get comprehensive insights into their threat exposure and can action it effortlessly over the HivePro Uni5 dashboard by

- Run a Scan to discover the assets impacted by the **seven exploited vulnerabilities**.
- Testing the efficacy of their security controls by simulating the attacks related to the threat actors **Kimsuky, Sandworm**, and malware **BACKORDER, Kalambur, DCRat, FINALDRAFT, PATHLOADER, GUIDLOADER** in Breach and Attack Simulation(BAS).

Threat Advisories

[Apple Fixes Zero-Day Exploit That Bypasses USB Restricted Mode](#)

[Sandworm APT Uses Trojanized KMS Tools to Target Ukrainian Users](#)

[Abyss Locker Ransomware: A Growing Threat to Virtualized Environments](#)

[Over 5,000 SonicWall Firewalls Still Vulnerable to CVE-2024-53704 Exploit](#)

[Patch Tuesday Alert: 63 Fixes, 2 Zero-Days, and a Race Against Hackers](#)

[DEEP#DRIVE: Kimsuky Exploits Cloud Platforms for Stealthy Cyber Espionage](#)

[REF7707 Cyberespionage Campaign Exploiting Legitimate Cloud Services](#)

Appendix

Known Exploited Vulnerabilities (KEV): Software vulnerabilities for which there are public exploits or proof-of-concept (PoC) code available, and for which there is a high risk of potential harm to an organization's systems or data if left unaddressed.

Celebrity Vulnerabilities: Software vulnerabilities that have gained significant attention and have been branded with catchy names and logos due to their profound and multifaceted impact. These vulnerabilities provide threat actors with opportunities to breach sensitive systems, potentially resulting in unauthorized access and the compromise of critical information.

🔪 Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>BACKORDER</u>	SHA256	48450c0a00b9d1ecce930eadbac27c3c80db73360bc099d3098c08567a59cdd3, 22c79153e0519f13b575f4bfc65a5280ff93e054099f9356a842ce3266e40c3d, a42de97a466868efbfc4aa1ef08bfdb3cc5916d1accd59cffff1a896d569412, 8cfa4f10944fc575420533b6b9bbcabbf3ae57fe60c6622883439dbb1aa60369, 8a4df53283a363c4dd67e2bda7a430af2766a59f8a2faf341da98987fe8d7cbd, 70c91ffdc866920a634b31bf4a070fb3c3f947fc9de22b783d6f47a097fec2d8, 0e58d38fd2df86eeb4a556030a0996c04bd63e09e669b34d3bbc10558edf31a6, 5bff08a6aa7a7541c0b7b1660fd944cec55fa82df6285166f4da7a48b81f776e, 4b9e32327067a84d356acb8494dc05851dbf06ade961789a982a5505b9e061e3
<u>DarkCrystal</u>	SHA256	039c8dd066efa3dd7ac653689bfa07b2089ce4d8473c907547231c6dd2b136ec, 0e58d38fd2df86eeb4a556030a0996c04bd63e09e669b34d3bbc10558edf31a6, 1a1ffcbbab9bff4a033a26e8b9a08039955ac14ac5ce1f8fb22ff481109d781a7, 2de08a0924e3091b51b4451c694570c11969fb694a493e7f4d89290ae5600c2c, 4b0038de82868c7196969e91a4f7e94d0fa2b5efa7a905463afc01bfca4b8221,

Attack Name	TYPE	VALUE
<u>DarkCrystal</u>	SHA256	7c0da4e314a550a66182f13832309f7732f93be4a31d97faa6b9a0b311b463ff, a00beaa5228a153810b65151785596bebe2f09f77851c92989f620e37c60c935, b45712acbadcd17cb35b8f8540ecc468b73cac9e31b91c8d6a84af90f10f29f8, cd7c36a2f4797b9ca6e87ab44cb6c8b4da496cff29ed5bf727f0699917bae69a, 4b2e4466d1becfa40a3c65de41e5b4d2aa23324e321f727f3ba20943fd6de9e5, 553f7f32c40626cbddd6435994aff8fc46862ef2ed8f705f2ad92f76e8a3af12, d774b1d0f5bdb26e68e63dc93ba81a1cdf076524e29b4260b67542c06fbfe55c, 70cad07a082780caa130290fcb1fd049d207777b587db6a5ee9ecf15659419f, C5853083d4788a967548bee6cc81d998b0d709a240090cfed4ab530ece8b436e
<u>Kalambur</u>	SHA256	aadd85e88c0ebb0a3af63d241648c0670599c3365ff7e5620eb8d06902fdde83, 7d92b10859cd9897d59247eb2ca6fb8ec52d8ce23a43ef99ff9d9de4605ca12b, d13f0641fd98df4edcf839f0d498b6b6b29fbb8f0134a6dae3d9eb577d771589, dd7a9d8d8f550a8091c79f2fb6a7b558062e66af852a612a1885c3d122f2591b
<u>Abyss Locker</u>	SHA256	05b82d46ad331cc16bdc00de5c6332c1ef818df8ceefcd49c726553209b3a0da, 6042a84529958a04a2d46384139da3ef016bf9498e791cd5e34dfece2baa1d2, 3c2fe308c0a563e06263bbacf793bbe9b2259d795fcc36b953793a7e499e7f71, 5fba25759423f9efc92592977f6c9ff77d47a20aa8ec8e9cd17d5cfa786a1852, cd9d88cccd85209966c5a35aba7751b962bcc021a4216d6addfc0c3462ce80da, f9ab649acfe76d6ac088461b471e5d981bdc8b71d940e94c63bc1988a2ed4678, 5f9dfd9557cf3ca96a4c7f190fc598c10f8871b1313112c9aea45dc8443017a2, d48c7f13db60ef615e59773c442485e84acef09343375d0d8a462b285e959baa, d76c74fc7a00a939985ae515991b80afa0524bf0a4feaec3e5e58e52630bd717, 0d9089efe2a28630bc21d8db451ec14dc856c2d40444292c42e7cca218c7029e
	SHA1	59a97f9d7c1d6e10fa41ea9339568fb25ec55e27, 3f90fd241e9422cc447b5ccdcb87d72507f37e6f, 23873bf2670cf64c2440058130548d4e4da412dd, e44ec82d0d80c754afcd7ed149c263c55d158259,


Attack Name	TYPE	VALUE
<u>Abyss Locker</u>	SHA1	13112e672d807fa7c7f8a383ecfa31e85b880e5a, f24ca204af2237a714e8b41d54043da7bbe5393b, 17d9200843fe0eb224644a61f0d1982fac54d844, 82780c0c1c0e04d994c770a3b3e73727528b0451
	File Path	C:\users\<USER>\appdata\roaming\microsoft\wmi\wmihelper.exe, C:\WINDOWS\system32\config\systemprofile\AppData\Roaming\Microsoft\Wmi\wmihelper.exe, /bin/apache2, C:\Windows\uFmAnlZR.exe, /tmp/e.elf, C:\Users\<USER>\Desktop\e\e.exe, C:\Windows\System32\rclone, C:\Windows\System32\LTSSVC.exe, C:\Windows\System32\filter.txt, C:\Windows\Temp\SophosAV.exe, C:\ProgramData\USOShared\auSophos.exe, C:\ProgramData\USOShared\UpdateSvc.exe, C:\programdata\pr.exe, C:\ProgramData\deploy443.ps1, C:\ProgramData\USOShared\UpdateDrv.sys
	TOR Address	3ev4metjirohtdpshsqlkrqcmxq6zu3d7obrdhglpy5jpbr7whmlfgqd[.]onion
	File Name	wmihelper.xml, wmihelper.key, veeam11.ps1, ped.sys, 3ware.sys
	Host Name	DESKTOP-VM4QKN6, ADMINIS-F69E5L3
	IPv4	139[.]180[.]135[.]191, 67[.]217[.]228[.]101, 64[.]95[.]12[.]57, 64[.]95[.]12[.]70, 149[.]137[.]142[.]15
<u>PATHLOADER</u>	SHA256	9a11d6fcf76583f7f70ff55297fb550fed774b61f35ee2edd95cf6f959853bcf
<u>FINALDRAFT</u>	SHA256	83406905710e52f6af35b4b3c27549a12c28a628c492429d3a411fdb2d28cc8c, 39e85de1b1121dc38a33eca97c41dbd9210124162c6d669d28480c833e059530, 83406905710e52f6af35b4b3c27549a12c28a628c492429d3a411fdb2d28cc8c, f45661ea4959a944ca2917454d1314546cc0c88537479e00550eef05bed5b1b9
<u>GUILOADER</u>	SHA256	17b2c6723c11348ab438891bc52d0b29f38fc435c6ba091d4464f9f2a1b926e0, 20508edac0ca872b7977d1d2b04425aaa999ecf0b8d362c0400abb58bd686f92,

Attack Name	TYPE	VALUE
<u>GUILoader</u>	SHA256	41a3a518cc8abad677bb2723e05e2f052509a6f33ea75f32bd6603c96b721081, d9fc1cab72d857b1e4852d414862ed8eab1d42960c1fd643985d352c148a6461, f29779049f1fc2d45e43d866a845c45dc9aed6c2d9bbf99a8b1bdacf ac2d52f2, 33f3a8ef2c5fbd45030385b634e40eaa264acbaeb7be851cbf04b62 bbe575e75, 41141e3bdde2a7aebf329ec546745149144eff584b7fe878da7a2ad 8391017b9, 49e383ab6d092ba40e12a255e37ba7997f26239f82bebcd28efaa42 8254d30e1, 5e3dbfd543909ff09e343339e4e64f78c874641b4fe9d68367c4d10 24fe79249, 7cd14d3e564a68434e3b705db41bddeb51dbb7d5425fd901c5ec90 4dbb7b6af0, 842d6ddb7b26fdb1656235293ebf77c683608f8f312ed917074b30f bd5e8b43d, f90420847e1f2378ac8c52463038724533a9183f02ce9ad025a6a10f d4327f12

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5:Threat Exposure Management Platform.



REPORT GENERATED ON
February 17, 2025 • 6:30 AM

© 2025 All Rights are Reserved by Hive Pro



More at www.hivepro.com