

HiveForce Labs

THREAT ADVISORY



VULNERABILITY REPORT

May 2026 Linux Patch Roundup

Date of Publication

May 22, 2026

Admiralty Code

A1


TA Number

TA2026141


Summary

In May, more than **1756** new vulnerabilities were discovered and addressed within the Linux ecosystem, impacting several major distributions such as Debian, Red Hat, OpenSUSE, and Ubuntu. During this period, over **2808** vulnerabilities were also highlighted, with corresponding hotfixes or patches released to resolve them. These vulnerabilities span from information disclosure to privilege escalation to code execution. HiveForce Labs has identified **17 severe vulnerabilities** that are **exploited** or have a high potential of successful exploitation, necessitating immediate attention. To ensure protection, it is essential to upgrade systems to the latest version with the necessary security patches and appropriate security controls.

Threat Distribution



Adversary Tactics



CVEs

CVE	NAME	AFFECTED PRODUCT	Impact	Attack Vector
CVE-2023-2640	Linux Ubuntu Privilege Escalation Vulnerability	Ubuntu	Privilege Escalation	Local
CVE-2026-23918	Apache HTTP Server Double Free Vulnerability	Apache HTTP Serve	Code Execution	Network
CVE-2026-2472	Google Cloud Vertex AI SDK Cross-Site Scripting (XSS) Vulnerability	Google Cloud Vertex AI SDK	Code Execution	Network
CVE-2026-27876	Grafana Remote Code Execution Vulnerability	Grafana Enterprise	Code Execution	Network
<u>CVE-2026-31431</u> *	Copy Fail (Linux Kernel Incorrect Resource Transfer Between Spheres Vulnerability)	Linux Kernel	Privilege Escalation	Local
<u>CVE-2026-42945</u> *	NGINX Rift (F5 NGINX ngx_http_rewrite_module Heap-Based Buffer Overflow Vulnerability)	F5 NGINX	Code Execution	Network
<u>CVE-2026-43284</u> *	Dirty Frag (Linux Kernel xfrm-ESP In-Place Decrypt Page-Cache Write Vulnerability)	Linux Kernel (xfrm-ESP/ IPsec subsystem)	Privilege Escalation	Local

* Refers to **Notable CVEs**, vulnerabilities that are either exploited in zero-day attacks, included in the CISA KEV catalog, utilized in malware operations, or targeted by threat actors in their campaigns.

CVE	NAME	AFFECTED PRODUCT	Impact	Attack Vector
<u>CVE-2026-43500*</u>	Dirty Frag (Linux Kernel RxRPC In-Place Decrypt Page-Cache Write Vulnerability)	Linux Kernel (RxRPC subsystem)	Privilege Escalation	Local
<u>CVE-2026-45185*</u>	Dead.Letter (Exim Internet Mailer Use-After-Free Vulnerability)	Exim Internet Mailer	Code Execution	Network
CVE-2026-44742	Postorius Cross-Site Scripting Vulnerability	Postorius	Cross-Site Scripting (XSS)	Network
CVE-2026-42484	hashcat Heap-Based Buffer Overflow Vulnerability	hashcat	Denial of Service, Code Execution	Network
CVE-2026-42483	hashcat Heap-Based Buffer Overflow Vulnerability	hashcat	Denial of Service, Code Execution	Network
CVE-2026-42482	hashcat Stack-Based Buffer Overflow Vulnerability	hashcat	Denial of Service, Code Execution	Network
CVE-2023-54344	Eclipse Equinox OSGi Remote Code Execution Vulnerability	Eclipse Equinox OSGi	Code Execution	Network
CVE-2023-54342	Eclipse Equinox OSGi Remote Code Execution Vulnerability	Eclipse Equinox OSGi	Code Execution	Network
<u>CVE-2026-46300*</u>	Fragnesia (Linux Kernel XFRM ESP-in-TCP Page-Cache Corruption Local Privilege Escalation Vulnerability)	Linux Kernel	Privilege Escalation	Local
<u>CVE-2026-31635*</u>	DirtyDecrypt (Linux Kernel Local Privilege Escalation Vulnerability)	Linux Kernel	Privilege Escalation	Network

* Refers to **Notable CVEs**, vulnerabilities that are either exploited in zero-day attacks, included in the CISA KEV catalog, utilized in malware operations, or targeted by threat actors in their campaigns.

Notable CVEs

Notable CVEs include vulnerabilities exploited in zero-day attacks, listed in the CISA KEV catalog, used in malware operations, or targeted by threat actors in their campaigns.

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
CVE-2026-31431	Copy Fail	Linux Kernel versions shipped from 2017 through 6.18.21 and 6.19.11; fixed in 6.18.22, 6.19.12, and 7.0)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:o:linux:linux_kernel:*:*:*:*:*:* cpe:2.3:o:redhat:enterprise_linux:*:*:*:*:*:* cpe:2.3:o:amazon:amazon_linux:*:*:*:*:*:* cpe:2.3:o:canonical:ubuntu_linux:*:*:*:*:*:* cpe:2.3:o:suse:linux_enterprise_server:*:*:*:*:*:* cpe:2.3:o:oracle:linux:*:*:*:*:*:* cpe:2.3:o:debian:debian_linux:*:*:*:*:*:*	-
Linux Kernel Incorrect Resource Transfer Between Spheres Vulnerability		CWE ID	ASSOCIATED TTPs
	CWE-669	T1068: Exploitation for Privilege Escalation, T1059.006 Command and Scripting Interpreter: Python	Linux , Ubuntu , SUSE , Amazon , Oracle , Debian , Redhat

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2026-46300</u>	Fragnesia	Linux Kernel (XFRM ESP-in-TCP / `esp4`, `esp6`, `rxrpc` modules) – impacts AlmaLinux 8/9/10, AlmaLinux Kitten 10, Amazon Linux, CloudLinux, Debian, Fedora, Gentoo, openSUSE, Red Hat Enterprise Linux, SUSE, Ubuntu, and OpenShift	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:linux:linux_kernel:*:*:*:*:*:* cpe:2.3:o:amazon:amazon_linux:*:*:*:*:*:* cpe:2.3:o:canonical:ubuntu_linux:*:*:*:*:*:* cpe:2.3:o:suse:linux_enterprise_server:*:*:*:*:*:* cpe:2.3:o:redhat:enterprise_linux:*:*:*:*:*:*	-
Linux Kernel XFRM ESP-in-TCP Page-Cache Corruption Local Privilege Escalation Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-123	T1068: Exploitation for Privilege Escalation, T1059: Command and Scripting Interpreter	<u>Ubuntu</u> , <u>SUSE</u> , <u>Amazon</u> , <u>Redhat</u> <u>Debian</u> 

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
CVE-2026-31635	DirtyDecrypt	Linux Linux Kernel (6.16; 7.0-rc1 through 7.0-rc7; 6.19 before 6.19.13; 6.16.1 up to but excluding 6.18.23) — requires `CONFIG_RXGK` enabled	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:o:linux:linux_kernel:*:*:*:*:*:*	-
Linux Kernel Local Privilege Escalation Vulnerability		cpe:2.3:o:debian:debian_linux:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-130	T1068: Exploitation for Privilege Escalation, T1059: Command and Scripting Interpreter	Linux , Debian

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
CVE-2026-45185	Dead.Letter	Exim Internet Mailer 4.97 through 4.99.2 (GnuTLS builds only)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSO MWARE
NAME	CISA KEY	cpe:2.3:a:exim:exim:*:*:*:*:*:*	-
Exim Internet Mailer Use-After-Free Vulnerability		cpe:2.3:o:canonical:ubuntu_linux:*:*:*:*:*:*	
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-416	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application, T1203: Exploitation for Client Execution, T1082: System Information Discovery	Exim , Ubuntu , Debian

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2026-43500</u>	Dirty Frag	Linux kernel (RxRPC subsystem) kernel versions 4.10 through 7.0 (vulnerable code introduced June 2023)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSO MWARE
NAME	CISA KEV		
Linux Kernel RxRPC In-Place Decrypt Page-Cache Write Vulnerability		cpe:2.3:o:linux:linux_kernel:*.~:~:~:~:~:~:~	-
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-123	T1068: Exploitation for Privilege Escalation, T1611: Escape to Host	<u>Linux</u> , <u>SUSE</u> , <u>Amazon</u> , <u>Oracle</u> , <u>Debian</u>

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2026-42945</u>	NGINX Rift	NGINX Plus: R32 – R36 NGINX Open Source: 1.0.0 – 1.30.0, 0.6.27 – 0.9.7 NGINX Instance Manager: 2.16.0 – 2.22.0F5 WAF for NGINX: 5.9.0 – 5.12.1 NGINX App Protect WAF: 5.1.0 – 5.8.0, 4.9.0 – 4.16.0F5 DoS for NGINX: 4.8.0 NGINX App Protect DoS: 4.3.0 – 4.7.0 NGINX Gateway Fabric: 2.0.0 – 2.6.0, 1.3.0 – 1.6.2 NGINX Ingress Controller: 5.0.0 – 5.4.2, 4.0.0 – 4.0.1, 3.5.0 – 3.7.2	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:a:f5:nginx:*:*:*:*:*:* :*:*:*:*:* cpe:2.3:o:canonical:ubuntu_linux:*:*:*:*:*:* :*:*:*:*:*:*:* cpe:2.3:o:suse:linux_enterprise_server:*:*:*:*:*:* :*:*:*:*:*:*:* cpe:2.3:o:oracle:linux:*:*:*:*:*:* :* cpe:2.3:o:debian:debian_linux:*:*:*:*:*:* :*:*:*:*:*:* cpe:2.3:a:redhat:enterprise_linux:*:*:*:*:*:* :*:*:*:*:*:*	-
F5 NGINX ngx_http_rewrite_module Heap-Based Buffer Overflow Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-122	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application, T1203: Exploitation for Client Execution	<u>F5</u> , <u>Ubuntu</u> , <u>SUSE</u> , <u>Oracle</u> , <u>Debian</u> , <u>Redhat</u> , <u>Amazon</u> 

Vulnerability Details

#1

In May, the Linux ecosystem faced a significant wave of security disclosures, with more than 1756 vulnerabilities identified and patched across multiple distributions, enterprise platforms, and open-source products. The flaws ranged from Cross-Site Scripting (XSS) and privilege escalation to remote code execution and memory corruption vulnerabilities capable of enabling full system compromise. HiveForce Labs identified 17 particularly critical vulnerabilities that are either actively being exploited or are considered highly likely to face exploitation in the near future. According to the researchers, these issues could enable a wide range of adversarial tactics, including Initial Access, Execution, Privilege Escalation, Discovery, Command and Control, and destructive Impact operations.

#2

Among the most concerning vulnerabilities is Copy Fail (CVE-2026-31431), a Linux kernel flaw that poses a major risk to organizations operating cloud-native and containerized workloads at scale. The issue is especially dangerous in Kubernetes clusters, CI/CD pipelines, and shared infrastructure environments where untrusted code execution is common. Researchers warned that the flaw could enable page-cache corruption and potentially lead to privilege escalation or arbitrary code execution. The public release of proof-of-concept exploit code has significantly heightened the risk, with security experts describing it as one of the most impactful Linux kernel vulnerabilities disclosed this year.

#3

Another critical issue, Fragnesia (CVE-2026-46300), has raised serious concerns for multi-tenant Linux environments, cloud SaaS platforms, build farms, and container clusters. The vulnerability affects the Linux kernel's XFRM ESP-in-TCP subsystem and is considered the third local-root flaw discovered within the same code region in less than two weeks, following Copy Fail (CVE-2026-31431) and the Dirty Frag vulnerabilities tracked as CVE-2026-43284 and CVE-2026-43500. Unlike earlier variants, Fragnesia does not require elevated host-level privileges, meaning attackers with limited access, such as through a compromised SSH account, web shell, container escape, or low-privileged service account, could potentially escalate privileges and gain root-level control. Researchers also revealed that the flaw was unintentionally introduced through an upstream patch intended to fix CVE-2026-43284, highlighting the growing complexity of securing kernel-level components.



#4

The Linux kernel also saw the disclosure of CVE-2026-31635, a high-severity vulnerability in the RxGK subsystem publicly referred to as “DirtyDecrypt” or “DirtyCBC.” The flaw was released alongside a working proof-of-concept exploit on May 18, 2026, raising immediate concerns over rapid weaponization. Security researchers warned that vulnerabilities affecting cryptographic or low-level kernel functionality can have far-reaching consequences, particularly when exploit code becomes publicly accessible shortly after disclosure.

#5

Outside the kernel space, F5 released emergency security updates for NGINX, including patches for CVE-2026-42945, a critical heap-based buffer overflow vulnerability in the `ngx_http_rewrite_module`. Researchers noted that the flaw had remained hidden within the codebase for nearly 18 years, dating back to 2008. Given NGINX’s widespread deployment across enterprise and cloud infrastructure, the vulnerability carries substantial risk for internet-facing environments and high-traffic applications.

#6

Another major disclosure involved CVE-2026-45185, also known as “Dead.Letter,” affecting the Exim mail server. The vulnerability is a critical unauthenticated remote code execution flaw, caused by a use-after-free condition in the BDAT message body parser. Exploitation is only possible on builds compiled with GnuTLS, making Debian, Ubuntu, and Debian-derived Linux distributions the primary exposure surface. Researchers warned that successful exploitation could allow attackers to remotely compromise vulnerable mail servers, providing access to sensitive communications infrastructure and potentially enabling further lateral movement within enterprise networks.

#7

In addition to the actively patched vulnerabilities disclosed throughout May, security researchers also highlighted two unresolved flaws affecting Eclipse Equinox OSGi, CVE-2023-54344 and CVE-2023-54342, which remain unpatched at the time of reporting. The vulnerabilities impact the Eclipse Equinox OSGi framework, a widely used modular Java runtime environment commonly integrated into enterprise applications, developer platforms, and middleware solutions. The absence of official patches raises ongoing security concerns for organizations relying on affected deployments, particularly in environments where modular Java components process untrusted input or support externally accessible services.

Recommendations

Proactive Strategies:



Prioritize Immediate Patch Management: Organizations should urgently apply security updates for affected Linux kernels, NGINX, and Exim deployments to mitigate exposure to vulnerabilities such as Copy Fail (CVE-2026-31431), Fragnesia (CVE-2026-46300), DirtyDecrypt (CVE-2026-31635), CVE-2026-42945, and Dead.Letter (CVE-2026-45185). Systems exposed to the internet or running untrusted workloads should be treated as the highest priority for remediation.



Strengthen Workload Isolation and Access Controls: Because several of these vulnerabilities can be exploited after gaining limited system access, organizations should enforce strict least-privilege policies, role-based access controls, and workload segmentation across Linux servers, Kubernetes clusters, CI/CD pipelines, and containerized environments. Restricting unnecessary shell access and limiting privileged service accounts can significantly reduce the likelihood of privilege escalation and lateral movement.



Enhance Vulnerability Monitoring and Detection: Organizations should continuously monitor for vulnerable assets through automated vulnerability scanning, configuration auditing, and exposure management programs. Since proof-of-concept exploit code for several vulnerabilities is publicly available, security teams should also deploy behavioral detection mechanisms capable of identifying suspicious privilege escalation activity, abnormal container behavior, unauthorized process execution, and exploitation attempts targeting Linux kernel components.

Reactive Strategies:



Isolate Potentially Compromised Systems: Any server suspected of exploitation should be immediately isolated from production networks to prevent further attacker activity, persistence, or lateral movement. Special attention should be given to internet-facing Linux servers, CI/CD infrastructure, Kubernetes nodes, and mail servers running vulnerable software versions.



Monitor Authentication and Privileged Activity: Security teams should review authentication logs, SSH activity, service account usage, sudo events, and privileged process execution for signs of unauthorized access. Unusual login behavior, privilege changes, or execution of unfamiliar binaries may indicate exploitation attempts or post-compromise activity.



Detect, Mitigate & Patch

CVE ID	TTPs	Detection	Mitigation	Patch
CVE-2023-2640	T1068: Exploitation for Privilege Escalation	DET0514: Detection Strategy for Exploitation for Privilege Escalation	M1038: Execution Prevention	 Ubuntu, Debian
CVE-2026-23918	T1059: Command and Scripting Interpreter, T1071: Application Layer Protocol	DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse , DET0444: Detection of Command and Control Over Application Layer Protocols	M1038: Execution Prevention , M1037: Filter Network Traffic	 Ubuntu, SUSE, Debian, Redhat
CVE-2026-2472	T1059: Command and Scripting Interpreter, T1059.007: JavaScript	DET0264: Cross-Platform Detection of JavaScript Execution Abuse	M1045: Code Signing , M1040: Behavior Prevention on Endpoint	 Redhat
CVE-2026-27876	T1059: Command and Scripting Interpreter	DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse	M1038: Execution Prevention	 SUSE  Debian
CVE-2026-31431	T1068: Exploitation for Privilege Escalation, T1059.006: Python	DET0514: Detection Strategy for Exploitation for Privilege Escalation , DET0063: Cross-Platform Behavioral Detection of Python Execution	M1038: Execution Prevention , M1038: Execution Prevention	 Ubuntu, SUSE, Amazon, Oracle, Debian, Redhat



CVE ID	TTPs	Detection	Mitigation	Patch
CVE-2026-42945	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application, T1203: Exploitation for Client Execution	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse, DET0080:Exploit Public-Facing Application – multi-signal correlation (request → error → post-exploit process/egress), DET0287: Exploitation for Client Execution – cross-platform behavior chain (browser/Office/3rd-party apps)</u>	<u>M1038: Execution Prevention, M1045: Code Signing, M1050:Exploit Protection</u>	<u>Ubuntu, SUSE, Oracle, Debian, Redhat</u>   <u>Amazon</u>
CVE-2026-43284	T1068: Exploitation for Privilege Escalation, T1059: Command and Scripting Interpreter, T1078: Valid Accounts	<u>DET0514:Detection Strategy for Exploitation for Privilege Escalation, DET0516:Behavioral Detection of Command and Scripting Interpreter Abuse, DET0560:Detection of Valid Account Abuse Across Platforms</u>	<u>M1038: Execution Prevention,</u>	<u>SUSE, Amazon, Oracle, Debian, Redhat</u> 
CVE-2026-43500	T1068: Exploitation for Privilege Escalation, T1611: Escape to Host	<u>DET0514: Detection Strategy for Exploitation for Privilege Escalation, DET0219: Detection Strategy for Escape to Host</u>	<u>M1038: Execution Prevention</u>	<u>SUSE, Amazon, Oracle, Debian</u> 



CVE ID	TTPs	Detection	Mitigation	Patch
CVE-2026-45185	T1059: Command and Scripting Interpreter, T1190: Exploit Public-Facing Application, T1203: Exploitation for Client Execution, T1082: System Information Discovery	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse</u> , <u>DET0080: Exploit Public-Facing Application – multi-signal correlation (request → error → post-exploit process/egress)</u> , <u>DET0287: Exploitation for Client Execution – cross-platform behavior chain (browser/Office/3rd-party apps)</u> , <u>DET0525: System Discovery via Native and Remote Utilities</u>	<u>M1045: Code Signing</u> , <u>M1037: Filter Network Traffic</u>	 <u>Ubuntu, Debian</u>
CVE-2026-44742	T1059: Command and Scripting Interpreter	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse</u>	<u>M1045: Code Signing</u>	 <u>Debian</u>
CVE-2026-42484	T1059: Command and Scripting Interpreter, T1498: Network Denial of Service	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse</u> , <u>DET0518: Behavioral Detection of T1498 – Network Denial of Service Across Platforms</u>	<u>M1045: Code Signing</u> , <u>M1037: Filter Network Traffic</u>	 <u>Debian</u>

CVE ID	TTPs	Detection	Mitigation	Patch
CVE-2026-42483	T1059: Command and Scripting Interpreter, T1498: Network Denial of Service	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse</u> , <u>DET0518: Behavioral Detection of T1498 – Network Denial of Service Across Platforms</u>	<u>M1045: Code Signing</u> , <u>M1037: Filter Network Traffic</u>	 <u>Debian</u>
CVE-2026-42482	T1059: Command and Scripting Interpreter, T1498: Network Denial of Service	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse</u> , <u>DET0518: Behavioral Detection of T1498 – Network Denial of Service Across Platforms</u>	<u>M1045: Code Signing</u> , <u>M1037: Filter Network Traffic</u>	 <u>Debian</u>
CVE-2023-54344	T1059: Command and Scripting Interpreter	<u>DET0516: Behavioral Detection of Command and Scripting Interpreter Abuse</u>	<u>M1038: Execution Prevention</u>	
CVE-2023-54342	T1059: Command and Scripting Interpreter, T1059.007: JavaScript	<u>DET0264: Cross-Platform Detection of JavaScript Execution Abuse</u>	<u>M1038: Execution Prevention</u> , <u>M1042: Disable or Remove Feature or Program</u>	

CVE ID	TTPs	Detection	Mitigation	Patch
CVE-2026-46300	T1068: Exploitation for Privilege Escalation, T1059: Command and Scripting Interpreter	<u>DET0514: Detection Strategy for Exploitation for Privilege Escalation, DET0516:Behavioral Detection of Command and Scripting Interpreter Abuse</u>	<u>M1038: Execution Prevention</u>	✔ <u>Ubuntu, SUSE, Amazon, Redhat</u> ✘ <u>Debian</u>
CVE-2026-31635	T1068: Exploitation for Privilege Escalation, T1059: Command and Scripting Interpreter	<u>DET0514: Detection Strategy for Exploitation for Privilege Escalation, DET0516:Behavioral Detection of Command and Scripting Interpreter Abuse</u>	<u>M1038: Execution Prevention</u>	✔ <u>Linux, Debian</u>

References

<https://lore.kernel.org/linux-cve-announce/>

<https://github.com/leonov-av/linux-patch-wednesday>

<https://www.debian.org/security/#DSAS>

<https://lists.ubuntu.com/archives/ubuntu-security-announce/>

<https://access.redhat.com/security/security-updates/>

<https://lists.opensuse.org/archives/list/security-announce@lists.opensuse.org/>

<https://hivepro.com/threat-advisory/one-script-every-distro-full-root-copy-fail-vulnerability-rewriting-linux-threat-models/>

<https://hivepro.com/threat-advisory/critical-nginx-vulnerabilities-including-18-year-old-rce-flaw-actively-exploited/>

<https://hivepro.com/threat-advisory/dead-letter-walking-unauthenticated-rce-stalks-exim-mail-servers/>

<https://hivepro.com/threat-advisory/three-strikes-in-two-weeks-fragnesia-joins-the-dirty-frag-family/>

<https://hivepro.com/threat-advisory/dirty-frag-a-2017-optimization-that-aged-into-a-root-exploit/>

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a Demo of HivePro.

REPORT GENERATED ON

May 22, 2026 • 12:30 PM

© 2026 All Rights are Reserved by Hive Pro



More at www.hivepro.com