

Date of Publication
March 24, 2026



HiveForce Labs
WEEKLY
THREAT DIGEST

Attacks, Vulnerabilities, and Actors

16 to 22 MARCH 2026

Table Of Contents


<u>Summary</u>	03
<u>High Level Statistics</u>	04
<u>Insights</u>	05
<u>Targeted Countries</u>	06
<u>Targeted Industries</u>	07
<u>Top MITRE ATT&CK TTPs</u>	07
<u>Attacks Executed</u>	08
<u>Vulnerabilities Exploited</u>	16
<u>Adversaries in Action</u>	23
<u>Recommendations</u>	32
<u>Threat Advisories</u>	33
<u>Appendix</u>	34
<u>What Next?</u>	36

Summary

HiveForce Labs has reported a sharp rise in cybersecurity threats, highlighting the increasing complexity and frequency of global cyber incidents. Over the past week, **fifteen** major attacks were detected, **eleven** critical vulnerabilities were publicly disclosed, and **nine** active threat actor groups were monitored, signaling a concerning escalation in malicious activity.

Urgent patching has taken center stage as Google Chrome is actively exploited by **CVE-2026-3909** and **CVE-2026-3910**, exposing weaknesses in Skia and V8 that enable memory corruption and sandbox escape scenarios. At the same time, Cisco FMC's **CVE-2026-20131** is being weaponized as a zero-day by the **Interlock ransomware group**, allowing unauthenticated attackers to gain root-level code execution via insecure deserialization, underscoring how patch delays are being actively exploited in the wild.

Meanwhile, the **US-Israel-Iran** conflict has become a catalyst for cyber operations, with threat actors leveraging geopolitical tension as a lure to deploy phishing, credential harvesting, and multi-stage malware campaigns. The **LeakNet** ransomware group has rapidly evolving tactics, adopting a ClickFix-driven approach for initial access. A significant escalation in cyberattacks since late February 2026 targeting **surveillance camera** exploitation for real-world military intelligence, blurring the line between cyber and kinetic warfare. Collectively, these developments reinforce a harsh reality: attackers are becoming faster, more adaptive, and increasingly aligned with global events, leaving defenders with little margin for delay.



High Level Statistics

15

Attacks
Executed

11

Vulnerabilities
Exploited

9

Adversaries in
Action

- [AppleChris](#)
- [MemFun](#)
- [Getpass](#)
- [LeakNet](#)
- [Deno](#)
- [EndRAT](#)
- [RftRAT](#)
- [RemcosRAT](#)
- [Vidar Stealer 2.0](#)
- [Interlock Ransomware Group](#)
- [Rhadamanthys](#)
- [Hatef](#)
- [Hamsa](#)
- [Handala](#)
- [Handala PowerShell](#)

- [CVE-2026-3909](#)
- [CVE-2026-3910](#)
- [CVE-2017-7921](#)
- [CVE-2021-36260](#)
- [CVE-2023-6895](#)
- [CVE-2025-34067](#)
- [CVE-2021-33044](#)
- [CVE-2025-66376](#)
- [CVE-2026-20131](#)
- [CVE-2026-20079](#)
- [CVE-2019-0604](#)

- [UNK InnerAmbush](#)
- [TA402](#)
- [UNK RobotDreams](#)
- [UNK NightOwl](#)
- [TA473](#)
- [TA453](#)
- [CL-STA-1087](#)
- [Konni](#)
- [Void Manticore](#)



Insights

Amid the **US–Israel–Iran** conflict, threat actors weaponize crisis narratives to launch targeted phishing and malware campaigns using DLL sideloading and geofenced payloads.

Operation GhostMail weaponizes a linkless phishing email to silently exploit a Zimbra flaw, hijacking sessions in-browser with zero disk footprint.


Google Chrome races to patch **CVE-2026-3909** and actively exploited **CVE-2026-3910**, exposing critical flaws in Skia and the V8 engine.

CVE-2026-20131: Cisco FMC flaw exploited as a zero-day by **Interlock ransomware**, enabling unauthenticated root-level Java RCE via deserialization.

Iran-linked threat actors weaponize **IP surveillance cameras** across the **Middle East** for real-time reconnaissance and battle damage assessment in missile operations.

Void Manticore escalates hybrid warfare with multi-vector wipers and Starlink-backed ops amid blackouts, but mounting OPSEC failures expose its infrastructure.

Threat Distribution






Targeted Countries

Most



Least




Powered by Bing

© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, Open Places, OpenStreetMap, Overture Maps Foundation, TomTom, Zenrin

Countries	Countries	Countries	Countries
Israel	Netherlands	Italy	Uganda
Jordan	Finland	Poland	Burma
Qatar	Russia	Laos	Eritrea
Bahrain	France	Romania	Honduras
Kuwait	Sweden	Latvia	French Guiana
Cyprus	Germany	San Marino	Burundi
United Arab Emirates	United States	Brunei	Burkina Faso
Iraq	Greece	Serbia	Cabo Verde
Lebanon	Norway	Liechtenstein	Vanuatu
Saudi Arabia	Holy See	Slovakia	Azerbaijan
Ukraine	Portugal	Vietnam	Bangladesh
Syria	Hungary	Spain	Cameroon
Albania	Cambodia	Luxembourg	Saint Lucia
Oman	Iceland	Canada	Belize
Belgium	Slovenia	Malaysia	Seychelles
Switzerland	India	Thailand	Central African Republic
Egypt	Croatia	Malta	South Korea
Turkey	Indonesia	Denmark	Chad
Iran	Dominican Republic	Mauritius	Bahamas
Yemen	Bosnia and Herzegovina	United Kingdom	Angola
Austria	Montenegro	Moldova	Tunisia
Philippines	Andorra	Belarus	Chile
Timor-Leste	North Macedonia	Monaco	Guinea
Singapore	Ireland	Lithuania	Jamaica
Estonia	Bulgaria	Panama	

Targeted Industries



TOP MITRE ATT&CK TTPs

T1059

Command and Scripting Interpreter

T1071

Application Layer Protocol

T1071.001

Web Protocols

T1041

Exfiltration Over C2 Channel

T1204

User Execution

T1566

Phishing

T1059.001

PowerShell

T1082

System Information Discovery

T1090

Proxy

T1059.007

JavaScript

T1102

Web Service

T1070

Indicator Removal

T1555

Credentials from Password Stores

T1620

Reflective Code Loading

T1005

Data from Local System

T1583

Acquire Infrastructure

T1036

Masquerading

T1204.002

Malicious File

T1572

Protocol Tunneling

T1497

Virtualization/Sandbox Evasion



Attacks Executed

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
AppleChris	AppleChris is a versatile malware strain designed for flexible deployment, delivered either as a standalone executable or as a DLL to better blend into compromised systems. In several cases, attackers have leveraged DLL hijacking by placing a malicious swprv32.sys component within the system32 directory, allowing it to be loaded by trusted processes. To maintain persistence, the malware registers itself as part of the Volume Shadow Copy Service, effectively gaining elevated privileges while masquerading as a legitimate Windows component, helping it stay under the radar and evade detection.	Phishing	-
		IMPACT	AFFECTED PLATFORM
		Privilege escalation, System Compromise	Windows
			PATCH LINK
TYPE			
Backdoor			
ASSOCIATED ACTOR			
CL-STA-1087			-
IOC TYPE	VALUE		
SHA256	9e44a460196cc92fa6c6c8a12d74fb73a55955045733719e3966a7b8ced6c500, 5a6ba08efcef32f5f38df544c319d1983adc35f3db64f77fa5b51b44d0e5052c		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
MemFun	MemFun is a multi-stage, modular malware built for stealth and flexibility. It begins with an initial loader disguised as GoogleUpdate.exe, which operates entirely in memory to evade detection. This loader connects to a command-and-control (C2) server to fetch a secondary DLL payload containing the exported MemFun function, which is then executed to launch the main backdoor.	Phishing	-
		IMPACT	AFFECTED PLATFORM
		System Compromise	Windows
			PATCH LINK
TYPE			
Backdoor			
ASSOCIATED ACTOR			
CL-STA-1087			-
IOC TYPE	VALUE		
SHA256	ad25b40315dad0bda5916854e1925c1514f8f8b94e4ee09a43375cc1e77422ad		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
Getpass	Getpass is a customized variant of Mimikatz, delivered as a standalone DLL and disguised as a legitimate Palo Alto Networks component within the Cyvera directory to avoid suspicion. Once executed, it invokes its vncpass function to escalate privileges by obtaining SeDebugPrivilege, enabling deep access to sensitive system processes. The malware then targets multiple Windows authentication packages, such as MSV, WDigest, Kerberos, and CloudAP, to extract plaintext credentials, NTLM hashes, and authentication data directly from the memory of lsass.exe, allowing attackers to harvest valuable credentials while remaining largely stealthy.	Phishing	-
		IMPACT	AFFECTED PLATFORM
Steal data		Windows	
		PATCH LINK	
		-	
TYPE			
Credential Harvester			
ASSOCIATED ACTOR			
CL-STA-1087			
IOC TYPE	VALUE		
SHA256	ee4d4b7340b3fa70387050cd139b43ecc65d0cfd9e3c7dcb94562f5c9c91f58f		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
LeakNet TYPE Ransomware ASSOCIATED ACTOR -	LeakNet, a ransomware group identified in November 2024, has shifted to a scalable ClickFix social engineering technique, tricking users on compromised websites into executing malicious commands themselves. Once triggered, it deploys a second-stage loader using the legitimate Deno runtime, allowing the attack to blend in with normal activity. The payload runs as encoded, in-memory scripts rather than traditional files, making detection and analysis significantly more difficult.	Social Engineering	-
		IMPACT	AFFECTED PLATFORM
		Encrypt Data, Data theft	Windows
			PATCH LINK
			-

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
Deno	The Deno runtime loader executes a Base64-encoded payload almost entirely in memory, minimizing disk artifacts while evading detection. It fingerprints the infected system and establishes communication with a command-and-control (C2) server to receive further instructions. By leveraging Deno, a legitimate JavaScript/TypeScript runtime like Node.js, the malware blends into normal activity while efficiently running its payload in memory.	Social Engineering	-
		IMPACT	AFFECTED PLATFORM
TYPE		Loads payloads	Windows
Loader			PATCH LINK
ASSOCIATED ACTOR			-
-			
IOC TYPE	VALUE		
Domains	okobojirent[.]com, mshealthmetrics[.]com		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
EndRAT	EndRAT is a lightweight remote access trojan developed in Autolt that, despite its simplicity, delivers a full range of RAT capabilities. It enables attackers to manage files, execute commands through a remote shell, transfer data, and maintain persistence on infected systems, making it an effective tool for sustained unauthorized access.	Phishing	-
		IMPACT	AFFECTED PLATFORM
TYPE		System Compromise	Windows
RAT			PATCH LINK
ASSOCIATED ACTOR			-
Konni			
IOC TYPE	VALUE		
IPv4	157[.]180[.]88[.]26		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>RftRAT</u>	RftRAT is a Remote Access Trojan designed to give attackers full control over compromised systems, enabling data theft and covert surveillance. It is built using Autolt, a Windows automation scripting language, which helps the malware blend in with legitimate activity and evade detection by security tools while maintaining persistent access.	Phishing	-
		IMPACT	AFFECTED PLATFORM
TYPE		System Compromise	Windows
RAT			PATCH LINK
ASSOCIATED ACTOR			-
Konni			
IOC TYPE	VALUE		
IPv4	96[.]62[.]214[.]5		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>RemcosRAT</u>	Remcos, is often employed by attackers to gain complete control over systems. It operates stealthily, elevates privileges, and persists through reboots. Common methods of delivery include phishing emails, exploit kits, and watering hole attacks.	Phishing	-
		IMPACT	AFFECTED PLATFORM
TYPE		Information Theft, Espionage	Windows
RAT			PATCH LINK
ASSOCIATED ACTOR			-
Konni			
IOC TYPE	VALUE		
IPv4	178[.]16[.]54[.]208		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Vidar Stealer 2.0</u>	Vidar 2.0 is a stealthy information stealer that extracts browser data, credentials, crypto wallets, and tokens, often monetized by attackers. Rewritten in C with polymorphic and multithreaded capabilities, it evades detection using obfuscation and anti-analysis techniques. Its C2 communication leverages Telegram bots and Steam profiles, allowing it to operate quickly and quietly, often exfiltrating data before detection.	Fake game cheat repositories	-
		IMPACT	AFFECTED PLATFORM
TYPE		Data theft, Steal Data	Windows
Stealer			PATCH LINK
ASSOCIATED ACTOR			-
-			
IOC TYPE	VALUE		
SHA256	d1258b4c2b9849833651d1e844d1a99a5bc7febbb751548f960e92525afe6c26, bfee57d9e1b68c5c5aa63792b4e67b94f3361749e186531bd01609d9382672f3		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Interlock Ransomware Group</u>	INTERLOCK is a ransomware group known for its technical sophistication, using C/C++-compiled malware targeting both Windows and Linux systems. The group employs refined double-extortion tactics and runs a leak site called “Worldwide Secrets Blog” to publish stolen data and pressure victims into negotiations.	Exploiting Vulnerability	CVE-2026-20131
		IMPACT	AFFECTED PRODUCTS
TYPE		Information Theft, Financial Loss	Cisco Secure Firewall Management Center (FMC) Software, Cisco Security Cloud Control (SCC) Firewall Management
Ransomware			PATCH LINK
ASSOCIATED ACTOR			https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-fmc-rce-NKhnULJh
-			
IOC TYPE	VALUE		
SHA256	e86bb8361c436be94b0901e5b39db9b6666134f23cce1e5581421c2981405cb1, f00a7652ad70ddb6871eeef5ece097e2cf68f3d9a6b7acfbffd33f82558ab50e		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Rhadamanthys</u>	Rhadamanthys is information-stealing malware distributed through large-scale phishing campaigns. It is designed to exfiltrate sensitive data from infected systems, including credentials and financial information. Targeting various sectors globally has been observed, often masquerading as legitimate communications to deceive victims.	Phishing	CVE-2019-0604
		IMPACT	AFFECTED PRODUCT
TYPE		Data theft	Microsoft SharePoint
Infostealer			PATCH LINK
ASSOCIATED ACTOR			https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2019-0604
Void Manticore			
IOC TYPE	VALUE		
SHA256	aae017e7a36e016655c91bd01b4f3c46309bbe540733f82cce29392e72e9bd1f		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Hatef</u>	The Windows wiper, “Hatef,” begins by identifying its own process and ensuring only a single instance is running through checks on process name, session ID, and execution path. It then verifies whether it has Administrator privileges; if not, it displays a deceptive prompt posing as a legitimate updater to trick the user into granting elevated access. This combination of execution control and social engineering helps the malware secure the permissions needed to carry out its destructive actions.	Phishing	CVE-2019-0604
		IMPACT	AFFECTED PRODUCT
TYPE		Wipes data	Microsoft SharePoint
Wiper			PATCH LINK
ASSOCIATED ACTOR			https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2019-0604
Void Manticore			
IOC TYPE	VALUE		
SHA256	e28085e8d64bb737721b1a1d494f177e571c47aab7c9507dba38253f6183af35		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
Hamsa	Hamsa is a destructive wiper designed to erase data while concealing its intent through layered obfuscation. The payload is embedded within a script that uses five successive Base64 encoding stages and is ultimately executed via the ‘eval’ command, allowing it to evade straightforward analysis. Once decoded, it reveals a Bash-based routine engineered to wipe system data. The name “Hamsa” reflects this technique, derived from the Arabic word for “five,” referencing the multiple encoding layers used to hide its core functionality.	Phishing	CVE-2019-0604
		IMPACT	AFFECTED PRODUCT
TYPE		Wipes data	Microsoft SharePoint
Wiper			PATCH LINK
ASSOCIATE D ACTOR			https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2019-0604
Void Manticore			
IOC TYPE	VALUE		
URL	hxxp[:]//sjc1[.]vultrobjects[.]com/f5update/update[.]sh		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Handala</u>	Handala Wiper is a custom destructive malware deployed via Group Policy logon scripts as handala.bat, enabling it to execute remotely from the Domain Controller without being written to disk on target systems. It is designed to overwrite files across the system and corrupt the Master Boot Record (MBR), leading to severe, low-level data destruction and system inoperability. The wiper also leverages the Telegram Bot API for command-and-control communication, helping operators manage attacks while maintaining a level of stealth.	Phishing	CVE-2019-0604
		IMPACT	AFFECTED PRODUCT
TYPE		Wipes data	Microsoft SharePoint
Wiper			PATCH LINK
ASSOCIATED ACTOR			https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2019-0604
Void Manticore			
IOC TYPE	VALUE		
SHA256	454e6d3782f23455875a5db64e1a8cd8eb743400d8c6dadbd1cd8fd2ffc2f9567		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVE
<u>Handala PowerShell</u>	Handala PowerShell Wiper is an AI-assisted destructive script delivered alongside the main Handala Wiper via Group Policy logon scripts. It systematically enumerates and deletes files across user directories, ensuring widespread data loss. In its final stage, it floods all logical drives with a propaganda image named handala.gif, leaving a visible signature of the attack. The script's structured logic and detailed comments strongly suggest it was developed with AI assistance.	Phishing	CVE-2019-0604
		IMPACT	AFFECTED PRODUCT
TYPE		Wipes data	Microsoft SharePoint
Wiper			PATCH LINK
ASSOCIATE D ACTOR			https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2019-0604
Void Manticore			
IOC TYPE	VALUE		
MD5	3cb9dea916432ffb8784ac36d1f2d3cd		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

Vulnerabilities Exploited

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2026-3909</u>		Google Chrome (before 146.0.7680.75)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:google:chrome:*:*:*:*:*:*	-
Google Skia Out-of-Bounds Write Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-787	T1189: Drive-By Compromise; T1203: Exploitation for Client Execution	

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2026-3910</u>		Google Chrome (before 146.0.7680.75)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:google:chrome:*:*:*:*:*:*	-
Google Chromium V8 Improper Restriction of Operations Within the Bounds of a Memory Buffer Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-94, CWE-119	T1189: Drive-By Compromise; T1059: Command and Scripting Interpreter	https://chromereleases.googleblog.com/2026/03/stable-channel-update-for-desktop_12.html

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2017-7921</u>		Hikvision DS-2CD2xx2F-I Series V5.2.0 build 140721 to V5.4.0 build 160530, DS-2CD2xx0F-I Series V5.2.0 build 140721 to V5.4.0 Build 160401, DS-2CD2xx2FWD Series V5.3.1 build 150410 to V5.4.4 Build 161125, DS-2CD4x2xFWD Series V5.2.0 build 140721 to V5.4.0 Build 160414, DS-2CD4xx5 Series V5.2.0 build 140721 to V5.4.0 Build 160421, DS-2DFx Series V5.2.0 build 140805 to V5.4.5 Build 160928, and DS-2CD63xx Series V5.0.9 build 140305 to V5.3.5 Build 160106 devices.	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSO MWARE
NAME	CISA KEV	cpe:2.3:o:hikvision:ds-2cd2032-i_firmware:-:*:*:*:*:*:* cpe:2.3:o:hikvision:ds-2cd2112-i_firmware:-:*:*:*:*:*:* cpe:2.3:o:hikvision:ds-2cd2212-i5_firmware:-:*:*:*:*:*:*	-
Hikvision Multiple Products Improper Authentication Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-287	T1190: Exploit Public-Facing Application; T1068: Exploitation for Privilege Escalation	https://www.hikvision.com/us-en/support/document-center/special-notices/privilege-escalating-vulnerability-in-certain-hikvision-ip-cameras/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2021-36260</u>		Hikvision Multiple Products	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:hikvision:ds-2cd2026g2-iu\sl_firmware:-:*:*:*:*:* cpe:2.3:o:hikvision:ds-2cd2046g2-iu\sl_firmware:-:*:*:*:*:* cpe:2.3:o:hikvision:ds-2cd2066g2-i(u)_firmware:-:*:*:*:*:* cpe:2.3:o:hikvision:ds-2cd2086g2-i(u)_firmware:-:*:*:*:*:*	-
Hikvision Multiple Products Improper Input Validation Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-78	T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter	https://www.hikvision.com/en/support/cybersecurity/security-advisory/security-notification-command-injection-vulnerability-in-some-hikvision-products/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2023-6895</u>		HikvHikvision Intercom Broadcasting System 3.0.3_20201113_RELEASE(HIK)	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:o:hikvision:intercom_broadcast_system:*:*:*:*:*	-
Hikvision Intercom Broadcasting System Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-78	T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter	https://www.hikvision.com/en/support/download/software/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2025-34067</u>		HIKVISION Integrated Security Management Platform	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:o:hikvision:integrated_security_management_platform:*:*:*:*:*:*	-
HIKVISION Integrated Security Management Platform Remote Command Execution Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-502	T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter	https://www.hikvision.com/europe/support/cybersecurity/security-advisory/clarification-on-hikvision-software---fastjson-vulnerability--cv/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2021-33044</u>		Dahua IP Camera	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:o:dahuasecurity:ipc_firmware:*:*:*:*:*:*	-
Dahua IP Camera Authentication Bypass Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-287	T1190: Exploit Public-Facing Application; T1556: Modify Authentication Process	https://www.dahuasecurity.com/download-center/firmware

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2025-66376</u>		Zimbra Collaboration (ZCS) 10 before 10.0.18 and 10.1 before 10.1.13	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:a:synacor:zimbra_collaboration_suite:*:*:*:*:*:*	-
Synacor Zimbra Collaboration Suite (ZCS) Cross-Site Scripting Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-79	T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter	https://wiki.zimbra.com/wiki/Zimbra Releases

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2026-20131</u>		Cisco Secure Firewall Management Center (FMC) Software and Cisco Security Cloud Control (SCC) Firewall Management	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEV	cpe:2.3:a:cisco:secure_firewall_management_center:*:*:*:*:*:* cpe:2.3:a:cisco:security_cloud_control:*:*:*:*:*:*	Interlock Ransomware Group
Cisco Secure Firewall Management Center (FMC) Software and Cisco Security Cloud Control (SCC) Firewall Management Deserialization of Untrusted Data Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-502	T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter	https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-fmc-rce-NKhnULjh

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2026-20079</u>		Cisco Secure Firewall Management Center (FMC) Software	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:a:cisco:secure_firewall_management_center:*:*:*:*:*:*:*	-
Cisco Secure Firewall Management Center Software Authentication Bypass Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-288	T1190: Exploit Public-Facing Application; T1059: Command and Scripting Interpreter	https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-onprem-fmc-authbypass-5JPp45V2

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCT	ASSOCIATED ACTORS
<u>CVE-2019-0604</u>		Microsoft SharePoint Server 2019, 2013 Service Pack 1, 2010 Service Pack 2; Microsoft SharePoint Foundation 2013 Service Pack 1, 2010 Service Pack 2; Microsoft SharePoint Enterprise Server 2016	Void Manticore
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOMWARE
NAME	CISA KEY	cpe:2.3:a:microsoft:sharepoint_enterprise_server:*:*:*:*:*:*:* cpe:2.3:a:microsoft:sharepoint_foundation:*:*:*:*:*:*:* cpe:2.3:a:microsoft:sharepoint_server:*:*:*:*:*:*:*	Handala Wiper, Handala PowerShell Wiper, Rhadamanthys, Hatef Wiper, Hamsa Wiper
Microsoft SharePoint Remote Code Execution Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINKS
	CWE-20	T1190: Exploit Public-Facing Application, T1505: Server Software Component, T1505.003: Web Server, T1059: Command and Scripting Interpreter, T1059.003: Windows Command Shell, T1608: Stage Capabilities, T1608.001: Upload Malware	https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2019-0604



Adversaries in Action

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 UNK InnerAmbush	China	Government, Diplomatic Organizations, Think Tanks	Middle East, Europe, United States, India
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	-	-
TTPs			
T1586: Compromise Accounts; T1586.002: Email Accounts; T1583: Acquire Infrastructure; T1583.001: Domains; T1585: Establish Accounts; T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 <u>TA402 (aka Extreme Jackal, Molerats, Gaza Cybergang, Gaza Hackers Team, Aluminum Saratoga, ATK 89, TAG-CT5, Frankenstein, Cruel Jackal)</u>	Gaza	Government, Diplomatic Organizations, Think Tanks	Middle East, Europe, United States, India
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	-	-

TTPs

TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0008: Lateral Movement; TA0010: Exfiltration; TA0043: Reconnaissance; T1586: Compromise Accounts T1586.002: Email Accounts; T1583: Acquire Infrastructure T1583.001: Domains; T1585: Establish Accounts T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 UNK RobotDrea <u>ms</u>	Pakistan	Government, Diplomatic Organizations, Think Tanks	Middle East, Europe, United States, India
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	-	-
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0008: Lateral Movement; TA0010: Exfiltration; TA0043: Reconnaissance; T1586: Compromise Accounts T1586.002: Email Accounts; T1583: Acquire Infrastructure T1583.001: Domains; T1585: Establish Accounts T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link			


NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 UNK NightOwl	-	Government, Diplomatic Organizations, Think Tanks	Middle East, Europe, United States, India
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	-	-
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0008: Lateral Movement; TA0010: Exfiltration; TA0043: Reconnaissance; T1586: Compromise Accounts T1586.002: Email Accounts; T1583: Acquire Infrastructure T1583.001: Domains; T1585: Establish Accounts T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 <u>TA473 (aka Winter Vivern, UAC-0114, UNC4907, TAG-70)</u>	-	Government, Diplomatic Organizations, Think Tanks	Middle East, Europe, United States, India
	MOTIVE		
	Information theft and espionage	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	TARGETED CVE		
	-	-	-
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0008: Lateral Movement; TA0010: Exfiltration; TA0043: Reconnaissance; T1586: Compromise Accounts T1586.002: Email Accounts; T1583: Acquire Infrastructure T1583.001: Domains; T1585: Establish Accounts T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 <u>TA453 (aka Charming Kitten, Magic Hound, APT 35, Cobalt Illusion, Cobalt Mirage, TEMP.Beanie, Timberworm, Tarh Andishan, Phosphorus, TunnelVision, UNC788, Yellow Garuda, Educated Manticore, Mint Sandstorm, Ballistic Bobcat, CharmingCypress)</u>	Iran	Government, Diplomatic Organizations, Think Tanks	Middle East, Europe, United States, India
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	-	-

TTPs

TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0008: Lateral Movement; TA0010: Exfiltration; TA0043: Reconnaissance; T1586: Compromise Accounts T1586.002: Email Accounts; T1583: Acquire Infrastructure T1583.001: Domains; T1585: Establish Accounts T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 CL-STA-1087	China	Military, Defense	Southeast Asia
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	AppleChris, MemFun, Getpass	-
TTPs			
TA0042: Resource Development; TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0006: Credential Access; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0008: Lateral Movement; TA0010: Exfiltration; TA0043: Reconnaissance; T1586: Compromise Accounts T1586.002: Email Accounts; T1583: Acquire Infrastructure T1583.001: Domains; T1585: Establish Accounts T1585.001: Social Media Accounts; T1566: Phishing; T1566.002: Spearphishing Link; T1566.001: Spearphishing Attachment; T1204: User Execution; T1204.001: Malicious Link; T1204.002: Malicious File; T1047: Windows Management Instrumentation; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1543: Create or Modify System Process; T1543.003: Windows Service; T1574: Hijack Execution Flow; T1574.002: DLL Side-Loading; T1574.001: DLL Search Order Hijacking; T1055: Process Injection; T1055.012: Process Hollowing; T1027: Obfuscated Files or Information; T1027.013: Encrypted/Encoded File; T1036: Masquerading; T1036.005: Match Legitimate Name or Location; T1620: Reflective Code Loading; T1497: Virtualization/Sandbox Evasion; T1497.003: Time Based Evasion; T1056: Input Capture; T1056.003: Web Portal Capture; T1003: OS Credential Dumping; T1003.001: LSASS Memory; T1134: Access Token Manipulation; T1134.001: Token Impersonation/Theft; T1082: System Information Discovery; T1083: File and Directory Discovery; T1057: Process Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1102: Web Service; T1102.001: Dead Drop Resolver; T1573: Encrypted Channel; T1573.002: Asymmetric Cryptography; T1090: Proxy; T1090.001: Internal Proxy; T1021: Remote Services; T1041: Exfiltration Over C2 Channel; T1598: Phishing for Information; T1598.003: Spearphishing Link			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 <u>Konni</u>	North Korea	Human Rights Organizations	Worldwide
	MOTIVE		
	Information theft and espionage		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	-	EndRAT, RftRAT, RemcosRAT	KakaoTalk PC Application
TTPs			
TA0001: Initial Access; TA0002: Execution; TA0003: Persistence; TA0005: Defense Evasion; TA0007: Discovery; TA0009: Collection; TA0011: Command and Control; TA0010: Exfiltration; T1566: Phishing T1566.001: Spearphishing Attachment; T1059: Command and Scripting Interpreter; T1059.001: PowerShell; T1059.010: AutoHotKey & AutoIt; T1204: User Execution; T1204.002: Malicious File; T1053: Scheduled Task/Job; T1053.005: Scheduled Task; T1547: Boot or Logon Autostart Execution; T1547.001: Registry Run Keys / Startup Folder; T1036: Masquerading; T1027: Obfuscated Files or Information; T1027.002: Software Packing; T1070: Indicator Removal; T1070.004: File Deletion; T1082: System Information Discovery; T1083: File and Directory Discovery; T1005: Data from Local System; T1071: Application Layer Protocol; T1071.001: Web Protocols; T1041: Exfiltration Over C2 Channel			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 <u>Void Manticore</u> <u>(aka HomeLand Justice, Karma, Storm-0842, Banished Kitten, Handala Hack)</u>	Iran	Government agencies and services, Critical infrastructure, Oil & Gas, Energy, Telecommunications, Defense, NGOs, Media, Think Tanks, IT and Service Providers, Education, Transportation, Airlines, Maritime and Healthcare	Israel, United States, Albania, Jordan, Gulf States
	MOTIVE		
	Espionage, Sabotage, Geopolitical disruption, Politically and ideologically motivated		
	TARGETED CVE	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCT
	CVE-2019-0604	Handala Wiper, Handala PowerShell Wiper, Rhadamanthys, Hatef Wiper, Hamsa Wiper	Windows and Linux

TTPs

TA0001: Initial Access, T1190: Exploit Public-Facing Application, T1078: Valid Accounts, T1566: Phishing, TA0002: Execution, T1059: Command and Scripting Interpreter, T1204: User Execution, T1204.002: Malicious File, T1047: Windows Management Instrumentation, TA0003: Persistence, T1505: Server Software Component, T1505.003: Web Shell, T1547: Boot or Logon Autostart Execution, T1547.001: Registry Run Keys, T1053: Scheduled Task/Job, TA0004: Privilege Escalation, T1078: Valid Accounts, T1078.002: Domain Accounts, T1068: Exploitation for Privilege Escalation, TA0005: Defense Evasion, T1562: Impair Defenses, T1562.001: Disable or Modify Tools, T1036: Masquerading, T1140: Deobfuscate/Decode Files or Information, T1070: Indicator Removal, TA0006: Credential Access, T1003: OS Credential Dumping, T1003.001: LSASS Memory, T1555: Credentials from Password Stores, TA0007: Discovery, T1087: Account Discovery, T1087.002: Domain Account, T1082: System Information Discovery, T1018: Remote System Discovery, T1069: Permission Groups Discovery, T1069.002: Domain Groups, T1016: System Network Configuration Discovery, TA0008: Lateral Movement, T1021: Remote Services, T1021.001: Remote Desktop Protocol, T1021.002: SMB/Windows Admin Shares, T1572: Protocol Tunneling Collection, T1114: Email Collection, T1005: Data from Local System, T1039: Data from Network Shared Drive, TA0011: Command and Control, T1071: Application Layer Protocol, T1071.001: Web Protocols, T1090: Proxy, T1105: Ingress Tool Transfer, T1572: Protocol Tunneling, TA0010: Exfiltration, T1041: Exfiltration Over C2 Channel, T1567: Exfiltration Over Web Service, TA0042: Resource Development, T1583: Acquire Infrastructure, T1583.006: Web Services, T1587: Develop Capabilities, T1587.001: Malware, T1586: Compromise Accounts, T1585: Establish Accounts, T1585.001: Social Media Accounts, TA0040: Impact, T1485: Data Destruction, T1561: Disk Wipe, T1561.001: Disk Content Wipe, T1561.002: Disk Structure Wipe, T1486: Data Encrypted for Impact, T1491: Defacement, T1491.002: External Defacement, T1489: Service Stop, T1529: System Shutdown/Reboot, T1531: Account Access Removal, TA0043: Reconnaissance, T1590: Gather Victim Network Information, T1589: Gather Victim Identity Information, T1589.001: Credentials

Recommendations

Security Teams

This digest can be utilized as a drive to force security teams to prioritize the **eleven exploited vulnerabilities** and block the indicators related to the threat actors **UNK_InnerAmbush, TA402, UNK_RobotDreams, UNK_NightOwl, TA473, TA453, CL-STA-1087, Konni, Void Manticore**, and malware **AppleChris, MemFun, Getpass, LeakNet, Deno, EndRAT, RftRAT, RemcosRAT, Vidar Stealer 2.0, Interlock Ransomware Group, Rhadamanthys, Hatef, Hamsa, Handala**, and **Handala PowerShell**.

Uni5 Users

This is an actionable threat digest for HivePro Uni5 customers, and they can get comprehensive insights into their threat exposure and can action it effortlessly over the HivePro Uni5 dashboard by

- Run a Scan to discover the assets impacted by the **eleven exploited vulnerabilities**.
- Testing the efficacy of their security controls by simulating the attacks related to the threat actors **TA402, TA473, TA453, Void Manticore**, and malware **AppleChris, EndRAT, RemcosRAT, Vidar Stealer 2.0, Interlock Ransomware Group, Rhadamanthys, Hatef, Hamsa**, and **Handala** in Breach and Attack Simulation(BAS).

Threat Advisories

[Google Rushes to Fix Actively Exploited Flaws](#)

[Phishing in the Fog of War: A Surge in State-Aligned Espionage Campaigns](#)

[LeakNet Ransomware's Low-Cost High-Scale Infection Strategy](#)

[Konni APT's Covert RAT Deployment](#)

[Targeting the Lens: Iranian Cyber Operations Against IP Cameras in the Middle East](#)

[Vidar Stealer 2.0 Distributed via Fake Game Cheats on GitHub and Reddit](#)

[Operation GhostMail: The Invisible Inbox Breach](#)

[CVE-2026-20131: Interlock Ransomware Exploits Critical Cisco Secure FMC Flaw](#)

[GlassWorm's Quiet Infiltration of Mac Systems](#)

[Void Manticore: Iran's Evolving Cyber Warfare Model](#)

Appendix

Known Exploited Vulnerabilities (KEV): Software vulnerabilities for which there are public exploits or proof-of-concept (PoC) code available, and for which there is a high risk of potential harm to an organization's systems or data if left unaddressed.

Celebrity Vulnerabilities: Software vulnerabilities that have gained significant attention and have been branded with catchy names and logos due to their profound and multifaceted impact. These vulnerabilities provide threat actors with opportunities to breach sensitive systems, potentially resulting in unauthorized access and the compromise of critical information.

✂ Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>AppleChris</u>	SHA256	9e44a460196cc92fa6c6c8a12d74fb73a55955045733719e3966a7b8ced6c500,5a6ba08efcef32f5f38df544c319d1983adc35f3db64f77fa5b51b44d0e5052c,0e255b4b04f5064ff97da214050da81a823b3d99bce60cdd9ee90d913cc4a952,413daa580db74a38397d09979090b291f916f0bb26a68e7e0b03b4390c1b472f,2ee667c0ddd4aa341adf8d85b54fbb2fce8cc14aa88967a5cb99babb08a10fae
<u>MemFun</u>	SHA256	ad25b40315dad0bda5916854e1925c1514f8f8b94e4ee09a43375cc1e77422ad
<u>Getpass</u>	SHA256	ee4d4b7340b3fa70387050cd139b43ecc65d0cfd9e3c7dcb94562f5c9c91f58f
<u>Deno</u>	Domains	okobojirent[.]com,mshealthmetrics[.]com,verify-safeguard[.]top,neremedysoft[.]com,ndibstersoft[.]com>windowallclean[.]com,cnoocim[.]com,delhedghogeggs[.]com,serialmenot[.]com,crahdhduf[.]com,weaplink[.]com


Attack Name	TYPE	VALUE
<u>Deno</u>	IPv4	194[.]31[.]223[.]42, 144[.]31[.]2[.]161, 87[.]121[.]79[.]6, 87[.]121[.]79[.]25, 144[.]31[.]54[.]243, 144[.]31[.]224[.]98
<u>EndRAT</u>	IPv4	157[.]180[.]88[.]26
	SHA256	a10d308d0d3db17f8f87c5a9d0e7ed3791fb20b590b7a323476 992107f54e0f6
<u>RftRAT</u>	IPv4	96[.]62[.]214[.]5
<u>RemcosRAT</u>	IPv4	178[.]16[.]54[.]208
	SHA256	aa51573f9abcd4a1ec4a61ee7e5811c0279e015ea22bdb78778 0d67ce7153a57
<u>Vidar Stealer 2.0</u>	SHA256	d1258b4c2b9849833651d1e844d1a99a5bc7febbb751548f960 e92525afe6c26, bfee57d9e1b68c5c5aa63792b4e67b94f3361749e186531bd01 609d9382672f3, 496d15810c25136955dd9aed6d018519380ee431f28c1bca71 5da59fe1385d12
<u>Interlock Ransomware Group</u>	SHA256	e86bb8361c436be94b0901e5b39db9b6666134f23cce1e5581 421c2981405cb1, f00a7652ad70ddb6871eeef5ece097e2cf68f3d9a6b7acfbffd33 f82558ab50e, 28c3c50d115d2b8ffc7ba0a8de9572fbe307907aaae3a486aabd 8c0266e9426f, 6c8efbcef3af80a574cb2aa2224c145bb2e37c2f3d3f09157170 8288ceb22d5f
<u>Rhadamanthys</u>	SHA256	aae017e7a36e016655c91bd01b4f3c46309bbe540733f82cce2 9392e72e9bd1f
<u>Hatef</u>	SHA256	e28085e8d64bb737721b1a1d494f177e571c47aab7c9507dba 38253f6183af35
<u>Hamsa</u>	URL	hxxp[:]//sjc1[.]vultrobjects[.]com/f5update/update[.]sh
	SHA256	6f79c0e0e1aab63c3aba0b781e0e46c95b5798b2d4f7b6ecac4 74b5c40b840ad
<u>Handala</u>	MD5	5986ab04dd6b3d259935249741d3eff2
	SHA256	454e6d3782f23455875a5db64e1a8cd8eb743400d8c6dadbb1c d8fd2ffc2f9567, 96dec6e07229201a02f538310815c695cf6147c548ff1c6a0def 2fe38f3dcbc8
<u>Handala PowerShell</u>	MD5	3cb9dea916432ffb8784ac36d1f2d3cd

A comprehensive list of IOCs (Indicators of Compromise) associated with the executed attacks is available on the Uni5Xposure platform.

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5:Threat Exposure Management Platform.



REPORT GENERATED ON
March 24, 2026 • 02:00 AM

© 2026 All Rights are Reserved by Hive Pro



More at www.hivepro.com