

HiveForce Labs

# THREAT ADVISORY

## ATTACK REPORT

### **Eternidade Stealer: Brazil's New WhatsApp-Driven Cybercrime Engine**

Date of Publication

November 20, 2025

Admiralty Code

A1

TA Number

TA2025353

# Summary

**Attack Discovered:** 2025

**Targeted Country:** Brazil


**Affected Platform:** Windows, Linux, MacOS, Android

**Affected Industries:** Banking, Fintech, Cryptocurrency

**Malware:** Eternidade Stealer

**Attack:** Eternidade Stealer marks a new chapter in Brazil's WhatsApp-focused cybercrime scene, blending clever social engineering with a fast-spreading Python worm to hijack conversations and push malicious files to victims. Disguised as friendly or business-like messages, the malware quietly gathers contact lists, studies the victim's device, and waits for the perfect moment, usually when banking or crypto apps are open, to strike. Its ability to update its command servers through IMAP, evade antivirus tools, and target Brazilian users with precision makes it a highly adaptive threat. In short, Eternidade turns everyday WhatsApp chats into a powerful delivery channel for financial theft, putting millions of users at risk.

## Attack Regions



© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, Open Places, OpenStreetMap, Overture Maps Foundation, TomTom, Zenrin  
Powered by Bing

# Attack Details

## #1

WhatsApp has increasingly become one of the most abused platforms for cybercrime in Brazil, with threat actors steadily refining their methods over the past two years. Campaigns like [Water Saci](#) in 2024 and 2025 show how attackers have evolved from simple phishing links to far more convincing social engineering schemes. This shift has enabled the widespread delivery of banker trojans and powerful information stealers directly through WhatsApp conversations.

## #2

Among the latest discoveries is Eternidade, a Delphi-based stealer. What makes Eternidade particularly notable is its use of IMAP to dynamically update its C2 infrastructure, allowing operators to rotate servers and remain resilient. It spreads through a newly developed WhatsApp worm built in Python, an evolution from earlier PowerShell-based worms, which hijacks WhatsApp Web to forward malicious attachments to the victim's contacts.

## #3

Eternidade's infection chain begins with an obfuscated VBScript that downloads both the WhatsApp worm and a malicious MSI installer hosting the main stealer. Once executed, the malware harvests the victim's entire WhatsApp contact list using library functions, filters out group and business accounts, and immediately exfiltrates the remaining contacts in plaintext to the C2. The MSI installer then impersonates legitimate business communication by sending time-based greetings and personalized messages to all contacts while quickly transmitting malicious attachments. The stealer itself performs detailed reconnaissance, including OS language checks, antivirus enumeration through WMI, and system telemetry collection, ensuring it activates only on Brazilian Portuguese systems.

## #4

Its architecture reflects a mature and modular toolkit. A Delphi-compiled injector performs process hollowing by decrypting a .dmp file and injecting the stealer into svchost.exe. Eternidade then checks registry keys for persistence and begins harvesting sensitive data by enumerating open windows, targeting dozens of Brazilian banks, payment services, cryptocurrency exchanges, and wallet applications. It retrieves its primary C2 server using hardcoded IMAP email credentials and falls back to preset domains if this fails. Once connected, it communicates through heavily encrypted channels using a rotating XOR-based decryption algorithm and supports numerous commands for data collection, overlay injection, keystroke logging, and even hidden chat interactions.

## #5

Infrastructure ties reveal a sophisticated backend used to manage redirectors, infections, and geofencing rules. The redirector dashboard shows strict access filtering, allowing only devices from Brazil and Argentina while blocking 451 out of 453 attempts and redirecting them to a Google error page. Despite these controls, the panel logged traffic from 38 countries, mostly desktop systems, highlighting wide exposure even outside the intended target region. With features like anti-bot protections, VPN and proxy blocking, IP allowlisting, and behavioral filters, the infrastructure demonstrates a well-organized and actively maintained ecosystem.

# Recommendations



**Be Cautious:** Be careful with unexpected WhatsApp messages, especially those containing attachments, links, or “important updates.” Even if the message seems to come from someone you know, verify before opening; malware can forward itself automatically from infected accounts.



**Check Your System Language Settings:** This malware specifically targets Brazilian Portuguese systems. If you notice unexpected changes in language or regional settings, investigate immediately; they may indicate tampering.



**Monitor WhatsApp Web Sessions:** Eternidade hijacks logged-in browser sessions. Regularly review active WhatsApp Web devices in your account settings and log out of anything unfamiliar.



**Monitor Financial and Cryptocurrency Accounts:** Eternidade specifically targets banking apps, fintech platforms, and wallets. Enable alerts for logins, transfers, and withdrawals.



**Enhance Endpoint Protection:** Deploy next-generation antivirus (NGAV) and endpoint detection & response (EDR) solutions to identify and block malware. Leverage behavioral analysis and machine learning-based detection to spot suspicious activity.



## Potential MITRE ATT&CK TTPs

|                                           |                                                      |                                                          |                                                                |
|-------------------------------------------|------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------|
| <b><u>TA0001</u></b><br>Initial Access    | <b><u>TA0002</u></b><br>Execution                    | <b><u>TA0003</u></b><br>Persistence                      | <b><u>TA0005</u></b><br>Defense Evasion                        |
| <b><u>TA0006</u></b><br>Credential Access | <b><u>TA0007</u></b><br>Discovery                    | <b><u>TA0010</u></b><br>Exfiltration                     | <b><u>TA0011</u></b><br>Command and Control                    |
| <b><u>T1566</u></b><br>Phishing           | <b><u>T1566.003</u></b><br>Spearphishing via Service | <b><u>T1059</u></b><br>Command and Scripting Interpreter | <b><u>T1059.005</u></b><br>Visual Basic                        |
| <b><u>T1059.006</u></b><br>Python         | <b><u>T1041</u></b><br>Exfiltration Over C2 Channel  | <b><u>T1036</u></b><br>Masquerading                      | <b><u>T1140</u></b><br>Deobfuscate/Decode Files or Information |



|                                                        |                                                                 |                                                             |                                                                  |
|--------------------------------------------------------|-----------------------------------------------------------------|-------------------------------------------------------------|------------------------------------------------------------------|
| <b><u>T1082</u></b><br>System Information<br>Discovery | <b><u>T1047</u></b><br>Windows<br>Management<br>Instrumentation | <b><u>T1071</u></b><br>Application Layer<br>Protocol        | <b><u>T1071.001</u></b><br>Web Protocols                         |
| <b><u>T1518</u></b><br>Software Discovery              | <b><u>T1057</u></b><br>Process Discovery                        | <b><u>T1547</u></b><br>Boot or Logon<br>Autostart Execution | <b><u>T1547.001</u></b><br>Registry Run Keys /<br>Startup Folder |
| <b><u>T1083</u></b><br>File and Directory<br>Discovery | <b><u>T1056</u></b><br>Input Capture                            | <b><u>T1056.001</u></b><br>Keylogging                       | <b><u>T1573</u></b><br>Encrypted Channel                         |
| <b><u>T1055</u></b><br>Process Injection               | <b><u>T1055.012</u></b><br>Process Hollowing                    |                                                             |                                                                  |

## ✂ Indicators of Compromise (IOCs)

| TYPE    | VALUE                                                                                                                                                                                                                                                                                                                                  |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SHA1    | e1779d9810ad39a45759c856cc85f1148a8f6601,<br>e3e24d57163e04ac16a93a698d4c8051473bccb4,<br>8f3b5a0cecd4d50fc6eb52a627fe6a9179e71736,<br>167cc2d716bfefbc440f14ff1affe7f99b8556f2e,<br>db5545b6136f1197fd5234695cdeff285a99208e,<br>03944933d662f4e96d43750aa29bd287685c6007                                                             |
| URLs    | hxxps[:]//varegiopeaks[.]com/altor/teste_obscado[.]vbs,<br>hxxp[:]//varegiopeaks[.]com/altor/whats.py,<br>hxxp[:]//centrogauchodabahia123[.]com/altor/installer[.]msi,<br>hxxp[:]//varegiopeaks[.]com/altor/installer[.]msi,<br>hxxps[:]//itrexmssl[.]com/jasmin/altor/receptor[.]php,<br>hxxps[:]//alentodolcevidad[.]com/admin[.]php |
| Domains | miportuarios[.]com,<br>mazdafinancialsevrices[.]com,<br>adilsonralfadvocaciad[.]com,<br>domimoveis1[.]com[.]br,<br>serverseistemasatu[.]com                                                                                                                                                                                            |
| IPv4    | 103[.]84[.]176[.]107,<br>104[.]21[.]48[.]41,<br>162[.]120[.]71[.]56,<br>185[.]169[.]234[.]139,<br>83[.]229[.]17[.]71,<br>140[.]99[.]164[.]172,<br>174[.]138[.]187[.]2                                                                                                                                                                  |

## References


<https://www.trustwave.com/en-us/resources/blogs/spiderlabs-blog/spiderlabs-ids-new-banking-trojan-distributed-through-whatsapp/>

<https://hivepro.com/threat-advisory/water-saci-brazils-whatsapp-borne-malware-storm/>

# What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5: Threat Exposure Management Platform.



REPORT GENERATED ON

November 20, 2025 • 7:30 AM

© 2025 All Rights are Reserved by Hive Pro



More at [www.hivepro.com](http://www.hivepro.com)