

Date of Publication
May 8, 2023



HiveForce Labs

WEEKLY

THREAT DIGEST

Attacks, Vulnerabilities and Actors

01 to 07 MAY 2023

Table Of Contents

<u>Summary</u>	03
<u>High Level Statistics</u>	04
<u>Insights</u>	05
<u>Targeted Countries</u>	06
<u>Targeted Industries</u>	07
<u>Top MITRE ATT&CK TTPs</u>	07
<u>Attacks Executed</u>	08
<u>Vulnerabilities Exploited</u>	13
<u>Adversaries in Action</u>	15
<u>Recommendations</u>	19
<u>Threat Advisories</u>	20
<u>Appendix</u>	21
<u>What Next?</u>	30

Summary


HiveForce Labs recently made several significant discoveries related to cybersecurity threats. Over the past week, the fact that there were a total of **eight** attacks executed, taking advantage of different vulnerabilities in various systems, and involving **five** different adversaries highlights the ever-present danger of cyber attacks.

Interestingly, out of these **one** vulnerability is part of the known exploited vulnerability catalog by CISA.

Moreover, HiveForce Labs also found that **Earth Longzhi** was exploiting a five-year-old vulnerability by deploying **Croxloader**.

Furthermore, we identified a new malware **LOBSHOT** that is being distributed through Google Ads, as well as a new macOS malware **Atomic Stealer** that surfaced online.

Apart from these threats, there was also a new ransomware strain named **Blackbit**. **SideCopy Group** resurfaced targeting the Indian defense sector using a framework **SILENTRINITY**. All these attacks were observed to be on the rise, posing a significant threat to users all over the world.



High Level Statistics

8

Attacks
Executed

- [ViperSoftX](#)
- [POWERTRASH Loader](#)
- [Mirai Botnet](#)
- [LOBSHOT](#)
- [Croxloader](#)
- [Atomic Stealer](#)
- [BlackBit ransomware](#)
- [SILENTTRINITY](#)

4

Vulnerabilities
Exploited

- [CVE-2023-24055](#)
- [CVE-2023-27532](#)
- [CVE-2023-1389](#)
- [CVE-2018-5713](#)

5

Adversaries in
Action

- [FIN7](#)
- [1877 Team](#)
- [TA505](#)
- [Earth Longzhi](#)
- [SideCopy](#)



Insights

ViperSoftX

A info stealer targeting password managers and cryptocurrency wallets

FIN7 Threat Group

Utilizing POWERTRASH Loader to deploy various payloads, such as Carbanak, DICELOADER, and Cobalt Strike.

LOBSHOT

A new malware that is being distributed through Google Ads.

Mirai Botnet

Exploiting TP-Link router vulnerability allows attackers to execute commands and infect devices

1877 Team

Primarily targeting the Middle East, organizations in Africa, and Asia.


Earth Longzhi

Unleashes a new technique of disabling security products called "stack rumbling"

SideCopy

Targeting Indian defense sector with SILENTTRINITY Framework

Threat Distribution



- Downloader
- Infostealer
- Ransomware
- Remote Access Trojan
- Framework
- Botnet




Targeted Countries

Most



Least



Powered by Bing
© Australian Bureau of Statistics, GeoNames, Microsoft, Navinfo, OpenStreetMap, TomTom, Zenrin


Countries
Saudi Arabia
Yemen
United Arab Emirates
Bahrain
Philippines
Cyprus
Thailand
Egypt
Kuwait
India
Oman
Iran
Qatar
Iraq
Syria
Israel
Turkey
Japan
Jordan
Lebanon
Cambodia
Kenya
Seychelles
Brazil
Singapore
Kyrgyzstan
Afghanistan
Liberia

Countries
Senegal
Mozambique
Canada
Comoros
Burkina Faso
Congo
Spain
Côte d'Ivoire
United Kingdom
Angola
Netherlands
Djibouti
Cabo Verde
DR Congo
Somalia
Armenia
Cameroon
Equatorial Guinea
Central African Republic
Eritrea
South Africa
Laos
South Sudan
Vietnam
Sri Lanka
Brunei
Sudan
Zimbabwe

Countries
Mongolia
Eswatini
Namibia
Ethiopia
Nigeria
Fiji
Palestine
France
Sao Tome & Principe
Gabon
Sierra Leone
Gambia
South Korea
Georgia
State of Palestine
Germany
Tajikistan
Ghana
Togo
Guinea
Taiwan
Libya
Tanzania
Madagascar
Timor-Leste
Malawi
Tunisia
Malaysia

Countries
Uganda
Guinea-Bissau
Uzbekistan
Azerbaijan
Morocco
Indonesia
Myanmar
Algeria
Nepal
Bangladesh
Niger
Benin
North Korea
Italy
Pakistan
Bhutan
Burundi
Botswana
Rwanda
Kazakhstan
Turkmenistan
Maldives
Chad
Mali
United States
Mauritania
China
Mauritius
Zambia
Lesotho

Targeted Industries



TOP MITRE ATT&CK TTPS

T1083

File and Directory Discovery

T1070

Indicator Removal

T1059

Command and Scripting Interpreter

T1057

Process Discovery

T1564

Hide Artifacts

T1082

System Information Discovery

T1204

User Execution

T1071

Application Layer Protocol

T1027

Obfuscated Files or Information

T1055

Process Injection

T1036

Masquerading

T1095

Non-Application Layer Protocol

T1190

Exploit Public-Facing Application

T1518

Software Discovery

T1588

Obtain Capabilities

T1047

Windows Management Instrumentation

T1574

Hijack Execution Flow

T1016

System Network Configuration Discovery

T1105

Ingress Tool Transfer

T1010

Application Window Discovery

⚔ Attacks Executed

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>ViperSoftX</u>	ViperSoftX info stealer malware primarily targeting cryptocurrencies, using sophisticated encryption techniques and monthly changes in command-and-control servers to evade detection.	Unknown	CVE-2023-24055
TYPE		IMPACT	AFFECTED PRODUCTS
Info stealer		Data Theft	KeePass 2.5x of before
ASSOCIATED ACTOR			PATCH LINK
-			https://sourceforge.net/p/keepass/discussion/329220/thread/a146e5cf6b/
IOC TYPE	VALUE		
URLs	http://ahoravideo-schnellvpn[.]xyz http://chatgigi2[.]com		
SHA256	d5799651ab7bb5939136addde222255f81e090c3c127d05727b71b3b2cbc9860F1e6821caa29aade550171d640ed5605556e7d074542eea5d5370168f2c09880f310e01a9ed40b6563b88de23d560cf839079b503260eb86a7bc32160129170b		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>POWERTRASH Loader</u>	POWERTRASH Loader is a type of malware that uses an obfuscated PowerShell script to load and execute a malicious payload, leaving little forensic evidence. It is highly dangerous and difficult to detect or remove.	Through reflective PE injection	CVE-2023-27532
TYPE		IMPACT	AFFECTED PRODUCTS
Loader		Data theft, installing malware, remote access to infected system	Veeam Backup & Replication, Veeam Cloud Connect, Veeam Cloud Connect for the Enterprise & Veeam Backup & Replication Community Edition
ASSOCIATED ACTOR			PATCH LINK
FIN7 (aka ITG14, Gold Niagara, Calcium, Navigator, ATK 32, APT-C-11, TAG-CR1)			https://www.veeam.com/kb4424
IOC TYPE	VALUE		
IPV4	217[.]12.206.176 162[.]248.225.115		
SHA1	8687b6b1508a93556d6e30d14e5c4ee9971f2d80 b621f8c5e9033718b4e9d47a2f0eccb9783f612a e5480a47172e3f75dbf0384f4ca82c7b47910e0f		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Mirai</u>	The Mirai botnet is a type of malware that infects Internet of Things (IoT) devices and turns them into a network of bots that can be used for DDoS attacks. It was responsible for several high-profile attacks in 2016 and continues to be a threat today.	Exploiting vulnerabilities in IoT devices	CVE-2023-1389
TYPE		IMPACT	AFFECTED PRODUCTS
Botnet		Disruptive	TP-Link Archer AX21
ASSOCIATED ACTOR			PATCH LINK
-			https://www.tp-link.com/us/support/download/archer-ax21/v3/#Firmware
IOC TYPE	VALUE		
SHA256	888f4a852642ce70197f77e213456ea2b3cfca4a592b94647827ca45adf2a5b8b43a8a56c10ba17ddd6fa9a8ce10ab264c6495b82a38620e9d54d66ec8677b0cb45142a2d59d16991a38ea0a112078a6ce42c9e2ee28a74fb2ce7e1edf15dce3366dbbaa36791cdb99cf7104b0914a258f0c373a94f6cf869f946c7799d5e2c6413e977ae7d359e2ea7fe32db73fa007ee97ee1e9e3c3f0b4163b100b3ec87c2		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>LOBSHOT</u>	LOBSHOT is a new malware that is being distributed through Google Ads. It is a remote access trojan that can allow threat actors to take control of an infected Windows device's.	Via Google Ads	-
TYPE		IMPACT	AFFECTED PRODUCTS
Infostealer		Hidden desktops, execute commands, steal data, and deploy further malware payloads.	-
ASSOCIATED ACTOR			PATCH LINK
TA505			-
IOC TYPE	VALUE		
IPV4	95.217.125[.]200		
SHA256	e4ea88887753a936eaf3361dcc00380b88b0c210dcbde24f8f7ce27991856bf6		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Croxloader</u>	Croxloader is a variant of the Ursnif banking Trojan used to steal sensitive data from infected systems. It was launched using a legitimate Windows Defender binary as part of a larger attack that disabled security products using the "SPHijacker" tool.	Social engineering tactics	CVE-2018-5713
TYPE		IMPACT	AFFECTED PRODUCTS
Banking Trojan		Data Theft	Malwarefox Anti-malware 2.72.169
ASSOCIATED ACTOR			PATCH LINK
APT41			-
IOC TYPE	VALUE		
IPV4	194.31.53[.]128 198.13.47[.]158		
SHA256	7910478d53ab5721208647709ef81f503ce123375914cd504b9524577057f0ec ebf461be88903ffc19363434944ad31e36ef900b644efa31cde84ff99f3d6aed 21ffa168a60f0edcbc5190d46a096f0d9708512848b88a50449b7a8eb19a91ed		

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
<u>Atomic Stealer</u>	Atomic Stealer malware is a full-featured infostealer designed to steal sensitive data from macOS users. The malware can grab account passwords, browser data, session cookies, and crypto-wallets.	Legitimate AnyDesk remote desktop software	-
TYPE		IMPACT	AFFECTED PRODUCTS
InfoStealer		Data theft	-
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
MD5	5e0226adbe5d85852a6d0b1ce90b2308		
SHA256	15f39e53a2b4fa01f2c39ad29c7fe4c2fef6f24eff6fa46b8e77add58e7ac709		
URLs	hxxp[:]//amos-malware[.]ru/sendlog		
IPV4	37[.]220.87[.]16		
Domains	amos-malware[.]ru		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.

NAME	OVERVIEW	DELIVERY METHOD	TARGETED CVEs
BlackBit	The BlackBit ransomware, a variant of LokiLocker with cosmetic changes, checks keyboard layout, establishes persistence, removes backups, disables defenses, and presents payment information through various methods, making it a sophisticated Strain.	Via Phishing emails, malicious ads	-
TYPE		IMPACT	AFFECTED PRODUCTS
Ransomware		Financial and data losses	-
ASSOCIATED ACTOR			PATCH LINK
-			-
IOC TYPE	VALUE		
SHA256	1d2db070008116a7a1992ed7dad7e7f26a0bfee3499338c3e603161e3f18db2fb8ffd72534056ea89bfd48cbe6efb0b4d627a6284a7b763fdb7dfd070c1049ba		
SHA1	b04ccaa781be7521d50faa36db269f71ac56af582f052cc3e64870b8ac28efb2d79bc2b16dff3e8ee9b35995bf772cd11be13bc5c9ac93c846f00405		

The IOCs (Indicators of Compromise) for the attacks executed are listed in the appendix section at the end of the report.



Vulnerabilities Exploited

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-24055</u>		Keepass 2.5x of before	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:a:keepass:keepass:*:*:*:*:*:*	ViperSoftX
Keepass Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-312	T1055: Process Injection	https://sourceforge.net/p/keepass/discussion/329220/thread/a146e5cf6b/

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-1389</u>		TP-Link Archer AX21	-
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEY	cpe:2.3:o:tplink:archer_ax21_firmware:*:*:*:*:*:*	Mirai Botnet
TP-Link Archer AX-21 Command Injection Vulnerability			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-77	T1055: Process Injection	https://www.tplink.com/us/support/download/archer-ax21/v3/#Firmware

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2023-27532</u>		Veeam Backup & Replication, Veeam Cloud Connect, Veeam Cloud Connect for the Enterprise & Veeam Backup & Replication Community Edition	FIN7
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:a:veeam:backup_&_replication:11.0.1.1261:*.~.*.*.*.*.*	POWERTRASH Loader & DICELOADER
Veeam Missing Authentication for Critical Function			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-306	T1555: Credentials from Password Stores	https://www.veeam.com/kb4424

CVE ID	CELEBRITY VULNERABILITY	AFFECTED PRODUCTS	ASSOCIATED ACTOR
<u>CVE-2018-5713</u>		Malwarefox Anti-malware 2.72.169	Earth Longzhi
	ZERO-DAY		
		AFFECTED CPE	ASSOCIATED ATTACKS/RANSOM WARE
NAME	CISA KEV	cpe:2.3:a:malwarefox:antimalware:2.72.169:*.~.*.*.*.*.*	Croxloader
Improper Input Validation in Malwarefox Anti-malware			
	CWE ID	ASSOCIATED TTPs	PATCH LINK
	CWE-20	T1499: Endpoint Denial of Service	-



Adversaries in Action

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 <u>FIN7 (aka ITG14, Gold Niagara, Calcium, Navigator, ATK 32, APT-C-11, TAG-CR1)</u>	Russia	Casinos and Gambling, Construction, Education, Energy, Financial, Government, High-Tech, Hospitality, Retail, Technology, Telecommunications, Transportation.	Australia, France, Malta, UK, USA.
	MOTIVE		
	Financial crime		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	CVE-2023-27532	POWERTRASH Loader & DICELOADER	Veeam Backup & Replication, Veeam Cloud Connect, Veeam Cloud Connect for the Enterprise & Veeam Backup & Replication Community Edition
TTPs			
T1497: Virtualization/Sandbox Evasion; T1059: Command and Scripting Interpreter; T1566: Phishing; T1001: Data Obfuscation; T1047: Windows Management Instrumentation; T1059.001: PowerShell; T1010: Application Window Discovery; T1057: Process Discovery; T1083: File and Directory Discovery; T1071: Application Layer Protocol; T1573: Encrypted Channel			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 TA505(Graceful Spider, Gold Evergreen, Gold Tahoe, TEMP.Warlock, ATK 103, SectorJ04, Hive0065, Chimborazo, Spandex Tempest)	Russia	Education, Financial, Healthcare, Hospitality, Retail.	Worldwide
	MOTIVE		
	Financial crime, Financial gain	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	TARGETED CVEs		
	-	LOBSHOT	-

TTPs

T1547: Boot or Logon Autostart Execution, T1547.001: Registry Run Keys /Startup Folder, T1027: Obfuscated Files or Information, T1027.007: Dynamic API Resolution, T1140: Deobfuscate/Decode Files or Information, T1568: Dynamic Resolution, T1005: Data from Local System, T1083: File and Directory Discovery, T1033: System Owner/User Discovery, T1021: Remote Services, T1204: User Execution, T1204.002: Malicious File, T1021.005: VNC, T1041: Exfiltration Over C2 Channel, T1218: System Binary Proxy Execution, T1176: Browser Extensions, T1641: Data Manipulation, T1115: Clipboard Data, T1321: Data Encoding

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED COUNTRIES
 1877 Team	Kurdistan	Governments, Universities, Telecommunication, Defense, and IT	Middle East, Africa, Asia
	MOTIVE		
	Hackivist	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	TARGETED CVEs		
	-	-	-

TTPs

T1003: OS Credential Dumping, T1005: Data from Local System, T1010: Application Window Discovery, T1012: Query Registry, T1018: Remote System Discovery, T1027: Obfuscated Files or Information, T1027.002: Software Packing, T1033: System Owner/User Discovery, T1036: Masquerading, T1047: Windows Management Instrumentation, T1055: Process Injection, T1055.012: Process Hollowing, T1056: Input Capture, T1056.001: Keylogging, T1057: Process Discovery

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 Earth Longzhi (Subgroup of APT41)	China	Government, healthcare, technology, and manufacturing	Philippines, Thailand, Taiwan, and Fiji
	MOTIVE		
	Information theft and Espionage, financial crime		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	CVE-2018-5713	Croxloader and SPHijacker	Malwarefox Anti-malware 2.72.169
TTPs			
T1003: OS Credential Dumping, T1003.001: LSASS Memory, T1569: System Services, T1569.002: Service Execution, T1574: Hijack Execution Flow, T1574.002: DLL Side-Loading, T1140: Deobfuscate/Decode Files or Information, T1070: Indicator Removal, T1070.004: File Deletion, T1036: Masquerading, T1036.005: Match Legitimate Name or Location, T1053: Scheduled Task/Job, T1053.005: Scheduled Task, T1548: Abuse Elevation Control Mechanism, T1548.002: Bypass User Account Control, T1068: Exploitation for Privilege Escalation, T1546: Event Triggered Execution, T1546.012: Image File Execution Options Injection			

NAME	ORIGIN	TARGETED INDUSTRIES	TARGETED REGIONS
 SideCopy	Pakistan	Defense, Embassies, Government	India
	MOTIVE		
	Information theft and espionage		
	TARGETED CVEs	ASSOCIATED ATTACKS/RANSOMWARE	AFFECTED PRODUCTS
	-	SILENTTRINITY	-
TTPs			
T1047: Windows Management Instrumentation, T1543: Create or ModifySystem Process, T1543.002: Systemd Service, T1547: Boot or Logon Autostart Execution, T1547.001: Registry Run Keys /Startup Folder, T1574: Hijack Execution Flow, T1574.002: DLL Side-Loading, T1036: Masquerading, T1070: Indicator Removal, T1070.006: Timestomp, T1112: Modify Registry, T1497: Virtualization/Sandbox Evasion, T1562: Impair Defenses, T1562.001: Disable or Modify Tools, T1564: Hide Artifacts, T1564.001: Hidden Files and Directories, T1056: Input Capture, T1010: Application Window Discovery, T1018: Remote System Discovery, T1057: Process Discovery, T1082: System Information Discovery, T1083: File and Directory Discovery, T1518: Software Discovery, T1518.001: Security Software Discovery, T1114: Email Collection, T1071: Application Layer Protocol, T1095: Non-Application Layer Protocol, T1105: Ingress Tool Transfer, T1571: Non-Standard Port, T1573: Encrypted Channel			

Recommendations

Security Teams

This digest can be utilized as a drive to force security teams to prioritize the **four exploited vulnerabilities** and block the indicators related to the threat actor **FIN7, Earth Longzhi, SideCopy, 1877 Team, and TA505** and malware **ViperSoftX, POWERTRASH Loader, Mirai Botnet, LOBSHOT, Croxloader, Atomic stealer, Blackbit Ransomware, and SILENTRINITY**.

Uni5 Users

This is an actionable threat digest for HivePro Uni5 customers and they can get comprehensive insights into their threat exposure and can action it effortlessly over the HivePro Uni5 dashboard by

- Running a Scan to discover the assets impacted by the **three exploited vulnerability**.
- Testing the efficacy of their security controls by simulating the attacks related to the threat actor **FIN7, Earth Longzhi, SideCopy, 1877 Team, and TA505** and malware **ViperSoftX, POWERTRASH Loader, Mirai Botnet, LOBSHOT, Croxloader, Atomic stealer, Blackbit Ransomware, and SILENTRINITY** in Breach and Attack Simulation(BAS).

Threat Advisories

[New Version of ViperSoftX Malware Targets Password Managers and Cryptocurrency Wallets](#)

[Outdated Internet Protocol Vulnerable to Massive DoS](#)

[FIN7-Affiliated Hackers Exploit Flaws in Veeam Backup Servers](#)

[TP-Link Router Vulnerability Triggers Mirai Malware Infection](#)

[New LOBSHOT Malware Being Distributed Through Google Ads](#)

[The Emergence of 1877 Team and Rising Hacktivist Threat](#)

[Earth Longzhi Unleashes New 'Stack Rumbling' Tactic](#)

[New Atomic Stealer MacOS malware Steals Browser Cookies and Cryptocurrency Wallets](#)

[New BlackBit Ransomware Targets South Korea](#)

[SideCopy Resurfaces to Target Indian Defense](#)

Appendix

Known Exploited Vulnerabilities (KEV): Software vulnerabilities for which there are public exploits or proof-of-concept (PoC) code available, and for which there is a high risk of potential harm to an organization's systems or data if left unaddressed.

Celebrity Vulnerabilities: Software vulnerabilities that have gained significant attention and been branded with catchy names and logos due to their impact on high-profile individuals and celebrities are also referred to as Celebrity Publicized Software Flaws.

🔪 Indicators of Compromise (IOCs)

Attack Name	TYPE	VALUE
<u>ViperSoftX</u>	SHA256	09620efdc1324f063aec6aa3d822c194f253d9393c5a7b4f7c8880b8fa260d2c 0d8e99281629352c68e5d1e462db3b003571fdc21149d6834bd2aa2d86ea03b9 2769ff525276045565a15fb959ae54a1ba294eb7903fa80a8656577d7dd5e76c 30a7ff659d267e9e201273087d4ced99f6eefe3078b40f38a1f6c5ff4e6d4fd3 380697610810cdecaa497ad75b031106b486bc6c7da78add23885a963aab6dc0 3d19c605f3d4a84bd76190acd23838e4c9362fef3ec5c80bd049ee25bbafb862 416fad3d260add53a44052b726c1e911632012221c1e28942389ca0dd2902394 4c1021cd1863369e59e9087c34fee936281789e65cbbda464b0948aecb592807 516517135c39aee7b2aeecbfae063deb9b8869ca993f60120d7c5ee90ee90444 51c862efdb6b52c42dfe4f25c471c82c0368c0b9f8b194d07f9dcc4245b46394 5232a2a668c95ee6ab24cba79ed7bf4e9598a750020a2a88a2f352d2f667b7c5 5e9d9016bbb70c1b4b02f13d5a12e112250651a77bf5b89a92d124d0f8576cdb 66c98bb87c3bfc97e137ef3fc22e498ff1fb7368d82c2641db4998d090d31ef4 671756d73f9e8f35f9a71b102d474415aada55f1a846b0c20b73daf554d03173

Attack Name	TYPE	VALUE
<u>ViperSoftX</u>	SHA256	696978b39b7afc97d4b7d6a3ab56b6b991fab9f9e511e722a2db5b8459679240 6a7ccf87978dad1a2d1a1a52100101fb330d966ff6cd990b1d04eb627ef4530c 6b23b6615b1287bf4ec20eab532921cabeb72e08af089782d5c827e48334ba36 6b8809f6f282778aeaa9634e1108f0776066d32e096526fa4c00cbba3dacc30e 6ca4b83ff71f42e15032e59a47b8275c298d28c2dcc646c4e4325b2243425235 8047b20dc50317fb38f7e805992b65eabad92362acd8ff728903da5a86e4f23d 83b8eca3bc4fe79fa47d918d34917344a2e179b0c4efc5c769b9f3a380a65247 85ecdeb135cf384cb82e62dea82baa7c01f56e88bdabb5784ee7401cd5537e69 8a2939ad4ee9cea394aba543b98076504cfdfafce76cecfb8fc88ade77bb6f59 8eff0c96aecdf3f144a26699b8f3d6ec8d44b9ae4154417121f604d5297073cd8 96ddf314a4c6f10936622361416ac9b93b5cf4b61b148bfb42592d22a83f0634 a498168cdac52a10a25499a46e0d30db2db86c4dadd737bb6628c61a99810b79 aaf389bbbe02c31bf4605fcba51b1d5228337358cf66efafe979f782251b7fc5 b59dce85b24f078285d73553a05cd157c11d3495f399b753f21b3e7506bbe60f bb681757fc4dac5a64bf1b263e0ddd16db6e055d0efb2089ad04af5bba007d0a c313e51f884672b16adcb0731bc338a554ff351fdbe921d266564c67dc730fcc d07a06783eb4fde909c0f4f09ec6f69a91820010b9327fc7fa318b199f1ca1e4 d5799651ab7bb5939136addde222255f81e090c3c127d05727b71b3b2cbc9860 f1e6821caa29aade550171d640ed5605556e7d074542eea5d5370168f2c09880 f310e01a9ed40b6563b88de23d560cf839079b503260eb86a7bc32160129170b f39386ba9605b7a1ac360a8460c4f5c5fc916d5c159ba3ba226545447cd7e4c7 fa31f03cfbb8ae682deab86660810ca244a718009cf4a24827699d679139067d 083837c37de9fce9e49257bc2b38dec11530b990b023fadc6f82a7cb00685fc0 0ca08b8044c466e286fb5ec2162a23fe35dda700019a1bc9f4528c777abb2a69

Attack Name	TYPE	VALUE
<u>ViperSoftX</u>	SHA256	1b26d62c80689746de39869dfab8d8f05257bd16e46fe923344988802569be10 204a056399bbb7e1b4fcf2bdd8f463cf2d3ff21d9f7c5b745d74d62eb6184e88 22981d8cd10e0aeede5a2c5c209cf2d1a46b9eb54f85eca9f97d816b202d186b 2f936ccac29c88745093564858c4cb0cd6fed5bba997c3db71d7157f8c530be5 33fb5151edd9f921e0793575b5d1a5a24f75370455b3413405a2e66f02746e47 34ac92dfb29936f8af4e270da0d36b7cb4ffa743b115e2bfed23b0e127b38d0e 46a96def15c2dbd0825d008f11de605e912184aa40dbbe9295333a5d80ec45f9 515f32da068c171f1dd03472be04327d55cf6d2c5d40268fc1e61abb75e86616 53744ca02d82f1f966a3f882a17fbd424955991496b486e8dc4022e5a939c286 5b8b64cfba9e3771f586c5aa4f69fe210ecd1f037a6818cacf31cba543f1958d 6614299d5f9c1754a894597bd4fa894415d455df1dd4da6a96b717d2206b511a 6753eadd2cd36978630a31d9c9efbe12d09cf139916feee0d145b09ad18750f6 6c5d40b9484287b3a8eac469e0383b1309689e22d1726e36428e278cd883cc2f 6d18365010a19c4e74056d7a7c64d1046ef10a02ec7938fc936ac61898db5ed7 70c8cf961923f93aab18e771c2eb4a09683223129944cab26f75bff35449be8a 7176b56faa36c2275ff6728864d40eb92fbf956d0b6ae09907816811be94e22e 7516f43db52f494ce788ba514590d39cf26da53728388a26e400df4c944e1d18 7576ce1542ac29c8f5f7585d8c19b6a716242ef21f9b6a87c92718220544d467 7890a7ae77a4ebeca05c344946d8a0a308e263ca88a8ca4530d6566bffa331b8 7a22bc09774dbd2d982596804f6eb767074019ce33cc5ffe8efa9c2e1972de86 80f0eed86e0499bbafbcb956e7f6f81b6a56dba56716082cf9ed280f35b355e8 90497bf6dc0724220a21694303c816cdc1f8c815f25c2cef5f2f53478d84752e 91a2a76932341c1e0df8f7b4058d87e69133cee839559f0146cccb42f1b14fea 95e6d8d692e7c7bc6e78389c4b8719ee05e6f71d6447aa016b5682496aef0385

Attack Name	TYPE	VALUE
<u>ViperSoftX</u>	SHA256	978d83bcc3361c62d5974c33f56c2ab72618a13f9ccc0c37c6b1e824fe74e03e 983038dc5a3650de4f5ce46763a5c8e7e4441c5960e0c1f20f3ca9ff1561fefe a2f6ce37dd1c14fb789e1531e04fac2716e659fa5232295cd8b80b2994b93819 ad1b21536bf9892d070b72b0609970677ba45b9e53c05936dfb1a4f299930a84 b006d1043f97d47339ba1b6816d6c728207fe280a56d7fc10e5b7e7f0b969836 b3600c49c758f86e496d2b5efdbad239a218e74ca014c80f6bb7445f6fe7e4c6 b813b13d41fd4d824bd146ba9e7bead121362039ab79379ff15702c54476a703 bbaa007a1f4e3c62615e5886e4b91dc24545ed60232ec8290ec203f12a78d1d7 bd9b5b3ed93ec879a270a767e1beddc836ab5802fcb49e48cb154eb898389e49 c42a6b316558eed903c3c41b7da6120bf809e918da51119cbeea27f7047ab71d cc6bcb0f72789c7781550d0c184a1b94c5592f31e6459cc9754525232938a331 cf7b4af2c9497c97a2a9cb7f0e5818e76ccf534c3392d6b8d16be415d5a8ffbc d1556221a4bac69453c9bafaf7b7c753e3fd36aac171e3695c88265a22bd7889 d28910954ea84e6f8bad1f844333c3945416f6aeb8cb25e76bf ee2319d029847 d7d4c5383a032e8090512f18a0e6387e2de78328c6fac8b6bc efc40a07cde212 d80a423aa16751868dd36d144a4a0e06335593c585187d77e2d00e913bbc95d1 dc0fe945dc3fcab4b4fa4ee9868c75d66719941b33189710dc5bf8b981f55ae8 dc58f7bd854e1537085324068f3a6e675831a5c4c441f9a2059cc7c40a59c61a e022dd5086aa6b1bc91489a3ed81a2143b8b78616d3285c00d6df4bc504f32fe e4c705b6b93315d728d9ee5fd17734f3968620ecdc255955600f06eeefa252d8 e82cf0af68ec6ec4097d7bd0a5573af50aac191484e983bc9b298b30a7185aeb fd60eaf4d48f49ade5641aa928a30ac35721dbee52e69525132a9e3b1981eab7 ff03b15d57942f671b7c0b9cb978873b2314d13bf4f6603e7b26f3339fbe0c2a

Attack Name	TYPE	VALUE
<u>ViperSoftX</u>	SHA256	0a0b5f64870c166c1fe246a7ac815f738e15dbc8481b985da862026f61c48282 3529336d0733bd2ee92acc8ed332f6c4eed36a8b0b272371ffd eb80117689b26 42018acd1660989d939814b2bdfaacc086540f7a793b0d1b5b82ef72cd7dc2d6a 7c028a7a4eccd48049f0b66ab0211cccf136e56d2af8cd27cfb1c720a43993d0 88c46a74d0b7ba05e4641628f546cf29b322f1e0147b5bcb8439f3716f6da847 c73053fafaef83d1cad7256aaa6ec7ad8e91ee5c2514c8b7b9de0307ae724a0 527982073113924b7e168b8fdd21beee42923510b58ca2ab444a4a6a4619f78a
	Domains	http://ahoravideo-schnellvpn[.]xyz http://chatgigi2[.]com http://arrowlchat[.]com http://static-cdn-349[.]net
<u>POWERTRASH Loader</u>	IPV4	217[.]12.206.176 162[.]248.225.115 45[.]136.199.128 91[.]149.243.181 91[.]199.147.152 95[.]217.49.123 77[.]75.230.112 194[.]87.148.41 195[.]123.244.162
	SHA1	8687b6b1508a93556d6e30d14e5c4ee9971f2d80 b621f8c5e9033718b4e9d47a2f0eccb9783f612a E5480a47172e3f75dbf0384f4ca82c7b47910e0f
<u>Mirai Botnet</u>	SHA256	b43a8a56c10ba17ddd6fa9a8ce10ab264c6495b82a38620e9d54d66ec8677b0c b45142a2d59d16991a38ea0a112078a6ce42c9e2ee28a74fb2ce7e1edf15dce3 366ddbbaa36791cdb99cf7104b0914a258f0c373a94f6cf869f946c7799d5e2c6 413e977ae7d359e2ea7fe32db73fa007ee97ee1e9e3c3f0b4163b100b3ec87c2 2d0c8ab6c71743af8667c7318a6d8e16c144ace8df59a681a0a7d48affc05599 4cb8c90d1e1b2d725c2c1366700f11584f5697c9ef50d79e00f7dd2008e989a0 461f59a84ccb4805c4bbd37093df6e8791cdf1151b2746c46678dfe9f89ac79d

Attack Name	TYPE	VALUE
<u>Mirai Botnet</u>	SHA256	aed078d3e65b5ff4dd4067ae30da5f3a96c87ec23ec5be44fc85b543c179b777 0d404a27c2f511ea7f4adb8aa150f787b2b1ff36c1b67923d6d1c90179033915 eca42235a41dbd60615d91d564c91933b9903af2ef3f8356ec4cfff2880a2f19 3f427eda4d4e18fb192d585fca1490389a1b5f796f88e7ebf3ec eec51018ef4d aaf446e4e7bfc05a33c8d9e5acf56b1c7e95f2d919b98151ff2db327c333f089 4f53eb7fbfa5b68cad3a0850b570cbbcb2d4864e62b5bf0492b54bde2bdbe44b
	IPV4	185[.]225[.]74[.]251
	URLs	http[:]//[.]185[.]225[.]74[.]251/armv4l http[:]//[.]185[.]225[.]74[.]251/armv5l http[:]//[.]185[.]225[.]74[.]251/armv6l http[:]//[.]185[.]225[.]74[.]251/armv7l http[:]//[.]185[.]225[.]74[.]251/mips http[:]//[.]185[.]225[.]74[.]251/mipsel http[:]//[.]185[.]225[.]74[.]251/sh4 http[:]//[.]185[.]225[.]74[.]251/x86_64 http[:]//[.]185[.]225[.]74[.]251/i686 http[:]//[.]185[.]225[.]74[.]251/i586 http[:]//[.]185[.]225[.]74[.]251/arc http[:]//[.]185[.]225[.]74[.]251/m68k http[:]//[.]185[.]225[.]74[.]251/sparc
	Domains	zvub[.]us
<u>LOBSHOT</u>	IPV4	95.217.125[.]200
	SHA256	e4ea88887753a936eaf3361dcc00380b88b0c210dcbde24f8f7ce27991856bf6
<u>Croxloader</u>	IPV4	194.31.53[.]128 198.13.47[.]158 172.67.139[.]61 207.148.115[.]125 64.227.164[.]34 194.31.53[.]128 198.13.47[.]158

Attack Name	TYPE	VALUE
<u>Croxloader</u>	SHA256	7910478d53ab5721208647709ef81f503ce123375914cd504b9524577057f0ec ebf461be88903ffc19363434944ad31e36ef900b644efa31cde84ff99f3d6aed 21ffa168a60f0edcbc5190d46a096f0d9708512848b88a50449b7a8eb19a91ed 942b93529c45f27cdbd9bbcc884a362438624b8ca6b721d51036ddaebc750d8e 75a51d1f1dd26501e02907117f0f4dd91469c7dd30d73a715f52785ea3ae93c8 4399c5d9745fa2f83bd1223237bdabbfc84c9c77bacc500beb25f8ba9Df30379 8327cd200cf963ada4d2cde942a82bbbed158c008e689857853262fcda91d14a4 9eceba551baafe79b45d412c5347a3d2a07de00cc23923b7de e1616dee087905 630bb985d2df8e539e35f2da696096e431b3274428f80bb6601bbf4b1d45f71e ef8e658cd71c3af7c77ab21d2347c7d41764a68141551938b885da41971dd733 e654ecc10ce3df9f33d1e7c86c704cfdc9cf6c6f49aa11af2826c bc4b659e97c 16887b36f87a08a12fe3b72d0bf6594c3ad5e6914d26bff5e32c9b44acfec040 39de0389d3186234e544b449e20e48bd9043995ebf54f8c6b33ef3a4791b6537
	Domains	evnpowerspeedtest[.]com www.updateforhours[.]com dns.eudnslog[.]com asis.downloadwindowsupdate[.]co
<u>Atomic Stealer</u>	MD5	5e0226adbe5d85852a6d0b1ce90b2308
	URLs	hxxp[:]//amos-malware[.]ru/sendlog
	SHA256	15f39e53a2b4fa01f2c39ad29c7fe4c2fef6f24eff6fa46b8e77ad d58e7ac709
	Domains	amos-malware[.]ru amos-malware[.]ru/sendlogillegal
	IPV4	37[.]220.87[.]16


Attack Name	TYPE	VALUE
<u>Atomic Stealer</u>	SHA1	0a87b12b2d12526c8ba287f0fb0b2f7b7e23ab4a 24c9f5c90ad325dae02aa52e2b1bac2857ae2faf 36997111b5e7aa81b430a72df9f54bac2a9695ba 7534b4ef7727d14b4fdd32d18651d32572c7747b 0db22608be1172844c0ebf08d573ea4e7ef37308 2681a24f0ec0b1c153cc12d5d861c0c19c8383ea 385b9cc7d3147f049e7b42e97f242c5060fc9e97 46426409b9e65043b15ce2fcddd61213ff4e5156 48a0a7d4f0ae4b79b4f762857af3bbb02e8ab584 4f25d1a1aa18c8d85d555cd7a8f1cf2cf202af8c 58a3bdddbc7c45193ecbefa22ad0496b60a29dff2 5d2e995fa5dce271ac5e364d7198842391402728 79007aabf9970e0aff7df52fd1c658b69f950c6f 793195d48cce96bb9b4fc1ee5bac03b371db75f7 82f4647e6783b012fc9a1f86108c644fcf491cf6 849cde22d1d188cc290bb527bbd7252ad07099af 9058ab6e05cb1f9ce77e4f8c18324a6827fb270d 97b19a82a32890d5ddaecac5a294cc3384309ea9 98f98a737a26c9dd1b27c474715976356ea4e18b aab3a2897950e85a2b957f77d2f100e61e29061c b42243d72765f142953bb26794b148858bff10a8 ca05f80fe44174d1089077f4b2303c436653226f d5db5a11b9605d54cf66a153b0112b91c950d88f d9d46ecfc1100d2b671ad97dc870e879d2634473 de465aad6cde9f0ce30fce0157bc18abf5a60d40 e114f643805394caece2326fb53e5d3a604a1aa9 f28025717f9db8a651f40c8326f477bf9d51a10f 1f29b00c18bc0b7e1dfee5e79f8111da09f8fab8 a02730f734032ed0f3b3705926b657aa4b88d720 c70fdf4362eb56032793ab08e6aeb892f1bd4a9b e951b889aabca7ee5b0ff9d06a057884ed788b70
<u>BlackBit Ransomware</u>	MD5	90bae9356dc021172d0ff06603e7a4cf bf528ecf7601043fe7931ed1fdd1d081 9d898e39591f9a8b49fa27841acb7392 d37b49b0a53fd07895ca4dc956cbc459 8ead445620033ecee6c426cfbeac214b
	SHA1	b04ccaa781be7521d50faa36db269f71ac56af58 2f052cc3e64870b8ac28efb2d79bc2b16dff3e8e e9b35995bf772cd11be13bc5c9ac93c846f00405 3cac81473dd91e7adf4516f1805bc5bdfef562e4 7fd07c934ce9b7c4ad902408ed528acf4ce32ddb

Attack Name	TYPE	VALUE
<u>BlackBit Ransomware</u>	SHA256	1d2db070008116a7a1992ed7dad7e7f26a0bfee3499338c3e603161e3f18db2f b8ffd72534056ea89bfd48cbe6efb0b4d627a6284a7b763fdb7dfd070c1049ba 43c6aef23a90c742274d6db2148a5cb5027c82e94ba2db4ae4b4184956e370b5 cd29a952a51204f2e8744271b822c277b63ad8a54e3a6422e342eb9c53df0bda b3324b629febeefb17201abb52bc66094b4ffb292f8aa3a549f39e7e11c63694
<u>SILENTTRINITY</u>	SHA256	9aed0c5a047959ef38ec0555ccb647688c67557a6f8f60f691ab0ec096833cce bf34077c8b22759b28dcc458dc1b7bba3810c1c30b050b26a26e8d9f64e77971 c7753ffb7f66b0dfb05a24955324182cb92bbf41dd8fccb308c3f04d497a16da a2e55cbd385971904abf619404be7ee8078ce9e3e46226d4d86d96ff31f6bb9a e88835e21c431d00a9b465d2e8bed746b6369892e33be10bc7ebbd6e8185819 68ec4461653ae682eeace1bff583307ec521a3ee23873a991c031cc49dc8132f b9514ed1566c8ce46ab5bfd665f8b997f2d5624740f298699df43bb108e08c4d 85faf414ed0ba9c58b9e7d4dc7388ba5597598c93b701d367d8382717fb485ec 1c2399674713d2a3fc19b841e979eed61d73d1b7ca8fd6f29ba95a41f5a7684d f0cc9b18ba32f95085d5f9a3539dc08832c19e7d3124a5febbdc3bae47deab24 17eabfb88a164aa95731f198bd69a7285cc7f64acd7c289062cd3979a4a2f5bf 865e041b41b9c370a4eed91a9a407bd44a94e16e236e07be05e87de319a4486c
	URLs	hXXp://cornerstonebeverly[.]org hXXp://cornerstonebeverly[.]org/js/files/docufentososo/documentosoneso/pantomime[.]hta hXXps://cornerstonebeverly[.]org/js/files/ntfonts/avena/hXXp://cornerstonebeverly[.]org/js/files/ntfonts/jquery[.]txt hXXp://144.91.72[.]17:8080/user_details hXXp://144.91.72[.]17:8080/streamcmd?AV=Unknown&OS=6.1.7601.17932&Vesrion=1&detail=Wfstzepn_Admin

What Next?

At Hive Pro, it is our mission to detect the most likely threats to your organization and to help you prevent them from happening.

Book a free demo with HivePro Uni5:Threat Exposure Management Platform.



REPORT GENERATED ON

May 8, 2023 • 6:50 AM

© 2023 All Rights are Reserved by HivePro



More at www.hivepro.com