



Menu ▼

Log in

Java Quiz Results

Score: 25 of 25

100% Correct:

Question 1:

What is a correct syntax to output "Hello World" in Java?

✓ `System.out.println("Hello World");`

Your answer

`print ("Hello World");`

`Console.WriteLine("Hello World");`

`echo("Hello World");`

Question 2:

Java is short for "JavaScript".

✓ False

Your answer

True

☐ Dark mode



HTML

CSS



How do you insert COMMENTS in Java code?

✓ `// This is a comment`

Your answer

`# This is a comment`

`/* This is a comment`

Question 4:

Which data type is used to create a variable that should store text?

✓ String

Your answer

myString

string

Txt

Question 5:

How do you create a variable with the numeric value 5?

✓ `int x = 5;`

Your answer

`num x = 5`

`float x = 5;`

`x = 5;`

Question 6:

☐ Dark mode



HTML

CSS



✓ float x = 2.8f;

Your answer

x = 2.8f;

byte x = 2.8f

int x = 2.8f;

Question 7:

Which method can be used to find the length of a string?

✓ length()

Your answer

getSize()

getLength()

len()

Question 8:

Which operator is used to add together two values?

✓ The + sign

Your answer

The * sign

The & sign

Question 9:

The value of a string variable can be surrounded by single quotes.

☐ Dark mode



HTML

CSS



True

Question 10:

Which method can be used to return a string in upper case letters?

✓ toUpperCase()

Your answer

tuc()

touppercase()

upperCase()

Question 11:

Which operator can be used to compare two values?

✓ ==

Your answer

> <

< >

=

Question 12:

To declare an array in Java, define the variable type with:

✓ []

Your answer

{ }

☐ Dark mode



Question 13:

Array indexes start with:

✓ 0

1

Your answer

Question 14:

How do you create a method in Java?

✓ methodName()

methodName.

methodName[]

(methodName)

Your answer

Question 15:

How do you call a method in Java?

✓ methodName();

methodName[];

methodName;

(methodName);

Your answer

☐ Dark mode



HTML

CSS



Which keyword is used to create a class in Java?

✓ class

Your answer

MyClass

className

class()

Question 17:

What is the correct way to create an object called myObj of MyClass?

✓ MyClass myObj = new MyClass();

Your answer

class myObj = new MyClass();

new myObj = MyClass();

class MyClass = new myObj();

Question 18:

In Java, it is possible to inherit attributes and methods from one class to another.

✓ True

Your answer

False

Question 19:

Which method can be used to find the highest value of x and y?

☐ Dark mode



HTML

CSS



Math.largest(x,y)

Math.maximum(x,y)

Math.maxNum(x,y)

Question 20:

Which operator is used to multiply numbers?

✓ *

Your answer

#

x

%

Question 21:

Which keyword is used to import a package from the Java API library?

✓ import

Your answer

getlib

package

lib

Question 22:

How do you start writing an if statement in Java?

☐ Dark mode



HTML

CSS



if x > y then:

if x > y:

Question 23:

How do you start writing a while loop in Java?

✓ while (x > y)

Your answer

while x > y {

x > y while {

while x > y:

Question 24:

Which keyword is used to return a value inside a method?

✓ return

Your answer

get

void

break

Question 25:

Which statement is used to stop a loop?

✓ break

☐ Dark mode



HTML

CSS



return

exit

Study Java in our Java Tutorial

Kickstart your career

Get certified by completing a course

Get certified




☐ Dark mode



NEW

We just launched
W3Schools videos



Explore now

☐ Dark mode



HTML

CSS



Get certified
by completing
a course today!



Get started

CODE GAME




Play Game

☐ Dark mode

ADVERTISEMENT

ADVERTISEMENT



[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)

☐ Dark mode



HTML

CSS



jQuery Tutorial

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but

☐ **Dark mode**

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

