

Round 1 Challenges

- Very Easy

1. Task Name : Rules

Task Description :

Hey Participant,

Are you Ready for a great Experience??

Just make sure to go through the rules, just to keep everything in place, in order and in manner.

Best of Luck.

Category : Introductory

Flag : IITMCC{L3t's_Rul3_Th3_W0rld}

Round : 1

Solution :

For this task, you have to simply read Rules.

02 Scoring & Flag Submission

- > **Flag Format:** Flags follow the standard format specified at the start of the event (e.g., `IITMCC{L3t's_Rul3_Th3_W0rld}`) unless explicitly stated otherwise in a challenge prompt.
- > **Dynamic Point System:** Points are assigned based on task difficulty. Tie-breaks are determined automatically by the timestamp of the last valid flag submission.
- > **Secret Verification Tasks:** Certain challenges will require participants to complete secondary secret tasks (such as submitting verification data to an internal endpoint) to authenticate independent solutions. Completing these yields bonus verification points and validates team integrity.

2. Task Name : Feedback - Sessions/Round1

Task Description :

Hey Participant,

I know, I know. You really want to compete but first... How were the sessions??

Link :


https://docs.google.com/forms/d/e/1FAIpQLSe_lh1G5_SRV5RfTXOQcheRc5jjtkZsOqcuFFsTP2s_iv6RtA/viewform?usp=publish-editor

Category : Introductory


Flag : IITMCC{L3t_M3_R@t3_W0rkshop}

Solution :

It is a Session Feedback Task. Fill the feedback form and you are done.

A screenshot of a Google Forms 'Session Feedback' form. The title 'Session Feedback' is in a large, bold, black font. Below it, the text 'Best of Luck...' is followed by the flag 'Flag : SULUTUNDe0wzdF9NM19SQHQzX1cwcmtzaG9wfQ=='. At the bottom, there is a blue link that says 'Submit another response'.

And then simply decode base64 encoded Flag.

A screenshot of a web-based Base64 decoder tool. The interface is split into two main sections: 'Recipe' on the left and 'Input' on the right. The 'Recipe' section has a dropdown menu set to 'Alphabet' with 'A-Za-z0-9+/' as the character set. Below this, there are two checkboxes: 'Remove non-alphabet chars' which is checked, and 'Strict mode' which is unchecked. The 'Input' section contains the base64 encoded flag 'SULUTUNDe0wzdF9NM19SQHQzX1cwcmtzaG9wfQ=='. Below the input field, there is a small status bar showing 'ENC 40' and '1'. At the bottom, there is an 'Output' section which displays the decoded flag 'IITMCC{L3t_M3_R@t3_W0rkshop}'.

3. Task Name : Story

Task Description :

Everyone,

This time we tried something unique.

We tried to have a story with this CTF Challenge, Please go through the story it will help you better understand and visualize.

Link :


Category : Introductory

Flag : IITMCC{Alic3_1n_Arcad3L@nd}

Round : 1

Solution :

Just Read Story and you will get Your flag



4. Task Name : St0ry Tim3

Task Description : Glitch voice echoes "Go Alex read the flag... what's the matter?"

File : Story.pdf

Category : Steganography

Flag : IITMCC{Glitch_H@v3_P0w3rs}

Round : 1

Solution :

This PDF Contains Flag in plaintext but in white color.

Simply Select and Copy Paste the Flag.

While pulling an all-nighter at the campus gaming room, your computer lab's vintage arcade cabinet suffered a massive power surge. Lightning struck the transformer, a spark jumped the coin slot, and **Alex** (our student protagonist) got digitized and sucked straight into the cabinet's corrupt 8-bit motherboard.

The system has been seized by **The Glitch Master** (a rogue boss AI), who has locked down every sector of the game ROM. The only way to reboot the machine and extract Alex back into the physical world is to recover all the missing memory blocks by completing sector tasks.

Alex - The Trapped Player

The Glitch Master - The Villian

Byte - Friend of Alex

Origin: The arcade machine was running a half-finished, abandoned retro game. When the lightning/power surge struck, the unfinished boss code merged with the cabinet's corrupted firmware, creating an autonomous entity called "**The Glitch King**" (or **Master Glitch**).

Personality & Goal: Glitch loves its new reality and wants to keep the arcade cabinet running forever so it stays alive. If Alex triggers a system reboot, the power cuts, the corrupted memory flushes, and Glitch is wiped from existence.

Why it fights back: To prevent Alex from rebooting the cabinet, Glitch locked down the system by scrambling sectors, corrupting data tables, encrypting files, and locking sub-routines (the CTF challenges).

5. Task Name : The Star Garden Bloom

Task Description :

Alex and Byte step through what should be the darkest, most fortified sector of the mainframe—only to find themselves standing in an unexpectedly adorable pastel meadow filled with soft glowing clouds and floating star buds.

Alex pauses, scratching his head:

"Wait... Byte, did Glitch mess with our display drivers? Why does everything look like a Saturday morning cartoon? Aren't we supposed to be in a high-stakes cyber tournament?"

Glitch's giggling voice echoes gently through the meadow speakers:

"Surprised by the cute colors, Alex? Don't worry, you haven't left the challenge! You've all spent hours battling on the leaderboard, racing against the clock, and fighting to come out on top. But this sector isn't about outsmarting the next player—it's about seeing what happens when everyone stops competing and works together."

Link : <https://community-challenge-ve-ccv2.onrender.com>

Category : Miscellaneous

Flag : IITMCC{CUt3_P4ST3L_ST4R_P0W3R_UNL0CK}

Round : 1

Solution : <DELETED>

6. Task Name : The Broadcast Signal

Task Description :

On the evening of September 15, 2026, a high-priority network alert flashes across Alex's terminal. An outbound diagnostic packet breaks out of the mainframe firewall and routes directly into an external public channel. Glitch has set up an official news broadcast page on some popular social media, using it to tease the arcade operators with real-time system updates.

Glitch boasts over the live feed:

"I'm broadcasting my updates right out in the open, Alex! My news channel has been live since earlier today, but good luck finding the master key hidden somewhere in the feed!"

File : *whatsgoingonhint.png*

Category : OSINT

Flag : IITMCC{m3t4_1s_w4tching}


Round : 1

Solution :

By the Image we can see the social media domain is ending with m, and there is only one major, Instagram, So recreate url and check post of 15 Sep 2026.



www.instagram.com/whats_going_on



7. Task Name : 1-0 Codddeeeeee

Task Description :

Alex and Byte drop into the base layer of Sector 1: The Machine Interface. The entire screen flashes black, replaced by a steady stream of pulsing green zeros and ones.

Glitch's voice echoes across the raw data channels:

"You want to navigate my mainframe, Alex? First, you have to learn how to speak my native tongue. Humans use words, but machines only understand raw bits!"


01001001 01001001 01010100 01001101 01000011 01000011 01111011
01000010 01101001 01101110 01100001 01110010 01111001 01011111
01000010 01101111 01110011 01110011 01111101

Category : Cryptography

Flag : IITMCC{Binary_Boss}

Round : 1

Solution :



8. Task Name : Only ghosts are not invisible
Task Description :

Alex and Byte step into Sector 2: The Void Gallery. The area seems completely Normal image file.

Glitch's taunting voice echoes from the darkness:

"What's the matter, Alex? Staring at an empty screen? Just because your eyes can't see anything doesn't mean the data isn't right in front of you. Some secrets only exist in the shadows!"

File :

<https://drive.google.com/file/d/1x0o2mkmSX5uH5oEECJnPM4IWDKmm3MSI/view?usp=sharing>

Category : Steganography


Flag : IITMCC{U_C@n't_Hid3}

Round : 1


Solution :

For the Task you can use any Steganography Software/Tool. For this walkthrough, I will show two methods, one for windows and other for linux.

1. For Linux: For Linux I will use StegSolve.



2. For Windows: I will use the default paint tool. Just take the Fill Bucket Tool and take any color and paint the background.



9. Task Name : FAQs
Task Description :
Hey Participants,

We know you all are very excited. But you all have some doubts... same or similar...

And that is where faqs play a crucial role...

Category : Introductory

Flag : IITMCC{Cyb3r_CTF}

Round : 1

Solution :

For this you only need to find Cyber CTF v2 FAQs Page, and it is only on Saavan Site.

Q: What is a "Flag"?



A: A flag is a specific formatted string (e.g., `IITMCC{Cyb3r\_CTF}`) hidden within the target application, binary, or network traffic. Submitting this flag onto the CTFd portal awards points.

10. Task Name : How was the workshop?

Task Description :

One of the three workshops has your key... Look closely!

But what the hell... Harsh said there will be no flag in live... Is he lying? Or are both things true?

Category : OSINT

Flag : IITMCC{Ky4_M4st_3v3nt_H4i}

Round : 1

Solution :

Remember, Harsh never lies :D .

So there is no Flag in Live, but it is somehow related to Sessions.

Eventually, you will find this comment.




@harshkhandal3265 2 days ago (edited)

Thanks for awesome event



Reply

Now we just need to click on it.



11. Task Name : Explore Site

Task Description :

The Flag is hiding in this site, search for it.

And when you are searching kindly don't ignore the beauty of this event. There's a saying "Those who enjoy the journey always go farther than those who are solely focused on the end goal":

Category : Introductory

Link : <https://www.cyber-ctf.tech/>

Flag : IITMCC{3xpl0r3_0r_3xpl0d3}

Other : Site pe add kr dena cyber-ctf.tech

Round : 1

Solution :

Just Check Source Code of cyber-ctf.tech.

```
1 <!doctype html>
2 <html lang="en">
3   <head>
4     <meta charset="UTF-8" />
5     <link rel="icon" type="image/png" href="/logo.png" />
6     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7     <title>Cyber CTF</title>
8     <!-- IITMCC{3xpl0r3_0r_3xpl0d3} -->
9     <script type="module" crossorigin src="/assets/index-Bn5vTNyA.js"></script>
10    <link rel="stylesheet" crossorigin href="/assets/index-CXgzjywd.css">
11  </head>
12  <body>
13    <div id="app"></div>
14  </body>
15 </html>
16
```

12. Task Name : The Saavan Split

Task Description :

Glitch divided the master sector flag into four distinct fragments and 2 Fake fragments and concealed them across different event pages on the Saavan website.

If you are going there don't forget to register for their events ;)

We only know : You can find flags only in 8 technical events, and not in our event page. You have to identify Real flags to get your answer. Just check flag format carefully and combining flag should be a meaningful sentence.
Also remember Magic Letters TNBW.

Note: Participants... You will get 4 IITMCC{...} Flags. Put the content of all these flags into one IITMCC{...} Flag and submit that.

IITMCC{1},IITMCC{2},IITMCC{3},IITMCC{4} → IITMCC{1234}

Link : <https://saavan.iitmparadox.org/>

Category : OSINT

Flag : IITMCC{Th3s3_S44v4n_P4g3_Fr4gm3nt5_4r3_Aw3s0m3}

Other : Give 8 Attempts.

Round : 1

Solution :

Flag from Tensor.

Q: What kind of errors are hidden in the notebooks?



A: Only logic errors are included, with no syntax errors. The code runs without crashing, but the error affects the validity of the model or evaluation methodology. IITMCC{Th3s3_S44v4n_} Examples include ignoring class imbalance during evaluation, incorrect data splitting for time series, and miscalibrated detector thresholds.

From Navigrid

Q: What is required for the Stage 3 Safety Override Node?



A: Participants must implement a high-priority safety node that triggers a full emergency stop if a dynamic obstacle breaches a velocity-dependent distance threshold. The formula is defined as: $dsafe = \text{IITMCC}\{P4g3_ \}k \cdot v^2 + dmin$.

From Bull Run.

Q: What are the demo account specifications?



A: Each participant will receive an MT5 demo account with an initial balance of IITMCC{Fr4gm3nt5_} USD 10,000, leverage of 1:30, and account currency in USD.

From Whisper from Mars.

Q: How difficult is the event?



A: It starts beginner-friendly and gets progressively harder.

****IITMCC{4r3_Aw3s0m3}****You don't need to know everything, you just need to learn, analyse, question, and make defensible decisions.

- Easy

1. Task Name : cheMYSTERY

Task Description :

Alex reaches the cooling unit sector of the motherboard, but the cooling fan is locked behind an old safety lock.

Next to the fan, Alex finds a small screen showing a row of chemical elements.

Help Alex decode the elements, unlock the cooling fan, and keep the arcade machine from catching fire!

Note : Whatever you get, put in IITMCC{ }.

File : periodic.png

Category : Cryptography

Flag : IITMCC{C4T4LYST_R34CT10N}

Round : 1

Solution :

In the Image, Number and Sign remain unchanged and only need to replace elements with their chemical number.

2. Task Name : The Gatekeeper

Task Description :

Alex and Byte reach Sector 04: The Core Authentication Gateway. Standing between them and the motherboard's reboot subroutine is a heavily locked master console.

Glitch's face flickers across the prompt:

"Did you really think I'd leave the `admin` terminal unlocked? I secured this gateway behind an unbreakable cryptographic password. Without the exact sequence, you're locked out forever, Alex!"

Note : "Don't Try Bruteforce!! It may lead to disqualification"

Hint : Dumb Glitch used SQL Query for Login Authentication...

Link : <https://admin-panel-e-ccv2.onrender.com>


Category : Web

Flag : IITMCC{SQL1_C0MM3NT_BYP4SS_UNL0CK3D}


Round : 1

Solution :

This is a simple SQL Injection Task.



The screenshot shows a dark-themed login interface titled "[ADMIN GATEWAY]". It features two input fields: "Username:" and "Password:". The "Username:" field contains the text "admin' --". The "Password:" field contains three dots "..." and a cursor. Below the fields is a red "AUTHENTICATE" button.



The screenshot shows a dark-themed message box with a red border. The text inside reads: "Welcome, admin! Access granted to core reboot sector." Below this, a red dashed box contains the flag: "FLAG: IITMCC{SQL1_C0MM3NT_BYP4SS_UNL0CK3D}".

3. Task Name : Catopus

Task Description :

Alex and Byte stumble into a quiet, fragmented sub-directory of the cabinet's memory bank. Floating among disconnected data packets, they discover an old, digitized diary page:

Dear Diary,

Date: 30-08-2026

Is that a cat or octopus,?? Whatever, Harsh Khandal hates it.

— *Glitch*

Hint : It is a type of social media but for code.... Yup everyone uses it....

Category : OSINT


Flag : IITMCC{0ct0pus_With_C@t_E@rs}

Round : 1

Solution :

The Site this question refers to is Github.

Go to my github and check commit os 30-8-2026.



```
Collapse file tree
CCV2.txt
@@ -1,2 +1,16 @@
1 Here is the flag for Cyber CTF V2 (Sep 2026) Flag :
2 - IITMCC{0ct0pus_With_C@t_E@rs}

1 Here is the flag for Cyber CTF V2 (Sep 2026) Flag :
2 + IITMCC{0ct0pus_With_C@t_E@rs}
3 + .
4 + .
5 + .
6 + .
7 + .
8 + .
9 + .
10 + .
11 + .
12 + .
13 + .
14 + .
15 + .
16 + Secret Task 1 : https://docs.google.com/forms/d/
e/1FAIpQLSd0w8Npv3s1ER_PGpuo-d94Upo9F28E6wfJdpOE0II_r0cN7w/
viewform
```

Here we got flag as well as secret task.

4. Task Name : Binary Blueprint

Task Description :

Alex and Byte lock onto an encrypted broadcast stream coming from Glitch's auxiliary transmitter. Instead of a standard file, the receiver captures a massive raw stream of 0s and 1s.

Glitch's glitched voice distorts over the channel:

"You caught the raw signal, Alex, but good luck making sense of it! It's just an endless wall of binary noise. Even if you translate it into text, you'll just get a jumble of raw bytes and unreadable symbols!"

Hey Participant, Even Hackers need HELP ;) , So this flag is from Pico CTF, and the Flag will have this format : picoCTF{...}

Hint : You Just Need a TOOLLL : Can Be CyberChef...


File : digits.bin

Category : Forensics

Flag : picoCTF{h1dd3n_1n_th3_b1n4ry_d4e39e9e}

Round : 1

Solution :



5. Task Name : Sector 17: The Frequency Intercept

Task Description :

Alex and Byte step into the darkened sub-level of Sector 17, where an old shortwave radio array sits hummed to life. The visual terminal displays nothing but static, but a faint, rhythmic series of high-pitched beeps echoes through the speaker coils.

Glitch's voice crackles over the radio feedback:

"You're hunting blindly in the dark, Alex! I intercepted a transmission from one of your clandestine network operatives. I couldn't crack their secret alias, so I converted the entire audio stream into raw audio pulses. Good luck trying to figure out who's working behind the scenes!"

Don't forget to format your answer in IITMCC{ }

File :

https://github.com/Hk-Hacker-Harsh/CTF_Project/blob/main/Assets/Morse_Audio_Final.wav


Category : Miscellaneous

Flag : IITMCC{0HSECRETAGENT}

Round : 1


Solution :

This one can be done with multiple tools, but to get Accurate results we will do it manually, im using Audacity you can use any other tool Open Audacity, then open given .wav file in it.



Here the big blue box represents “-” (dash or dah) and smaller represents “.”(dot or dit)

We got : ----- - . - . . - . - . - . -



- Medium

1. Task Name : We Got Hacked!

Task Description : Oh No! Participants, we need your help. Someone hacked our Servers..... And we lost the flag for this tasks..... Now the GOD or a Time Machine can save us..... Do you have a time machine? Oh god I lost my mind.... Who has a time machine.... Just some archive....

Hint : Research bro.... Can websites have a time machine?

Link : <https://cc-history-is-mystery.netlify.app/>

Category : OSINT

Flag : IITMCC{B@ck_In_Tim3}

Round : 1

Solution :

For this task you need something like a Time Machine for Websites. This can be done using Wayback Machine. Search for the link. What we get is a Snapshot on 26th Dec 2025.



2. Task Name : D3al with txt

Task Description :

Alex and Byte stand before the gateway of Sector 3: The Home of all URLs. A single target web portal address glimmers on the terminal screen, but inspecting the main webpage yields nothing but a dead end.

Glitch's voice echoes:

"Looking at the website source code, Alex? You're searching in the wrong place! Everyone thinks 'txt' just means a document on a disk, ...'evil laugh"

Link : <https://flag.cyber-ctf.tech/>


Category : Web

Flag : IITMCC{T3xt_F0und}

Round : 1

Solution :

In this task, txt not refers to Text File but txt record in a Domain. To check such details there are many sites but im using MxToolBox TXT Record and nslookup cmd command.



```
C:\Users\KPK>nslookup -type=txt flag.cyber-ctf.tech
Server: dns.google
Address: 2001:4860:4860::8888

Non-authoritative answer:
flag.cyber-ctf.tech      text =

        "IITMCC{T3xt_F0und}"

C:\Users\KPK>
```

3. Task Name : 6379

Task Description :
6379??

Link : <https://tryhackme.com/jr/iitmccv2masterlinux>

Category : Miscellaneous

Flag : IITMCC{R3D1S_UN4UTH_3NUM_2026}

Other :

Round : 1

Solution :

For the GUI Version you can simply use Redis Insights.

Or for CLI you can even use netcat.

Just connect to server using "nc <ip> <port>" and then use "KEYS *" at last use "GET <keyname>".

4. Task Name : Trolley Problem

Task Description :

Alex just found this text to transport to another sector, and I'm pretty sure it is encrypted by some unknown technique.

“ IC4__c}IMCRisA3DnigT{lr4n ”

Glitch's Voice echos, “Oh! My Boy... Now i'm feeling bad for you... You will be left trapped in this arcade. Although even I can't help you, as even I glitched and forgot the flag.”

Alex Notices an Image on a nearby wall.
Can it be a hint?? Nah... it is just scenery.

Hint : There is nothing in the image... seriously nothing... just rail... Rail?? Is there anything like rail encryption.

File : fence.jpg

Category : Cryptography

Flag : IITMCC{R4ils_Ar3_D4ncing}

Other : The name of the image file should be visible in the challenge.

Round : 1

Solution :

Image and Name of the Challenge are hints that it is somehow related to rails or fence.

The encryption used here is “Rail Fence Cipher Decode”.

Recipe

Rail Fence Cipher Decode

Key: 3

Offset: 0

STEP **BAKE!** ☒ Auto Bake

Input

IC4__c}IMCRisA3DnigT{lr4n

Output

IITMCC{R4ils_Ar3_D4ncing}

5. Task Name : Talking Wire

Task Description :

Alex and Byte monitor Sector 13: The Eavesdrop Array, intercepting a raw network dump spanning multiple TCP streams across internal ports.

Glitch's voice echoes through the network tap:

"You're sifting through static, Alex! Even if you intercept my traffic, my agents double-wrap their file transfers behind encrypted protocols!"

#This challenge is taken from picoCTF so flag format will be picoCTF{...}

File : capture.flag

Category : Forensics

Flag : picoCTF{nc_73115_411_0ee7267a}

Round : 1

Solution :

<https://medium.com/@kautsar.muwahhid/picoctf-write-up-eavesdrop-a26aeaa4b9cc>

6. Task Name : Crying Obsidian

Task Description :

Alex found this suspicious text, and the byte thinks it's not encrypted (what a foolish byte...), But why do Glitch, Flag and Text Crying? Is it because they are involved in dark illegal activities? Or Is someone cutting onions?...

“ san6zzmpkhjwdl4kfnikoozqzlvmiyywynrkk6qamqt4brha4zr66bid ”

Category : Miscellaneous

Flag : IITMCC{L3ts_Rul3_D4rk_W0rld}

Other :

Round : 1

Solution :

From the hints it is clear, that you will need TOR For this.

You can use brave with tor as well, just connect to tor and open site with .onion extension.

- Hard

1. Task Name : Alpha-Numeric

Task Description :

Alex and Byte drop into Sector 4: The Stream Matrix. Glitch's voice crackles over an open media stream, backed by static and faint video playback audio.

Glitch laughs over the broadcast:

"You think you're good at finding hidden data, Alex? I left a breadcrumb out in the open. Good luck finding a single timestamp in a ocean of streams!"

IVPGL-f5aNw 23.45

Hint : It's Somehow related to Your Fav YT.

Category : OSINT

Flag : IITMCC{S3cr3t_Tr@nscript}


Round : 1

Solution :

If you use your Brain or Hint, you can get that IVPGL-f5aNw is nothing but youtube video Identifier.

Use link : <https://youtu.be/IVPGL-f5aNw> to open the video.

But where is the flag?? Read the question again. What 23.45 can be?? Yup you got it right it is a Time Stamp. But wait, nothing is there.... Then let's check Caption.... Bingo



2. Task Name : Chessss Timeeee

Task Description :

Participantsss....,

Break Time... Lets stop playing CTF and start Chess, open http port 9004....

Oh Shit!! Glitch messed up with our chess too... hurry find the flag.

Remember, not all fights aim to kill others... Also keep an eye on your opponents moves.

Note : Participants, You will get a meaningful word, Put that word in IITMCC{...} and submit it to get points..

Link : <https://tryhackme.com/jr/iitmccv2masterlinux>

Category : Miscellaneous

Flag : IITMCC{CHIEF}

Round : 1

Solution :

For this task you only need to keep an eye on Bots Moves.

Always 5 and Same Moves.

Which are : A2, G1, E4, D1, E1

And now Just move Alphabet with the numeric value.

It will give us C H I E F.

3. Task Name : The Obfuscated Core

Task Description :

Alex and Byte step into the dusty archive sub-server of Sector 14. Neon green code flickers across corrupted monitors, and a compiled, heavily obfuscated executable file (`Main.exe`) hums on the primary console.

Glitch's distorted laughter echoes over the terminal speakers:

"You're too late, Alex! I scrambled our core diagnostic executable and locked the master key inside the compiled binary. Even if you decompile the executable, my obfuscation layers will leave you staring at unreadable garbage!"

Byte plugs his diagnostic rig into the terminal and runs a quick file tree scan, uncovering an uncompiled Python source file (`Main.py`) sitting right beside the executable.

"Glitch thought he scrubbed everything, but he left behind a backup of the original Python script! The source file is missing the explicit flag string, but both files share the exact same algorithm and execution logic."

File : Main.exe :

https://github.com/Hk-Hacker-Harsh/CTF_Project/blob/main/Obfuscation/Main.exe

e Main.py :

https://github.com/Hk-Hacker-Harsh/CTF_Project/blob/main/Obfuscation/Main.py

Category : Reverse Engineering

Flag : IITMCC{C0d3_4n4lysis}

Round : 1

Solution :


For this task, you have to analyze the python code. Lets see what we can find from the python file. 1. It is a GUI Program Related to Morse Code. 2. In Input field, we have a case switch for #, which when submitted gives something secret.

```
case "P" | "p":
    morlst.append('0110')
case "Q" | "q":
    morlst.append('1101')
case "#":
    morlst.append('<secret>')
case "R" | "r":
    morlst.append('010')
case "S" | "s":
    morlst.append('000')
```

Let's look for where this secret goes. Secret goes to the playmorse function, where it raises an Error and whenever this function gets that error it generates a file with FLAG.

```
13 def playmorse():
14     try:
15         global stop_morse
16         stop_morse = False
17         for i in morse.get(1.0, END):
18             if stop_morse:
19                 break
20             if i == '1':
21                 winsound.Beep(2500, 550)
22             elif i == '0':
23                 winsound.Beep(2500, 200)
24             elif i == " ":
25                 time.sleep(2)
26             elif i == "/":
27                 time.sleep(3)
28             elif i == "<secret>":
29                 raise ValueError(f"Terminal Error: '{i}' is not a valid Morse pulse (0 or 1).")
30         except ValueError:
31             with open("flag.txt", "w") as f:
32                 f.write(f"Flag{Dummy_Flag}")
```

Now let's test this in the .exe file. We need to input # and play the output we get.



Here we go. We got the Flag.

4. Task Name : Sector 20: The Haystack

Task Description :

Glitch buried the encrypted sector key deep inside a multi-table SQLite database (**vault.db**). To recover it, you must query the database associated with the highest aggregate transaction total among active admin accounts.

"Find the token stored in the **transactions** table associated with the account in the **users** table that has the **admin powers** and the highest single transaction **amount**."

File : vault.db

Category : Forensics

Flag : IITMCC{sql_j01n_m4st3r_2026}

Other :

Round : 1

Solution :

Use this SQL Query:

"SELECT token FROM transactions

WHERE user_id = (

SELECT user_id FROM transactions



WHERE user_id IN (

SELECT user_id FROM users

```

WHERE role = 'admin' )
ORDER BY amount DESC
LIMIT 1
);
"

```



- Insane

1. Task Name : Linux Trials: Breach the Lower Levels (Bandit Part 1)
Task Description :

Alex and Byte drop into Sector 09: The Low-Level Kernel Terminal. Unlike previous visual monitors, this sector is guarded by a raw, ancient command-line interface directly connected to an isolated external training grid known as *OverTheWire Bandit*.

Glitch's static voice cuts through the console:

"You think you know your way around an arcade motherboard, Alex? You can't even navigate a basic POSIX filesystem without a mouse! If you want the sector patch, you'll have to play through the standard terminal gauntlet from the ground up."

Connect to the Bandit wargame over SSH, navigate the levels up to Level 10, extract the password for Level 11, and submit it inside the flag format.

Note : Submit flag in IITMCC{<Level 11 Login Password>} format

Link : <https://overthewire.org/wargames/bandit/bandit0.html>

Category : Miscellaneous

Flag : IITMCC{pYfOY6HwUsDj5rL9UvyhU7MCmv8vN5Ro}

Round : 1

Solution :

<https://medium.com/@yanadurb/overthewire-bandit-1-to-10-walkthrough-guide-9a9ed7195488>