

Round 2 Challenges

- Very Easy

1. Task Name : Feedback Final

Task Description :

Hey Participant,

Our Event is going to end in the next 24 hours. And as a last thing, Please let us know what can be improved or what we did wrong.

Please don't rush through it. This is the only thing motivates us (College does not pay us for event :()

Link :

<https://docs.google.com/forms/d/e/1FAIpQLSe3zYICMXFLDdHMz32Wgx6qUvw95BH0UHCmJQXBxsSwol1g8Q/viewform?usp=publish-editor>

Category : Introductory



Flag : IITMCC{Fin@!_W0rds_P!3@s3}

Other : Make sure this part is on top and available a bit **later** than other challenges on portal ; or check if we can have this for no points

Round : 2

Solution:

Just fill and submit Feedback form.



2. Task Name : Pencil CASE

Task Description : A high-priority alert flashes across Alex's HUD as a single, unexpected document arrives from Glitch's private terminal: [pencilCASE.pdf](#).

Byte quickly runs an external thread analysis on the payload, raising an eyebrow:

"Careful, Alex! Glitch just pushed a PDF directly to our interface... Is this a trick or a treat?"

Glitch's voice crackles over the speakers, practically dripping with self-congratulatory pride:

"Go ahead and open it, Alex! I spent days crafting that catalog. I hand-picked every item, rendered every angle, and locked the authentication key so deep inside the design structure that you'll never figure it out! This is hands-down the hardest challenge I've ever created!"

Hey Participant just remember it is in a VERY EASY Category. Also format your answer in the usual FLAG Format : IITMCC{...}

File : pencilCASE.pdf

Category : Cryptography

Flag : IITMCC{SCANNER}

Round : 2

Solution:

We have 2 Images in PDF. Each Image has a Bar code on it. Barcode contains the flag.

Just of pair of 2-2 from both barcodes and convert to alphabets. Like 09 will be I.

3. Task Name : Decrypt.... Which is not Encrypted.

Task Description :

Hey Participants,

Do you want to read Horror Story? By Alex?

And here I'm, check the attached file.

Ignore mistakes while writing this story... I was in hurry... Paradox wants me to create all Tasks in such less time....

Hint : Caps + Italic + 1 Pixel Large Size

File : The Horror Story By Alex.pdf

Category : Miscellaneous

Flag : IITMCC{UNDERCOVER}

Round : 2

Solution:

Just Look Carefully. Flag characters have size of 1px bigger than other letters and are Italic and Caps Also.

4. Task Name : Looks Suspicious

Task Description :

“4949544d43437b576834745f5468335f4833787d”

Category : Cryptography

Flag : IITMCC{Wh4t_Th3_H3x}

Other :

Round : 2

Solution:

The screenshot shows a web application titled "Recipe". On the left, under the "From Hex" section, there is a "Delimiter" dropdown menu set to "None". Below this is a large empty text area. At the bottom of the left panel, there is a "STEP" button, a green "BAKE!" button with a chef icon, and an "Auto Bake" checkbox which is checked. On the right, the "Input" field contains the hex string "4949544d43437b576834745f5468335f4833787d". Below the input, the "Output" field displays the decoded string "IITMCC{Wh4t_Th3_H3x}" in yellow. The interface also includes file management icons (save, folder, delete) at the top left and status indicators like "total: 2" and "loaded: 2" at the top right.

5. Task Name : Alien String

Task Description : Alex found a suspicious key moving here and there in the world

SUIUTUNDezNuY29kZXJfUHIwfQ==

Category : Cryptography

Flag : IITMCC{3ncoder_Pr0}

Solution:

Recipe

From Base64

Alphabet

A-Za-z0-9+/=

☒ Remove non-alphabet chars
 ☐ Strict mode

STEP

BAKE!

Auto Bake

Input

SU1UTUNDezNuY29kZXJfUHIwfQ==

28

1

Output

IITMCC{3ncoder_Pr0}

19

1

6. Task Name : Home Misinter

Task Description : I finally encrypted my first text...

36e618512a68721f032470bb0891adef3362cfa9

I got this person in my mind while encrypting...

https://github.com/Hk-Hacker-Harsh/CTF_Project/blob/main/amit.jpg

Not reversible; Don't even try to Decode manually.... It will take years... Check if the clouds can yooouuuu.

Note: Don't Forget to Format your answer in IITMCC{}

Category : Cryptography

Flag : IITMCC{p@ssword}

Solution:

Let's start with a decoding question: We have things in description, encrypted Flag and An image of our Honorable Home Minister Amit Shah.

Here img is only used to give you an idea of Hashing Type, Which is Sha256.

You can ignore this img and use a hash identifier. As we know, Hashing is irreversible.

We can either use a bruteforcing method or a cloud based bruteforcing site. We are going to use the CrackStation Online Platform.

CrackStation

Defuse.ca · Twitter

CrackStation

Password Hashing Security

Defuse Security

Free Password Hash Cracker

Enter up to 20 non-salted hashes, one per line:

36e618512a68721f032470bb0891a6ef3362cfa9

I'm not a robot

reCAPTCHA is changing its terms of service.

Take action

reCAPTCHA

Privacy · Terms

Crack Hashes

Supports: LM, NTLM, md2, md4, md5, md5(md5_hex), md5-half, sha1, sha224, sha256, sha384, sha512, ripeMD160, whirlpool, MySQL 4.1+ (sha1 sha1_bin), QubesV3.1BackupDefaults

Hash	Type	Result
36e618512a68721f032470bb0891a6ef3362cfa9	sha1	y@ssword

Color Codes:

Exact match,

Partial match,

Not found.

- Easy

1. Task Name : The Malicious Feed Trap

Task Description :

Alex and Byte discover a covert diagnostic board hidden deep inside the cabinet's communication sector. Glitch has been using this exact feedback channel to weaponize a subtle web flaw—crafting corrupted URLs packed with malicious executable code to spy on connected players and siphon their private session tokens.

Link :<https://feedback-portal-e-ccv2.onrender.com>

Category : Web

Flag : IITMCC{XSS_DOM_1NJ3CT10N_PWN}

Round : 2

Solution:

For this task you just need to do a simple XSS attack on site.



2. Task Name : Ping Me

Task Description : Alex and Byte locate a web interface exposed on Port 9003. Glitch left behind a basic ping utility meant for testing latency between Sector 5 network nodes.

Glitch taunts from the web console:

"Welcome to my network monitor! Feel free to ping local addresses all day long—that diagnostic tool is strictly locked to sending network ICMP packets!"

Link : <https://tryhackme.com/jr/iitmccv2masterlinux>

Category : Web

Flag : IITMCC{C0MM4ND_1NJ3CT10N_B1ND_2026}

Round : 2

Solution:

It is a command injection task.

Write some ip use && and command to read flag.txt.

3. Task Name : Waiting Game

Task Description :

Alex and Byte stand before a glowing vault door in Sector 10. A giant digital timer ticks down slowly on the main display.

Glitch's voice echoes through the corridor:

"Patience is a virtue, Alex! The vault payload only decrypts at 12 PM, 3 PM, 6 PM, and 9 PM for a single minute. Miss the window, and you'll be waiting for hours..."

But I guess hackers don't wait... or do they?

File : <https://time-is-money-and-money-follows.netlify.app/>

Category : Web

Flag : IITMCC{T1M3_W41T5_F0R_N0_1}

Round : 2

Solution:

By checking Technology used on this site, you can see it doesn't have a backend.

Just check source code and then [Script.js](#).

```
// Arcade Time-Lock Logic

function updateClock() {
  const now = new Date();
  document.getElementById('clock').innerText = now.toTimeString().split(' ')[0];

  const hours = now.getHours();
  const minutes = now.getMinutes();

  // Check for 12, 15, 18, 21 hours during minute 0
  const targetHours = [12, 15, 18, 21];

  if (targetHours.includes(hours) && minutes === 0) {
    unlockVault();
  } else {
    document.getElementById('lock-status').innerText = "STATUS: VAULT LOCKED";
    document.getElementById('flag-display').innerText = "=== ACCESS DENIED ===";
  }
}

// Hidden function players can find or run in browser console
function unlockVault() {
  // Obfuscated string array for flag: IITMCC{T1M3_W41T5_F0R_N0_1}
  const b1 = "IITMCC{T1M3_";
  const b2 = "W41T5_F0R_";
  const b3 = "N0_1}";

  const flag = b1 + b2 + b3;

  document.getElementById('lock-status').innerText = "STATUS: VAULT UNLOCKED";
  document.getElementById('flag-display').innerText = flag;
  return flag;
}

setInterval(updateClock, 1000);
```

4. Task Name : Sector 18 — The Phantom data

Task Description :

Alex and Byte drop into Sector 18: The Archives Gallery. The primary monitor displays a high-resolution wallpaper image ([Wallpaper.jpg](#)) depicting an abandoned arcade mainframe.

Glitch's voice echoes through the gallery's speakers:

"You think security is all about what you can see on the surface, Alex? You just finished studying web HTML meta tags, but you completely forgot that file systems have their own hidden attributes!"

File : https://github.com/Hk-Hacker-Harsh/CTF_Project/blob/main/Wallpaper.jpg

Category : Forensics

Flag : IITMCC{R3ad_Unr3ad4bl3}

Round : 2

Solution:

In this task the user is supposed to check for meta tags of image. You can use any Online site, I'm using <https://jimpl.com/>, Or use Linux.

ColorComponents	3
Comment	IITMCC{R3ad_Unr3ad4bl3}
EncodingProcess	Baseline DCT, Huffman coding
FileAccessDate	2026-01-14 12:56:03 +0100
FileInodeChangeDate	2026-01-14 12:56:03 +0100

```
hk@Windows: ~/Desktop
File Actions Edit View Help
(hk@Windows)-[~/Desktop]
$ exiftool Wallpaper.jpg
ExifTool Version Number      : 13.25
File Name                    : Wallpaper.jpg
Directory                    : .
File Size                    : 472 kB
File Modification Date/Time   : 2026:01:14 17:28:23+05:30
File Access Date/Time        : 2026:01:14 17:28:23+05:30
File Inode Change Date/Time   : 2026:01:14 17:28:23+05:30
File Permissions              : -rw-rw-r--
File Type                    : JPEG
File Type Extension          : jpg
MIME Type                    : image/jpeg
JFIF Version                 : 1.01
Resolution Unit               : None
X Resolution                  : 1
Y Resolution                  : 1
Comment                      : IITMCC{R3ad_Unr3ad4bl3}
Image Width                  : 2912
Image Height                  : 1640
Encoding Process              : Baseline DCT, Huffman coding
Bits Per Sample               : 8
Color Components              : 3
Y Cb Cr Sub Sampling          : YCbCr4:2:0 (2 2)
Image Size                   : 2912x1640
Megapixels                   : 4.8

(hk@Windows)-[~/Desktop]
$
```

5. Task Name : Sector 22 — The Crawler's Blueprint

Task Description :

Alex and Byte stand before the imposing digital gateway of HackyCorp's corporate mainframe in Sector 22. The main web portal is heavily guarded by automated security scanners, but Byte points to a flickering node in the background.

Glitch's voice echoes through the network interface:

"You think you can breach HackyCorp's core without knowing where the guard dogs are looking, Alex? Every crawler that visits this site receives a set of instructions telling it where NOT to go. Good luck finding our private directories when they're hidden in plain sight!"

This challenge is taken from PentesterLabs, so don't forget to lock your ans in IITMCC{...} before submitting.

Link : <https://hackycorp.com>

Category : Web

Flag : IITMCC{af9c328a-02b4-439d-91c6-f46ab4a0835b}

Other :

Round : 2

Solution:

<Pentesterlab Recon Room Challenge, Get Sol from here
<https://pentesterlab.com/badges/recon>>

6. Task Name : Sector 24 - The Hidden data

Task Description :

Alex and Byte drop into Sector 24: The Corporate Portal. The main web application looks like a completely normal, fully functional company portal—complete with active event listings, news feeds, and interactive forms.

Glitch's voice crackles over the PA system:

"You're staring at the glossy interface, Alex! Everything on the page looks completely harmless and ordinary. But while your eyes are busy reading the web page text, my server is secretly broadcasting technical metadata in every single request behind the scenes! Good luck reading what isn't rendered on the screen!"

This challenge is taken from PentesterLabs, Don't forget to put key in IITMCC{...} before submitting your ans.

If you are not sure the key you get is any or not, just check whether it is mentioned or not.

Link : <https://hackycorp.com/>

Category : Web

Flag : IITMCC{99d0738b-1e52-4a00-8885-b15894b2c79e}

Other :

Round : 2

Solution:

<Pentesterlab Recon Room Challenge, Get Sol from here

<https://pentesterlab.com/badges/recon>>

- Medium

1. Task Name : Glitched File??

Task Description :

Alex finds a file named `glitched_file`, but it misses extension.

Byte floats over and shakes his head:

"This file looks like an image, but way too big for a single image. Glitch loves manipulating file types and merging data together to hide his tracks."

File : glitched_file

Category : Forensics

Flag : IITMCC{R34d_C4r3fully}

Round : 2

Solution:

2. Task Name : D33p Driv3

Task Description :

Alex and Byte stumble into Sector 06: The Arcade System Logs & Documentation Viewer. Glitch has buried the sector's recovery routines under layers of nested directory partitions, hoping to keep the critical files out of reach.

Link : <https://viewer-e-ccv2.onrender.com>

Category : Web


Flag : IITMCC{LF1_D1R3CT0RY_TR4V3RS4L_BYP4SS}

Round : 2

Solution:

This is a Local File Intrusion Web Machine.

From Comment in source code you can check the file name is flag.txt.



3. Task Name : The Sticky Key

Task Description :

Alex and Byte arrive at Sector 07: The Arcade Session Hub. The gateway controls the central reboot subroutines, but the login prompt firmly rejects any direct attempts to authenticate as **admin**.

Glitch's transmission interrupts the interface:

*"Don't waste your time typing **admin** into the prompt, Alex. Direct root login is permanently disabled. Even if you crawl in through the public **guest** portal, you'll have zero elevated permissions to touch the motherboard!"*

Alex notices a faded, digital sticky note pinned near the edge of the terminal:

"zyxwvutsrqponmlkjihgfedcba22926"

*I'm pretty sure there is some use of this string to login as admin. But how?
We cant put admin username.*

Link : <https://the-sticky-key-m-ccv2.onrender.com>

Category : Web


Flag : IITHMCC{S3SS10N_H1J4CK_C00K13_SW4P_PWN}

Round : 2

Solution:

Here the key is the cookie value of the Admin account.

Just login as Guest and use that key in the cookie to get Flag.



4. Task Name : Ghost in Space

Task Description :

Glitch's laughter echoes across the terminal interface:

"You're too late, Alex! I already wiped the key from this partition. You won't find a single valid file pointer leading to your precious key! There is no way to get it back..."

Btw I found this cool Page, Read it : <https://en.wikipedia.org/wiki/Autopsy>

File : arcade_sector.img

Category : Forensics

Flag : IITMCC{D1SK_UN4LL0C4T3D_F1L3_C4RV1NG_PWN}

Round : 2

Solution:

Open .img file in Autopsy tool, and simply check for deleted files to get the flag.

5. Task Name : The Smudged Passcode

Task Description :

Alex and Byte arrive at Sector 10: The Vault Compression Unit. The system backup archive **smudged.zip** is locked tight with standard encryption.

Alex scans the terminal desk and spots a soggy piece of paper lying near the arcade cooling line. The ink has smeared, but the beginning and end of the master password are still readable: "Glitch_?????_0926"

But Soggy paper, it is clear that all washed characters are lower case.

File : smudged.zip

Category : Forensics

Flag : IITMCC{M4SK3D_P4SSW0RD_CR4CK3D_SUCC3SS}

Round : 2

Solution:

Create Crunch or similar tool to generate custom wordlist with the format we have.

Use zip2john to get john hash, then use john to crack and finally unzip it and get the flag and secret task.

6. Task Name : Guess the Number

Task Description :

Moving down the network bus, Alex and Byte connect to Port 9002. The console displays a locked node requiring a numerical override key hidden somewhere between 1 and 1,000,000.

Glitch laughs over the network node:

"I picked a random target integer out of a million possibilities, and I'm only giving you 20 attempts! Guessing blindly will leave you locked out forever!"

Hey Participant, use some dsa brain... 0s and 1s will save you

Link : <https://tryhackme.com/jr/iitmccv2masterlinux>

Category : Misc

Flag : IITMCC{B1N4RY_S34RCH_N1NJ4}

Round : 2

Solution:

As Binary Search takes around 20 attempt to get 1 number from 1,000,000.

Ask AI to generate a Binary search script and you are good to go.

7. Task Name : Let the Beacon Glow

Task Description :

Alex and Byte come across a discarded microcontroller board wired to a flashing beacon in Sector 6: The Hardware Terminal.

Glitch's voice echoes through the local terminal:

"You think security is only software, Alex? I've locked the override sequence inside pulse timings! You won't find plain text here—just binary signals."

Not all on-off are binary code...

File : Light_Beacon.ino

Category : Cryptography

Flag : IITMCC{L1GHT_M0RS3_C0D3}

Other :

Round : 2

Solution:

Hey is a pattern in glowing for blub, the after some research you can easily understand that it is morse code.

Just decode it, shorter duration is dot and bigger is dash.

8. Task Name : Let's learn skill for future

Task Description :

Hey Participants,

Now I'm bored.... YESS, what is the benefit of solving all these challenges...

uff... such a hard task.

Now it's time to learn real skills for the future.. REALLY!!

Whether you love fish or not, but definitely you will love Phishing... As it involves money...*cough..cough*

<Although Paradox will kick me for writing the above thing... but still... I have magic words>

This Challenge is for EDUCATIONAL PURPOSE 😊

Try your phishing skills on this email : cyberctf.codecrafters@gmail.com

Also dont forget to add IITMCC Keyword in subject...

Include IITMCC in Subject of email ; Wait for 5 min, you will get an email, let harsh know.

Dont ask me why it's not working, the score is given by AI. So I can't do anything.... Also wait after sending email, DON'T SPAM... And take your time to write/create such an email...

email : cyberctf.codecrafters@gmail.com

Category : Miscellaneous

Flag : IITMCC{AI_PH1SH1NG_M4ST3R_2026}

Other :

Round : 2

Solution:

No explanation needed i guess.

I used N8n and gemini to created such workflow, and the better you write the more easily you will get flag.

9. Task Name : Unknown Logs

Task Description :

While traveling from Sector 8 to Sector 11, Alex noticed an irregular power spike flickering along the high-voltage conduits. Tapping into the junction box, Alex intercepted a raw data dump streaming from Glitch's rogue node.

At first glance, the terminal spit out a wall of gibberish—random alphanumeric characters..

Alex: "Look at this payload. The headers are mangled, and the file signature doesn't match any standard archive. Did Glitch mess up the transmission, or is the file corrupt? Or is it Encrypted?"

#This challenge is taken from picoctf. So flag format will be picoCTF{...}

File : logs.txt


Category : Forensics

Flag : picoCTF{forensics_analysis_is_amazing_2561a194}

Other :

Round : 2

Solution:



10. Task Name : Sector 21: The Encrypted Channel

Task Description :

Alex and Byte plug into Sector 21's localized terminal node. The terminal runs an active background service broadcasting local telemetry over an isolated WebSocket port, but the server rejects standard web requests.

Glitch's voice echoes through the local node:

"You're staring at an automated loop, Alex! My server only talks over WebSocket streams, and unless you construct the exact JSON command payload required by the internal handler, you'll get nothing but system status pings!"

#use python code to understand logic and apply that logic to .exe file.

File : both files from ws

Category : Reverse Engineering

Flag : IITMCC{w3bs0ck3t_0v3rr1d3_2026}

Other :

Round : 2

Solution:

Simply read and understand code and use on .exe file.

11. Task Name : Sector 23 — The Encrypted Alias

Task Description :

Alex and Byte stand before the secure perimeter of Sector 23. The main gateway is protected by a TLS/SSL handshake, rejecting direct HTTP requests without proper host header routing.

Glitch's voice echoes through the encrypted channel:

"You're staring at the main front door, Alex! I bound this secure enclave to a single TLS certificate, but my infrastructure engineers got lazy. They registered all our hidden development subdomains under the exact same certificate! Good luck guessing where our staging servers are hosted!"

This challenge is taken from PentesterLabs, Don't forget to put key in IITMCC{...} before submitting your ans.

If you are not sure the key you get is any or not, just check whether it is mentioned or not.

Link : <https://hackycorp.com/>

Category : Web

Flag : IITMCC{1763ec4f-8467-47f7-9a80-6de93a1a2253}

Round : 2

Solution:

<Pentesterlab Recon Room Challenge, Get Sol from here
<https://pentesterlab.com/badges/recon>>

12. Task Name : Sector 25 — The Script Vault

Task Description :

Alex and Byte step into Sector 25: The Static Asset Hub. The main portal renders smoothly with complex interactive elements, animations, and custom styling loaded from external servers.

Glitch's voice echoes through the network interface:

"You think security is only about the main HTML page, Alex?"

Inspect the external JavaScript files loaded by the web application. Search through the client-side `.js` assets to locate the hardcoded secret key embedded within the source code."

This challenge is taken from PentesterLabs, Don't forget to put key in IITMCC{...} before submitting your ans.

If you are not sure the key you get is any or not, just check whether it is mentioned or not.

Link : <https://hackycorp.com/>

Category : Web

Flag : IITMCC{d6b75269-97a3-44de-be32-fff0dd55e7ef}

Other :

Round : 2

Solution:

<Pentesterlab Recon Room Challenge, Get Sol from here
<https://pentesterlab.com/badges/recon>>

13. Task Name : Sector 26: The CDN Repository

Task Description :

Alex and Byte advance to Sector 26: The CDN Repository. The main application interface functions smoothly, loading its static media, stylesheets, and scripts from a dedicated asset server.

Glitch's voice crackles over the repository intercom:

"You think you've cleared every room, Alex? Everyone remembers to secure the main web application database, but nobody remembers to audit the public asset storage bucket! I left a plaintext system key sitting right inside the asset server's root directory, inside key.txt . Good luck finding a needle in a public file system!"

This challenge is taken from PentesterLabs, Don't forget to put key in IITMCC{...} before submitting your ans.

If you are not sure the key you get is any or not, just check whether it is mentioned or not.

Link : <https://hackycorp.com/>

Category : Web

Flag : IITMCC{e94ab8a5-b0c1-4559-8bc7-cae2e53b10e0}

Other :

Round : 2

Solution:

<Pentesterlab Recon Room Challenge, Get Sol from here
<https://pentesterlab.com/badges/recon>>

- Hard

1. Task Name : Matrix Signal

Task Description :

Alex and Byte download a raw telemetry log from Sector 7's core. Instead of executable code, the file contains thousands of 0s and 1s formatted in a strict square layout.

Glitch's voice echoes from the display buffer:

"You're looking at a raw memory map, Alex! No text editor will translate this for you, and standard ASCII rules don't apply. If you can't visualize the dimensions, the secret stays locked!"

File : not_binary.txt

Category : Steganography

Flag : IITMCC{QR_M4TR1X_D3C0D3D_2026}

Round : 2

Solution:

From the number of lines and characters in each line we can guess it is a QR Code.

Then 1's represent White Pixel and 0's represent Black Pixel.

Use some python script and you will get a QR Code, then just scan it and you are good to go.

2. Task Name : The Professor's Codex

Task Description :

Alex and Byte unlock Sector 12: The Antiquities Archive, finding a dust-covered terminal belonging to the missing cryptography professor, Dr. Aris Thorne.

“ WWRKSS{4NE13NG_E0P3C_2026} ”

Glitch's voice crackles over the PA system:

"You're digging up ancient history, Alex! Modern systems run on 256-bit encryption, yet you're staring at medieval scribbles!"

Byte scans the monitor text:

*"Dr. Thorne left explicit mathematical parameters in his field notes! He applied an **Affine Cipher** with slope $a = 5$ and intercept $b = 8$, followed by a full **Atbash alphabet reversal**."*

Hint : Reverse the Atbash layer first by swapping every letter with its opposite ($A \rightarrow Z, B \rightarrow Y$). To undo the Affine equation $E(x) = (5x + 8) \pmod{26}$, calculate the modular inverse of 5 modulo 26 (which is 21) and apply $D(y) = 21*(y - 8) \pmod{26}$.

Category : Cryptography

Flag : IITMCC{4NC13NT_C0D3X_2026}

Round : 2

Solution:

<Buggy Question, Ends up being a guess game>

3. Task Name : Exfiltration

Task Description :

Alex and Byte detect anomalous outbound traffic originating from an isolated terminal in Sector 22. The firewall blocked direct HTTP/HTTPS connections, but the internal host was still issuing standard DNS resolution requests to external resolvers.

File : dns_exfil.pcap

Category : Forensics

Flag : IITMCC{dnc_3xf1ltr4t10n_d3c0d3d}

Round : 2

Solution:

Read and understand that it is sending many requests to multiple DNS servers. Just pick First part of each subdomain and use cyberchef to get flag.

4. Task Name : Image is not Imaging

Task Description :

Alex and Byte step onto the observation deck of Sector 15. Instead of a clear video feed, the main display terminal flickers with chaotic static and scrambled black-and-white visual noise.

Glitch's distorted voice crackles through the audio stream:

"You're staring at white noise, Alex! I took the master authorization key and ran its visual matrix through a custom coordinate-scrambling algorithm. Every pixel on that canvas has been shifted based on mathematical parity rules. Good luck trying to read a flag when the pixels don't even know where they belong!"

File : All files from destroy_image

Category : Reverse Engineering

Flag : IITMCC{H0rribl3_Pix3ls}

Round : 2

Solution:

Python code is given, use it to create a reversible code and get flag back.

5. Task Name : Sector 19 — The GOD of Network Analysis

Task Description :

Alex and Byte step into the high-frequency packet routing vault of Sector 19. Rows of network switches blink erratic red lights while a stream of unencrypted raw packet captures ([Network_Logs.pcapng](#)) dumps continuously onto the diagnostic monitor.

Glitch's voice echoes through the server racks:

"You think you can trace my network traffic just because you know a bit about wires and sharks, Alex? There's a true GOD of network analysis running above those basic packet sniffers! My agents logged into this terminal without even bothering to enable transport-layer security!"

File :

https://github.com/Hk-Hacker-Harsh/CTF_Project/blob/main/Assets/Network_Logs.pcap


Category : Forensics

Flag : IITMCC{N3tworking}

Round : 2

Solution:

Here, a .pcap file is given, which is supposed to open in Wireshark. You can look at the packet one by one for the flag. For the walkthrough, let's say I checked the hint and got that it must be HTTP. We will use Wireshark's built-in feature called Follow Stream and then HTTP Stream.



From the stream, we can see that the Flag is transmitted as Password. What you need is just url decoding to get the final flag.

6. Task Name : Speed Math

Task Description :

Alex and Byte plug their diagnostic deck directly into Sector 5's high-speed data bus at Port 9001. A digital stream of rapid calculations begins flashing across the raw terminal stream.

Glitch's voice crackles over the socket lines:

"Your human hands are far too slow for this sector, Alex! My firewall fires 100 mathematical verification keys back-to-back, and you have less than 5 seconds to solve them all. Keyboard input won't save you here!"

But is it the only problem??

Or there is another too...

<https://rocketcdn.me/wp-content/uploads/RTT-browser-server-browser-Source-RocketCDN--674x346.png.webp>

Link : <https://tryhackme.com/jr/iitmccv2masterlinux>

Category : Misc

Flag : IITMCC{SP33D_M4TH_M4ST3R_PWN}

Round : 2

Solution:

Use script to do this challenge.

If you face Issue because of Round trip time, then simply use 9003 command injection to get flag.

7. Task Name: Triple Twist Twist

Task Description: Figure this out for me, would ya?

SUIUQ01DNXt3cDRfX25jZDAzbV80dHMzfXI=

Hint: Three is a magic number, and swaps swaps are the key.


Category: Cryptography

Flag: IITMCC{5w4p_n_c0d3_m4st3r}

Round : 2

Solution:

For the first step let's perform a base64 decode in cyberchef:



We get IITCMC5{wp4__ncd03m_4ts3}r, feels familiar right ?? , but this is not at all the answer, it still needs some rearrangement, getting a hint from the title of the question, We can divide the text in group of 3 characters and try swapping the first 2 only, we get: IITMCC{5w4p_n_c0d3_m4st3r}, Bingo!!

- Insane

1. Task Name : Sector 11: The Fractured Archive - Part - 1

Link : <https://tryhackme.com/jr/sector11thefracturedarchive>

Task Description :

Alex and Byte drop into Sector 11: The Fractured Archive. The system appears to be an old, abandoned publication portal where Glitch used to log internal system updates and architectural drafts.

Glitch's static voice cuts across the monitor:

"Welcome to my old broadcasting hub, Alex! I left this public portal running just to keep the sector online. But don't bother trying to post your own articles—the site is locked down, and the root system controls are buried deep behind the local server walls!"

You have to Submit user.txt Flag Here.

Hint Initial : Did you check for ALL Open Ports? Maybe someone left ftp open... And who knows if there is anything like top secret conversation.

Hint Portal : Wordpress is a PHP Site and You have lots of methods to get Reverse Shell from PHP.

Category : System

Flag : IITMCC{w3lc0m3_t0_th3_s@m_sh3ll}

Round : 2

Solution:

Steps:

1. Scan IP using Nmap
2. You will get 2 ports open mainly 80 and 21 (FTP)
3. Connect to FTP Anonymous to get communication notes.
4. From note we can see sam have verysimple password.
5. Open port 80, it is a wordpress site.
6. Open its wp-admin panel, and use tool like hydra or burpsuite to bruteforce site with user sam and password from rockyou.txt.
7. Once logged in, use plugin or theme to add php reverse shell, start netcat and connect to terminal.
8. Use find command to get user.txt and get flag

2. Task Name : Sector 11: The Fractured Archive - Part - 2

Link : <https://tryhackme.com/jr/sector11thefracturedarchive>

Task Description :

For this you need to complete : Sector 11: The Fractured Archive - Part - 1

Alex and Byte drop into Sector 11: The Fractured Archive. The system appears to be an old, abandoned publication portal where Glitch used to log internal system updates and architectural drafts.

Glitch's static voice cuts across the monitor:

"Welcome to my old broadcasting hub, Alex! I left this public portal running just to keep the sector online. But don't bother trying to post your own articles—the site is locked down, and the root system controls are buried deep behind the local server walls!"

You Have to Submit Root.txt flag Here.

Category : System

Flag : IITMCC{r00t_pr1v_3sc_m4st3r}

Round : 2

Solution:

Steps:

1. Once User.txt flag received.
2. Use sudo -l to check all command where we can use sudo without password
3. We found find
4. Use GFTOBIn tool (website) to search of privilege escalation method using find.
5. Use that method to get root access
6. Access root.txt

3. Task Name : Linux Trials: Breach the Higher Levels (Bandit Part 2)

Task Description :

Alex and Byte drop into Sector 09: The Low-Level Kernel Terminal. Unlike previous visual monitors, this sector is guarded by a raw, ancient command-line interface directly connected to an isolated external training grid known as *OverTheWire Bandit*.

Glitch's static voice cuts through the console:

"You think you know your way around an arcade motherboard, Alex? You can't even navigate a basic POSIX filesystem without a mouse! If you want the sector patch, you'll have to play through the standard terminal gauntlet from the ground up."

Connect to the Bandit wargame over SSH, navigate the levels up to Level 15, extract the password for Level 16, and submit it inside the flag format.

Note : Submit flag in IITMCC{<pass for level 16>} format

Link : <https://overthewire.org/wargames/bandit/bandit0.html>

Category : Miscellaneous

Flag : IITMCC{kS0Hf0u5HiXFwKMKFqXvPdOTNGGa0X8V}

Other : Gives 5 Chances.

Round : 2

Solution:

Check Walkthrough here :

<https://medium.com/@itsdavidmandal/overthewire-bandit-levels-10-15-data-encoding-obfuscation-authentication-298e3938e831>