

1. Write a j-Query to Attach a click and double-click event to the <p> element.

(1) For Single Click append the following Paragraph <p> This is a click event

</p>

(2) For Single double Click append the following Paragraph <p> This is a Double click event </p>

Ans :

<html>

<head>

<script src="F:\jquery wd 2\jquery.min.js"></script>

<style>

p {

color: green;

font-size: 16px;

cursor: pointer;

}

.double-clicked {

color: red;

}

</style>

<script>

\$(document).ready(function() {

\$("#p").on("click", function() {

var that = this;

setTimeout(function() {

if (!\$.data(that, 'doubleClicked')) {

\$(that).append("<p>This is a click event</p>");

}

\$(that).data('doubleClicked', true);

}, 300);

});

\$("#p").on("dblclick", function() {

\$(this).data('doubleClicked', true);

\$(this).append("<p class='double-clicked'>This is a Double click event</p>");

});

});

</script>

</head>

<body>

<p>click this paragraph</p>

```
</body>  
</html>
```

2. Write a jQuery Code to Hide all headings on a page when they are clicked.

Ans :

```
<html>  
<head>  
<script src="F:\jquery wd 2\jquery.min.js"></script>  
<script>  
$(document).ready(function(){  
  $("button.hide").click(function(){  
    $("h1").hide(1000);  
  });  
  
  $("button.show").click(function(){  
    $("h1").show(1000);  
  });  
});  
</script>  
</head>  
<body>  
  
<button class="hide">Hide</button>  
<button class="show">Show</button>  
  
<h1>My Name is Hritik</h1>  
<h1>I Am Study in Bca Sem 4</h1>  
  
</body>  
</html>
```

3. Write a jQuery Code to Double click on paragraph to toggle background color.

Ans:

```
<html>
<head>
    <script src= "F:\jquary wd 2\jquery.min.js"> </script>
    <script>
        $(document).ready(function () {
            var block = $(".main");
            block.dblclick(function () {
                block.toggleClass("GFG");
            });
        });
    </script>
    <style>
        body {
            text-align: center;
        }

        .main {
            width: 350px;
            height: 130px;
            border: 2px solid black;
        }

        .GFG {
            background:#e0fca4;
            color:#3851cf;
        }
    </style>
</head>

<body>
    <div class="main">
        <h3>SY BCA sem4</h3>
        <h3>
            Double click on a paragraph My Name is hritik i am study zs patel collage
        </h3>
    </div>
</body>
</html>
```

4. Write a jQuery Code to Click a header to add another.

Ans :

```
<html>
<head>
  <title> head</title>
  <script src= "F:\jquary wd 2\jquery.min.js"> </script>
  <script>
    $(document).ready(function () {
      $("body").delegate("h1, h3", "click", function () {
        $(this).after("<h3>Add the bca sem 4!</h3>");
      });
    });
  </script>
  <style>
    body {
      text-align: center-right;
    }

    h1 {
      color: green;
    }
    h3{
      color:red;
    }
  </style>
</head>
<body>
  <h1>sybca sem3</h1>
</body>
</html>
```

5. Write a jQuery Code to Find the data passed with the on() method for each <p> element

Ans:

```
<html>
<head>
<script src="F:\jquery wd 2\jquery.min.js"></script>
<script>
$(document).ready(function(){
  $("p").on("click", function(){
    alert("my name is hritik");
  });
});
</script>
</head>
<body>
<p>bca sem 4 </p>

</body>
</html>
```

6. Write a jQuery Code to Change the background color of the <div> element of the following code on clicking the button.

Ans:

```
<html>
<head>
  <title> background color </title>
</head>
<body style="text-align:center-left;">
  <h1 style="color:#000000;">
    Background color Add
  </h1>
  <h3 style="color:#000000">
    Click on button <button onclick="myFunc()">Click here</button>
  </h3>
  <script>

    function changeColor(color) {
      document.body.style.background = color;
    }
    function myFunc() {
      changeColor('#4287f5');
      result.innerHTML = "Background Color sucess";
    }
  </script>
</body>
</html>
```

7. Write a jQuery Code to Cancel the default action (click) of the first URL.

Ans:

```
<html>
<head>
  <title> Default Action</title>
  <script src="F:\jqquary wd 2\jquery.min.js"></script>
  <script>
    $(document).ready(function() {
      $('a:first').on('click', function(event) {
        event.preventDefault();
        alert('Default action canceled for the first URL link.');
      });
    });
  </script>
</head>
<body>
  <h1>Links</h1>
  <a href="https://en.wikipedia.org/wiki/Main_Page"> wikipedia</a><br>
</body>
</html>
```

8. Write a jQuery Code to Display the tag's name on click.

Ans:

```
<html>
<head>
<title>Tag Name on Click</title>
<script src="F:\jqquary wd 2\jquery.min.js"></script>
<style>
body {
    background-color: lightblue;
}
</style>
</head>
<body>
    <h1>Click on any element to see its tag name</h1>
    <p>I Am Study In SYBCA SEM-4</p>
    <button>Click me!</button>
    <div>This is D div.</div>
<script>
    $(document).on("click", "*", function() {
        var tagName = $(this).prop("tagName").toLowerCase();
        alert("Tag name: " + tagName);
    });
</script>
</body>
</html>
```


9. Write a jQuery Code to Display the keyboard key which was pressed in a textbox

Ans:

```
<html>
<head>
<title>Display Pressed Key</title>
<script src="F:\jqquary wd 2\jquery.min.js"></script>
<style>
    body {
        background-color: #f0f0f0;}
    textbox
    {
        background-color: #ffffff;
        color: #00698f;
        padding: 10px;
        font-size: 18px;
    }
</style>
</head>
<body>
    <H1>ENTER THE DISPLAY</H1><input type="text" id="textbox" />
<script>
    $(document).ready(function()
    {
        $("#textbox").keydown(function(event) {
            var key = event.key;
            $("#textbox").val(key);
        });
    });
</script>
</body>
</html>
```

10. Write a jQuery Code to Attach a function to the focus event. The focus event occurs (display a message regarding the text field) when the <input> field gets focus.

Ans:

```
<html>
<head>
  <title> demo</title>
  </style>
  <script src="F:\jQuery wd 2\jquery.min.js"></script>
</head>
<body>

<p><input type="text" id="enter id"> <span>Enter id </span></p>
<p><input type="password" id="Enter password"> <span>Enter password</span></p>

<script>
  $( "input" ).on( "focus", function() {
    $( this ).next( "span" ).css( "display", "inline" ).fadeOut( 3000 );
  } );
</script>
</body>
</html>
```

11. Write a jQuery Code to Set background color of an element when the element (or any elements inside it) gets focus or loses focus.

Ans:

```
<html>
<head>
<title>Display Pressed Key</title>
<script src="F:\jquery wd 2\jquery.min.js"></script>
<style>
    body {
        background-color: #f0f0f0;}
    textbox
    {
        background-color: #ffffff;
        color: #00698f;
        padding: 10px;
        font-size: 18px;
    }
</style>
</head>
<body>
    <H1>ENTER THE DISPLAY</H1><input type="text" id="textbox" />
<script>
    $(document).ready(function()
    {
        $("#textbox").keydown(function(event) {
            var key = event.key;
            $("#textbox").val(key);
        });
    });
</script>
</body>
</html>
```

12. Write a jQuery Code to Count the number of specific elements

Ans :

```
<html>
<head>
<title>Count Elements Example</title>
  <script src="F:\jqquary wd 2\jquery.min.js"></script>
</head>
<body>
  <div class="my-class">Div 1</div>
  <div class="my-class">Div 2</div>
  <div class="my-class">Div 3</div>
  <script>
    $(document).ready(function() {
      var count = $('.my-class').length;
      console.log('Number of elements with class "my-class": ' + count);
    });
  </script>
</body>
</html>
```

13. Write a jQuery Code to Show texts when mouseup and mousedown event triggering.

Ans:

```
<html>
<head>
  <title>Mouse Events Example</title>
  <script src="F:\jquery wd 2\jquery.min.js"></script>
  <style>
    #message {
      margin-top: 20px;
      font-size: 20px;
      color: blue;
    }
    #target {
      width: 200px;
      height: 200px;
      background-color: lightgray;
      display: flex;
      align-items: center;
      justify-content: center;
      border: 1px solid #ccc;
      cursor: pointer;
    }
  </style>
</head>
<body>
  <div id="target">Click and Hold Me</div>
  <div id="message"></div>

  <script>
    $(document).ready(function() {
      $('#target').on('mousedown', function() {
        $('#message').text('Mouse is down!');
      });

      $('#target').on('mouseup', function() {
        $('#message').text('Mouse is up!');
      });

      $('#target').on('mouseleave', function() {
        $('#message').text('');
      });
    });
  </script>
</body>
</html>
```