

```
/*
*
* Task code generated by SAS Studio 3.8
*
* Generated on '3/19/20, 6:35 PM'
* Generated by 'sasdemo'
* Generated on server 'LOCALHOST'
* Generated on SAS platform 'Linux LIN X64 2.6.32-754.6.3.el6.x86_64'
* Generated on SAS version '9.04.01M6P11072018'
* Generated on browser 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.14
* Generated on web client 'http://localhost:10080/SASStudio/38/main?locale=en_US&zone=GMT-04%253A00&http%3A%2F%2Flocalhost%3A'
*
*/
```

```
ods noproctitle;
ods graphics / imagemap=on;
```

```
proc means data=WORK.RETIRE chartype mean std min max median n vardef=df
    qmethod=os;
    var _1YrReturn_ _3YrReturn_ _5YrReturn_;
    class Market_Cap Type;
run;
```

```
proc univariate data=WORK.RETIRE vardef=df noprint;
    var _1YrReturn_ _3YrReturn_ _5YrReturn_;
    class Market_Cap Type;
    histogram _1YrReturn_ _3YrReturn_ _5YrReturn_ / normal(noprint);
run;
```