



SRFashionStyle

Dokumentasi Pengujian API

Tanggal: 23 Juni 2026 | Lingkup: Seluruh API Endpoint Backend Laravel | Tujuan: BAB Pengujian — Laporan Kerja Praktek

200

TOTAL TEST CASE

10

MODUL

94

POSITIF

106

NEGATIF

Daftar Isi

1. Health Check	1 TC
2. Autentikasi — Publik	21 TC
2.1 Register	0 TC
2.2 Login	0 TC
2.3 Forgot Password	0 TC
2.4 Reset Password	0 TC
3. Autentikasi — Terproteksi (Bearer Token)	26 TC
3.1 Me / Profil	0 TC
3.2 Update Profil	0 TC
3.3 Change Password	0 TC
3.4 Logout	0 TC
3.5 Email OTP	0 TC
4. Store / Katalog (Publik)	37 TC
4.1 Best Products	0 TC
4.2 Homepage Media	0 TC
4.3 Categories	0 TC
4.4 Products	0 TC
4.5 Catalog Products (Tampilan Store)	0 TC
4.6 Product Variants	0 TC
4.7 Inventories	0 TC
5. Checkout / Shipping / Payment	25 TC
5.1 Orders (Public)	0 TC
5.2 Shipping Rates	0 TC

5.3 Payment	0 TC
5.4 Pay at Store (Bayar di Toko)	0 TC
6. Customer (Role: customer)	17 TC
6.1 My Orders	0 TC
6.2 Reviews (Customer)	0 TC
7. POS (Role: admin/owner/cashier)	26 TC
7.1 Orders Management (Admin/Cashier)	0 TC
7.2 Cashier Staff (POS - Read)	0 TC
7.3 Shifts	0 TC
7.4 POS Transactions	0 TC
8. Admin (Role: admin/owner)	29 TC
8.1 Cashier Staff Management	0 TC
8.2 Promotion Media	0 TC
8.3 Featured Products (Best Product Homepage)	0 TC
8.4 Admin Dashboard & Reports	0 TC
9. Reports — Export (Role: admin only)	6 TC
10. Customer Home (Role: customer)	12 TC

1. Health Check

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
HLT-01	Positif — Cek koneksi backend	GET /api/health	Tidak ada	200 OK — {"message": "Backend Laravel terkoneksi"}		

2. Autentikasi — Publik

2.1 Register

2.2 Login

2.3 Forgot Password

2.4 Reset Password

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-01	Positif — Register data lengkap dan valid	POST /api/register	{ name, email, phone, password, password_confirmation } — email belum terdaftar, password ≥8 karakter, password_confirmation cocok	201 Created — message: "Register berhasil. Kode OTP verifikasi telah dikirim ke email.", token, user, requires_email_verification: true		
AUTH-02	Negatif — Email sudah terdaftar	POST /api/register	Email yang sudah ada di tabel users	422 Unprocessable — errors.email berisi pesan "The email has already been taken."		
AUTH-03	Negatif — Password terlalu pendek	POST /api/register	password: "12345" (kurang dari 8 karakter)	422 Unprocessable — errors.password berisi pesan minimal 8 karakter		
AUTH-04	Negatif — Password confirmation tidak cocok	POST /api/register	password ≠ password_confirmation	422 Unprocessable — errors.password berisi pesan "The password confirmation does not match."		
AUTH-05	Negatif — Nama kosong	POST /api/register	name: ""	422 Unprocessable — errors.name berisi pesan required		
AUTH-06	Negatif — Format email tidak valid	POST /api/register	email: "bukan-email"	422 Unprocessable — errors.email berisi pesan format email		
AUTH-07	Negatif — Rate limit (5× percobaan)	POST /api/register	Kirim 6 request berturut-turut dengan email/IP sama dalam 60 detik	429 Too Many Requests — message: "Terlalu banyak percobaan register. Silakan coba lagi beberapa saat."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-08	Positif — Login kredensial valid & email terverifikasi	POST /api/login	{ email, password } — user terdaftar dengan email_verified_at ≠ null	200 OK — message: "Login berhasil", token, user (tanpa requires_email_verification)		
AUTH-09	Positif — Login kredensial valid & email belum terverifikasi	POST /api/login	{ email, password } — user terdaftar dengan email_verified_at = null	403 Forbidden — message: "Email belum diverifikasi.", token, user, requires_email_verification: true		
AUTH-10	Negatif — Email tidak terdaftar	POST /api/login	Email yang tidak ada di database	422 Unprocessable — errors.email: ["Email atau password salah."]		
AUTH-11	Negatif — Password salah	POST /api/login	Email valid tetapi password tidak cocok	422 Unprocessable — errors.email: ["Email atau password salah."]		
AUTH-12	Negatif — Email kosong	POST /api/login	email: ""	422 Unprocessable — validasi required		
AUTH-13	Negatif — Rate limit (5× percobaan)	POST /api/login	6 request gagal berturut-turut dengan email/IP sama dalam 60 detik	429 Too Many Requests — message: "Terlalu banyak percobaan login. Silakan coba lagi beberapa saat."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-14	Positif — Email terdaftar	POST /api/forgot-password	{ email } — email yang terdaftar di users	200 OK — message: "Jika email terdaftar, link reset password telah dikirim." (tidak membocorkan apakah email ada/tidak)		
AUTH-15	Positif — Email tidak terdaftar	POST /api/forgot-password	{ email } — email yang TIDAK terdaftar	200 OK — message: "Jika email terdaftar, link reset password telah dikirim." (response sama)		
AUTH-16	Negatif — Format email tidak valid	POST /api/forgot-password	email: "bukan-email"	422 Unprocessable — validasi format email		
AUTH-17	Negatif — Rate limit (5× percobaan)	POST /api/forgot-password	6 request berturut-turut dalam 60 detik	429 Too Many Requests — message: "Terlalu banyak percobaan. Silakan coba lagi beberapa saat."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-18	Positif — Token valid, password baru cocok	POST /api/reset-password	{ token, email, password, password_confirmation } — token dari email reset, minimal 8 karakter, confirmed cocok	200 OK — message: "Password berhasil direset."		
AUTH-19	Negatif — Token tidak valid / kadaluarsa	POST /api/reset-password	Token yang sudah dipakai atau kadaluarsa	422 Unprocessable — message berisi pesan error dari Laravel Password broker (mis. "This password reset token is invalid.")		
AUTH-20	Negatif — Email tidak sesuai dengan token	POST /api/reset-password	Email berbeda dengan yang digunakan saat meminta reset	422 Unprocessable — pesan error Password broker		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-21	Negatif — Password baru < 8 karakter	POST /api/reset-password	password: "1234567"	422 Unprocessable — validasi minimal 8 karakter		

3. Autentikasi — Terproteksi (Bearer Token)

3.1 Me / Profil

3.2 Update Profil

3.3 Change Password

3.4 Logout

3.5 Email OTP

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-22	Positif — Ambil data user sendiri	GET /api/me	Header: Authorization: Bearer	200 OK — { user: { id, name, email, phone, role, ... } }		
AUTH-23	Negatif — Tanpa token	GET /api/me	Tanpa header Authorization	401 Unauthorized — message: "Unauthenticated."		
AUTH-24	Negatif — Token kadaluarsa / tidak valid	GET /api/me	Token yang sudah di-revoke atau invalid	401 Unauthorized — message: "Unauthenticated."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-25	Positif — Update profil lengkap	PUT /api/me/profile	{ name, email, phone, address, city, postal_code } — semua valid	200 OK — message: "Profil berhasil diperbarui", user, requires_email_verification (false jika email tidak berubah)		
AUTH-26	Positif — Ganti email (trigger verifikasi ulang)	PUT /api/me/profile	{ email: "baru@email.com", ... } — email berbeda dari sebelumnya	200 OK — requires_email_verification: true, OTP dikirim ke email baru		
AUTH-27	Negatif — Email bentrok dengan user lain	PUT /api/me/profile	Email yang sudah dipakai user lain	422 Unprocessable — errors.email: ["The email has already been taken."]		
AUTH-28	Negatif — Nama kosong	PUT /api/me/profile	name: ""	422 Unprocessable — errors.name required		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-29	Positif — Password lama benar, baru valid	PUT /api/me/password	{ current_password, new_password, new_password_confirmation } — minimal 8 karakter, berbeda dari current, confirmed cocok	200 OK — message: "Password berhasil diperbarui."		
AUTH-30	Negatif — Password lama salah	PUT /api/me/password	current_password tidak cocok dengan password user	422 Unprocessable — message: "Password saat ini tidak sesuai."		
AUTH-31	Negatif — Password baru sama dengan lama	PUT /api/me/password	new_password sama dengan current_password	422 Unprocessable — validasi different:current_password		
AUTH-32	Negatif — Password baru < 8 karakter	PUT /api/me/password	new_password: "1234567"	422 Unprocessable — validasi minimal 8 karakter		
AUTH-33	Negatif — Konfirmasi password tidak cocok	PUT /api/me/password	new_password ≠ new_password_confirmation	422 Unprocessable — validasi confirmed		
AUTH-34	Negatif — Tanpa token	PUT /api/me/password	Tanpa Authorization header	401 Unauthorized		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-35	Positif — Logout dengan token valid	POST /api/logout	Bearer token valid	200 OK — message: "Logout berhasil", token dihapus dari database		
AUTH-36	Negatif — Logout tanpa token	POST /api/logout	Tanpa Authorization header	401 Unauthorized		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-37	Positif — Kirim OTP verifikasi email	POST /api/email-verification/send-otp	User terautentikasi, email_verified_at = null	200 OK — message: "OTP verifikasi berhasil dikirim ke email."		
AUTH-38	Negatif — Email sudah terverifikasi	POST /api/email-verification/send-otp	User dengan email_verified_at ≠ null	422 Unprocessable — message: "Email sudah terverifikasi."		
AUTH-39	Negatif — Rate limit (3× dalam 60 detik)	POST /api/email-verification/send-otp	Kirim 4 request berturut-turut	429 Too Many Requests — message: "Terlalu banyak permintaan OTP. Coba lagi nanti."		
AUTH-40	Negatif — Resend terlalu cepat (< 60 detik dari OTP sebelumnya)	POST /api/email-verification/send-otp	OTP sebelumnya belum 60 detik dari last_sent_at	429 Too Many Requests — message: "Tunggu 60 detik sebelum meminta OTP baru."		
AUTH-41	Positif — Verifikasi OTP kode benar	POST /api/email-verification/verify-otp	{ code: "123456" } — 6 digit, cocok dengan hash di DB, belum expired	200 OK — message: "Email berhasil diverifikasi.", user dengan email_verified_at terisi		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
AUTH-42	Negatif — Kode OTP salah	POST /api/email-verification/verify-otp	code: "000000" — tidak cocok	422 Unprocessable — message: "Kode OTP tidak valid."		
AUTH-43	Negatif — OTP kadaluarsa (> 10 menit)	POST /api/email-verification/verify-otp	OTP dengan expires_at sudah lewat	422 Unprocessable — message: "OTP sudah kadaluarsa. Silakan minta kode baru."		
AUTH-44	Negatif — OTP tidak ditemukan	POST /api/email-verification/verify-otp	Tidak ada OTP aktif untuk user	404 Not Found — message: "OTP tidak ditemukan. Silakan minta kode baru."		
AUTH-45	Negatif — Terlalu banyak percobaan (≥ 5×)	POST /api/email-verification/verify-otp	OTP dengan attempt_count ≥ 5	429 Too Many Requests — message: "Terlalu banyak percobaan. Silakan minta kode baru."		
AUTH-46	Negatif — Tanpa token	POST /api/email-verification/verify-otp	Tanpa Authorization header	401 Unauthorized		
AUTH-47	Negatif — Format kode bukan 6 digit	POST /api/email-verification/verify-otp	code: "12345" (5 digit)	422 Unprocessable — validasi digits:6		

4. Store / Katalog (Publik)

4.1 Best Products

4.2 Homepage Media

4.3 Categories

4.4 Products

4.5 Catalog Products (Tampilan Store)

4.6 Product Variants

4.7 Inventories

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
STR-01	Positif — Ambil produk Best Product	GET /api/store/best-products	Ada produk dengan is_featured = true dan/atau ada penjualan; opsional ?limit=8	200 OK — JSON array produk (featured tampil dulu badge "Pilihan", sisa slot diisi terlaris badge "Terlaris", maks. 8 item)		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
STR-02	Positif — Limit kustom	GET /api/store/best-products?limit=4	—	200 OK — JSON array maks. 4 item		
STR-03	Positif — Tidak ada featured & tidak ada penjualan	GET /api/store/best-products	Tidak ada produk featured & belum ada transaksi	200 OK — JSON array kosong [] (section homepage disembunyikan)		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
STR-04	Positif — Ambil media homepage	GET /api/store/homepage-media	Data promotion_media ada (atau kosong)	200 OK — { hero_desktop, hero_mobile, promo } (masing-masing objek atau null)		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
CAT-01	Positif — List semua kategori	GET /api/categories	Ada data kategori	200 OK — JSON array kategori		
CAT-02	Positif — Detail kategori	GET /api/categories/{id}	Kategori dengan ID valid	200 OK — JSON objek kategori tunggal		
CAT-03	Negatif — Kategori tidak ditemukan	GET /api/categories/99999	ID tidak ada di database	404 Not Found		
CAT-04	Positif — Tambah kategori (admin/cashier/owner)	POST /api/categories	{ name: "Kategori Baru" } — role admin/owner/cashier	201 Created — JSON objek kategori baru		
CAT-05	Negatif — Tambah kategori tanpa nama	POST /api/categories	name: ""	422 Unprocessable — validasi required		
CAT-06	Positif — Update kategori	PUT /api/categories/{id}	{ name: "Nama Baru" } — role admin/owner/cashier	200 OK — JSON objek kategori terupdate		
CAT-07	Positif — Hapus kategori	DELETE /api/categories/{id}	Role admin/owner/cashier	204 No Content		
CAT-08	Negatif — Akses tanpa role	POST /api/categories	Tanpa role admin/owner/cashier	401/403		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
PRD-01	Positif — List semua produk	GET /api/products	Ada data produk	200 OK — JSON array produk dengan relasi kategori & gambar		
PRD-02	Positif — Detail produk	GET /api/products/{id}	Produk dengan ID valid	200 OK — { success: true, data: { produk + kategori + gambar } }		
PRD-03	Negatif — Produk tidak ditemukan	GET /api/products/99999	ID tidak ada	404 Not Found		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
PRD-04	Positif — Tambah produk	POST /api/products	{ category_id, name, base_price, images[] } — role admin/owner/cashier	201 Created — { success: true, message: "Produk berhasil ditambahkan.", product }		
PRD-05	Negatif — Tambah produk tanpa kategori	POST /api/products	category_id tidak diisi	422 Unprocessable		
PRD-06	Negatif — base_price negatif	POST /api/products	base_price: -5000	422 Unprocessable — validasi min:0		
PRD-07	Positif — Update produk	PUT /api/products/{id}	Role admin/owner/cashier, semua field valid	200 OK — produk terupdate		
PRD-08	Negatif — Update produk tanpa otorisasi	PUT /api/products/{id}	Role tidak memenuhi policy update	403 Forbidden		
PRD-09	Positif — Hapus produk	DELETE /api/products/{id}	Role memenuhi policy delete	200 OK — { message: "Produk berhasil dihapus" }		
PRD-10	Negatif — Hapus produk tanpa otorisasi	DELETE /api/products/{id}	Role tidak memenuhi policy	403 Forbidden		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
PRD-11	Positif — List katalog produk aktif	GET /api/catalog-products	Ada produk dengan is_active = true	200 OK — JSON array produk aktif dengan varian, harga, review, metrik penjualan		
PRD-12	Positif — Detail katalog produk	GET /api/catalog-products/{id}	Produk dengan is_active = true	200 OK — Detail produk lengkap (varian, harga, review, sales)		
PRD-13	Negatif — Produk non-aktif di katalog	GET /api/catalog-products/{id}	Produk dengan is_active = false	404 Not Found — message: "Produk tidak ditemukan."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
VAR-01	Positif — List varian	GET /api/product-variants	Ada data varian	200 OK — JSON array varian dengan relasi produk		
VAR-02	Positif — Tambah varian	POST /api/product-variants	{ product_id, sku, price, color?, size? } — role admin/owner/cashier	201 Created — message: "Varian produk berhasil ditambahkan" , data varian		
VAR-03	Negatif — SKU duplikat	POST /api/product-variants	SKU yang sudah ada di database	422 Unprocessable — validasi unique:product_variants,sku		
VAR-04	Negatif — Harga negatif	POST /api/product-variants	price: -1000	422 Unprocessable — validasi min:0		
VAR-05	Positif — Update varian	PUT /api/product-variants/{id}	Role admin/owner/cashier	200 OK — message: "Varian produk berhasil diupdate"		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
VAR-06	Positif — Hapus varian	DELETE /api/product-variants/{id}	Role admin/owner/cashier	200 OK — message: "Varian produk berhasil dihapus"		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
INV-01	Positif — List inventory	GET /api/inventories	Ada data inventory	200 OK — JSON array inventory dengan relasi varian & produk		
INV-02	Positif — Tambah inventory	POST /api/inventories	{ product_variant_id, stock_on_hand, stock_reserved?, min_stock_alert? } — role admin/owner/cashier	201 Created — message: "Inventory berhasil ditambahkan"		
INV-03	Negatif — Variant ID sudah punya inventory	POST /api/inventories	product_variant_id yang sudah ada inventory-nya	422 Unprocessable — validasi unique:inventories,product_variant_id		
INV-04	Negatif — Stock negatif	POST /api/inventories	stock_on_hand: -1	422 Unprocessable — validasi min:0		
INV-05	Positif — Update inventory	PUT /api/inventories/{id}	Role admin/owner/cashier	200 OK — message: "Inventory berhasil diupdate"		
INV-06	Positif — Hapus inventory	DELETE /api/inventories/{id}	Role admin/owner/cashier	200 OK — message: "Inventory berhasil dihapus"		

5. Checkout / Shipping / Payment

5.1 Orders (Public)

5.2 Shipping Rates

5.3 Payment

5.4 Pay at Store (Bayar di Toko)

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ORD-01	Positif — Buat order lengkap (J&T)	POST /api/orders	{ customer_name, email, phone, address, city, postal_code, shipping_method: "jnt", shipping_service_code, shipping_cost, payment_method, items: [{ product_variant_id, qty }] }	201 Created — order baru dibuat dengan item dan status pending		
ORD-02	Positif — Buat order pickup	POST /api/orders	shipping_method: "pickup", shipping_cost: 0	201 Created — order pickup tanpa shipping cost		
ORD-03	Negatif — J&T tanpa service code	POST /api/orders	shipping_method: "jnt" tanpa shipping_service_code	422 Unprocessable — message: "Silakan pilih layanan pengiriman J&T terlebih dahulu."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ORD-04	Negatif — Items kosong	POST /api/orders	items: []	422 Unprocessable — validasi min:1		
ORD-05	Negatif — Stok tidak mencukupi	POST /api/orders	qty melebihi stock_on_hand - stock_reserved	422 Unprocessable — message: "Stok produk tidak mencukupi."		
ORD-06	Negatif — Product variant tidak valid	POST /api/orders	product_variant_id tidak ada di database	422 Unprocessable — validasi exists:product_variants,id		
ORD-07	Negatif — Field wajib kosong (customer_name, email, dll.)	POST /api/orders	Salah satu field required tidak diisi	422 Unprocessable — validasi required		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
SHP-01	Positif — Cek ongkir Biteship	POST /api/shipping/rates	{ destination_postal_code, items: [{ product_name, qty, price, weight }] } — postal code valid, items minimal 1	200 OK — message: "Berhasil mengambil ongkir.", options array layanan		
SHP-02	Negatif — Items kosong	POST /api/shipping/rates	items: []	422 Unprocessable — validasi min:1		
SHP-03	Negatif — Postal code kosong	POST /api/shipping/rates	Tanpa destination_postal_code	422 Unprocessable — validasi required		
SHP-04	Negatif — API Biteship error	POST /api/shipping/rates	Postal code tidak dikenal Biteship	422 Unprocessable — message: "Gagal mengambil data ongkir dari Biteship."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
PAY-01	Positif — Buat Snap token Midtrans	POST /api/orders/{id}/payment-token	Order dengan status pending dan payment_status: "unpaid"	200 OK — { snap_token, client_key, order_id, order_code }		
PAY-02	Negatif — Order sudah dibayar	POST /api/orders/{id}/payment-token	Order dengan payment_status: "paid"	422 Unprocessable — message: "Order ini sudah dibayar."		
PAY-03	Negatif — Order tidak ditemukan	POST /api/orders/99999/payment-token	ID tidak ada	404 Not Found		
PAY-04	Positif — Callback Midtrans sukses	POST /api/orders/midtrans-callback	Payload valid dengan signature SHA512 cocok	200 OK — message: "OK"		
PAY-05	Negatif — Callback signature tidak valid	POST /api/orders/midtrans-callback	Payload dengan signature hash yang salah	403 Forbidden — message: "Signature tidak valid."		
PAY-06	Negatif — Callback payload tidak valid	POST /api/orders/midtrans-callback	Payload tanpa order_id atau tidak sesuai	400 Bad Request — message: "Payload tidak valid."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
PAY-07	Positif — Detail order bayar di toko	GET /api/orders/{id}/pay-at-store-detail	Role admin/owner/cashier, order dengan payment_method: "pay_at_store"	200 OK — { success: true, data: order }		
PAY-08	Negatif — Order bukan bayar di toko	GET /api/orders/{id}/pay-at-store-detail	Order dengan payment_method lain	404 Not Found		
PAY-09	Positif — Konfirmasi pembayaran di toko (cash)	POST /api/orders/{id}/confirm-store-payment	{ pos_payment_method: "cash", cashier_staff_id } — ada shift aktif, kasir aktif, order unpaid	200 OK — message: "Pembayaran di toko berhasil dikonfirmasi."		
PAY-10	Negatif — Transfer BCA tanpa referensi	POST /api/orders/{id}/confirm-store-payment	pos_payment_method: "transfer_bca" tanpa transfer_ref	422 Unprocessable — message: "Nomor referensi transfer BCA wajib diisi."		
PAY-11	Negatif — Tidak ada shift aktif	POST /api/orders/{id}/confirm-store-payment	Tidak ada pos_shifts dengan closed_at = null untuk user	422 Unprocessable — message: "Tidak ada shift kasir yang sedang berjalan untuk user ini."		
PAY-12	Negatif — Order sudah dibayar	POST /api/orders/{id}/confirm-store-payment	Order dengan payment_status: "paid"	422 Unprocessable — message: "Order ini sudah dibayar."		
PAY-13	Negatif — Order sudah dibatalkan	POST /api/orders/{id}/confirm-store-payment	Order dengan status cancelled	422 Unprocessable — message: "Order sudah dibatalkan."		
PAY-14	Positif — List order pending bayar di toko	GET /api/pos/pending-store-orders	Role admin/owner/cashier	200 OK — { success: true, data: [orders] }		

6. Customer (Role: customer)

6.1 My Orders

6.2 Reviews (Customer)

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
CUS-01	Positif — List pesanan sendiri	GET /api/my-orders	User login sebagai customer	200 OK — { data: [orders milik user] }		
CUS-02	Negatif — Tanpa login	GET /api/my-orders	Tanpa token Bearer	401 Unauthorized		
CUS-03	Positif — Detail pesanan sendiri	GET /api/orders/{id}	ID order milik user login	200 OK — detail order dengan item dan review		
CUS-04	Negatif — Lihat pesanan milik user lain	GET /api/orders/{id}	ID order milik customer lain	403 Forbidden — policy view gagal		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
CUS-05	Positif — Tracking pesanan J&T	GET /api/orders/{id}/tracking	Order milik user dengan shipping_method: "jnt"	200 OK — data tracking dari Biteship		
CUS-06	Negatif — Tracking pesanan pickup	GET /api/orders/{id}/tracking	Order dengan shipping_method: "pickup"	200 OK — tracking: null		
CUS-07	Positif — Konfirmasi pesanan diterima	POST /api/orders/{id}/confirm-received	Order milik user, status shipped	200 OK — message: "Pesanan berhasil dikonfirmasi diterima."		
CUS-08	Negatif — Konfirmasi sebelum shipped	POST /api/orders/{id}/confirm-received	Order masih pending atau processing	422 Unprocessable — message: "Pesanan belum dapat dikonfirmasi diterima."		
CUS-09	Negatif — Konfirmasi order yang sudah completed	POST /api/orders/{id}/confirm-received	Order sudah completed	422 Unprocessable — message: "Pesanan ini sudah dikonfirmasi selesai."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
REV-01	Positif — Review order yang sudah completed	POST /api/orders/{id}/reviews	{ reviews: [{ order_item_id, rating: 5, comment }] } — order completed milik user	200 OK — message: "Ulasan berhasil disimpan."		
REV-02	Negatif — Review order belum completed	POST /api/orders/{id}/reviews	Order masih shipped	422 Unprocessable — message: "Review hanya bisa diberikan setelah pesanan selesai."		
REV-03	Negatif — Item review tidak valid	POST /api/orders/{id}/reviews	order_item_id bukan dari order terkait	422 Unprocessable — message: "Ada item review yang tidak valid untuk order ini."		
REV-04	Negatif — Rating di luar 1-5	POST /api/orders/{id}/reviews	rating: 6	422 Unprocessable — validasi max:5		
REV-05	Positif — List review sendiri	GET /api/my-reviews	Customer login	200 OK — { reviews: [...] }		
REV-06	Positif — Lihat review order tertentu	GET /api/orders/{id}/reviews	Order milik user login	200 OK — { reviews: [...] }		
REV-07	Negatif — Lihat review order milik orang lain	GET /api/orders/{id}/reviews	Order milik customer lain	403 Forbidden — message: "Unauthorized"		
REV-08	Positif — List review suatu produk (publik)	GET /api/products/{id}/reviews	Produk dengan ID valid (tidak perlu login)	200 OK — { reviews: [...] }		

7. POS (Role: admin/owner/cashier)

7.1 Orders Management (Admin/Cashier)

7.2 Cashier Staff (POS - Read)

7.3 Shifts

7.4 POS Transactions

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ORD-08	Positif — List semua order (admin)	GET /api/orders	Role admin/owner/cashier	200 OK — list semua order		
ORD-09	Positif — Update status order	PUT /api/orders/{id}/status	{ status: "processing" } — role admin/owner/cashier, status valid	200 OK — message: "Status order berhasil diperbarui."		
ORD-10	Negatif — Status tidak valid	PUT /api/orders/{id}/status	status: "invalid_status"	422 Unprocessable — validasi in:pending,processing,shipped,completed,cancelled		
ORD-11	Negatif — Ubah status final (completed/cancelled)	PUT /api/orders/{id}/status	Order sudah completed/cancelled	422 Unprocessable — message: "Status final tidak dapat diubah."		
ORD-12	Positif — Summary order	GET /api/orders-summary	Opsional ?date_from=&date_to=	200 OK — statistik summary order		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
POS-01	Positif — List kasir aktif untuk POS	GET /api/pos/cashier-staff	Role admin/owner/cashier	200 OK — { success: true, data: [kasir aktif] }		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
POS-02	Positif — Cek shift aktif	GET /api/pos/shifts/active	User login; mungkin ada shift aktif atau null	200 OK — `{ success: true, data: shift_object`	null }	
POS-03	Positif — Buka shift baru	POST /api/pos/shifts/open	{ cashier_staff_id, opening_cash, notes? } — tidak ada shift yang sudah terbuka	201 Created — message: "Shift dibuka! Selamat bekerja, [nama]!"		
POS-04	Negatif — Masih ada shift belum ditutup	POST /api/pos/shifts/open	User sudah punya shift dengan closed_at = null	422 Unprocessable — message: "Masih ada shift yang belum ditutup."		
POS-05	Negatif — Kasir tidak aktif	POST /api/pos/shifts/open	cashier_staff_id dengan is_active = false	422 Unprocessable — message: "Kasir ini tidak aktif."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
POS-06	Negatif — opening_cash negatif	POST /api/pos/shifts/open	opening_cash: -5000	422 Unprocessable — validasi min:0		
POS-07	Positif — Tutup shift	POST /api/pos/shifts/close	{ shift_id, closing_cash, notes? } — shift milik user, masih terbuka	200 OK — { success: true, data: { shift, total_transaksi, total_revenue, cash_difference, ... } }		
POS-08	Negatif — Tutup shift yang sudah ditutup	POST /api/pos/shifts/close	shift_id dengan closed_at ≠ null	404 Not Found (tidak ditemukan karena filter whereNull('closed_at'))		
POS-09	Negatif — Tutup shift milik user lain	POST /api/pos/shifts/close	Shift milik user berbeda	404 Not Found		
POS-10	Positif — Riwayat shift	GET /api/pos/shifts	User login	200 OK — paginated shifts (10 per halaman)		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
POS-11	Positif — Cari produk untuk POS	GET /api/pos/products/search? q=keyword	Role admin/owner/cashier	200 OK — { success: true, data: [variants] }		
POS-12	Negatif — Query terlalu pendek	GET /api/pos/products/search?q=a	Kurang dari 2 karakter	200 OK — { success: true, data: [] }		
POS-13	Positif — Buat transaksi tunai	POST /api/pos/transactions	{ pos_shift_id, cashier_staff_id, payment_method: "cash", cash_received (≥ total), items: [{ product_variant_id, qty }] } — shift aktif, kasir aktif	201 Created — message: "Transaksi berhasil!" + detail transaksi		
POS-14	Negatif — Uang diterima kurang	POST /api/pos/transactions	payment_method: "cash" dan cash_received < grand_total	422 Unprocessable — message: "Uang yang diterima kurang dari total belanja."		
POS-15	Negatif — Cash tanpa cash_received	POST /api/pos/transactions	payment_method: "cash" tanpa cash_received	422 Unprocessable — message: "Jumlah uang yang diterima wajib diisi."		
POS-16	Negatif — Transfer BCA tanpa referensi	POST /api/pos/transactions	payment_method: "transfer_bca" tanpa transfer_ref	422 Unprocessable — message: "Nomor referensi transfer BCA wajib diisi."		
POS-17	Negatif — Stok tidak mencukupi	POST /api/pos/transactions	qty > stock_on_hand	422 Unprocessable — message exception stok		
POS-18	Positif — List transaksi	GET /api/pos/transactions? shift_id=X	Role admin/owner/cashier	200 OK — { success: true, data: [transactions] }		
POS-19	Positif — Detail transaksi	GET /api/pos/transactions/{id}	ID transaksi valid	200 OK — { success: true, data: transaction }		
POS-20	Positif — Refund transaksi	POST /api/pos/transactions/{id}/refund	{ pos_shift_id, cashier_staff_id, restock_items? } — transaksi belum pernah direfund, shift aktif	200 OK — message: "Refund berhasil dicatat."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
POS-21	Negatif — Double refund	POST /api/pos/transactions/{id}/refund	Transaksi yang sudah direfund	422 Unprocessable — message: "Transaksi ini sudah pernah direfund."		

8. Admin (Role: admin/owner)

8.1 Cashier Staff Management

8.2 Promotion Media

8.3 Featured Products (Best Product Homepage)

8.4 Admin Dashboard & Reports

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ADM-01	Positif — List semua kasir (admin)	GET /api/admin/cashier-staff	Role admin/owner; opsional ?search=&is_active=	200 OK — { success: true, data: [staff] }		
ADM-02	Positif — Tambah kasir	POST /api/admin/cashier-staff	{ name, code, is_active?, notes? } — code unik	201 Created — message: "Karyawan kasir berhasil ditambahkan."		
ADM-03	Negatif — Code duplikat	POST /api/admin/cashier-staff	code sudah terpakai	422 Unprocessable — validasi unique:cashier_staff,code		
ADM-04	Positif — Detail kasir	GET /api/admin/cashier-staff/{id}	ID valid	200 OK — detail staff		
ADM-05	Positif — Update kasir	PUT /api/admin/cashier-staff/{id}	{ name, code, is_active, notes? }	200 OK — message: "Karyawan kasir berhasil diperbarui."		
ADM-06	Positif — Hapus kasir	DELETE /api/admin/cashier-staff/{id}	Kasir tidak punya shift berjalan	200 OK — message: "Karyawan kasir berhasil dihapus."		
ADM-07	Negatif — Hapus kasir yang punya shift berjalan	DELETE /api/admin/cashier-staff/{id}	Kasir punya pos_shifts dengan closed_at = null	422 Unprocessable — message: "Kasir masih memiliki shift yang sedang berjalan."		
ADM-08	Positif — Summary kasir	GET /api/admin/cashier-staff/summary	—	200 OK — { total_staff, active_staff, inactive_staff, open_shift_count, ... }		
ADM-09	Positif — Shift history kasir	GET /api/admin/cashier-staff/{id}/shifts	Opsional ?status=	200 OK — list shift kasir terkait		
ADM-10	Positif — Transaksi kasir	GET /api/admin/cashier-staff/{id}/transactions	Opsional ?status=&payment_method=	200 OK — list transaksi kasir terkait		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ADM-11	Positif — List media promosi	GET /api/admin/promotion-media	Role admin/owner	200 OK — array PromotionMedia		
ADM-12	Positif — Upload media promosi	POST /api/admin/promotion-media	{ title?, placement: "hero_desktop"	"hero_mobile"	"promo", image }` (multipart)	201 Created — message: "Media berhasil di-upload dan langsung diaktifkan."
ADM-13	Negatif — Tanpa file gambar	POST /api/admin/promotion-media	Tanpa file image di request	422 Unprocessable — message: "File gambar tidak ditemukan."		
ADM-14	Negatif — Placement tidak valid	POST /api/admin/promotion-media	placement: "invalid"	422 Unprocessable — validasi in:hero_desktop,hero_mobile,promo		
ADM-15	Positif — Aktifkan media	POST /api/admin/promotion-media/{id}/activate	{ type: "hero_desktop" }	200 OK — message: "Media berhasil diatur sebagai hero_desktop."		
ADM-16	Negatif — Type tidak valid	POST /api/admin/promotion-media/{id}/activate	type: "invalid"	422 Unprocessable — validasi in:hero_desktop,hero_mobile,promo		
ADM-17	Positif — Hapus media	DELETE /api/admin/promotion-media/{id}	Media dengan ID valid	200 OK — message: "Media berhasil dihapus."		
ADM-18	Negatif — Hapus media tidak ditemukan	DELETE /api/admin/promotion-media/99999	ID tidak ada	404 Not Found — message: "Media tidak ditemukan."		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ADM-FP1	Positif — List produk untuk dipilih	GET /api/admin/featured-products	Role admin/owner	200 OK — array produk dengan relasi kategori & gambar (termasuk flag is_featured)		
ADM-FP2	Positif — Tandai produk featured	POST /api/admin/featured-products/{id}/toggle	{ featured: true } — ID produk valid	200 OK — message: "Produk ditampilkan di Best Product homepage." + data produk		
ADM-FP3	Positif — Hapus produk dari featured	POST /api/admin/featured-products/{id}/toggle	{ featured: false }	200 OK — message: "Produk dihapus dari Best Product homepage."		
ADM-FP4	Negatif — Produk tidak ditemukan	POST /api/admin/featured-products/99999/toggle	{ featured: true } — ID tidak ada	404 Not Found — message: "Produk tidak ditemukan."		
ADM-FP5	Negatif — Field featured kosong/invalid	POST /api/admin/featured-products/{id}/toggle	{ featured: "abc" }	422 Unprocessable — validasi boolean		

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
ADM-19	Positif — Dashboard admin	GET /api/admin/dashboard	Role admin/owner/cashier	200 OK — { message: "Dashboard admin" }		
ADM-20	Positif — POS Summary	GET /api/admin/pos-summary?date_from=&date_to=	Role admin/owner/cashier	200 OK — { period, pos_totals, active_shift, daily_transactions }		
ADM-21	Positif — Top Products	GET /api/admin/top-products?date_from=&date_to=	Role admin/owner/cashier	200 OK — JSON array produk teratas		
ADM-22	Positif — Admin Reports	GET /api/admin/reports?date_from=&date_to=	Role admin/owner/cashier	200 OK — { summary, top_products, status_summary, last_shifts, transactions }		
ADM-23	Positif — Admin shifts index	GET /api/admin/pos/shifts? cashier_staff_id=&status=&date=	Role admin/owner	200 OK — paginated shifts (20/halaman)		
ADM-24	Positif — Admin pending store orders	GET /api/admin/orders/pay-at-store-pending	Role admin/owner	200 OK — list order pending bayar di toko		

9. Reports — Export (Role: admin only)

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
RPT-01	Positif — Laporan order (JSON)	GET /api/reports/orders?from=&to=&status=&payment_status=	Role admin	200 OK — paginated orders + filter		
RPT-02	Positif — Export orders Excel	GET /api/reports/orders/export/excel	Role admin	200 OK — file download .xlsx		
RPT-03	Positif — Export orders PDF	GET /api/reports/orders/export/pdf	Role admin	200 OK — file download .pdf		
RPT-04	Positif — Export semua data Excel	GET /api/reports/all/export/excel	Role admin	200 OK — file download .xlsx		
RPT-05	Positif — Export semua data PDF	GET /api/reports/all/export/pdf	Role admin	200 OK — file download .pdf		
RPT-06	Negatif — Akses report tanpa role admin	GET /api/reports/orders	Role selain admin	401/403		

10. Customer Home (Role: customer)

ID	SKENARIO	METODE & ENDPOINT	PREKONDISI / INPUT	HASIL DIHARAPKAN	HASIL AKTUAL	STATUS
CUS-10	Positif — Customer home	GET /api/customer/home	Login sebagai customer	200 OK — { message: "Selamat datang customer" }		

MODUL	JUMLAH TEST CASE	POSITIF	NEGATIF
1. Health Check	1	1	—
2. Auth Publik (Register, Login, Forgot/Reset)	21	6	15
3. Auth Terproteksi (Me, Profil, Password, Logout, OTP)	26	10	16
4. Store/Katalog	31	18	13
5. Checkout/Shipping/Payment	20	8	12
6. Customer (Orders, Reviews)	17	8	9
7. POS (Shifts, Transactions, Pay at Store)	21	11	10
8. Admin (Cashier Staff, Media, Featured, Dashboard, Reports)	29	19	10
9. Reports Export	6	5	1
10. Customer Home	1	1	—
TOTAL	173	87	86