



Precise



Reliable



Durable

FIBRE LASER MARKING MACHINE

High precision. Permanent marking.
Built for performance.



HIGH PRECISION
High Quality



ENERGY-SAVING
Environment-Friendly



PRODUCT DESCRIPTION

High-contrast marking on hard materials possible

Fibre laser coders are designed to meet the needs of medium or high speed production lines for marking hard, high density packaging materials such as metal parts, electronics housings, wires and cables, cans and plastic bottle caps.

Marking speeds of up to 9m/s (final speed depends on the material and the content of the mark) and a wide range of working distances from 110-275mm can be selected by the user to work better within the physical constraints of the production line.

High-power fibre laser markers are ideally suited to highly abrasive products such as engine components, ball bearings, braking systems and extruded products and cables, where clear mark contrast and durability ensures that the code remains legible throughout its entire life cycle.

APPLICATIONS



METAL PARTS



ELECTRONICS



CABLES & WIRES



CANS



PLASTIC CAPS

TECHNICAL SPECIFICATIONS

	Laser Type	Fibre Laser
	Laser Power Options	20W / 30W / 50W / 100W
	Wavelength	1064 nm
	Marking Area	110x110 mm (Standard) Optional: 150x150 / 175x175 / 200x200 mm
	Marking Speed	Up to 9 m/s
	Marking Depth	Up to 1 mm (depends on material)
	Working Distance	110 – 275 mm
	Minimum Line Width	0.01 mm
	Character Size	0.2 mm
	Repeat Accuracy	±0.002 mm
	Power Supply	AC 110–220V, 50/60Hz
	Cooling System	Air Cooling
	Supported Languages	Multiple (incl. Arabic, English, etc.)
	File Formats	PLT, DXF, BMP, JPG, AI, DST, etc.
	Operating Temperature	5°C – 40°C
	Humidity	10% – 90% (Non-condensing)

FIBRE LASER MARKING MACHINE

HIGH PRECISION. PERMANENT MARKING. BUILT FOR PERFORMANCE.

PRODUCT ADVANTAGE

-  Longer laser source life with 100,000 hours MTBF.
-  Air-cooled laser source is virtually maintenance-free, with no wearing parts, dramatically reducing downtime;
-  Standard 100*100 marking area, as well as high marking accuracy and edge sharpness for higher throughput;
-  Standard IP54 protection rating, capable of continuous and stable operation in dusty and humid harsh environments;
-  A variety of working distance options, 0–360 printhead mounting direction, production line integration more flexible.



PRODUCT SIZE



SPECIFICATIONS

	Laser Type	Fibre Laser
	Laser Power Options	20W / 30W / 50W / 100W
	Wavelength	1064 nm
	Marking Area	110x110 mm (Standard) Optional: 150x150 / 175x175 / 200x200 mm
	Marking Speed	Up to 9 m/s
	Marking Depth	Up to 1 mm (depends on material)
	Working Distance	110 – 275 mm
	Minimum Line Width	0.01 mm
	Character Size	0.2 mm
	Repeat Accuracy	±0.002 mm
	Power Supply	AC 110–220V, 50/60Hz
	Cooling System	Air Cooling
	Supported Languages	Multiple (incl. Arabic, English, etc.)
	File Formats	PLT, DXF, BMP, JPG, AI, DST, etc.
	Operating Temperature	5°C – 40°C
	Humidity	10% – 90% (Non-condensing)

APPLICATIONS



METAL PARTS



ELECTRONICS



CABLES & WIRES



CANS



PLASTIC CAPS

FIBRE LASER MARKING MACHINE

HIGH PRECISION. PERMANENT MARKING. BUILT FOR PERFORMANCE.

PRODUCT PARAMETERS

	Laser	Fibre Q-switched lasers
	Power	20W / 30W / 50W / 100W
	Laser wavelength	1064nm
	Pulse frequency range	30-60 KHz
	Conditioning space	10, 20, 30 (optional)
	Laser class	Class 4 laser products – IEC60825-1 compliant
	Marking direction	0°-360°
	Marking area	Standard 110*110mm (can be customized)
	Marking speed	Up to 20m/s
	Working distance	110-275mm (automatically)
	Spot size	≤ 0.01mm
	Marking content	1D, 2D barcodes, text, Chinese, English and numbers
	User interface	10" full colour touch screen
	Communication interface	RJ45, RS232, RS485, USB
	Rated voltage	100-240V 50/60Hz
	Power of the whole machine	≤200W
	Weight	≈ 32kg
	Cooling method	Built-in air cooled
	Protection class	IP54
	Environmental temperature	0-40°C
	Humidity range	Relative humidity <70%, non-condensing

STANDARD ACCESSORIES

- Touch panel
- Lifting bracket
- Power cable
- Signal cable
- Photoelectric sensors
- Encoders



FIBRE LASER MARKING SOLUTIONS

HIGH PRECISION. PERMANENT MARKING. BUILT FOR PERFORMANCE.

APPLICATION SCENARIO



INDUSTRIAL PARTS

Permanent marking on metal components, tools and mechanical parts.



ELECTRONICS

High-precision marking on chips, circuits and electronic components.



CABLES & WIRES

Clear, durable marking on cables and wires for traceability.



CANS & METAL PACKAGING

High-contrast marking on metal cans and packaging for branding and dates.



GLASS & BOTTLES

Elegant and precise marking on glass surfaces for logos, codes and dates.



PLASTIC PARTS

Permanent marking on plastic components and caps.

MARKING EFFECT



METAL PARTS



CABLES & WIRES



PLASTIC PIPES



ELECTRONIC COMPONENTS



WOOD MARKING



GLASS / BOTTLES



TERMINAL BLOCKS



MEMORY CARDS