

## ИТОГОВЫЙ ТЕСТ

Чтобы сохранить изменения, [войдите в аккаунт Google](#). [Подробнее...](#)

**\* Обязательно**

Электронная почта \*

hoopma@yandex.ru

You created a class by inheriting from superclass. The superclass contains a public instance method `do_something`. You want to redefine method `do_something`. What must you do? 1 балл

- ☐ Declare the method `FINAL`
- ☐ Call the implementation in the superclass
- ☐ Change the visibility of method to `PROTECTED`
- ☐ Leave the signature of method unchanged

To reserve an area on the screen for an ALV Grid Control, you must do the following: 1 балл

- ☐ Create an object (instantiate the object) of the class `CL_GUI_CUSTOM_CONTAINER`
- ☐ Create an object (instantiate the object) of the class `CL_GUI_ALV_GRID`
- ☐ Create an object (instantiate the object) of the class `CL_SALV_TABLE`
- ☐ Use the Screen Painter



You can define multiple elements in a single line by defining the element within the block SELECTION-SCREEN BEGIN OF LINE and SELECTION-SCREEN END OF LINE.

1 балл

- ☐ True
- ☐ False

The constructor method is always defined in the private visibility section of the class.

1 балл

- ☐ True
- ☐ False

Subclasses can access the private components of the parent class

1 балл

- ☐ True
- ☐ False

A watchpoint stops program execution every time the condition specified is met.

1 балл

- ☐ True
- ☐ False



When you define local classes in ABAP, which syntactical sequence must you follow? 1 балл

- ☐ PUBLIC SECTION, PROTECTED SECTION, PRIVATE SECTION
- ☐ PRIVATE SECTION, PROTECTED SECTION, PUBLIC SECTION
- ☐ PUBLIC SECTION, PRIVATE SECTION, PROTECTED SECTION
- ☐ The order doesn't matter.
- ☐ The order is handled automatically.

What is unique about a functional method? There are 5 correct answers to this question. 1 балл

- ☐ It can contain an importing parameter
- ☐ It must contain a returning parameter
- ☐ It can be used in SELECT statement
- ☐ It can contain a changing parameter
- ☐ It must be a singleton
- ☐ It can be used in logical expressions
- ☐ It can contain an exporting parameter

The constructor method is called automatically when you create an instance of the class. 1 балл

- ☐ True
- ☐ False



You use the CREATE OBJECT statement to create both types of ALV.

1 балл

- ☐ True
- ☐ False

You are writing a program that uses ABAP class. Which components of the class can you create directly from the program? Please choose the correct answer.

1 балл

- ☐ All components
- ☐ Only public components
- ☐ Only protected components
- ☐ Only private components

Which statement will interrupt the processing of the current screen and branch to new screen?

1 балл

- ☐ CALL SCREEN <NNNN>
- ☐ LEAVE TO SCREEN <NNNN>
- ☐ SET SCREEN <NNNN>
- ☐ None of the above



How do you add fields to an SAP-delivered transparent table without Modification? Please choose the correct answer.

1 балл

- ☐ Add the new fields to the table definition
- ☐ Define a structure containing the new fields and include it in the table definition
- ☐ Use the database utility to enhance the definition on the database directly
- ☐ Create an append structure containing the new fields

Where can you define global data types that are visible system-wide? There are 3 correct answers to this question.

1 балл

- ☐ In a function module
- ☐ In a global interface
- ☐ In a method of global class
- ☐ In a global class
- ☐ In the ABAP Dictionary

How can you use a sorted internal table? There are 2 correct answers to this question

1 балл

- ☐ You can resort the table with SORT statement
- ☐ You need to specify a key in the table declaration
- ☐ You use APPEND to insert record at the correct position
- ☐ You can read the records by index or key



Which components of the class can be accessed in the implementation of a static method in that class? There are 2 correct answers to this question 1 балл

- ☐ Constants
- ☐ All events
- ☐ Types
- ☐ Instance attributes

The static sequence of the default next screen can be established by the value in the screen attribute Next Screen. 1 балл

- ☐ True
- ☐ False

In the CALL CUSTOMER-FUNCTION 'nnn' statement, nnn is a three-digit number used in SAP programs for which of the following types of enhancement? Please choose the correct answer. 1 балл

- ☐ User Exits
- ☐ Customer Exits
- ☐ Business Add-Ins
- ☐ New BAdIs

The class constructor method is called automatically when you access the class for the first time. 1 балл

- ☐ True
- ☐ False



If data objects of type I are being used to store the result of a calculation, the decimals will be truncated. 1 балл

- ☐ True
- ☐ False

In a subclass, you want to redefine a method of the super class. Which of the following conditions must be fulfilled? There are 2 correct answers to this question 1 балл

- ☐ The subclass method has same visibility as the super class method
- ☐ The superclass method is an instance method
- ☐ The superclass method is abstract
- ☐ The subclass has a lower visibility then the superclass method

Which of the following statements are true? Select all that apply. 1 балл

- ☐ Standard tables can be accessed by index.
- ☐ Standard tables cannot be accessed by index.
- ☐ A sorted table is always accessed by a unique key.
- ☐ Hashed tables are always accessed by index.
- ☐ Hashed tables are accessed by a unique key.



Which of the following statements are true? Select all that apply. (2 answers)

1 балл

- ☐ Static attributes can be declared only in the private visibility section of the class
- ☐ Static attributes are declared with CLASS-DATA statement
- ☐ Static attributes cannot be changed by an object
- ☐ A static attribute is the same across all instances of the class. There is only one static attribute across all instances of the class.

The dispatcher handles all communication between users, work processes, and other (external) systems.

1 балл

- ☐ True
- ☐ False

Which must a search help do? Select all that apply.

1 балл

- ☐ Use a table or a view for data selection
- ☐ Determine the values for selection by the user
- ☐ Have a dialog with the user
- ☐ Allow the user to select a response
- ☐ Be used from a screen





Function modules provide which types of parameters? Select all that apply.

1 балл

- ☐ Input
- ☐ Output
- ☐ Input/output (changing)
- ☐ Return values
- ☐ Exceptions

The Internet Communication Manager (ICM)...

1 балл

- ☐ Replaced SAP ITS.
- ☐ Allows SAP NetWeaver Application Server to process HTTP requests.
- ☐ Allows the ABAP stack and the Java stack to exchange data.

In which order do you implement a NEW BADI?

1 балл

- ☐ 1. Create BAdI implementation. 2. Create enhancement project
- ☐ 1. Create enhancement spot implementation. 2. Create BAdI implementation
- ☐ 1. Create BAdI implementation 2. Create enhancement spot implementation
- ☐ 1. Create enhancement project. 2. Create BAdI implementation



Which of the following statements are true? Select all that apply.

1 балл

- ☐ Static attributes can be declared only in the private visibility section of the class.
- ☐ Static attributes are declared with the CLASS-DATA statement.
- ☐ A static attribute is the same across all instances of the class. There is only one static attribute across all instances of the class.
- ☐ Static attributes cannot be changed by an object.

Which statement cannot use a subquery.

1 балл

- ☐ DELETE
- ☐ SELECT
- ☐ INSERT
- ☐ None of the above

SAP enhancements for customer exits are managed by which transaction? Please choose the correct answer. 1 балл

- ☐ Transaction CMOD
- ☐ Transaction SMOD
- ☐ Application CMOD
- ☐ Neither transaction listed here



The statements CALL BADI and GET BADI are used for which type of BAdIs? Please choose the correct answer.

1 балл

- ☐ New BAdI
- ☐ Classical BAdI
- ☐ None of the above

What is the default selection screen number for the ABAP program?

1 балл

- ☐ 1000
- ☐ 100
- ☐ 1100
- ☐ None of the above

Where should the labels for fields be stored?

1 балл

- ☐ Table
- ☐ Structure
- ☐ Field
- ☐ Data element
- ☐ Domain



How can you search for suitable classic Business Add-Ins(BAdIs)?There are 1 балл  
2 correct answers to this question

- ☐ Use SAP menu Tools -> ABAP Workbench -> Development -> Business Object Builder
- ☐ Search in the Repository Information System and choose Enhancements -> Customer Exits
- ☐ Search for suitable entries in the relevant component in the Implementation Guide (IMG)
- ☐ Search in an application program for the method GET\_INSTANCE of class CL\_EXITHANDLER.

Which ABAP statement can make an element visible that you statically defined as invisible?Please choose the correct answer. 1 балл

- ☐ screen-invisible = 0
- ☐ screen-active = 0
- ☐ screen-invisible = 1
- ☐ screen-active = 1

Which of the following are incorrect statements? Select all that apply (2 answers). 1 балл

- ☐ TYPES: carrid\_ty LIKE spfli-s-carr\_id.
- ☐ TYPES: werks TYPE C LENGTH 4.
- ☐ TYPES: date\_ty TYPE D LENGTH 10.
- ☐ TYPES: Str TYPE STRING LENGTH 20.



Object or class events can trigger any number of handler methods.

1 балл

- ☐ True
- ☐ False

You must call a method to actually display the contents of the display table after you create an ALV.

1 балл

- ☐ True
- ☐ False

You want to loop over an internal table without copying each table row to a work area. How can you achieve this using a field symbol? Please choose the correct answer.

1 балл

- ☐ LOOP AT <itab> ASSIGNING <field-symbol> ENDLOOP.
- ☐ LOOP AT <itab> INTO <field-symbol> ENDLOOP.
- ☐ LOOP AT <itab> REFERENCE INTO <field-symbol> ENDLOOP.
- ☐ LOOP AT <itab> TRANSPORTING INTO <field-symbol> ENDLOOP.

Which of the following actions can be performed in the Process After Input (PAI) processing block? Please choose the correct answer

1 балл

- ☐ Set the title bar
- ☐ Check the function code
- ☐ Set the GUI status of the screen
- ☐ Modify screen attributes dynamically



Dynpros can be placed in which program types? Select all that apply.

1 балл

- ☐ Executables
- ☐ Module pools
- ☐ Function groups
- ☐ Class pools

Using the screen system table, what can you modify through a LOOP AT SCREEN ... ENDLOOP construct? Please choose the correct answer.

1 балл

- ☐ Screen status
- ☐ Values of screen elements
- ☐ Function codes of buttons
- ☐ Attributes of screen elements

What is the correct order for using a lock object?

1 балл

- ☐ Read the data, set the lock, change the data, release the lock
- ☐ Set the lock, read the data, change the data, release the lock
- ☐ Set the lock, read the data, release the lock, change the data



Which of the following statements are true? Select all that apply.

1 балл

- ☐ The addition NO-EXTENSION for SELECT-OPTIONS will allow only one line in the selection table.
- ☐ The addition NO-INTERVALS for SELECT-OPTIONS will allow only single fields on the selection screen.
- ☐ The addition NO-EXTENSION for SELECT-OPTIONS will allow only single fields on the selection screen.
- ☐ The addition NO-INTERVALS for SELECT-OPTIONS will allow only one line in the selection table.

In which event block can you override the default value of PARAMETERS field on the selection screen?

1 балл

- ☐ Process before output
- ☐ Start-of-selection
- ☐ At selection-screen
- ☐ Initialization

Your selection screen can be modified at which event?

1 балл

- ☐ AT SELECTION-SCREEN OUTPUT
- ☐ AT SELECTION-SCREEN
- ☐ AT SELECTION-SCREEN ON <field\_name>
- ☐ None of the above



Which of the following is a true statement? Select all that apply.

1 балл

- ☐ A sorted table can have a unique or a non-unique key.
- ☐ A standard table should always have a unique key.
- ☐ A hashed table should always have a unique table key.

What happens when an authorization check fails? Please choose the correct answer.

1 балл

- ☐ A type E message is displayed
- ☐ The system field SY-SUBRC is set to a value other than zero
- ☐ A CX\_AUTH\_FAILED type exception is raised
- ☐ The program is terminated

You are making changes to a program that already has transaction code zzzz linked to it. Your colleagues testing transaction code zzzz in the same system. When does the change version of the program becomes visible to your colleague by transaction code zzzz?

1 балл

- ☐ When you activate the program
- ☐ When you save the program
- ☐ When you execute the program from the ABAP Editor
- ☐ When the syntax of the program is correct





Methods provide which types of parameters? Select all that apply.

1 балл

- ☐ Input
- ☐ Output
- ☐ Input/output (changing)
- ☐ Return values
- ☐ Exceptions

You want to display a dialog box in your ABAP program. Which statement do you use? Please choose the correct answer.

1 балл

- ☐ WINDOW 200 STARTING AT 5 5
- ☐ SET SCREEN 200
- ☐ CALL SCREEN 200
- ☐ CALL SCREEN 200 STARTING AT 5 5

What is the default length of the type C data type?

1 балл

- ☐ 1
- ☐ 10
- ☐ 1-65535



How would you define a method of an ABAP class to prevent this method from being available in a subclass? Please choose the correct answer. 1 балл

- ☐ Protected
- ☐ Final
- ☐ Abstract
- ☐ Private

Which of the following rules must you follow when creating subscreens? 1 балл  
There are 2 correct answers to this question.

- ☐ Subscreens can call other subscreens
- ☐ Subscreens cannot have a field of type OK
- ☐ Subscreens cannot have an AT EXIT-COMMAND module
- ☐ Subscreens can have a dialog module containing SET PF-STATUS

Which statements about ABAP are true? 1 балл

- ☐ Each statement must begin with a keyword.
- ☐ Each statement must end with a period.
- ☐ ABAP keywords and additions must be in uppercase



Which of the following statements are correct? Select all that apply

1 балл

- ☐ The SELECT-OPTIONS statement creates an internal table with a header line. The internal table is also known as the selection table
- ☐ The structure of the selection table created with SELECT-OPTIONS has four components: SIGN, OPTION, LOW, and HIGH.
- ☐ You can use the addition NO-DISPLAY to hide the input field on the selection screen
- ☐ You can only specify default values for the LOW and HIGH fields of the SELECT-OPTIONS input field.

Which modularization units can raise an exception? Select all that apply

1 балл

- ☐ Function modules
- ☐ Methods
- ☐ Subroutines (FORM routines)

You have 2 objects: O1 of type class C1 and O2 of type class C2. Class C2 is a subclass of class C1. Which of the following statements implements an up cast? Please choose the correct answer. 1 балл

- ☐ O1 = O2
- ☐ MOVE O1 TO O2
- ☐ O1 ?= O2
- ☐ MOVE O1 ?TO O2



Which of the following is correct?

1 балл

- ☐ The screen attributes can be modified in the PROCESS AFTER INPUT event block.
- ☐ The screen attributes can be modified in the PROCESS BEFORE OUTPUT event block.
- ☐ The screen attributes can be modified in the PROCESS BEFORE OUTPUT and PROCESS AFTER INPUT event blocks.
- ☐ None of the above.

Which of the following statements are true? Select all that apply. (2 answers)

1 балл

- ☐ A conversion routine can be assigned to a domain.
- ☐ A conversion routine can be assigned to a data element.
- ☐ You define the value range in the data element.
- ☐ You can enter documentation for the data element in the ABAP Dictionary.

The READ statement with the addition BINARY SEARCH for a sorted internal table is better for performance.

1 балл

- ☐ True
- ☐ False

Which of the following statements regarding search helps are true? Select all that apply. 1 балл

- ☐ You can use a maintenance view for the search help selection method.
- ☐ You can use a database view for the search help selection method
- ☐ Help views can also be used for the selection method for search help
- ☐ You can use transparent tables for the search help selection method.



If you enter the value “0” or blank (“ ”) as the next screen, then the system resumes processing from the point at which the screen was initiated, assuming the Next Screen attribute is overridden dynamically in the program 1 балл

- ☐ True
- ☐ False

Private components of the class cannot be addressed directly from outside the class except when the friendship concept applies. 1 балл

- ☐ True
- ☐ False

What above statement can you use to create instance of class CL\_GUI\_CUSTOM\_CONTAINER in ABAP program? 1 балл

- ☐ DATA: go\_container TYPE cl\_gui\_custom\_container. CREATE OBJECT go\_container
- ☐ DATA: go\_container TYPE cl\_gui\_custom\_container. CREATE DATA go\_container
- ☐ DATA: go\_container TYPE REF TO cl\_gui\_custom\_container. CREATE OBJECT go\_container
- ☐ DATA: go\_container TYPE REF TO cl\_gui\_custom\_container. CREATE DATA go\_container

What can be part of the signature of an instance constructor? There are 2 correct answers to this question 1 балл

- ☐ Exceptions
- ☐ Export parameters
- ☐ Import parameters
- ☐ Changing parameters



What are the declarative statements used to define the selection? Select all that apply. 1 балл

- ☐ PARAMETERS
- ☐ SELECT-OPTIONS
- ☐ SELECTION-SCREEN
- ☐ None of the above

Which of the following statements are correct? Select all that apply 1 балл

- ☐ Class methods assigned to the public visibility section can be accessed outside the class using the static component selector and the class name.
- ☐ Static methods can be defined in both the public and private visibility section of the class.
- ☐ Only public methods can be addressed outside the class.
- ☐ You can call private methods within the public methods without reference to the object or class.
- ☐ None of the above

You want to check the user input in the field FIELD\_NAME on a classical screen. If an incorrect value is entered, the user should be able to correct the field value. How do you call the module CHECK\_MODULE in the PAI of the screen to accomplish this? Please choose the correct answer. 1 балл

- ☐ MODULE check\_module ON ERROR
- ☐ FIELD field\_name MODULE check\_module
- ☐ FIELD field\_name MODULE check\_module MESSAGE Ennn
- ☐ CHAIN. FIELD field\_name MODULE check\_module. ENDCHAIN.



Where are fixed values for fields stored?

1 балл

- ☐ Table
- ☐ Structure
- ☐ Field
- ☐ Data element
- ☐ Domain

You cannot use the LIKE statement to define an attribute in a class.

1 балл

- ☐ True
- ☐ False

Which does the field catalog allow you to do? Select all that apply.

1 балл

- ☐ Add a field to the display
- ☐ Specify the sort order of the display table
- ☐ Produce a striped pattern for the display lines
- ☐ Change the title of a column
- ☐ Change the display order of a column

Which of the following statements are true? Select all that apply.

1 балл

- ☐ A database view is implemented as an inner join.
- ☐ A maintenance view is implemented as an outer join.
- ☐ A database view is implemented as an outer join.
- ☐ A maintenance view is implemented as an inner join



A DATA statement may appear only at the top of the program, before START-OF-SELECTION.

1 балл

- ☐ True
- ☐ False

What is unique about a functional method? Select all that apply.

1 балл

- ☐ It must contain a returning parameter.
- ☐ It can contain an importing parameter.
- ☐ It can contain an exporting parameter.
- ☐ It can contain a changing parameter.
- ☐ It can be used in logical expressions.
- ☐ It can be used in SELECT statements.
- ☐ It must be a singleton.

What can be implemented using an implicit enhancement option? There are 3 correct answer to this question

1 балл

- ☐ Overwrite methods for SAP function modules
- ☐ Additional parameters in SAP function modules
- ☐ Additional exceptions in SAP function modules
- ☐ Overwrite methods for global SAP classes
- ☐ Additional parameters for global SAP classes





The FIELD statement does not have any effect in the PBO event block, and it should not be used in the PBO event block. 1 балл

- ☐ True
- ☐ False

Which type of view uses an inner join in a search help? 1 балл

- ☐ Database view
- ☐ Maintenance view
- ☐ Help view

Which type of view cannot be used in a search help? 1 балл

- ☐ Database view
- ☐ Maintenance view
- ☐ Help view

Отправить

Очистить форму

Компания Google не имеет никакого отношения к этому контенту. [Сообщение о нарушении](#) - [Условия использования](#) - [Политика конфиденциальности](#)

Google Формы

