Итоговый тест

Всего   74/80   ?

Электронная почта *

alexander.peklov@msg-plaut.ru

✓ You created a class by inheriting from superclass. The superclass contains a public instance method do_something. You want to redefine method do_something. What must you do?

1 из 1

○ Declare the method FINAL

○ Call the implementation in the superclass

○ Change the visibility of method to PROTECTED

◉ Leave the signature of method unchanged   ✓

✓ To reserve an area on the screen for an ALV Grid Control, you must do the following:

1 из 1

○ Create an object (instantiate the object) of the class CL_GUI_CUSTOM_CONTAINER

○ Create an object (instantiate the object) of the class CL_GUI_ALV_GRID

○ Create an object (instantiate the object) of the class CL_SALV_TABLE

◉ Use the Screen Painter   ✓

✓ You can define multiple elements in a single line by defining the element 1
within the block SELECTION-SCREEN BEGIN OF LINE and SELECTION-   из
SCREEN END OF LINE.   1

⦿ True   ✓

◯ False

✓ The constructor method is always defined in the private visibility   1 из
section ofthe class.   1

◯ True

⦿ False   ✓

✓ Subclasses can access the private components of the parent class   1 из 1

◯ True

⦿ False   ✓

✓ A watchpoint stops program execution every time the condition   1 из
specified is met.   1

◯ True

⦿ False   ✓

✓ When you define local classes in ABAP, which syntactical sequence must youfollow?

1 из 1

○ PUBLIC SECTION, PROTECTED SECTION, PRIVATE SECTION ✓

○ PRIVATE SECTION, PROTECTED SECTION, PUBLIC SECTION

○ PUBLIC SECTION, PRIVATE SECTION, PROTECTED SECTION

○ The order doesn't matter.

○ The order is handled automatically.

✓ What is unique about a functional method?There are 5 correct answers to this question.

1 из 1

☑ It can contain an importing parameter ✓

☑ It must contain a returning parameter ✓

☐ It can be used in SELECT statement

☑ It can contain a changing parameter ✓

☐ It must be a singleton

☑ It can be used in logical expressions ✓

☑ It can contain an exporting parameter ✓

✓ The constructor method is called automatically when you create an instance of the class.

1 из 1

○ True ✓

○ False

✓ You use the CREATE OBJECT statement to create both types of ALV.   1 из 1

○ True

● False   ✓

✓ You are writing a program that uses ABAP class. Which components of   1
   the class can you create directly from the program?Please choose the   из
   correct answer.   1

○ All components

● Only public components   ✓

○ Only protected components

○ Only private components

✓ Which statement will interrupt the processing of the current screen   1 из
   andbranch to new screen?   1

● CALL SCREEN <NNNN>   ✓

○ LEAVE TO SCREEN <NNNN>

○ SET SCREEN <NNNN>

○ None of the above

✓ How do you add fields to an SAP-delivered transparent table without Modification? Please choose the correct answer.

1 из 1

○ Add the new fields to the table definition

○ Define a structure containing the new fields and include it in the table definition

○ Use the database utility to enhance the definition on the database directly

◉ Create an append structure containing the new fields ✓

✓ Where can you define global data types that are visible system-wide? There are 3 correct answers to this question.

1 из 1

☐ In a function module

☑ In a global interface ✓

☐ In a method of global class

☑ In a global class ✓

☑ In the ABAP Dictionary ✓

✗ **How can you use a sorted internal table?There are 2 correct answers to this question**   0 из 1

☐ You can resort the table with SORT statement

☐ You need to specify a key in the table declaration

☑ You use APPEND to insert record at the correct position   ✗

☑ You can read the records by index or key   ✓

Правильный ответ

☑ You need to specify a key in the table declaration

☑ You can read the records by index or key

✓ **Which components of the class can be accessed in the implementation of a static method in that class? There are 2 correct answers to this question**   1 из 1

☑ Constants   ✓

☐ All events

☑ Types   ✓

☐ Instance attributes

✓ **The static sequence of the default next screen can be established by the valuein the screen attribute Next Screen.**   1 из 1

◉ True   ✓

◯ False

✗ In the CALL CUSTOMER-FUNCTION 'nnn' statement, nnn is a three-digit .../1
number used in SAP programs for which of the following types of
enhancement?Please choose the correct answer.

☐ User Exits

☑ Customer Exits   ✗

☐ Business Add-Ins

☐ New BAdIs

Нет правильных ответов

✓ The class constructor method is called automatically when you access   1 из
theclass for the first time.   1

◉ True   ✓

○ False

✓ If data objects of type I are being used to store the result of a   1 из
calculation, thedecimals will be truncated.   1

○ True

◉ False   ✓

✓ In a subclass, you want to redefine a method of the super class. Which of the following conditions must be fulfilled?There are 2 correct answers to this question

1 из 1

☑ The subclass method has same visibility as the super class method   ✓

☑ The superclass method is an instance method   ✓

☐ The superclass method is abstract

☐ The subclass has a lower visibility then the superclass method

---

✓ Which of the following statements are true? Select all that apply.   1 из 1

☑ Standard tables can be accessed by index.   ✓

☐ Standard tables cannot be accessed by index.

☐ A sorted table is always accessed by a unique key.

☐ Hashed tables are always accessed by index.

☑ Hashed tables are accessed by a unique key.   ✓

✓ Which of the following statements are true? Select all that apply. (2 answers)

1 из 1

☐ Static attributes can be declared only in the private visibility section of the class

☑ Static attributes are declared with CLASS-DATA statement   ✓

☐ Static attributes cannot be changed by an object

☑ A static attribute is the same across all instances of the class. There is only one static attribute across all instances of the class.   ✓

✓ The dispatcher handles all communication between users, work processes,and other (external) systems.

1 из 1

○ True

◉ False ✓

✓ Which must a search help do? Select all that apply.

1 из 1

☐ Use a table or a view for data selection

☑ Determine the values for selection by the user ✓

☑ Have a dialog with the user ✓

☑ Allow the user to select a respons ✓

☑ Be used from a screen ✓

✓ Function modules provide which types of parameters? Select all that apply.

1 из 1

☑ Input ✓

☑ Output ✓

☑ Input/output (changing) ✓

☐ Return values

☑ Exceptions ✓

✓ The Internet Communication Manager (ICM)...   1 из 1

○ Replaced SAP ITS.

◉ Allows SAP NetWeaver Application Server to process HTTP requests.   ✓

○ Allows the ABAP stack and the Java stack to exchange data.

✓ In which order do you implement a NEW BADI?   1 из 1

○ 1. Create BAdI implementation. 2. Create enhancement project

◉ 1. Create enhancement spot implementation. 2. Create BAdI implementation   ✓

○ 1. Create BAdI implementation 2. Create enhancement spot implementation

○ 1. Create enhancement project. 2. Create BAdI implementation

---

✓ Which of the following statements are true? Select all that apply.   1 из 1

☐ Static attributes can be declared only in the private visibility section of the class.

☑ Static attributes are declared with the CLASS-DATA statement.   ✓

☑ A static attribute is the same across all instances of the class. There is only one   ✓
   static attribute across all instances of the class.

☐ Static attributes cannot be changed by an object.

✓ **Which statement cannot use a subquery.** 1 из 1

○ DELETE

○ SELECT

○ INSERT

◉ None of the above ✓

✓ **SAP enhancements for customer exits are managed by which transaction?Please choose the correct answer.** 1 из 1

○ Transaction CMOD

◉ Transaction SMOD ✓

○ Application CMOD

○ Neither transaction listed here

✓ **The statements CALL BADI and GET BADI are used for which type of BAdIs?Please choose the correct answer.** 1 из 1

◉ New BAdI ✓

○ Classical BAdI

○ None of the above

✓ **What is the default selection screen number for the ABAP program?**   1 из 1

◉ 1000   ✓

○ 100

○ 1100

○ None of the above

✓ **Where should the labels for fields be stored?**   1 из 1

○ Table

○ Structure

○ Field

◉ Data element   ✓

○ Domain

✓ **How can you search for suitable classic Business Add-Ins(BAdIs)?There** 1
are 2 correct answers to this question   из
                                                                            1

☐ Use SAP menu Tools -> ABAP Workbench -> Development -> Business Object Builder

☐ Search in the Repository Information System and choose Enhancements ->
Customer Exits

☑ Search for suitable entries in the relevant component in the Implementation   ✓
Guide (IMG)

☑ Search in an application program for the method GET_INSTANCE of class   ✓
CL_EXITHANDLER.

✓ Which ABAP statement can make an element visible that you statically defined as invisible?Please choose the correct answer.

1 из 1

◉ screen-invisible = 0   ✓

◯ screen-active = 0

◯ screen-invisible = 1

◯ screen-active = 1

✓ Which of the following are incorrect statements? Select all that apply (2 answers).

1 из 1

☐ TYPES: carrid_ty LIKE spfli-s-carr_id.

☐ TYPES: werks TYPE C LENGTH 4.

☑ TYPES: date_ty TYPE D LENGTH 10.   ✓

☑ TYPES: Str TYPE STRING LENGTH 20.   ✓

✓ Object or class events can trigger any number of handler methods.

1 из 1

◉ True   ✓

◯ False

✓ You must call a method to actually display the contents of the display table after you create an ALV.

1 из 1

◉ True   ✓

○ False

✓ You want to loop over an internal table without copying each table row to a work area. How can you achieve this using a field symbol?Please choose the correct answer.

1 из 1

◉ LOOP AT <itab> ASSIGNING <field-symbol> ENDLOOP.   ✓

○ LOOP AT <itab> INTO <field-symbol> ENDLOOP.

○ LOOP AT <itab> REFERENCE INTO <field-symbol> ENDLOOP.

○ LOOP AT <itab> TRANSPORTING INTO <field-symbol> ENDLOOP.

✓ Which of the following actions can be performed in the Process After Input (PAI) processing block?Please choose the correct answer

1 из 1

○ Set the title bar

◉ Check the function code   ✓

○ Set the GUI status of the screen

○ Modify screen attributes dynamically

✓ **Dynpros can be placed in which program types? Select all that apply.**   1 из 1

☑ Executables   ✓

☑ Module pools   ✓

☑ Function groups   ✓

☐ Class pools

✓ **Using the screen system table, what can you modify through a LOOP AT SCREEN … ENDLOOP construct? Please choose the correct answer.**   1 из 1

◯ Screen status

◯ Values of screen elements

◯ Function codes of buttons

◉ Attributes of screen elements   ✓

✓ **What is the correct order for using a lock object?**   1 из 1

◯ Read the data, set the lock, change the data, release the lock

◉ Set the lock, read the data, change the data, release the lock   ✓

◯ Set the lock, read the data, release the lock, change the data

✕ **Which of the following statements are true? Select all that apply.** 0 из 1

☐ The addition NO-EXTENSION for SELECT-OPTIONS will allow only one line in the selection table.

☑ The addition NO-INTERVALS for SELECT-OPTIONS will allow only single fields on ✓ the selection screen.

☐ The addition NO-EXTENSION for SELECT-OPTIONS will allow only single fields on the selection screen.

☑ The addition NO-INTERVALS for SELECT-OPTIONS will allow only one line in the ✕ selection table.

Правильный ответ

☑ The addition NO-EXTENSION for SELECT-OPTIONS will allow only one line in the selection table.

☑ The addition NO-INTERVALS for SELECT-OPTIONS will allow only single fields on the selection screen.

Комментарий

The addition NO-EXTENSION for the SELECT-OPTIONS hides the button for multiple selection. As a result, the user cannot specify more than one line for the selection criteria. The addition NO INTERVALS hides the second input field (HIGH) for the SELECT-OPTIONS statement. As a result, a user can only enter a value for a single input field (LOW) or range of value for the single input field. The user will see a single input field, but he will get the button for multiple selection. When you select the multiple selection dialog box, you can enter ranges, multiple ranges, multi ple single values, and so on.

✕   In which event blog can you override the default value of PARAMETERS   0 из
field on the selection screen?   1

◉   Process before output   ✕

○   Start-of-selection

○   At selection-screen

○   Initialization

Правильный ответ

◉   Initialization

✓   Your selection screen can be modified at which event?   1 из 1

◉   AT SELECTION-SCREEN OUTPUT   ✓

○   AT SELECTION-SCREEN

○   AT SELECTION-SCREEN ON <field_name>

○   None of the above

✓   Which of the following is a true statement? Select all that apply. 1 из 1

☑   A sorted table can have a unique or a non-unique key.   ✓

☐   A standard table should always have a unique key.

☑   A hashed table should always have a unique table key.   ✓

✓ What happens when an authorization check fails? Please choose the correct answer.   1 из 1

○ A type E message is displayed

◉ The system field SY-SUBRC is set to a value other then zero   ✓

○ A CX_AUTH_FAILED type exception is raised

○ The program is terminated

✓ You are making changes to a program that already has transaction code zzzz linked to it. Your colleagues testing transaction code zzzz in the same system. When does the change version of the program becomes visible to your colleague by transaction code zzzz?   1 из 1

◉ When you activate the program   ✓

○ When you save the program

○ When you execute the program from the ABAP Editor

○ When the syntax of the program is correct

✓ Methods provide which types of parameters? Select all that apply.   1 из 1

☑ Input   ✓

☑ Output   ✓

☑ Input/output (changing)   ✓

☑ Return values   ✓

☑ Exceptions   ✓

✓ You want to display a dialog box in your ABAP program. Which statement 1
do you use? Please choose the correct answer.   из
1

○ WINDOW 200 STARTING AT 5 5

○ SET SCREEN 200

○ CALL SCREEN 200

◉ CALL SCREEN 200 STARTING AT 5 5   ✓

✓ What is the default length of the type C data type?   1 из 1

◉ 1   ✓

○ 10

○ 1-65535

✓ How would you define a method of an ABAP class to prevent this method 1
from being available in a subclass? Please choose the correct answer.   из
1

○ Protected

○ Final

○ Abstract

◉ Private   ✓

✓ **Which of the following rules must you follow when creating subscreens?** 1
There are 2 correct answers to this question.   из
                                                                            1

☐ Subscreens can call other subscreens

☑ Subscreens cannot have a field of type OK   ✓

☑ Subscreens cannot have an AT EXIT-COMMAND module   ✓

☐ Subscreens can have a dialog module containing SET PF-STATUS

✓ **Which statements about ABAP are true?**   1 из 1

☐ Each statement must begin with a keyword.

☑ Each statement must end with a period.   ✓

☐ ABAP keywords and additions must be in uppercase

✓ **Which of the following statements are correct? Select all that apply**   1 из 1

☑ The SELECT-OPTIONS statement creates an internal table with a header line. The ✓
internal table is also known as the selection table

☑ The structure of the selection table created with SELECT-OPTIONS has four   ✓
components: SIGN, OPTION, LOW, and HIGH.

☑ You can use the addition NO-DISPLAY to hide the input field on the selection   ✓
screen

☐ You can only specify default values for the LOW and HIGH fields of the SELECT-
OPTIONS input field.

✓ **Which modularization units can raise an exception? Select all that apply**   1 из 1

☑ Function modules   ✓

☑ Methods   ✓

☑ Subroutines (FORM routines)   ✓

✓ **You have 2 objects: O1 of type class C1 and O2 of type class C2.Class C2 is a subclass of class C1. Which of the following statements implements an up cast?Please choose the correct answer.**   1 из 1

◉ O1 = O2   ✓

◯ MOVE O1 TO O2

◯ O1 ?= O2

◯ MOVE O1 ?TO O2

✓ **Which of the following is correct?**   1 из 1

◯ The screen attributes can be modified in the PROCESS AFTER INPUT event block.

◉ The screen attributes can be modified in the PROCESS BEFORE OUTPUT event block.   ✓

◯ The screen attributes can be modified in the PROCESS BEFORE OUTPUT and PROCESS AFTER INPUT event blocks.

◯ None of the above.

✓ Which of the following statements are true? Select all that apply. (2 answers) 1 из 1

☑ A conversion routine can be assigned to a domain. ✓

☐ A conversion routine can be assigned to a data element.

☐ You define the value range in the data element.

☑ You can enter documentation for the data element in the ABAP Dictionary. ✓

✓ The READ statement with the addition BINARY SEARCH for a sorted internal tableis better for performance. 1 из 1

◯ True

⦿ False ✓

✓ Which of the following statements regarding search helps are true? Select allthat apply. 1 из 1

☐ You can use a maintenance view for the search help selection method.

☑ You can use a database view for the search help selection method ✓

☑ Help views can also be used for the selection method for search help ✓

☑ You can use transparent tables for the search help selection method. ✓

✓ If you enter the value "0" or blank (" ") as the next screen, then the system resumes processing from the point at which the screen was initiated, assuming the Next Screen attribute is overridden dynamically in the program

1 из 1

- ⦿ True ✓
- ◯ False

✓ Private components of the class cannot be addressed directly from outside the class except when the friendship concept applies.

1 из 1

- ⦿ True ✓
- ◯ False

✓ What above statement can you use to create instance of class CL_GUI_CUSTOM_CONTAINER in ABAP program?

1 из 1

- ◯ DATA: go_container TYPE cl_gui_custom_container. CREATE OBJECT go_container
- ◯ DATA: go_container TYPE cl_gui_custom_container. CREATE DATA go_container
- ⦿ DATA: go_container TYPE REF TO cl_gui_custom_container. CREATE OBJECT go_container ✓
- ◯ DATA: go_container TYPE REF TO cl_gui_custom_container. CREATE DATA go_container

✓   What can be part of the signature of an instance constructor? There are   1
2 correct answers to this question   из

1

☑   Exceptions   ✓

☐   Export parameters

☑   Import parameters   ✓

☐   Changing parameters

✓   What are the declarative statements used to define the selection?   1 из
Select allthat apply.   1

☑   PARAMETERS   ✓

☑   SELECT-OPTIONS   ✓

☑   SELECTION-SCREEN   ✓

☐   None of the above

✓   Which of the following statements are correct? Select all that apply   1 из 1

☑   Class methods assigned to the public visibility section can be accessed outside   ✓
the class using the static component selector and the class name.

☑   Static methods can be defined in both the public and private visibility sec tion of   ✓
the class.

☑   Only public methods can be addressed outside the class.   ✓

☑   You can call private methods within the public methods without reference to the   ✓
object or class.

☐   None of the above

✗ You want to check the user input in the field FIELD_NAME on a classical screen. If an incorrect value is entered, the user should be able to correct the field value.How do you call the module CHECK_MODULE in the PAI of the screen to accomplish this?Please choose the correct answer.

0 из 1

○ MODULE check_module ON ERROR

○ FIELD field_name MODULE check_module

◉ FIELD field_name MODULE check_module MESSAGE Ennn   ✗

○ CHAIN. FIELD field_name MODULE check_module. ENDCHAIN.

Правильный ответ

◉ FIELD field_name MODULE check_module

✓ Where are fixed values for fields stored?

1 из 1

○ Table

○ Structure

○ Field

○ Data element

◉ Domain   ✓

✓ You cannot use the LIKE statement to define an attribute in a class.

1 из 1

○ True

◉ False   ✓

✓ Which does the field catalog allow you to do? Select all that apply. 1 из 1

☑ Add a field to the display ✓

☐ Specify the sort order of the display table

☐ Produce a striped pattern for the display lines

☑ Change the title of a column ✓

☑ Change the display order of a column ✓

✓ Which of the following statements are true? Select all that apply. 1 из 1

☑ A database view is implemented as an inner join. ✓

☑ A maintenance view is implemented as an outer join. ✓

☐ A database view is implemented as an outer join.

☐ A maintenance view is implemented as an inner join

✓ A DATA statement may appear only at the top of the program, before START-OF-SELECTION. 1 из 1

○ True

◉ False ✓

✓ **What is unique about a functional method? Select all that apply.**   1 из 1

☑ It must contain a returning parameter.   ✓

☑ It can contain an importing parameter.   ✓

☑ It can contain an exporting parameter.   ✓

☑ It can contain a changing parameter.   ✓

☑ It can be used in logical expressions.   ✓

☐ It can be used in SELECT statements.

☐ It must be a singleton.

✗ **What can be implemented using an implicit enhancement option? There are 3 correct answer to this question**   0 из 1

☑ Overwrite methods for SAP function modules   ✗

☐ Additional parameters in SAP function modules

☐ Additional exceptions in SAP function modules

☑ Overwrite methods for global SAP classes   ✓

☑ Additional parameters for global SAP classes   ✓

Правильный ответ

☑ Additional parameters in SAP function modules

☑ Overwrite methods for global SAP classes

☑ Additional parameters for global SAP classes

✓ The FIELD statement does not have any effect in the PBO event block, and itshould not be used in the PBO event block.

1 из 1

○ True ✓

○ False

✓ Which type of view uses an inner join in a search help?

1 из 1

● Database view ✓

○ Maintenance view

○ Help view

✓ Which type of view cannot be used in a search help?

1 из 1

○ Database view

● Maintenance view ✓

○ Help view

Google Формы