HOF Development Engineer Assessment (Recommended Time Limit: 30 minutes)

- 1) Which one of the following also known as Conditional Expression:
 - A. Alternative to if-else
 - B. Switch statement
 - C. If-then-else statement
 - D. immediate if
- 2) Among the following given JavaScript snipped codes, which is more efficient:

Code A

- 1. for(var number=10;number>=1;number--)
- 2. {
- 3. document.writeln(number);
- 4. }

Code B

- 1. var number=10;
- 2. while(number>=1)
- 3. {
- 4. document.writeln(number);
- 5. number++;
- 6. }
- A. Code 1
- B. Code 2
- C. Both Code 1 and Code 2
- D. Cannot Compare
- 3) Which of the following is the correct output for the following JavaScript code:
 - 1. varx=5,y=1
 - 2. $\text{var obj} = \{ x:10 \}$
 - 3. with(obj)
 - 4. {
 - 5. alert(y)
 - 6. }
 - A. 1
 - B. Error
 - C. 10
 - D. 5

A.	Shows a warning	
B.	Prompts to complete the statement	
C.	Throws an error	
D.	Ignores the statements	
5) The	"function" and " var" are known as:	
A	V1	
	Keywords	
	Data types	
	Declaration statements	
D.	Prototypes	
6) <input/> is -		
	a format tag.	
В.	an empty tag.	
C.	All of the above	
D.	None of the above	
7) Whi	ch of the following tag is used to make the underlined text?	
A.	<i>></i>	
B.		
C.	<u></u>	
	<pre><pre><</pre></pre>	
_·	1	
8) How to create a checkbox in HTML?		
of How to croute a checkbox in HIIIIII.		
Δ	<input type="checkbox"/>	
	1 11	
	<input type="button"/>	
	<checkbox></checkbox>	
D.	<input type="check"/>	

4) When interpreter encounters an empty statements, what it will do:

9) Which of the following tag is used to define options in a drop-down selection list?	
A. <select> B. list> C. <dropdown> D. <option></option></dropdown></select>	
10) HTML tags are enclosed in-	
A. # and # B. { and } C. ! and ? D. < and >	
11) Which of the following is not a value of the font-variant property in CSS?	
A. normal B. small-caps C. large-caps D. inherit	
12) Which of the following CSS property is used to specify whether the table cells share the common or separate border?	
A. border-collapseB. border-radiusC. border-spacingD. None of the above	
13) The CSS property used to make the rounded borders, or rounded corners around an element is -	
A. border-collapseB. border-radiusC. border-spacingD. None of the above	

A. border-collapseB. border-radiusC. border-spacingD. None of the above
15) Which of the following selector in CSS is used to select the elements that do not match the selectors?
A. :! selectorB. :not selectorC. :empty selectorD. None of the above
16) Which of the following is not a type of combinator?
A. > B. ~ C. + D. *
17) Which statement is true regarding procedures?
A. They include procedural and SQL statements.B. They work similarly to the functions.C. It does not need unique names.D. It cannot be created with SQL statements.
18) Which of the following is the basic approaches for joining tables?
A. Union JOINB. Natural JOINC. SubqueriesD. All of the above

14) The CSS property used to set the distance between the borders of the adjacent cells in the table is -

- 19) Why we need to create an index if the primary key is already present in a table?
 - A. Index improves the speed of data retrieval operations on a table.
 - B. Indexes are special lookup tables that will be used by the database search engine.
 - C. Indexes are synonyms of a column in a table.
 - D. All of the above
- 20) Group of operations that form a single logical unit of work is known as
 - A. View
 - B. Network
 - C. Unit
 - D. Transaction