

GUANGXINHUI COMPANY LIMITED

PROFORMA INVOICE

M/S. TAINAN SPINNING

Ref: GXH2604223R3

Date: April 28, 2026

设备名称 Commodity	规格 MODEL & SPEC	单价 (美元) UNIT PRICE (USD)	数量(台) QTY	总价 (美元) AMOUNT(USD)
异纤机 Foreign fiber Removing Machine	KP1-1200SR-U (working width 1.2m)	55,000.00	1	55,000.00
Waste Cotton Recycling Machine	JMX-550A	60,000.00	1	60,000.00
合计 TOTAL AMOUNT	CIF Ho Chi Minh			115,000.00

Total Amount : CIF Ho Chi Minh Seaport Say One Hundred and Fifteen Thousand U.S. Dollars Only

Quality: 100% brand New

Origin: China

Delivery time: Within 3 month after receipt down payment

Packing: Export standard packing

Payment : 100% irrevocable transferable LC at sight.

Third Party documents acceptable

Beneficiary Name: GUANGXINHUI COMPANY LIMITED

Bank name: HSBC bank

Band Code:004

Bank Account No.:801075730838

Beneficiary Bank Address:1 Queen's Road Central, Hongkong

Swift Code: HSBCHKHCHKH

Erection: The seller will only responsible for one time round air ticket between China to Vietnam , the buyer should arrange for hotel and food three times, Local Transport and Medical Service if needed to the technicians. If due to buyer reason for delay erection or second time technician requirement, the buyer need bear air ticket, hotel, lodging and daily allowance 80 USD

GUANGXINHUI COMPANY LIMITED

KP1-1200SR-U Foreign Fiber Removing Machine

相機 Camera	8個高解析度彩色相機 8 high-resolution color cameras
硬體 Hardware	8個人工智慧影像處理模組 1塊人工智慧交互模組 8 AI Image Processing Modules 1 AI Interaction Module
軟體 Software	玖目“雲”UI和物聯系統V1.0(附終身免費遠端升級) Gemvision "Cloud" UI and IoT System V1.0 (with lifetime free remote upgrades)
光源 Illumination	4根白光+紫外不發熱LED光源 4 White Light + UV Detection Enhancement LED Light Module
光源壽命 Lifespan	36000小時 36,000 hours
電磁閥 Solenoid Valve	24個MAC進口高速電磁閥，96個噴嘴 24 MAC Imported High-Speed Solenoid Valves, 96 Nozzles
最高產量 Maximum Output	1200Kg/h
工作幅寬 Working Width	1200mm
氣源 Air Supply Pressure	5.9bar-6.3bar
額定電壓 Rated Voltage	三相AC380V (-10% ~ +15%) 50Hz Three-phase AC380V (-10% ~ +15%) 50Hz

GUANGXINHUI COMPANY LIMITED

淨棉線 Waste Cotton Recycling Machine		
序號No.	項目 Item	Specification
1	型號 model	JMX-550A
2	產量 maximum output	50 kg/h
3	異纖綜合檢測率 overall detection rate	98%
4	棉花回收率 cotton recovery rate	95%
5	工作幅寬 working width	550mm
6	光源 illumination	白光 + 紫外不發熱 LED 光源 white + UV non-heating LED light sources
7	光源壽命 lifespan	36000h
8	相機模組 camera	2 組彩色相機 (3K) 2 high-resolution color cameras (3K resolution ratio)
9	人工智慧處理模組 hardware	2 塊人工智慧影像處理模組 + 1 塊人工智 慧交互模組 2 AI image processing modules, 1 AI interaction module
10	噴閥模組 electromagnetic valve	64 個高速電磁閥 + 128 個噴嘴 64 MAC imported high-speed electromagnetic valves+128 nozzles
11	氣源 air source	6.5bar ~7bar
12	電壓 voltage/hz	三相 AC380V (-10%~+15%) 50Hz Three-phase AC 380V (-10% ~ +15%) 50Hz