

58:02

Multiple Choices

Multiple choices 37/50

Answer

(Choose 1 answer)

 A B C

A team divided the application they were building into 4 parts and planning to build one part at a time. To build each part, they are planning to go through the steps of requirements, design, implementation, test, and deployment. Also, they are planning to complete each part fully with high fidelity. By fidelity we mean the completeness of the features implemented in each part. Based on this information, what type of model do you suggest they use for their software development process?

- A. Iterative and Incremental
- B. Incremental
- C. Iterative

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)

57:51

Multiple Choices

Multiple choices 41/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

A team is working on a problem where the requirements are well known but they are short on time. They prefer to start the design phase when some of the requirements have been defined. Similarly, they want to start coding when the design for part of the system is ready. What model will best fit their needs?

- A. Sashimi
- B. V-model
- C. Waterfall
- D. Spiral

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)

58:44

Multiple Choices

Multiple choices 21/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Who prioritizes the work in Scrum?

- A. The Team
- B. Scrum Master
- C. Team Manager
- D. Product Owner

Next 

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	
43	44	45	46	47	48	49	50																													

 I want to finish the exam.

Finish

58:13

Multiple Choices

Multiple choices 33/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which is the right description about the requirement specification process?

- A. Requirement specification is a process that identifies and specifies the problem and possible solutions to the problem.
- B. Requirement specification is a process to design the solution to the problem.
- C. Requirement specification is a process of solving the requirements.
- D. Requirement specification is a process to identify and specify the problem to solve.

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)

58:47

Multiple Choices

Multiple choices 20/50

Answer

(Choose 1 answer)

 A B C D

Different pieces of code are activated at the same time. This is an example of what type of cohesion?

- A. Coincidental cohesion
- B. Procedural cohesion
- C. Logical association cohesion
- D. Temporal cohesion

[Next](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

43	44	45	46	47	48	49	50
----	----	----	----	----	----	----	----

 I want to finish the exam.[Finish](#)

57:49

Multiple Choices

Multiple choices 42/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

The three types of loose coupling are:

- A. Data; Message; Data Structure
- B. Content; Common; External
- C. Data; Message; None
- D. Control; Data Structure; Loose

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
43	44	45	46	47	48	49	50																											

 I want to finish the exam.[Finish](#)

57:59

Multiple Choices

Multiple choices 38/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Where does software design fit in the traditional waterfall software development lifecycle?

- A. Between implementation and deployment
- B. Between architecture and implementation
- C. Between specification and architecture
- D. Before requirements

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
43	44	45	46	47	48	49	50																											

 I want to finish the exam.

Finish

58:16

Multiple Choices

Multiple choices 32/50

Answer

(Choose 1 answer)

 A B C D

Select situations listed below where you would NOT use the unified process framework

- A. Medium-sized project with some risks involved.
- B. Very small, simple project where the problem and solution are well known.
- C. Situation where the organization wants to deliver part of the application early to capture the market ahead of competition
- D. All requirements are not known early in the project

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
43	44	45	46	47	48	49	50																												

 I want to finish the exam.

Finish



58:39

Multiple Choices

Multiple choices 23/50

Answer

(Choose 1 answer)

 A B C

Modules only share parameters. This is an example of what type of coupling?

- A. Loose data coupling
- B. Loose no coupling
- C. Loose message coupling

Next

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36

43 44 45 46 47 48 49 50

 I want to finish the exam[Finish](#)

59:10

Multiple Choices

Multiple choices 12/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Lean helps increase productivity by:

- A. Adding additional resources to help decrease the burden of the workload
- B. Increasing inputs to directly increase outputs.
- C. Reducing the amount of useless activity that our resources (the team members) are currently burdened with.
- D. Giving staff more work to help create more output.

Next

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36

43 44 45 46 47 48 49 50

 I want to finish the exam.

Finish

58:26

Multiple Choices

Multiple choices 28/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which of the following is an mistake in code which has not yet been activated?

- A. Fault
- B. Effective error
- C. Latent error
- D. Failure

[Next](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
43	44	45	46	47	48	49	50																											

 I want to finish the exam.[Finish](#)



58:52

Multiple Choices

Multiple choices 18/50

Answer

(Choose 1 answer)

- A
- B
- C
- D
- E

[Next](#)

A vehicle identification and tracking system, where each moving vehicle is tracked and monitored through a shared program, is best modeled by:

- A. Blackboard Model.
- B. Layered Model.
- C. Pipe-and-Filter Model.
- D. Event-based Model
- E. Client-Server Model.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

43	44	45	46	47	48	49	50
----	----	----	----	----	----	----	----

 I want to finish the exam.[Finish](#)

58:23

Multiple Choices

Multiple choices 29/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

[Next](#)

In your current project, you have access to some intern development resources, which are not currently operating at full capacity. You also know that the testing timeline will be truncated, due to delays in critical-path module development. Which strategy should you employ?

- A. Allow the testing team to work without (or with quick-to-develop) drivers and stubs, and utilize the intern resources to aid testing once all critical-path development is complete
- B. Utilize the intern resources to design and develop drivers and stubs, while work continues on critical-path module development
- C. Allow the testing team to work without (or with quick-to-develop) drivers and stubs, while using intern resources to aid critical-path development
- D. Make no changes to the current project testing or development allocations, utilizing intern resources to create documentation.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)

Multiple Choices

Multiple choices 9/50

Answer

(Choose 1 answer)

 A B C D

Components do similar but separate things. This is an example of what type of cohesion?

- A. Procedural cohesion
- B. Logical association cohesion
- C. Temporal cohesion
- D. Coincidental cohesion

Next 

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37

43 44 45 46 47 48 49 50

I want to finish the exam.

Finish



58:30

Multiple Choices

Multiple choices 26/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

_____ is concerned with developing an object-oriented system model to implement requirements

- A. Object-oriented Paradigm
- B. Object-oriented Analysis
- C. Object-oriented Design
- D. None of the other choices

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)



58:55

Multiple Choices

Multiple choices 17/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Select the false statement:

- A. Continuous Integration is a subset of the capabilities in a Continuous Delivery pipeline.
- B. Continuous Integration alerts to submitting developer of build or test failure, but cannot remove the code committed.
- C. New processes/reports are able to be added to the Jenkins Pipeline through plug-ins
- D. Tests which meet the code coverage criteria can still be poor tests.

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			
43	44	45	46	47	48	49	50																															

 I want to finish the exam.

Finish

58:04

Multiple Choices

Multiple choices 36/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

In Scrum, when is the sprint backlog created?

- A. At the beginning of the project
- B. During the sprint planning meeting
- C. During the backlog refinement meeting
- D. Whenever needed

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
43	44	45	46	47	48	49	50																											

 I want to finish the exam.[Finish](#)



59:24

Multiple choices 7/50

Answer
(Choose 1 answer) A B C

Which is statement false?

- A. In the Observer pattern, one difficulty is that the Subject cannot pass an instance of itself to the Observer being updated, due to circular dependencies.
- B. Observer is an implementation of the Dependency Inversion principle.
- C. Strategy Pattern helps maintain the Open/Closed Principle.

Next

2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37

44 45 46 47 48 49 50

I want to finish the exam.

59:05

Multiple Choices

Multiple choices 14/50

Answer

(Choose 1 answer)

 A B C D

Choose the most accurate answer. Cohesion describes...

- A. how well everything within a module fits together.
- B. decomposability.
- C. how changes do not cross boundaries of modules.
- D. loose coupling.

Next >

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37

43 44 45 46 47 48 49 50

 I want to finish the exam.

Finish



59:16

Multiple Choices

Multiple choices 10/50

Answer

(Choose 1 answer)

- A
- B
- C
- D
- E

Which of the following models is best suited for a system that has a very complex set of concepts, which are widely used across functionality sets?

- A. client-server
- B. layered
- C. event-based
- D. blackboard
- E. pipe-and-filter

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)



58:19

Multiple Choices

Multiple choices 31/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which of the following is NOT an aspect of software design?

- A. Modularity
- B. Polymorphism
- C. Coupling
- D. Cohesion

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)

59:21

Multiple Choices

Multiple choices 8/50

Answer

(Choose 1 answer)

 A B C D

What is a Requirements Specification?

- A. A process, how the requirements are written (specified)
- B. A product, a written specification of the requirements
- C. Both
- D. Neither

Next 

2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37

3 44 45 46 47 48 49 50

I want to finish the exam.

Finish



58:49

Multiple Choices

Multiple choices 19/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which of the following is NOT an aspect of software design?

- A. Modularity
- B. Polymorphism
- C. Coupling
- D. Cohesion

[Next](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
43	44	45	46	47	48	49	50																												

 I want to finish the exam[Finish](#)



59:13

Multiple Choices

Multiple choices 11/50

Answer

(Choose 1 answer)

 A B C D

Which of the following is NOT an example of a non-functional requirement?

- A. Communication between the client and server will be expressed in EBCDIC encoding.
- B. The developing team shall use the spiral model of software development lifecycle.
- C. The messages between the client and server shall be in YAML 1.2 format
- D. The user shall be able to select the course number

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37				
43	44	45	46	47	48	49	50																																	

 I want to finish the exam. Finish

58:06

Multiple Choices

Multiple choices 35/50

Answer

(Choose 1 answer)

- A
- B
- C
- D
- E

Which of the following statements about cohesion is true?

- A. Cohesion measures how well everything within a module fits together.
- B. Describes the implementation of a single logical entity or function.
- C. Represents a desirable design attitude.
- D. High cohesion is the aim in software development.
- E. All of the others

Next

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
43 44 45 46 47 48 49 50

 I want to finish the exam.

Finish



58:58

Multiple Choices

Multiple choices 16/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which of the following is LEAST desirable?

- A. including functionality which entirely encapsulates all the necessary function for a specific task
- B. including functionality which modifies an object's own attributes
- C. including functionality which occurs around the same time
- D. including functionality which relies on the same input

[Next](#)[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#) [28](#) [29](#) [30](#) [31](#) [32](#) [33](#) [34](#) [35](#) [36](#)[43](#) [44](#) [45](#) [45](#) [47](#) [48](#) [49](#) [50](#) I want to finish the exam.[Finish](#)

59:40

Multiple Choices

Multiple choices 1/50

Answer

(Choose 1 answer)

 A B C D

The four types of weak cohesion are:

- A. Coincidental, temporal, sequential, logical association
- B. Coincidental, temporal, procedural, logical association
- C. Communicational, sequential, object, functional
- D. There is no such thing as loose cohesion

Next 

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36

43 44 45 46 47 48 49 50

 I want to finish the exam.

Finish



58:34

Multiple Choices

Multiple choices 25/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which is statement true?

- A. Since the goal is for every test to pass, tests should only include inputs which will result in successful operation/behavior when executed on correct code.
- B. The developer should first run the tests before adding anything new, to ensure that all tests passed before adding any new tests or code.
- C. Continuous Delivery is an update to the Blue-Green Deployment paradigm.
- D. Statement coverage is the strongest form of code coverage, which is why it is required for many FAA and FDA regulated software projects.

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)



58:36

Multiple Choices

Multiple choices 24/50

Answer

(Choose 1 answer)

 A B C D

Which the software process model is appropriate easy to define of progress milestones?

- A. The waterfall model
- B. The incremental model
- C. The spiral model
- D. None of the other choices

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)



59:29

Multiple Choices

Multiple choices 5/50

Answer

(Choose 1 answer)

 A B C D

When is testing complete?

- A. When you find the last bug
- B. When you run out of time
- C. When you have completed all the tests in the test plan
- D. When you have tested every input

 Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			
43	44	45	46	47	48	49	50																															

 I want to finish the exam. Finish

58:21

Multiple Choices

Multiple choices 30/50

Answer

(Choose 1 answer)

 A B C D

Which is statement true?

- A. Commits should happen only at the end of a daily coding session.
- B. Only one line of code should change per commit.
- C. Commit messages are only helpful to you at the time you make them.
- D. Branching aids developers seeking to work on the same code simultaneously.

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)

58:09

Multiple Choices

Multiple choices 34/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

The two types of medium cohesion are:

- A. There is no such thing as medium cohesion
- B. Sequential, logical association
- C. Communicational, sequential
- D. Coincidental, temporal

Next

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
43	44	45	46	47	48	49	50																											

 I want to finish the exam.

Finish

59:02

Multiple Choices

Multiple choices 15/50

Answer

(Choose 1 answer)

 A B C D

Which of the following statements are true about the XP value of "Simplicity"?

- A. No matter what you are building, just choose a simple design even if it only partially solves the problem.
- B. Select the simplest design that could possibly work.
- C. Generalize your solution so it can work for unanticipated future requests.
- D. The software design for each component should fit on a single page.

Next 

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36

43 44 45 46 47 48 49 50

 I want to finish the exam

Finish



57:53

Multiple Choices

Multiple choices 40/50

Answer

(Choose 1 answer)

- A
- B
- C
- D
- E

Which is not a core property of Kanban?

- A. Daily stand-up
- B. Limit work-in-progress
- C. Measure & Manage Flow
- D. Make Process Policies Explicit
- E. Use Models to Recognize Improvement Opportunities

[Next](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35				
43	44	45	46	47	48	49	50																															

 I want to finish the exam.[Finish](#)



59:26

Multiple Choices

Multiple choices 6/50

Answer (Choose 1 answer)

- A
- B
- C
- D

You have a sort function that provides no details on which sorting algorithm is used. This is an example of which aspect of modularity?

- A. Information Hiding
- B. Cohesion
- C. Data Encapsulation
- D. Coupling

 Next

2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37

3 44 45 46 47 48 49 50

I want to finish the exam.

 Finish



57:44

Multiple Choices

Multiple choices 44/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Select the true statement:

- A. A test case is a set of inputs written to try and "break the code", i.e. find a defect.
- B. Test obligations come from Structural Analysis, that is, from the code itself.
- C. Tests which meet the code coverage criteria can still be poor tests.
- D. Requirements testing is difficult because the tests can't be created until the code is written, which is quite far into the development process.

[Next](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
43	44	45	46	47	48	49	50																											

 I want to finish the exam.[Finish](#)

59:07

Multiple Choices

Multiple choices 13/50

Answer

(Choose 1 answer)

 A B C D

In Scrum, how is Product Backlog Arranged?

- A. Into categories, P1, P2, P3 etc
- B. Large items at the top, small items at the bottom
- C. Most important items at the top, least important items at the bottom
- D. Items are randomly arranged

Next 

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36

43 44 45 46 47 48 49 50

 I want to finish the exam.**Finish**

59:35

Multiple Choices

Multiple choices 3/50

Answer

(Choose 1 answer)

- A
- B
- C
- D
- E

Which of the following is NOT the benefits of the Unified Process?

- A. Supports quality and reuse by emphasizing on architecture
- B. Supports / encourages risk identification and mitigation
- C. Easy to understand and implement
- D. Flexible for handling change.
- E. Supports to incorporate other models in the process for e.g you can use Agile in construction phase.

Next

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36

43 44 45 46 47 48 49 50

 I want to finish the exam.

Finish

59:32

Multiple Choices

Multiple choices 4/50

Answer

(Choose 1 answer)

 A B C D

Which of the following statement is a functional requirement in ATM system?

- A. Check balance of the valid customer
- B. The balance of customer must be reliability
- C. Display balance of customer on the screen with 600 x 800 resolution
- D. All of the others

Next 

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
43	44	45	46	47	48	49	50																												

 I want to finish the exam

Finish



Duration: 60 minutes

Open Code:

Show Question

Q mark: 1

Total Marks: 50

Vol: 8

Font: Microsoft Sans Serif

Size: 10

Time Left:

57:54

Multiple Choices

Multiple choices 39/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which of the four aspects of modularity can be described as: Abstracting away implementation details.

- A. Information Hiding
- B. Cohesion
- C. Data Encapsulation
- D. Coupling

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35				
43	44	45	46	47	48	49	50																															

 I want to finish the exam.

59:37

Multiple Choices

Multiple choices 2/50

Answer

(Choose 1 answer)

 A B C D E

Which of the following models is best suited for a system that includes much functionality which would not necessarily need to have much interaction from a centralized service?

- A. blackboard
- B. client-server
- C. pipe-and-filter
- D. layered
- E. event-based

Next

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37
43 44 45 46 47 48 49 50

 I want to finish the exam.

Finish



58:42

Multiple Choices

Multiple choices 22/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

Which is statement true?

- A. The difference between Continuous Delivery and Continuous Deployment is whether the deployment of code to production is manual or automated, respectively.
- B. Canary is a system of alerts to developers based on build, test, release and/or deployment. The alerts are similar to "tweets" as on Twitter, hence the similarity of the names
- C. Since the goal is for every test to pass, tests should only include inputs which will result in successful operation/behavior when executed on correct code.
- D. Pushing code to production without the need for developer action is one of the primary benefits of Continuous Delivery.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

43	44	45	46	47	48	49	50
----	----	----	----	----	----	----	----

 I want to finish the exam.



58:28

Multiple Choices

Multiple choices 27/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

It is possible for errors to remain undiscovered as long as the erroneous _____ is never used

- A. component
- B. test data
- C. test case
- D. output

[Next](#)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
43 44 45 46 47 48 49 50

 I want to finish the exam.[Finish](#)



Duration: 60 minutes

Open Code:

[Show Questions](#)

Q mark: 1

Total Marks: 50

Vol: 8

Font: Microsoft Sans Serif

Size: 10

Time Left:

57:47

Multiple Choices

Multiple choices 43/50

Answer

(Choose 1 answer)

- A
- B
- C
- D

What is the recommended amount of time to spend on the requirements stage?

- A. 0%
- B. 3-5%
- C. 10%
- D. 20%

[Next](#)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35			
43	44	45	46	47	48	49	50																														

 I want to finish the exam.[Finish](#)