

AAA Digital Platform

Handover Plan

Complete handover guide for Ambitious about Autism

1. System Overview

The AAA Digital Platform is a Next.js 14 training application for ASD awareness caregivers, deployed on Vercel with a PostgreSQL database hosted on Neon. It features child profiles, progress tracking, AI insights via the Vercel AI Gateway (Gemini / Claude / GPT), text-to-speech via ElevenLabs, transactional email via Resend, and optional payments via Stripe. Authentication uses NextAuth v4 with JWT sessions, supporting email/password and SSO via Google and Microsoft Azure AD.

Component	Technology	Hosted at
Frontend & API	Next.js 14 / TypeScript	Vercel (asd-training-app-v2)
Database	PostgreSQL via Prisma ORM	Neon (pooler port 6543)
Authentication	NextAuth v4 JWT sessions	In-app (no external auth service)
File Storage	Vercel Blob	Vercel
AI Features	Vercel AI Gateway → Gemini / Claude / GPT	Vercel
Text-to-Speech	ElevenLabs API (Lily voice)	ElevenLabs
Email	Resend API	Resend
Payments	Stripe (currently disabled)	Stripe

2. Service Accounts — What Must Be Transferred

All credentials listed below are currently owned by the developer. The charity must create their own accounts and replace every credential before going live.

Service	Action Required	Notes
---------	-----------------	-------

Vercel	Create free/pro account → import GitHub repo	vercel.com
Neon	Create free account → create project → copy connection strings	neon.tech
GitHub	Transfer repo ownership or fork	github.com
Google Cloud	Create OAuth 2.0 client for Google Sign-In	console.cloud.google.com
Microsoft Azure	Register app for Microsoft SSO	portal.azure.com
Resend	Create account → verify domain → get API key	resend.com
ElevenLabs	Create account → get API key	elevenlabs.io
Stripe	Create account (charity discount available)	stripe.com

3. Credentials to Replace in Vercel

All environment variables live in Vercel → Project → Settings → Environment Variables. Update each variable for the Production environment, then trigger a new deployment.

Variable	Description	Where to get it
DATABASE_URL	Neon pooler connection (port 6543)	Neon dashboard → Connection string
DIRECT_URL	Neon direct connection (port 5432)	Neon dashboard → Connection string
NEXTAUTH_SECRET	32+ char random string	Run: openssl rand -base64 32
NEXTAUTH_URL	Production URL (no trailing slash)	Your Vercel project URL
GOOGLE_CLIENT_ID	Google OAuth client ID	Google Cloud Console
GOOGLE_CLIENT_SECRET	Google OAuth client secret	Google Cloud Console
AZURE_AD_CLIENT_ID	Microsoft app client ID	Azure Portal
AZURE_AD_CLIENT_SECRET	Microsoft app client secret	Azure Portal
AZURE_AD_TENANT_ID	Use “common” for all accounts	Azure Portal
GEMINI_API_KEY / AI_GATEWAY_API_KEY	AI features key	Vercel AI Gateway or Google AI Studio
RESEND_API_KEY	Email sending	Resend dashboard
ELEVENLABS_API_KEY	Text-to-speech	ElevenLabs dashboard
BLOB_READ_WRITE_TOKEN	File uploads	Vercel → Storage → Blob

4. Handover Checklist

Phase	Task	Status
Phase 1 – Accounts	Create Vercel account	■
	Create Neon account	■
	Fork/transfer GitHub repo	■
	Create Resend account + verify domain	■
Phase 2 – Database	Create Neon project	■
	Copy pooler URL (DATABASE_URL)	■
	Copy direct URL (DIRECT_URL)	■
	Run: npx prisma db push	■
Phase 3 – Auth	Generate NEXTAUTH_SECRET	■
	Set NEXTAUTH_URL to production domain	■
	Create Google OAuth app + add redirect URI	■
	Create Azure AD app + add redirect URI	■
Phase 4 – Env Vars	Add all env vars to Vercel Production environment	■
	Pull to local: npx vercel env pull .env.local	■
Phase 5 – Deploy	Push code to GitHub	■
	Verify Vercel auto-deploy succeeds	■
	Test login (email + Google + Microsoft)	■
Phase 6 – Content	Log in as Charity Admin	■
	Create first real organisation	■
	Add first org admin user	■
	Seed training content if needed	■
Phase 7 – Handover	Remove developer's personal credentials	■
	Test full user journey end-to-end	■
	Document any customisations	■

5. Microsoft SSO Setup

#	Step	Details
---	------	---------

1	Go to Azure Portal	Navigate to portal.azure.com and sign in with your Microsoft account.
2	Open App Registrations	Search “App registrations” in the top search bar and click it.
3	New Registration	Click “+ New registration” at the top of the page.
4	Name the app	Enter a name such as “AAA Digital Platform” — this is just for your reference.
5	Set account types	Select “Accounts in any organizational directory and personal Microsoft accounts”.
6	Add Redirect URI	Choose “Web” and enter: https://your-domain.vercel.app/api/auth/callback/azure-ad
7	Click Register	Click the Register button at the bottom. You will be taken to the app overview.
8	Copy Application (client) ID	This is your AZURE_AD_CLIENT_ID — copy it now.
9	Copy Directory (tenant) ID	Use “common” in your env vars unless restricting to one tenant.
10	Create a Client Secret	Go to Certificates & secrets → New client secret → set expiry → Add.
11	Copy the secret value	Copy the Value (NOT the ID) immediately — it is only shown once. This is AZURE_AD_CLIENT_SECRET.
12	Add to Vercel	In Vercel → Settings → Environment Variables, add AZURE_AD_CLIENT_ID, AZURE_AD_CLIENT_SECRET, AZURE_AD_TENANT_ID.
13	Redeploy	Trigger a new deployment in Vercel for the variables to take effect.

The redirect URI must exactly match what is set in Azure. If you use a custom domain, update the URI in Azure to match.

6. Google SSO Setup (Optional)

#	Step	Details
1	Google Cloud Console	Go to console.cloud.google.com and sign in.
2	Create a Project	Click the project dropdown → New Project → give it a name → Create.
3	Enable OAuth	Go to APIs & Services → OAuth consent screen → External → Create.
4	Fill consent screen	Add app name, support email, developer email. Save and Continue through all steps.
5	Create Credentials	Go to Credentials → + Create Credentials → OAuth client ID.
6	Application type	Select “Web application”. Add your domain to Authorised JavaScript origins.

7	Add Redirect URI	Add: https://your-domain.vercel.app/api/auth/callback/google
8	Copy credentials	Copy the Client ID and Client Secret. Add as GOOGLE_CLIENT_ID and GOOGLE_CLIENT_SECRET in Vercel.

7. Environment Variables Reference

Variable	Required	Description
DATABASE_URL	Yes	Neon pooler connection string (port 6543, pgbouncer=true)
DIRECT_URL	Yes	Neon direct connection string (port 5432, migrations only)
NEXTAUTH_SECRET	Yes	32+ character random string for JWT signing
NEXTAUTH_URL	Yes	Full production URL with no trailing slash
GEMINI_API_KEY	Alt	Google Gemini API key (alternative to AI_GATEWAY_API_KEY)
AI_GATEWAY_API_KEY	Alt	Vercel AI Gateway key (preferred for multi-provider AI)
RESEND_API_KEY	Yes	Resend email API key for transactional emails
ELEVENLABS_API_KEY	Yes	ElevenLabs text-to-speech API key (Lily voice)
BLOB_READ_WRITE_TOKEN	Yes	Vercel Blob token for file uploads and document storage
GOOGLE_CLIENT_ID	No	Google OAuth client ID (disables Google SSO if absent)
GOOGLE_CLIENT_SECRET	No	Google OAuth client secret
AZURE_AD_CLIENT_ID	No	Azure AD app client ID (disables Microsoft SSO if absent)
AZURE_AD_CLIENT_SECRET	No	Azure AD app client secret
AZURE_AD_TENANT_ID	No	Use "common" for all accounts or specific tenant ID
STRIPE_SECRET_KEY	No	Stripe secret key (sk_test_... or sk_live_...)
STRIPE_PUBLISHABLE_KEY	No	Stripe publishable key (pk_test_... or pk_live_...)
STRIPE_WEBHOOK_SECRET	No	Stripe webhook signing secret (whsec_...)
STRIPE_SUBSCRIPTION_PRICE_YEARLY	No	Stripe Price ID for yearly All-Access tier
ENABLE_PAYMENTS	No	Set to true to expose payments features (keep false until live)
DISABLE_MFA	No	Set to true to skip MFA enforcement (not recommended)
EMAIL_LOGO_URL	No	Override AAA logo URL in transactional emails

8. DNS & Custom Domain

To point a custom domain (e.g. training.ambitiousaboutautism.org.uk) at the platform:

#	Step	Details
1	Add domain in Vercel	Vercel dashboard → Project → Settings → Domains → Add. Vercel provides the required DNS records.
2	Update DNS records	In your domain registrar's DNS panel, add the A record (or CNAME) shown by Vercel. Propagation can take up to 48 hours.
3	Update NEXTAUTH_URL	Change NEXTAUTH_URL in Vercel env vars to the new domain (e.g. https://training.ambitiousaboutautism.org.uk). Redeploy.
4	Update Google redirect	In Google Cloud Console → Credentials → your OAuth client, add the new domain to Authorised redirect URIs.
5	Update Azure redirect	In Azure Portal → App registrations → your app → Authentication, update the Redirect URI to the new domain.
6	Verify SSL	Vercel provisions an SSL certificate automatically via Let's Encrypt. Check the domain in Vercel shows "Valid Configuration".

9. Cost Breakdown

Service	Free Tier	Paid Tier	Est. Monthly
Vercel	Hobby (personal only)	Pro \$20/mo	\$20–\$40
Neon	0.5GB storage, 1 project	Scale \$19/mo	\$0–\$19
Resend	3,000 emails/mo	\$20/mo for 50k	\$0–\$20
ElevenLabs	10k chars/mo	Starter \$5/mo	\$5–\$22
Stripe	No monthly fee	1.4% + 20p per transaction	Transaction fees only
GitHub	Free for public repos	Free	\$0
Google OAuth	Free	Free	\$0
Azure AD	Free (basic)	Free for SSO	\$0

For a charity running this at small scale (under 100 users, low email volume), the total monthly cost is likely £0–£30. Vercel Hobby is free but cannot be used for commercial/charity use — use Pro.

10. Testing Checklist

Test	Expected Result
Email + password login	Redirects to /dashboard (leaf role) or /super-admin (Charity Admin)
Google SSO login	Redirects correctly; user linked to existing account
Microsoft SSO login	Redirects correctly; user linked to existing account
Training module loads	Lesson content renders; TTS play button functions

Progress is saved	Completing a lesson updates progress bar; certificate shown
Forgot-password email	Email arrives within 2 minutes; reset link works
File upload (document library)	File uploads to Vercel Blob; appears in library
Admin panel accessible	Charity Admin can view /super-admin; org admin can view /admin
MFA setup and verify	TOTP QR code scannable; 6-digit code accepted
Org admin creates a session	Workshop appears in /sessions for selected attendees
Quiz attempt records score	Score saved to TrainingProgress; quiz result shown
Report export works	Org admin can download CSV report with correct data

11. Maintenance Guide

Task	Frequency	How
Update dependencies	Monthly	npm audit; npm update
Review error logs	Weekly	Vercel → Functions → Logs
Database backups	Automatic	Neon handles backups (point-in-time restore)
Renew Azure secret	Every 1–2 years	Azure Portal → App → Certificates & secrets
Review user accounts	Quarterly	Super Admin panel → Users
Check Stripe payouts	As needed	Stripe dashboard (when payments enabled)

12. Support & Resources

The developer (Simon Hodgson) is available for handover support. Contact via the project GitHub repository.

Resource	URL
Platform (live)	https://asd-training-app-v2.vercel.app
GitHub repository	https://github.com/Hodgy007/asd-training-app (or new name)
Vercel dashboard	https://vercel.com/dashboard
Neon dashboard	https://console.neon.tech
NextAuth docs	https://next-auth.js.org
Prisma docs	https://prisma.io/docs
Ambitious about Autism	https://ambitiousaboutautism.org.uk

Going Live

Custom Domain · DNS · Email Authentication

This appendix covers the steps needed to move the platform from its current Vercel preview URL (**asd-training-app-v2.vercel.app**) to a production domain such as **education.ambitiousaboutautism.com**, and to authenticate the domain with Resend so that transactional emails (password resets, reports) are delivered reliably and do not land in spam.

A1. Setting Up a Custom Domain on Vercel

The platform is deployed on Vercel. Adding a custom domain takes about five minutes in the Vercel dashboard, but you must also update several environment variables and third-party configurations at the same time — if you miss any of these the site will appear broken.

Step 1 — Add the domain in Vercel

- Log in to **vercel.com** and open the **asd-training-app-v2** project.
- Go to **Settings** → **Domains**.
- Click **Add Domain** and enter the full domain (e.g. **education.ambitiousaboutautism.com**).
- Vercel will display the DNS record you need to create. For a subdomain it will be a **CNAME** record; for an apex domain (no subdomain) it will be an **A record**.
- Leave this tab open — you will need the record values in the next step.

Step 2 — Create the DNS record at your registrar

Log in to the DNS management console for **ambitiousaboutautism.com** (wherever the domain is registered — commonly GoDaddy, Namecheap, Cloudflare, or the charity's IT provider). Add the record shown by Vercel:

Type	Host	Value	TTL
CNAME	education	csprod.vercel-dns.com.	3600

The exact value shown by Vercel may differ — always copy it directly from the Vercel dashboard rather than using the example above. DNS changes can take up to 48 hours to propagate globally, though they usually resolve within 15–30 minutes.

Step 3 — Wait for Vercel to verify the domain

Return to the Vercel Domains page. Once the DNS record has propagated, the domain status will change from **Pending** to a green **Valid Configuration**. Vercel automatically provisions an SSL certificate via Let's Encrypt — no manual certificate work is needed.

Step 4 — Update NEXTAUTH_URL (critical)

NextAuth uses **NEXTAUTH_URL** to build callback and redirect URLs. If this is not updated, all login attempts will fail after the domain switch.

- In the Vercel dashboard, go to **Settings** → **Environment Variables**.
- Find **NEXTAUTH_URL** and click Edit.
- Change the value to the new domain: **https://education.ambitiousaboutautism.com** (no trailing slash).
- Make sure **Production** environment is selected.

- Click Save, then **Redeploy** the project (Deployments → the latest deployment → Redeploy) so the new value takes effect.

Do not update NEXTAUTH_URL until the domain is verified in Vercel and DNS is propagating — changing it too early will break logins on the old URL before the new one is working.

Step 5 — Update SSO callback URLs

If Google or Microsoft SSO is configured, their registered redirect URIs must be updated to include the new domain. Users will receive an "invalid redirect URI" error from the SSO provider if this is missed.

Google OAuth:

- Go to **console.cloud.google.com** → **APIs & Services** → **Credentials**.
- Open the OAuth 2.0 Client ID used by the platform.
- Under **Authorised redirect URIs**, add:
`https://education.ambitiousaboutautism.com/api/auth/callback/google`
- You can keep the old Vercel URL as well — having both is safe during transition.
- Click Save.

Microsoft Azure AD:

- Go to **portal.azure.com** → **App registrations** and open the app.
- Go to **Authentication** → **Web** → **Redirect URIs**.
- Add: **`https://education.ambitiousaboutautism.com/api/auth/callback/azure-ad`**
- Click Save.

Step 6 — Smoke-test after the switch

Home page loads	Visit <code>https://education.ambitiousaboutautism.com</code> — should show the login page with a padlock (SSL).
Email/password login	Sign in with a test account. Should land on the correct dashboard.
Forgot password email	Trigger a password reset — the link in the email should use the new domain.
Google SSO	Click "Sign in with Google" — should complete without redirect errors.
Microsoft SSO	Click "Sign in with Microsoft" — should complete without redirect errors.
Old URL redirect	Visit <code>asd-training-app-v2.vercel.app</code> — add a redirect in Vercel Domains to send users to the new URL.

A2. Email Authentication — Resend DNS Records

The platform sends transactional emails (password resets, scheduled reports, invitation emails) via **Resend**. For these emails to be delivered reliably — and not flagged as spam — the sending domain must be authenticated with three DNS records: **SPF**, **DKIM**, and **DMARC**.

Without these records, password reset emails and report digests may be silently dropped into spam folders or rejected outright by recipient mail servers. This step is essential before the platform goes live with real users.

Step 1 — Add your domain to Resend

- Log in to **resend.com** with the account holding the **RESEND_API_KEY** configured in Vercel.
- Go to **Domains** and click **Add Domain**.
- Enter **ambitiousaboutautism.com** (or whichever domain you want to send from — it must match the "From" address in the platform's emails).
- Select the region closest to your users (Europe is recommended for UK users).
- Resend will display a set of DNS records to add. Copy each one.

Step 2 — Add the DNS records at your registrar

The exact values are generated by Resend and unique to your account. The record types are always the same — use the values from the Resend dashboard, not the placeholders below:

Type	Host	Value	TTL
TXT	resend._domainkey	p=	3600
TXT	@ (or the domain)	v=spf1 include:amazonses.com ~all	3600
TXT	_dmarc	v=DMARC1; p=none; rua=mailto:dmarc@ambitiousaboutautism.com	3600
MX	bounces	feedback-smtp.eu-west-1.amazonses.com	3600

What each record does:

DKIM (DomainKeys Identified Mail)	Adds a cryptographic signature to every outbound email, proving it genuinely came from your domain and was not tampered with in transit. Most mail servers now require this.
SPF (Sender Policy Framework)	Lists the mail servers authorised to send email on behalf of your domain. Receiving mail servers check this to detect spoofed senders.

DMARC (Domain-based Message Auth.)	Tells receiving servers what to do when SPF or DKIM checks fail — none (monitor only), quarantine (spam folder), or reject. Start with p=none to observe before enforcing.
MX — bounces	Routes bounce notifications (undeliverable email reports) back through Resend so they are tracked in the Resend dashboard.

Step 3 — Verify the domain in Resend

- After adding the DNS records, return to **Resend** → **Domains**.
- Click **Verify** next to your domain. Resend will check for the records.
- If verification fails, wait 15–30 minutes for DNS to propagate and try again.
- Once verified, the domain status shows a green **Verified** badge.

Step 4 — Set the From address in Vercel

The platform's transactional emails are sent from an address configured in the **Resend API key** and the code's email templates. Confirm the "From" address in **lib/email-templates/layout.ts** matches the verified Resend domain. If you change the sending domain, update this file and redeploy.

Step 5 — Send a test email

- In the platform, trigger a **Forgot Password** for a test account.
- Check the inbox — the email should arrive in the inbox (not spam) within 30 seconds.
- Inspect the email headers: look for **dkim=pass** and **spf=pass** in the Authentication-Results header to confirm both records are working.
- In **Resend** → **Emails**, you should see the delivery logged with a "Delivered" status.

Once live, monitor the Resend dashboard weekly for bounce rates and spam complaints. A bounce rate above 5% or complaint rate above 0.1% can cause Resend to suspend the account. Remove invalid email addresses promptly.

DMARC policy progression (recommended)

Start with **p=none** (monitoring mode) for the first 2–4 weeks after launch to catch any legitimate email flows that fail authentication. Once you are confident, tighten the policy:

Week 1–4	p=none	Monitor only. No emails blocked.
Month 2	p=quarantine	Failed emails go to spam. Start blocking forgeries.
Month 3+	p=reject	Failed emails are rejected outright. Full protection.