

AAA Digital Platform

Handover Plan

Complete handover guide for Ambitious about Autism

1. System Overview

The AAA Digital Platform is a Next.js 14 training application for ASD awareness caregivers, deployed on Vercel with a PostgreSQL database hosted on Neon. It features child profiles, progress tracking, AI insights via the Vercel AI Gateway (Gemini / Claude / GPT), text-to-speech via ElevenLabs, transactional email via Resend, and optional payments via Stripe. Authentication uses NextAuth v4 with JWT sessions, supporting email/password and SSO via Google and Microsoft Azure AD.

Component	Technology	Hosted at
Frontend & API	Next.js 14 / TypeScript	Vercel (asd-training-app-v2)
Database	PostgreSQL via Prisma ORM	Neon (pooler port 6543)
Authentication	NextAuth v4 JWT sessions	In-app (no external auth service)
File Storage	Vercel Blob	Vercel
AI Features	Vercel AI Gateway → Gemini / Claude / GPT	Vercel
Text-to-Speech	ElevenLabs API (Lily voice)	ElevenLabs
Email	Resend API	Resend
Payments	Stripe (currently disabled)	Stripe

2. Service Accounts — What Must Be Transferred

All credentials listed below are currently owned by the developer. The charity must create their own accounts and replace every credential before going live.

Service	Action Required	Notes
---------	-----------------	-------

Vercel	Create free/pro account → import GitHub repo	vercel.com
Neon	Create free account → create project → copy connection strings	neon.tech
GitHub	Transfer repo ownership or fork	github.com
Google Cloud	Create OAuth 2.0 client for Google Sign-In	console.cloud.google.com
Microsoft Azure	Register app for Microsoft SSO	portal.azure.com
Resend	Create account → verify domain → get API key	resend.com
ElevenLabs	Create account → get API key	elevenlabs.io
Stripe	Create account (charity discount available)	stripe.com

3. Credentials to Replace in Vercel

All environment variables live in Vercel → Project → Settings → Environment Variables. Update each variable for the Production environment, then trigger a new deployment.

Variable	Description	Where to get it
DATABASE_URL	Neon pooler connection (port 6543)	Neon dashboard → Connection string
DIRECT_URL	Neon direct connection (port 5432)	Neon dashboard → Connection string
NEXTAUTH_SECRET	32+ char random string	Run: openssl rand -base64 32
NEXTAUTH_URL	Production URL (no trailing slash)	Your Vercel project URL
GOOGLE_CLIENT_ID	Google OAuth client ID	Google Cloud Console
GOOGLE_CLIENT_SECRET	Google OAuth client secret	Google Cloud Console
AZURE_AD_CLIENT_ID	Microsoft app client ID	Azure Portal
AZURE_AD_CLIENT_SECRET	Microsoft app client secret	Azure Portal
AZURE_AD_TENANT_ID	Use “common” for all accounts	Azure Portal
GEMINI_API_KEY / AI_GATEWAY_API_KEY	AI features key	Vercel AI Gateway or Google AI Studio
RESEND_API_KEY	Email sending	Resend dashboard
ELEVENLABS_API_KEY	Text-to-speech	ElevenLabs dashboard
BLOB_READ_WRITE_TOKEN	File uploads	Vercel → Storage → Blob

4. Handover Checklist

Phase	Task	Status
Phase 1 – Accounts	Create Vercel account	■
	Create Neon account	■
	Fork/transfer GitHub repo	■
	Create Resend account + verify domain	■
Phase 2 – Database	Create Neon project	■
	Copy pooler URL (DATABASE_URL)	■
	Copy direct URL (DIRECT_URL)	■
	Run: npx prisma db push	■
Phase 3 – Auth	Generate NEXTAUTH_SECRET	■
	Set NEXTAUTH_URL to production domain	■
	Create Google OAuth app + add redirect URI	■
	Create Azure AD app + add redirect URI	■
Phase 4 – Env Vars	Add all env vars to Vercel Production environment	■
	Pull to local: npx vercel env pull .env.local	■
Phase 5 – Deploy	Push code to GitHub	■
	Verify Vercel auto-deploy succeeds	■
	Test login (email + Google + Microsoft)	■
Phase 6 – Content	Log in as Charity Admin	■
	Create first real organisation	■
	Add first org admin user	■
	Seed training content if needed	■
Phase 7 – Handover	Remove developer's personal credentials	■
	Test full user journey end-to-end	■
	Document any customisations	■

5. Microsoft SSO Setup

#	Step	Details
---	------	---------

1	Go to Azure Portal	Navigate to portal.azure.com and sign in with your Microsoft account.
2	Open App Registrations	Search “App registrations” in the top search bar and click it.
3	New Registration	Click “+ New registration” at the top of the page.
4	Name the app	Enter a name such as “AAA Digital Platform” — this is just for your reference.
5	Set account types	Select “Accounts in any organizational directory and personal Microsoft accounts”.
6	Add Redirect URI	Choose “Web” and enter: https://your-domain.vercel.app/api/auth/callback/azure-ad
7	Click Register	Click the Register button at the bottom. You will be taken to the app overview.
8	Copy Application (client) ID	This is your AZURE_AD_CLIENT_ID — copy it now.
9	Copy Directory (tenant) ID	Use “common” in your env vars unless restricting to one tenant.
10	Create a Client Secret	Go to Certificates & secrets → New client secret → set expiry → Add.
11	Copy the secret value	Copy the Value (NOT the ID) immediately — it is only shown once. This is AZURE_AD_CLIENT_SECRET.
12	Add to Vercel	In Vercel → Settings → Environment Variables, add AZURE_AD_CLIENT_ID, AZURE_AD_CLIENT_SECRET, AZURE_AD_TENANT_ID.
13	Redeploy	Trigger a new deployment in Vercel for the variables to take effect.

The redirect URI must exactly match what is set in Azure. If you use a custom domain, update the URI in Azure to match.

6. Google SSO Setup (Optional)

#	Step	Details
1	Google Cloud Console	Go to console.cloud.google.com and sign in.
2	Create a Project	Click the project dropdown → New Project → give it a name → Create.
3	Enable OAuth	Go to APIs & Services → OAuth consent screen → External → Create.
4	Fill consent screen	Add app name, support email, developer email. Save and Continue through all steps.
5	Create Credentials	Go to Credentials → + Create Credentials → OAuth client ID.
6	Application type	Select “Web application”. Add your domain to Authorised JavaScript origins.

7	Add Redirect URI	Add: <code>https://your-domain.vercel.app/api/auth/callback/google</code>
8	Copy credentials	Copy the Client ID and Client Secret. Add as <code>GOOGLE_CLIENT_ID</code> and <code>GOOGLE_CLIENT_SECRET</code> in Vercel.

7. Environment Variables Reference

Variable	Required	Description
<code>DATABASE_URL</code>	Yes	Neon pooler connection string (port 6543, pgbouncer=true)
<code>DIRECT_URL</code>	Yes	Neon direct connection string (port 5432, migrations only)
<code>NEXTAUTH_SECRET</code>	Yes	32+ character random string for JWT signing
<code>NEXTAUTH_URL</code>	Yes	Full production URL with no trailing slash
<code>GEMINI_API_KEY</code>	Alt	Google Gemini API key (alternative to <code>AI_GATEWAY_API_KEY</code>)
<code>AI_GATEWAY_API_KEY</code>	Alt	Vercel AI Gateway key (preferred for multi-provider AI)
<code>RESEND_API_KEY</code>	Yes	Resend email API key for transactional emails
<code>ELEVENLABS_API_KEY</code>	Yes	ElevenLabs text-to-speech API key (Lily voice)
<code>BLOB_READ_WRITE_TOKEN</code>	Yes	Vercel Blob token for file uploads and document storage
<code>GOOGLE_CLIENT_ID</code>	No	Google OAuth client ID (disables Google SSO if absent)
<code>GOOGLE_CLIENT_SECRET</code>	No	Google OAuth client secret
<code>AZURE_AD_CLIENT_ID</code>	No	Azure AD app client ID (disables Microsoft SSO if absent)
<code>AZURE_AD_CLIENT_SECRET</code>	No	Azure AD app client secret
<code>AZURE_AD_TENANT_ID</code>	No	Use "common" for all accounts or specific tenant ID
<code>STRIPE_SECRET_KEY</code>	No	Stripe secret key (<code>sk_test_...</code> or <code>sk_live_...</code>)
<code>STRIPE_PUBLISHABLE_KEY</code>	No	Stripe publishable key (<code>pk_test_...</code> or <code>pk_live_...</code>)
<code>STRIPE_WEBHOOK_SECRET</code>	No	Stripe webhook signing secret (<code>whsec_...</code>)
<code>STRIPE_SUBSCRIPTION_PRICE_YEARLY</code>	No	Stripe Price ID for yearly All-Access tier
<code>ENABLE_PAYMENTS</code>	No	Set to true to expose payments features (keep false until live)
<code>DISABLE_MFA</code>	No	Set to true to skip MFA enforcement (not recommended)
<code>EMAIL_LOGO_URL</code>	No	Override AAA logo URL in transactional emails

8. DNS & Custom Domain

To point a custom domain (e.g. `training.ambitiousaboutautism.org.uk`) at the platform:

#	Step	Details
1	Add domain in Vercel	Vercel dashboard → Project → Settings → Domains → Add. Vercel provides the required DNS records.
2	Update DNS records	In your domain registrar's DNS panel, add the A record (or CNAME) shown by Vercel. Propagation can take up to 48 hours.
3	Update NEXTAUTH_URL	Change NEXTAUTH_URL in Vercel env vars to the new domain (e.g. https://training.ambitiousaboutautism.org.uk). Redeploy.
4	Update Google redirect	In Google Cloud Console → Credentials → your OAuth client, add the new domain to Authorised redirect URIs.
5	Update Azure redirect	In Azure Portal → App registrations → your app → Authentication, update the Redirect URI to the new domain.
6	Verify SSL	Vercel provisions an SSL certificate automatically via Let's Encrypt. Check the domain in Vercel shows "Valid Configuration".

9. Cost Breakdown

Service	Free Tier	Paid Tier	Est. Monthly
Vercel	Hobby (personal only)	Pro \$20/mo	\$20–\$40
Neon	0.5GB storage, 1 project	Scale \$19/mo	\$0–\$19
Resend	3,000 emails/mo	\$20/mo for 50k	\$0–\$20
ElevenLabs	10k chars/mo	Starter \$5/mo	\$5–\$22
Stripe	No monthly fee	1.4% + 20p per transaction	Transaction fees only
GitHub	Free for public repos	Free	\$0
Google OAuth	Free	Free	\$0
Azure AD	Free (basic)	Free for SSO	\$0

For a charity running this at small scale (under 100 users, low email volume), the total monthly cost is likely £0–£30. Vercel Hobby is free but cannot be used for commercial/charity use — use Pro.

10. Testing Checklist

Test	Expected Result
Email + password login	Redirects to /dashboard (leaf role) or /super-admin (Charity Admin)
Google SSO login	Redirects correctly; user linked to existing account
Microsoft SSO login	Redirects correctly; user linked to existing account
Training module loads	Lesson content renders; TTS play button functions

Progress is saved	Completing a lesson updates progress bar; certificate shown
Forgot-password email	Email arrives within 2 minutes; reset link works
File upload (document library)	File uploads to Vercel Blob; appears in library
Admin panel accessible	Charity Admin can view /super-admin; org admin can view /admin
MFA setup and verify	TOTP QR code scannable; 6-digit code accepted
Org admin creates a session	Workshop appears in /sessions for selected attendees
Quiz attempt records score	Score saved to TrainingProgress; quiz result shown
Report export works	Org admin can download CSV report with correct data

11. Maintenance Guide

Task	Frequency	How
Update dependencies	Monthly	npm audit; npm update
Review error logs	Weekly	Vercel → Functions → Logs
Database backups	Automatic	Neon handles backups (point-in-time restore)
Renew Azure secret	Every 1–2 years	Azure Portal → App → Certificates & secrets
Review user accounts	Quarterly	Super Admin panel → Users
Check Stripe payouts	As needed	Stripe dashboard (when payments enabled)

12. Support & Resources

The developer (Simon Hodgson) is available for handover support. Contact via the project GitHub repository.

Resource	URL
Platform (live)	https://asd-training-app-v2.vercel.app
GitHub repository	https://github.com/Hodgy007/asd-training-app (or new name)
Vercel dashboard	https://vercel.com/dashboard
Neon dashboard	https://console.neon.tech
NextAuth docs	https://next-auth.js.org
Prisma docs	https://prisma.io/docs
Ambitious about Autism	https://ambitiousaboutautism.org.uk