Disaster Network

Evidence: resource data prevents infeasible assignments

Offline execution of the application's actual provider-replanning rules, compared with a deliberately naive allocation without remaining-capacity context. One synthetic outage; not an LLM or production benchmark.

Scenario and shared inputs

Delta Drying becomes unavailable. Two scheduled cleaning/drying missions need replacement. Both approaches receive the same affected missions, provider directory and outage. The portfolio contains 80 invented households / 170 people, 10 providers and 9 initial missions; only the 2 disrupted missions are scored.

Metric	Naive baseline	Application
Feasible reassignments	**0 / 2**	**2 / 2**
Invalid capacity assignments	**2**	**0**
Unassigned affected missions	**0**	**0**

What changed

The baseline chooses Berre Drying (dry-2), the first available provider with the right skill. Its two slots are already occupied, so both added assignments are infeasible. The application checks free capacity, availability, matching skills, site access and reservations within the proposed plan. It reassigns both missions to Riviera Drying (dry-4), which has two free slots.

Integrity and interpretation

After applying the actual proposed plan, both affected missions are scheduled with the chosen provider. All unrelated missions remain unchanged and all three blocked missions remain blocked. The fixture's assumed two-hour delay and EUR 180 extra mission cost are not measured travel times, provider quotes or savings.

The result demonstrates the value of operational data and deterministic constraints on this scenario. It does not establish model accuracy, general performance, faster real-world assistance, or financial savings. No microphone, OpenAI request, database write, booking or payment was used.

Reproduce

```
bun run scripts/submission-benchmark.js
```

The script calls the shipped useInsurerWorkspace composable through a minimal Nuxt state bridge; it does not replace the business rules. Raw JSON and CSV results include source/dataset SHA-256 hashes.

Run: 22 October 2026, 13:14 Europe/Paris. Dataset SHA-256: 82b5cfc95954b68c3e0cb16a...