

Linguistic Atlas API 1.0.0 OAS 3.1

[/openapi.json](#)

A data-driven API for exploring, analysing, and preserving the world’s languages. Discover linguistic relationships, uncover hidden patterns, and interact with the Atlas through intelligent insights.

Authorize 

Core ^

GET / Root ^

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/' \
  -H 'accept: application/json'
```

Request URL

https://web-production-88604.up.railway.app/

Server response

Code

Details

200

Response body

```
{
  "message": "Linguistic Atlas API is running"
}
```

Download

Response headers

```
content-length: 45
content-type: application/json
date: Mon, 23 Mar 2026 23:48:08 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: Vj50eLKpTpqHzGFbrJsmnA
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
"string"		

GET /health Health



Authorisation



POST /auth/register Register



POST /auth/login Login



Parameters

Cancel

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "email": "researcher@linguisticatlas.com",
  "password": "yourpassword123"
}
```

//

Execute

Clear

Responses**Curl**

```
curl -X 'POST' \
  'https://web-production-88604.up.railway.app/auth/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "researcher@linguisticatlas.com",
    "password": "yourpassword123"
  }'
```

Request URL`https://web-production-88604.up.railway.app/auth/login`**Server response****Code****Details**

200

Response body

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJyZXNlYXJjaGVyQGxpbmd1aXN0aWNhdGxhcy5jb20iLCJyb2x1IjoieURNSU4iLCJpZCI6MTIsImV4cCI6MTc3NDMxMzM5MX0uJ1ktpymxav-CxxTmtbij0jErMY7P-_dKQwcNars9QI4"
}
```

Download

Response headers

```
access-control-allow-credentials: true
content-length: 207
content-type: application/json
date: Mon, 23 Mar 2026 23:48:40 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: uHzjiWhGTImvk-PhrJsmnA
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	

}

GET

/auth/me

Me

Parameters

Cancel

Name	Description
token string (query) ★ required eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/auth/me?token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJyZXNlYXJjaGVyQGxpYXN0aWNhdGxhc3R5b20iLCJyb2xlIjoiaURNSU4iLCJpZCI6MTIsImV4cCI6MTc3NDMxMzMzMzMyMX0uJ1ktYmxa
  -H 'accept: application/json'
```

Request URL

```
https://web-production-88604.up.railway.app/auth/me?
token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJyZXNlYXJjaGVyQGxpbmd1aXN0a
WNhdGxhc3R5b20iLCJyb2xlIjoiaURNSU4iLCJpZCI6MTIsImV4cCI6MTc3NDMxMzMzMzMyMX0uJ1ktYmxa
v-CxxTmtbij0jErMY7P-_dKQwcNars9QI4
```

Server response

Code	Details
200	Response body <pre>{ "sub": "researcher@linguisticatlas.com", "role": "ADMIN", "id": 12, "exp": 1774313321 }</pre> Download Response headers

```
content-length: 80
content-type: application/json
date: Mon, 23 Mar 2026 23:48:58 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: VS5F2DJQRiS-UchprJsmnA
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

Languages

^

GET

/languages/map

Visualise languages geographically



Parameters

Cancel

Name	Description
limit integer (query)	500 maximum: 2000 minimum: 1

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'https://web-production-88604.up.railway.app/languages/map?limit=500' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

https://web-production-88604.up.railway.app/languages/map?limit=500

Server response

Code	Details
200	Response body <pre>{ "ID": "tama1329", "Name": "Tamaic", "Macroarea": "Africa", "Latitude": 14.1199, "Longitude": 22.0722, "Level": "family", "ISO639P3code": null }, { "ID": "yare1250", "Name": "Yareban", "Macroarea": "Papunesia", "Latitude": -9.526500833333332,</pre>

```
"Longitude": 148.41375,
"Level": "family",
"ISO639P3code": null
},
{
  "ID": "monu1249",
  "Name": "Bogia",
  "Macroarea": "Papunesia",
  "Latitude": -4.313245,
  "Longitude": 144.97,
  "Level": "family".
```

Download

Response headers

```
content-length: 73987
content-type: application/json
date: Mon, 23 Mar 2026 23:49:23 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: 1Q4NmInoSFy8VJLqrJsmnA
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema<pre>[{ "ID": "stan1295", "Name": "Somali", "Macroarea": "Africa", "Latitude": 6, "Longitude": 46, "Level": "language", "ISO639P3code": "som" }]</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema<pre>{ "detail": [{</pre>	


```
    "loc": [  
      "string",  
      0  
    ],  
    "msg": "string",  
    "type": "string",  
    "input": "string",  
    "ctx": {}  
  }  
]  
}
```

GET /languages/search Search languages by name



Parameters

Cancel

Name	Description
------	-------------

name * required

string
(query)

Swahili

limit

integer
(query)

20

maximum: 100
minimum: 1

offset

integer
(query)

0

minimum: 0

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://web-production-88604.up.railway.app/languages/search?name=Swahili&li  
  -H 'accept: application/json' \  
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/languages/search?name=Swahili&limit=20&offset=0

Server response

Code	Details
200	Response body <pre>"first_year_of_documentation": null, "is_isolate": false, "endangerment": "Not Endangered", "at_risk": false }, { "id": "cutc1238", "latitude": -3.13905, "glottocode": "cutc1238", "level": "language", "family_id": "atla1278", "closest_iso_code": "ccl", "last_year_of_documentation": null, "longitude": 38.6217, "name": "Cutchi-Swahili", "macroarea": "Africa", "iso_code": "ccl", "countries": "KE;TZ", "language_id": null, "first_year_of_documentation": null, "is_isolate": false, "endangerment": "Threatened", "at_risk": true }, { </pre> Download Response headers <pre>content-length: 3823 content-type: application/json date: Mon, 23 Mar 2026 23:49:46 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: xoSBXS2SRguhqRlCrJsmnA</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

```
[
  {
    "id": "stan1295",
    "name": "Somali",
    "macroarea": "Africa",
    "latitude": 6,
    "longitude": 46,
    "glottocode": "soma1255",
    "iso_code": "som",
    "level": "language",
    "countries": "SO ET KE DJ",
    "family_id": "afro1255",
    "closest_iso_code": "som",
    "first_year_of_documentation": 1900,
    "last_year_of_documentation": 2020,
    "is_isolate": false,
    "endangerment": "Not Endangered",
    "at_risk": false
  }
]
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/languages/random Discover a random language

GET

/languages/iso/{iso_code} Look up a language by ISO 639-3 code

Parameters

Cancel

Name

Description

iso_code * required

string

(path)

and

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/languages/iso/and' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/languages/iso/and

Server response

Code

Details

200

Response body

```
{
  "id": "ansu1237",
  "latitude": -1.7543,
  "glottocode": "ansu1237",
  "level": "language",
  "family_id": "aust1307",
  "closest_iso_code": "and",
  "last_year_of_documentation": null,
  "longitude": 135.866,
  "name": "Ansus",
  "macroarea": "Papunesia",
  "iso_code": "and",
  "countries": "ID",
  "language_id": null,
  "first_year_of_documentation": null,
  "is_isolate": false
}
```

Download

Response headers

```
content-length: 327
content-type: application/json
```

date: Mon, 23 Mar 2026 23:50:16 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: jX-AJbnJS-qb3D01rJsmnA

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": "stan1295", "name": "Somali", "macroarea": "Africa", "latitude": 6, "longitude": 46, "glottocode": "soma1255", "iso_code": "som", "level": "language", "countries": "SO ET KE DJ", "family_id": "afro1255", "closest_iso_code": "som", "first_year_of_documentation": 1900, "last_year_of_documentation": 2020, "is_isolate": false, "endangerment": "Not Endangered", "at_risk": false }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

```
}  
]  
}
```

GET

/languages/{language_id} Get a language by Glottolog ID



Parameters

Cancel

Name

Description

language_id * required

string

(path)

ansu1237

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://web-production-88604.up.railway.app/languages/ansu1237' \  
  -H 'accept: application/json' \  
  -H 'X-API-Key: secret123'
```

Request URL

<https://web-production-88604.up.railway.app/languages/ansu1237>

Server response

Code

Details

200

Response body

```
{  
  "id": "ansu1237",  
  "latitude": -1.7543,  
  "glottocode": "ansu1237",  
  "level": "language",  
  "family_id": "aust1307",  
  "closest_iso_code": "and",  
  "last_year_of_documentation": null,
```

```
"longitude": 135.866,
"name": "Ansus",
"macroarea": "Papunesia",
"iso_code": "and",
"countries": "ID",
"language_id": null,
"first_year_of_documentation": null,
"is_isolate": false
}
```

Download

Response headers

```
content-length: 327
content-type: application/json
date: Mon, 23 Mar 2026 23:50:51 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: 8wrT8yqLSxihTB8urJsmnA
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema { "id": "stan1295", "name": "Somali", "macroarea": "Africa", "latitude": 6, "longitude": 46, "glottocode": "soma1255", "iso_code": "som", "level": "language", "countries": "SO ET KE DJ", "family_id": "afro1255", "closest_iso_code": "som", "first_year_of_documentation": 1900, "last_year_of_documentation": 2020, "is_isolate": false, "endangerment": "Not Endangered", "at_risk": false }	No links
422	Validation Error Media type application/json	No links

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/languages/{language_id}/names List all known names for a language



Parameters

Cancel

Name

Description

language_id * required

string

(path)

ansu1237

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/languages/ansu1237/names' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

```
https://web-production-88604.up.railway.app/languages/ansu1237/names
```

Server response

Code

Details

200

Response body

```
[
  {
    "id": 92762,
    "source_id": "92762",
    "name": "Ansus",
    "lang": "en",
    "language_id": "ansu1237",
    "provider": "lexvo"
  },
  {
    "id": 92763,
    "source_id": "92763",
    "name": "Ansus jezik",
    "lang": "hr",
    "language_id": "ansu1237",
    "provider": "lexvo"
  },
  {
    "id": 92764,
    "source_id": "92764",
    "name": "Ansus language",
    "lang": "en",
    "language_id": "ansu1237",
    "provider": "lexvo"
  }
]
```

Download

Response headers

```
content-length: 658
content-type: application/json
date: Mon, 23 Mar 2026 23:51:08 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: 5oKWjsuvQ8uqqpQhrJsmnA
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema [{ "id": 1, "source_id": "glottolog", "language_id": "stan1295",	No links

```
    "name": "Af Soomaali",
    "provider": "Ethnologue",
    "lang": "som"
  },
  {
    "id": 2,
    "source_id": "iso639",
    "language_id": "stan1295",
    "name": "Somali",
    "provider": "ISO 639-3",
    "lang": "en"
  }
]
```

422

Validation Error

No links

Media type

application/json**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/languages/{language_id}/classification
Trace the genealogical family tree**Parameters****Cancel****Name****Description****language_id** * required

string

(path)

ansu1237

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/languages/ansu1237/classificatio'
-H 'accept: application/json' \
-H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/languages/ansu1237/classification

Server response

Code	Details
200	Response body <pre>{ "language_id": "ansu1237", "language_name": "Ansus", "classification": [{ "id": "aust1307", "name": "Austronesian", "level": "family" }, { "id": "ansu1237", "name": "Ansus", "level": "language" }] }</pre> Response headers <pre>content-length: 178 content-type: application/json date: Mon, 23 Mar 2026 23:51:25 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: 7tOqtlnWQl6iqIOArJsmnA</pre>

Download

Responses

Code	Description	Links
------	-------------	-------

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "language_id": "stan1295",
  "language_name": "Somali",
  "classification": [
    {
      "id": "afro1255",
      "name": "Afro-Asiatic",
      "level": "family"
    },
    {
      "id": "cush1243",
      "name": "Cushitic",
      "level": "family"
    },
    {
      "id": "east2699",
      "name": "East Cushitic",
      "level": "family"
    },
    {
      "id": "stan1295",
      "name": "Somali",
      "level": "language"
    }
  ]
}
```

422

Validation Error

No links

Media type

application/json**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET /languages/{language_id}/parameters Get typological features



GET /languages/{language_id}/endangerment How at risk is this language?



Returns a plain-English endangerment profile for a single language based on Glottolog's Agglomerated Endangerment Status (AES) — compiled from UNESCO, EGIDS, and EICat sources. Includes the status label, what it means, how long the language has been documented, how many years have passed since it was last studied, and a plain-English risk summary.

Parameters

Cancel

Name	Description
------	-------------

language_id * required	
-------------------------------	--

string	
--------	--

(path)	
--------	--

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/languages/ansu1237/endangerment' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/languages/ansu1237/endangerment

Server response

Code	Details
------	---------

200	
-----	--

Response body

```
{
  "language_id": "ansu1237",
  "name": "Ansus",
  "aes_code": "aes-threatened",
  "status": "Threatened",
  "at_risk": true,
  "severity": 2,
  "what_this_means": "EGIDS: 6b; UNESCO: vulnerable; ElCat: vulnerable",
  "first_documented": null,
  "last_documented": null,
  "years_documented": null,
  "years_since_last_study": null,
  "documentation_status": "Never formally documented",
  "is_isolate": false,
  "macroarea": "Papunesia",
  "risk_summary": "Threatened – still spoken but losing ground, of ten replaced by a dominant regional language."
}
```

[Download](#)

Response headers

```
content-length: 495
content-type: application/json
date: Mon, 23 Mar 2026 23:51:55 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: cBKoyezESgOo3lkyrJsmnA
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "language_id": "bura1267",
  "name": "Burak",
  "aes_code": "aes-moribund",
  "status": "Moribund",
  "at_risk": true,
  "severity": 4,
  "what_this_means": "EGIDS: 8a; UNESCO: severely endangered; ElCat: severely endangered",
  "first_documented": 1932,
  "last_documented": 1987,
  "years_documented": 55,
  "years_since_last_study": 38,
  "documentation_status": "Decades since last study",
}
```

```
    "is_isolate": false,
    "macroarea": "Africa",
    "risk_summary": "Moribund – only a few elderly speakers remain. Unlikely to survive another generation without active revitalisation."
  }
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/families

Browse language families

 

GET

/families/{family_id}

Get a family by Glottolog ID

 

GET

/families/{family_id}/languages

List languages within a family

 

Parameters

Cancel

Name	Description
family_id * required	
string (path)	geel1240
limit	
integer (query)	20

maximum: 100
minimum: 1

offset
integer
(query)

minimum: 0

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/families/geel1240/languages?limit=20&offset=0' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

`https://web-production-88604.up.railway.app/families/geel1240/languages?limit=20&offset=0`

Server response

Code

Details

200

Response body

```
[
  {
    "id": "nisa1239",
    "latitude": -1.95386,
    "glottocode": "nisa1239",
    "level": "language",
    "family_id": "geel1240",
    "closest_iso_code": "njs",
    "last_year_of_documentation": null,
    "longitude": 137.6,
    "name": "Nisa-Anasi",
    "macroarea": "Papunesia",
    "iso_code": "njs",
    "countries": "ID",
    "language_id": null,
    "first_year_of_documentation": null,
    "is_isolate": false
  },
  {
    "id": "tefa1238",
    "latitude": -2.35042,
```



```
"glottocode": "tefa1238",
"level": "language",
"family_id": "geel1240",
"closest_iso_code": "tfa"
```

Download

Response headers

```
content-length: 6018
content-type: application/json
date: Mon, 23 Mar 2026 23:54:17 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: NQAiJtDpQ206n0LS0-Qtfa
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema [{ "id": "stan1295", "name": "Somali", "macroarea": "Africa", "latitude": 6, "longitude": 46, "glottocode": "soma1255", "iso_code": "som", "level": "language", "countries": "SO ET KE DJ", "family_id": "afro1255", "closest_iso_code": "som", "first_year_of_documentation": 1900, "last_year_of_documentation": 2020, "is_isolate": false, "endangerment": "Not Endangered", "at_risk": false }]	No links
422	Validation Error Media type application/json Example Value Schema {	No links

```
"detail": [  
  {  
    "loc": [  
      "string",  
      0  
    ],  
    "msg": "string",  
    "type": "string",  
    "input": "string",  
    "ctx": {}  
  }  
]
```

GET /macroareas List all geographic macroareas



GET /macroareas/{macroarea}/languages Browse languages by macroarea



Parameters

Cancel

Name	Description
------	-------------

macroarea * required

string
(path)

asia

limit

integer
(query)

20

maximum: 100
minimum: 1

offset

integer
(query)

0

minimum: 0

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/macroareas/asia/languages?limit=
-H 'accept: application/json' \
-H 'X-API-Key: secret123'
```

Request URL

```
https://web-production-88604.up.railway.app/macroareas/asia/languages?
limit=20&offset=0
```

Server response

Code

Details

200

Response body

```
[
  {
    "id": "abkh1242",
    "latitude": 43.6924030000000006,
    "glottocode": "abkh1242",
    "level": "family",
    "family_id": null,
    "closest_iso_code": null,
    "last_year_of_documentation": null,
    "longitude": 40.8701525,
    "name": "Abkhaz-Adyge",
    "macroarea": "Eurasia",
    "iso_code": null,
    "countries": null,
    "language_id": null,
    "first_year_of_documentation": null,
    "is_isolate": null
  },
  {
    "id": "mixe1287",
    "latitude": null,
    "glottocode": "mixe1287",
    "level": "family",
    "family_id": null,
    "closest_iso_code": null
  }
]
```

[Download](#)

Response headers

```
content-length: 6799
content-type: application/json
date: Mon, 23 Mar 2026 23:54:48 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: fuXqzVlJRQa12n--0-QtfA
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": "stan1295",
    "name": "Somali",
    "macroarea": "Africa",
    "latitude": 6,
    "longitude": 46,
    "glottocode": "soma1255",
    "iso_code": "som",
    "level": "language",
    "countries": "SO ET KE DJ",
    "family_id": "afro1255",
    "closest_iso_code": "som",
    "first_year_of_documentation": 1900,
    "last_year_of_documentation": 2020,
    "is_isolate": false,
    "endangerment": "Not Endangered",
    "at_risk": false
  }
]
```

422

Validation Error*No links*

Media type

application/json**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET**/stats/languages-per-macroarea** Language distribution by macroarea

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/stats/languages-per-macroarea' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/stats/languages-per-macroarea

Server response

Code

Details

200

Response body

```
{
  "Eurasia": 8144,
  "Africa": 8037,
  "Papunesia": 6386,
  "North America": 1840,
  "South America": 1568,
  "Australia": 925,
  "Africa;Eurasia": 30,
  "Eurasia;Papunesia": 22,
  "Africa;Eurasia;North America;Papunesia;South America": 18,
  "Africa;Australia;Eurasia;North America;Papunesia;South America": 17,
  "North America;South America": 15,
  "Africa;North America": 12,
  "Eurasia;North America": 12,
  "Eurasia;South America": 11,
  "Eurasia;Papunesia;South America": 8,
  "Africa;Eurasia;Papunesia;South America": 7,
  "Australia;Papunesia": 5,
  "Eurasia;North America;South America": 5,
  "Eurasia;North America;Papunesia;South America": 4,
  "Papunesia;South America": 3,
  "Africa;Papunesia": 3,
```

Download

"Africa;Australia;Eurasia;North America;Papunesia": 3,

Response headers

content-length: 955
content-type: application/json
date: Mon, 23 Mar 2026 23:55:03 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: Xqbht4xGQAW87HRY0-QtfA

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema { "Africa": 2148, "Papunesia": 1984, "South America": 1058, "North America": 912, "Eurasia": 890, "Australia": 387 }		

GET /stats/languages-per-family Top 50 families by language count



GET /stats/endangerment-breakdown
How many of the world's languages are at risk?



Returns a count of all languages in the dataset grouped by their Glottolog AES (Agglomerated Endangerment Status) level — from not endangered through to extinct. Compiled from UNESCO, EGIDS, and EICat sources.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/stats/endangerment-breakdown' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/stats/endangerment-breakdown

Server response

Code	Details
200	Response body <pre>{ "total_with_aes_data": 8672, "breakdown": { "Threatened": 1657, "Moribund": 459, "Nearly Extinct": 354, "Extinct": 1356, "Not Endangered": 2919, "Shifting": 1927 }, "at_risk_total": 5753, "source": "Glottolog AES – compiled from UNESCO, EGIDS, and ElCa t" }</pre> Download Response headers <pre>content-length: 238 content-type: application/json date: Mon, 23 Mar 2026 23:55:25 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: KXZrjumFTIaoRBy-0-QtfA</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "total_with_aes_data": 6842,
  "breakdown": {
    "Not Endangered": 3201,
    "Threatened": 964,
    "Shifting": 748,
    "Moribund": 591,
    "Nearly Extinct": 412,
    "Extinct": 926
  },
  "at_risk_total": 2715,
  "source": "Glottolog AES – compiled from UNESCO, EGID
S, and ElCat"
}
```

GET**/stats/underdocumented**

Languages going silent: at risk and unstudied for decades



Returns languages that are endangered and have not been studied since before a given year. These are voices that were already dying when linguists last looked, and haven't been looked at since. Defaults to languages last documented before 1970.

Parameters**Cancel****Name****Description**

before
integer
(query)

Only include languages last documented before this year.

Execute**Clear****Responses**

Curl

```
curl -X 'GET' \
'https://web-production-88604.up.railway.app/stats/underdocumented?before=197'
-H 'accept: application/json' \
-H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/stats/underdocumented?before=1970

Server response

Code	Details
200	Response body <pre>"macroarea": "Eurasia", "last_documented": -2350, "years_of_silence": 4376, "endangerment": "Extinct" }, { "language_id": "hurr1240", "name": "Hurrian", "macroarea": "Eurasia", "last_documented": -2300, "years_of_silence": 4326, "endangerment": "Extinct" }, { "language_id": "elam1244", "name": "Elamite", "macroarea": "Eurasia", "last_documented": -2250, "years_of_silence": 4276, "endangerment": "Extinct" }, { "language_id": "amor1239", "name": "Amorite", "macroarea": "Furasia".</pre> Download Response headers <pre>content-length: 83624 content-type: application/json date: Mon, 23 Mar 2026 23:55:34 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: TL8KSf5hRSyStunW0-QtfA</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "count": 3,
  "threshold_year": 1970,
  "languages": [
    {
      "language_id": "xyz1234",
      "name": "Taurap",
      "macroarea": "Papunesia",
      "last_documented": 1953,
      "years_of_silence": 72,
      "endangerment": "Nearly Extinct"
    }
  ]
}
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Testimonies: Used to testify existence of endangered languages



GET /language-sets Every Testimony ever recorded



POST

/language-sets What will be lost: the full portrait of a Testimony



Generate a structured analytical summary of the languages in this testimony

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "description": "Languages classified as moribund or nearly extinct in South Asia",
  "notes": "Focus on languages with risk of extinction",
  "title": "Voices on the Edge"
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-88604.up.railway.app/language-sets' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJyZX
```

```
-H 'Content-Type: application/json' \  
-d '{  
  "description": "Languages classified as moribund or nearly extinct in South A  
  "notes": "Focus on languages with risk of extinction",  
  "title": "Voices on the Edge"  
}'
```

Request URL

https://web-production-88604.up.railway.app/language-sets

Server response

Code	Details
200	Response body <pre>{ "id": 19, "description": "Languages classified as moribund or nearly extin ct in South Asia", "created_at": "2026-03-23T23:59:37.378927", "notes": "Focus on languages with risk of extinction", "title": "Voices on the Edge", "user_id": 12, "updated_at": "2026-03-23T23:59:37.378928" }</pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 269 content-type: application/json date: Mon, 23 Mar 2026 23:59:36 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: hxWxpAj-QviY0pakm3z_FQ</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422		No links

Validation Error

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/language-sets/{set_id} Open a Testimony and read its intent



Retrieve a single Testimony by ID, including its title, description, and notes.

Parameters

Cancel

Name

Description

set_id * required

integer

(path)

18

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/language-sets/18' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/language-sets/18

Server response

Code	Details
200	Response body <pre>{ "id": 18, "description": "Languages classified as moribund or nearly extinct across Sub-Saharan Africa", "created_at": "2026-03-23T23:57:25.054466", "notes": "Focus on languages with fewer than 100 remaining speakers", "title": "Voices on the Edge", "user_id": 12, "updated_at": "2026-03-23T23:57:25.054467" }</pre> Download Response headers <pre>content-length: 296 content-type: application/json date: Mon, 23 Mar 2026 23:59:49 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: 56epBkXxSHqusbqcm3z_FQ</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error	No links

Media type

application/json**Example Value** Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH**/language-sets/{set_id}** Revise the record: update a Testimony

Rename or redescribe a Testimony. All fields are optional — only the ones you provide will be updated.

Parameters**Cancel****Name****Description****set_id** * required

integer

(path)

18

Request body required**application/json****Edit Value** Schema

```
{
  "description": "Expanded to include languages from the Horn of Africa",
  "title": "Voices on the Edge – Revised"
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \
  'https://web-production-88604.up.railway.app/language-sets/18' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123' \
  -H 'Content-Type: application/json' \
  -d '{
    "description": "Expanded to include languages from the Horn of Africa",
    "title": "Voices on the Edge – Revised"
  }'
```

Request URL

https://web-production-88604.up.railway.app/language-sets/18

Server response

Code

Details

200

Response body

```
{
  "id": 18,
  "description": "Expanded to include languages from the Horn of A
frica",
  "created_at": "2026-03-23T23:57:25.054466",
```



```
    "notes": "Focus on languages with fewer than 100 remaining speakers",
    "title": "Voices on the Edge - Revised",
    "user_id": 12,
    "updated_at": "2026-03-24T00:00:13.291146"
  }
```

Download

Response headers

```
access-control-allow-credentials: true
content-length: 285
content-type: application/json
date: Tue, 24 Mar 2026 00:00:12 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: -rLJ5z_4TtSbZZqOm3z_FQ
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	

DELETE /language-sets/{set_id} Silence a Testimony: erase it permanently

Permanently removes a Testimony and all its languages. Requires admin privileges.

Parameters[Cancel](#)

Name	Description
------	-------------

set_id * required

integer

(path)

[Execute](#)[Clear](#)**Responses****Curl**

```
curl -X 'DELETE' \
  'https://web-production-88604.up.railway.app/language-sets/19' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOi
```

Request URL

https://web-production-88604.up.railway.app/language-sets/19

Server response**Code****Details**

200

Response body

```
{
  "message": "Testimony deleted"
}
```

[Download](#)**Response headers**

```
access-control-allow-credentials: true
content-length: 31
content-type: application/json
date: Tue, 24 Mar 2026 00:00:32 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: QSIQMUiVTeul68ALm3z_FQ
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

POST

/language-sets/{set_id}/languages

Add a voice to the record



Adds a language by Glottolog ID. Returns 400 if it is already present in the collection.

Parameters

Cancel

Reset

Name

Description

set_id * required

integer

(path)

18

Request body required

application/json

Edit Value Schema

```
{  
  "language_id": "cutc1238"  
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'https://web-production-88604.up.railway.app/language-sets/18/languages' \  
-H 'accept: application/json' \  
-H 'X-API-Key: secret123' \
```

```
-H 'Content-Type: application/json' \  
-d '{  
  "language_id": "cutc1238"  
}'
```

Request URL

https://web-production-88604.up.railway.app/language-sets/18/languages

Server response

Code	Details
200	Response body <pre>{ "language_set_id": 18, "language_id": "cutc1238", "id": 3 }</pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 54 content-type: application/json date: Tue, 24 Mar 2026 00:07:30 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: BT-GlsYNRieiqiZ1w9P4nw</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema	No links

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/language-sets/{set_id}/languages
The voices: every language in collection

Returns every language in the collection with its endangerment status, macroarea, and how many distinct names it has been recorded under across sources. A language with only one recorded name has almost slipped through undocumented.

Parameters

[Cancel](#)

Name	Description
------	-------------

set_id * requiredinteger
(path)[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/language-sets/18/languages' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

https://web-production-88604.up.railway.app/language-sets/18/languages

Server response

Code	Details
200	Response body <pre>[{ "item_id": 3, "language_id": "cutc1238", "name": "Cutchi-Swahili", "macroarea": "Africa", "level": "language", "endangerment": "Threatened", "at_risk": true, "recorded_names_count": 6 }]</pre> Download Response headers <pre>content-length: 172 content-type: application/json date: Tue, 24 Mar 2026 00:07:41 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: YxbjWW3oQAigVC_Iw9P4nw</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string" No links	
422	Validation Error Media type application/json Example Value Schema No links	

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE

/language-sets/{set_id}/languages/{item_id}
Remove a voice from this Testimony



GET

/language-sets/{set_id}/insights
What will be lost: the full portrait of a Testimony



Runs a full analysis across every language in the collection. Returns an endangerment breakdown, which families are represented, geographic spread across macroareas, how many voices are likely lost before 2100, and which language in the collection is the most isolated from its nearest living relatives. This is the story your Testimony is telling.

Parameters

Cancel

Name	Description
------	-------------

set_id * required

integer
(path)

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
```



```
'https://web-production-88604.up.railway.app/language-sets/18/insights' \
-H 'accept: application/json' \
-H 'X-API-Key: secret123'
```

Request URL

```
https://web-production-88604.up.railway.app/language-sets/18/insights
```

Server response

Code	Details
200	Response body <pre>{ "distinct_per_GLOTTOLOG_AES_data": { "families_represented": { "count": 1, "breakdown": { "Atlantic-Congo": 1 } }, "geographic_spread": { "macroareas_covered": 1, "breakdown": { "Africa": 1 } }, "language_isolates": { "count": 0, "languages": [], "note": "Isolates have no known relatives – if lost, their entire branch of human language disappears." }, "most_undocumented": { "language_id": "cutc1238", "name": "Cutchi-Swahili", "recorded_names": 6, "note": "The language in this Testimony recorded under several distinct names across all sources." } } }</pre> Download Response headers <pre>content-length: 754 content-type: application/json date: Tue, 24 Mar 2026 00:07:59 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: X8GAGzSMSamPBr1-w9P4nw</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

422

Validation Error

No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Analytics

^

GET /analytics/similarity How closely related are two languages? ^

Estimate how closely two languages are related based on family, region, and isolate status.

Parameters

Cancel

Name	Description
------	-------------

lang1 * required

string

(query)

coch1271

lang2 * required

string

(query)

natc1249

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/analytics/similarity?lang1=coch1' \
  -H 'accept: application/json'
```

Request URL

```
https://web-production-88604.up.railway.app/analytics/similarity?
lang1=coch1271&lang2=natc1249
```

Server response

Code

Details

200

Response body

```
{
  "language1": "Cochimi-Yuman",
  "language2": "Natchez",
  "similarity_score": 0.6,
  "insight": "Moderately related",
  "explanation": [
    "Same language family",
    "Same macroarea",
    "One or both languages are isolates"
  ]
}
```

[Download](#)

Response headers

```
content-length: 198
content-type: application/json
date: Tue, 24 Mar 2026 00:09:30 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
```

x-railway-request-id: veS2PGHSS7iqJ41iss7a6g

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "language1": "Somali",
  "language2": "Oromo",
  "similarity_score": 0.8,
  "insight": "Closely related languages",
  "explanation": [
    "Same language family",
    "Same macroarea"
  ]
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

POST

/analytics/compare-sets

Where do two Testimonies overlap?

^

Measure overlap and differences between two language sets, including shared and unique

languages.

Parameters

Cancel

NameDescription

set1_id * required
integer
(query)

18

set2_id * required
integer
(query)

19

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-88604.up.railway.app/analytics/compare-sets?set1_id=1' \
  -H 'accept: application/json' \
  -d ''
```

Request URL

https://web-production-88604.up.railway.app/analytics/compare-sets?
set1_id=18&set2_id=19

Server response

CodeDetails

200

Response body

```
{
  "shared_count": 0,
  "unique_set1": 1,
  "unique_set2": 0,
  "overlap_ratio": 0
}
```

Download

Response headers

```
access-control-allow-credentials: true
content-length: 70
content-type: application/json
date: Tue, 24 Mar 2026 00:10:10 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: Xu3cxwr3TcuHqVxss7a6g
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "shared_count": 4, "unique_set1": 6, "unique_set2": 3, "overlap_ratio": 0.4 }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Identify languages that stand out due to missing data, isolate status, or limited parameter coverage.

Parameters

[Cancel](#)

No parameters

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/analytics/outliers' \
  -H 'accept: application/json'
```

Request URL

<https://web-production-88604.up.railway.app/analytics/outliers>

Server response

Code

Details

200

Response body

```
{
  "count": 27177,
  "outliers": [
    {
      "language_id": "abkh1242",
      "name": "Abkhaz-Adyge",
      "coverage": 3,
      "is_isolate": null,
      "reasons": [
        "Missing family classification",
        "Very low parameter coverage"
      ]
    },
    {
      "language_id": "surm1244",
      "name": "Surmic",
      "coverage": 3,
      "is_isolate": null,
      "reasons": [
```

```
      "Missing family classification",
      "Very low parameter coverage"
    ]
  },
  {
    "language_id": "unkn1234",
    "name": "Unknown Language",
    "coverage": 0,
    "is_isolate": false,
    "reasons": [
      "Missing family classification",
      "Very low parameter coverage"
    ]
  }
]
```

Download

Response headers

```
content-length: 7950
content-type: application/json
date: Tue, 24 Mar 2026 00:10:26 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: VpSTbkHnQFWGqq6Jss7a6g
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
{ "count": 2, "outliers": [{ "language_id": "basq1248", "name": "Basque", "coverage": 3, "is_isolate": true, "reasons": ["Language isolate", "Very low parameter coverage"] }, { "language_id": "unkn1234", "name": "Unknown Language", "coverage": 0, "is_isolate": false, "reasons": ["Missing family classification", "Very low parameter coverage"] }] }		

GET

/analytics/lineage/{language_id}
Trace a language back to its oldest known ancestor



GET `/analytics/coverage/{language_id}` How well documented is this language? ^

Evaluate how complete a language is based on how many typological parameters are recorded.

Parameters

Cancel

Name	Description
language_id * required string (path)	yera1243

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-88604.up.railway.app/analytics/coverage/yera1243' \
  -H 'accept: application/json'
```

Request URL

```
https://web-production-88604.up.railway.app/analytics/coverage/yera1243
```

Server response

Code	Details
200	Response body <pre>{ "language_id": "yera1243", "parameter_count": 7, "total_parameters": 8, "coverage_score": 0.875 }</pre> Download Response headers

```
content-length: 90
content-type: application/json
date: Tue, 24 Mar 2026 00:12:33 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: 1R53H4_4R0qPoSZVss7a6g
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "language_id": "stan1295", "parameter_count": 42, "total_parameters": 200, "coverage_score": 0.21 }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/analytics/language-sets/{set_id}/profile
The DNA of a Testimony — families, regions, diversity



Ask the Atlas



POST

/ask Ask the Atlas anything



Parameters

Cancel

Reset

No parameters

Request body **required**

application/json

Edit Value Schema

```
{
  "question": ""
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-88604.up.railway.app/ask' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "question": "Try comparing two languages like: Compare guri1248 and engl1234"
  }'
```

Request URL

https://web-production-88604.up.railway.app/ask

Server response

Code	Details
200	Response body <pre>{ "answer": "Try comparing two languages like: Compare guri1248 and engl1234"} </pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 76 content-type: application/json date: Tue, 24 Mar 2026 00:14:16 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: MXuAGdwyQ-SZ5eGPss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "answer": "string"} </pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string",</pre>	No links

```
0
],
"msg": "string",
"type": "string",
"input": "string",
"ctx": {}
}
]
```

Schemas

AskRequest ^ object

question* string

Example ^ object

question="How similar are Swahili and Zulu? Are they from the same family?"

AskResponse ^ object

answer* string

AuthRequest ^ object

email* string

password* string

Example ^ object

email="researcher@linguisticatlas.com"

password="yourpassword123"

HTTPValidationError ^ object

detail ^ array<object>

Items ^ object

loc* ^ array<(string | integer)>

Items ^ (string | integer)

Any of ^ (string | integer)

```
#0 string
#1 integer

msg* string
type* string
input any
ctx object
```

TestimonyCreate ^ object

```
title* string
description > (string | null)
notes > (string | null)
Example > object
```

TestimonyItemCreate > object

TestimonyUpdate ^ object

```
title > (string | null)
description > (string | null)
notes > (string | null)
Example > object
```

ValidationError ^ object

```
loc* > array<(string | integer)>
msg* string
type* string
input any
ctx object
```