

Linguistic Atlas API

0.1.0 OAS 3.1

/openapi.json

Authorize



default



GET / Root



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

GET /health Health



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/health' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/health

Server response

Code	Details
200	Response body <pre>{ "status": "ok" }</pre> Download Response headers <pre>content-length: 15 content-type: application/json date: Fri,20 Mar 2026 08:25:15 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Languages



Parameters

Cancel

Name	Description
limit integer (query)	20 maximum: 500 minimum: 1
offset integer (query)	0 minimum: 0
macroarea string (string null) (query)	macroarea
level string (string null) (query)	level
country string (string null) (query)	country

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/languages?limit=20&offset=0' \  
  -H 'accept: application/json' \  
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/languages?limit=20&offset=0

Server response

Code	Details
200	Response body

Code

Details

```
"language_id": null,
"first_year_of_documentation": null,
"is_isolate": null,
"latitude": -4.313245,
"id": "monu1249",
"name": "Bogia",
"glottocode": "monu1249",
"level": "family",
"family_id": null,
"closest_iso_code": null,
"last_year_of_documentation": null
},
{
  "macroarea": "Papunesia",
  "longitude": 144.4845,
  "iso_code": null,
  "countries": null,
  "language_id": null,
  "first_year_of_documentation": null,
  "is_isolate": null,
  "latitude": -6.7604299999999995,
  "id": "tebe1251",
  "name": "Teberan",
  "glottocode": "tebe1251",
  "level": "family".
```

Response headers

```
content-length: 6606
content-type: application/json
date: Fri,20 Mar 2026 08:25:33 GMT
server: uvicorn
```

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{	No links

Code	Description	Links
	<pre>"loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/languages/map

Get Languages Map



Parameters

Cancel

Name	Description
limit integer (query)	500 maximum: 2000 minimum: 1

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/languages/map?limit=500' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/languages/map?limit=500

Server response

Code	Details
200	Response body

Code

```
"Level": "family",
"ISO639P3code": null
},
{
  "ID": "hibi1242",
  "Name": "Hibito-Cholon",
  "Macroarea": "South America",
  "Latitude": -7.90731,
  "Longitude": -76.83105,
  "Level": "family",
  "ISO639P3code": null
},
{
  "ID": "kiwa1251",
  "Name": "Kiwaian",
  "Macroarea": "Papunesia",
  "Latitude": -7.957872170863979,
  "Longitude": 143.85166860272818,
  "Level": "family",
  "ISO639P3code": null
}
```

Download

Response headers

```
content-length: 73987
content-type: application/json
date: Fri,20 Mar 2026 08:06:19 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string",	No links

Code	Description	Links
	<pre>"ctx": {} }] }</pre>	

GET

/languages/search

Search Languages



Parameters

Cancel

Name	Description
name * required string (query)	Surmic
limit integer (query)	20 maximum: 100 minimum: 1
offset integer (query)	0 minimum: 0

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/languages/search?name=Surmic&limit=20&offset=0' \  
  -H 'accept: application/json' \  
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/languages/search?name=Surmic&limit=20&offset=0

Server response

Code	Details
200	Response body

Code

```
"last_year_of_documentation": null
},
{
  "macroarea": "Africa",
  "longitude": 34.97676691666666,
  "iso_code": null,
  "countries": null,
  "language_id": null,
  "first_year_of_documentation": null,
  "is_isolate": null,
  "latitude": 6.053997541666667,
  "id": "sout2836",
  "name": "South Surmic",
  "glottocode": "sout2836",
  "level": "family",
  "family_id": "surm1244",
  "closest_iso_code": null,
  "last_year_of_documentation": null
},
{
  "macroarea": "Africa",
  "longitude": 34.06163383333333
```

Download

Response headers

```
content-length: 2042
content-type: application/json
date: Fri,20 Mar 2026 08:06:43 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], },], }	

Code	Description	Links
	<pre>"msg": "string", "type": "string", "input": "string", "context": {} }]</pre>	

GET

/languages/random

Get Random Language



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/languages/random' \
-H 'accept: application/json' \
-H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/languages/random

Server response

Code	Details
200	Response body <pre>{ "macroarea": "Africa", "longitude": 24.69828, "iso_code": null, "countries": null, "language_id": "h0aa1235", "first_year_of_documentation": null, "is_isolate": null, "latitude": -23.93447, "id": "hu0aa1249", "name": "#Hua", "glottocode": "hu0aa1249", "level": "dialect", "family_id": "kx0aa1236", "closest_iso_code": "huc", }</pre>

Code

Details

Download

```
"last_year_of_documentation": null
}
```

Response headers

content-length: 330
content-type: application/json
date: Fri,20 Mar 2026 08:06:57 GMT
server: uvicorn

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string" No links	

GET

/languages/iso/{iso_code}

Get Language By Iso

Parameters

Cancel

Name	Description
iso_code * required string (path)	eng

Execute

Clear

Responses

Curl

curl -X 'GET' \
'http://127.0.0.1:8000/languages/iso/eng' \
-H 'accept: application/json' \
-H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/languages/iso/eng

Server response

Code	Details
200	Response body <pre>{ "macroarea": "Africa;Eurasia;South America", "longitude": -1, "iso_code": "eng", "countries": "AU;BM;BR;BZ;CA;CC;CK;CU;CX;DO;FK;GB;GG;GI;GP;GS;GT;GY;HN;IE;IM;IO;JE;KY;LR;MX;NF;PN;SH;SR;UM;US;VE;ZA", "language_id": null, "first_year_of_documentation": null, "is_isolate": false, "latitude": 53, "id": "stan1293", "name": "English", "glottocode": "stan1293", "level": "language", "family_id": "indo1319", "closest_iso_code": "eng", "last_year_of_documentation": null}</pre> Download Response headers <pre>content-length: 441 content-type: application/json date: Fri,20 Mar 2026 08:21:28 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [</pre>	No links

Code	Description	Links
	<pre>{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }</pre>	

GET

/languages/{language_id}

Get Language



Parameters

Cancel

Name	Description
language_id * required string (path)	tebe1251

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/languages/tebe1251' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/languages/tebe1251

Server response

Code	Details
200	Response body <pre>{ "macroarea": "Papunesia", "longitude": 144.4845, "iso_code": null, "countries": null, }</pre>

Code

Details

```
"language_id": null,
"first_year_of_documentation": null,
"is_isolate": null,
"latitude": -6.7604299999999995,
"id": "tebe1251",
"name": "Teberan",
"glottocode": "tebe1251",
"level": "family",
"family_id": null,
"closest_iso_code": null,
"last_year_of_documentation": null
}
```

Response headers

```
content-length: 331
content-type: application/json
date: Fri,20 Mar 2026 08:08:28 GMT
server: uvicorn
```

Download

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example ValueSchema "string"	
422	Validation Error	No links
	Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/languages/{language_id}/names

Get Language Names



Parameters

Cancel

Name	Description
language_id * required string (path)	tebe1251

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/languages/tebe1251/names' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/languages/tebe1251/names

Server response

Code	Details
200	Response body <pre>[{ "source_id": "1", "provider": "multitree", "name": "Teberan", "id": 1, "language_id": "tebe1251", "lang": null }]</pre> Response headers <pre>content-length: 103 content-type: application/json date: Fri,20 Mar 2026 08:08:42 GMT server: uvicorn</pre> Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET

/languages/{language_id}/classification

Get Language Classification



Parameters

Cancel

Name	Description
language_id * required string (path)	fasu1242

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/languages/fasu1242/classification' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/languages/fasu1242/classification

Server response

Code	Details
200	Response body <pre>{ "language_id": "fasu1242", "language_name": "Fasu", "classification": [{ "id": "fasu1242", "name": "Fasu", "level": "language" }] }</pre> Response headers <pre>content-length: 119 content-type: application/json date: Fri,20 Mar 2026 08:09:11 GMT server: uvicorn</pre> Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/languages/{language_id}/parameters

Get Language Parameters



Parameters

Cancel

Name	Description
language_id * required string (path)	west1493

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/languages/west1493/parameters' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/languages/west1493/parameters

Server response

Code	Details
200	Response body [{ "parameter_id": "level",

Code

Details

```
"parameter_name": "Level",
"value": "family",
"code_id": "level-family",
"code_name": "family",
"code_description": "sub-grouping of languoids above the language level",
"comment": null,
"source": null
},
{
  "parameter_id": "category",
  "parameter_name": "Category",
  "value": "Family",
  "code_id": "category-Family",
  "code_name": "Family",
  "code_description": null,
  "comment": null,
  "source": null
},
{
  "parameter_id": "subclassification",
  "parameter_name": "Subclassification"
```

Download

Response headers

```
content-length: 783
content-type: application/json
date: Fri,20 Mar 2026 08:22:03 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema "string"	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], </pre>	

Code	Description	Links
	<pre>"msg": "string", "type": "string", "input": "string", "ctx": {} }]</pre>	

GET /families Get Families



Parameters

Cancel

Name	Description
limit integer (query)	20 maximum: 100 minimum: 1
offset integer (query)	0 minimum: 0

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/families?limit=20&offset=0' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/families?limit=20&offset=0

Server response

Code	Details
200	Response body

Code

```
"closest_iso_code": null,
"last_year_of_documentation": null
},
{
  "macroarea": "Papunesia",
  "longitude": 148.41375,
  "iso_code": null,
  "countries": null,
  "language_id": null,
  "first_year_of_documentation": null,
  "is_isolate": null,
  "latitude": -9.526500833333332,
  "id": "yare1250",
  "name": "Yareban",
  "glottocode": "yare1250",
  "level": "family",
  "family_id": null,
  "closest_iso_code": null,
  "last_year_of_documentation": null
},
]
```

Download

Response headers

```
content-length: 6724
content-type: application/json
date: Fri,20 Mar 2026 08:22:12 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", }], }	No links

Code	Description	Links
	<pre>"input": "string", "ctx": {} }]</pre>	

GET

/families/{family_id} Get Family



Parameters

Cancel

Name	Description
family_id * required string (path)	buru1296

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/families/buru1296' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/families/buru1296

Server response

Code	Details
404 <i>Undocumented</i>	Error: Not Found Response body <pre>{ "detail": "Family not found" }</pre> Response headers <pre>content-length: 29 content-type: application/json date: Fri, 20 Mar 2026 08:23:09 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

GET /families/{family_id}/languages Get Family Languages



Parameters

Cancel

Name	Description
family_id * required string (path)	mong1349
limit integer (query)	20 maximum: 100 minimum: 1

NameDescription

offset
integer
(query)

0

minimum: 0

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/families/mong1349/languages?limit=20&offset=0' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/families/mong1349/languages?limit=20&offset=0

Server response

CodeDetails

200

Response body

[
 {
 "macroarea": "Eurasia",
 "longitude": 96.85676021026134,
 "iso_code": null,
 "countries": null,
 "language_id": null,
 "first_year_of_documentation": null,
 "is_isolate": null,
 "latitude": 41.5167086447664,
 "id": "mong1329",
 "name": "Mongolic",
 "glottocode": "mong1329",
 "level": "family",
 "family_id": "mong1349",
 "closest_iso_code": null,
 "last_year_of_documentation": null
 },
 {
 "macroarea": "Eurasia",
 "longitude": 115.986,
 "iso_code": "zkt",
 "countries": "CN",
 "language_id": null,
 "first_year_of_documentation": 300
 }
]

Response headers

content-length: 6750
content-type: application/json

Download

Code	Details	
	date: Fri,20 Mar 2026 08:24:05 GMT server: uvicorn	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

GET /macroareas Get Macroareas

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/macroareas' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/macroareas

Server response

Code	Details
200	Response body <pre>[{ "macroarea": "Africa" }, { "macroarea": "Africa;Australia;Eurasia;North America;Papunesia" }, { "macroarea": "Africa;Australia;Eurasia;North America;Papunesia;South America" }, { "macroarea": "Africa;Eurasia" }, { "macroarea": "Africa;Eurasia;North America;Papunesia" }, { "macroarea": "Africa;Eurasia;North America;Papunesia;South America" }, { "macroarea": "Africa;Eurasia;Papunesia" }, { "macroarea": "Africa;Eurasia;Papunesia;South America" }]</pre> Download Response headers <pre>content-length: 1290 content-type: application/json date: Fri,20 Mar 2026 08:24:14 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	"string"	

GET

/macroareas/{macroarea}/languages

Get Macroarea Languages



Parameters

Cancel

Name	Description
macroarea * required string (path)	Asia
limit integer (query)	20 maximum: 100 minimum: 1
offset integer (query)	0 minimum: 0

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/macroareas/Asia/languages?limit=20&offset=0' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/macroareas/Asia/languages?limit=20&offset=0

Server response

Code	Details
200	Response body [{ "macroarea": "Eurasia",

Code

Details

```
"longitude": 40.8701525,
"iso_code": null,
"countries": null,
"language_id": null,
"first_year_of_documentation": null,
"is_isolate": null,
"latitude": 43.692403000000006,
"id": "abkh1242",
"name": "Abkhaz-Adyge",
"glottocode": "abkh1242",
"level": "family",
"family_id": null,
"closest_iso_code": null,
"last_year_of_documentation": null
},
{
  "macroarea": "Australia;Eurasia;South America",
  "longitude": null,
  "iso_code": null,
  "countries": null,
  "language_id": null,
  ...
}
```

Response headers

```
content-length: 6799
content-type: application/json
date: Fri,20 Mar 2026 08:24:33 GMT
server: uvicorn
```

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], },], }	No links

Code	Description	Links
	<pre>"msg": "string", "type": "string", "input": "string", "context": {} }]</pre>	

GET

/stats/languages-per-macroarea

Languages Per Macroarea



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'GET' \
'http://127.0.0.1:8000/stats/languages-per-macroarea' \
-H 'accept: application/json' \
-H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/stats/languages-per-macroarea

Server response

Code	Details
200	Response body <pre>{ "Eurasia": 8144, "Africa": 8037, "Papunesia": 6386, "North America": 1840, "South America": 1568, "Australia": 925, "Africa;Eurasia": 30, "Eurasia;Papunesia": 22, "Africa;Eurasia;North America;Papunesia;South America": 18, "Africa;Australia;Eurasia;North America;Papunesia;South America": 17, "North America;South America": 15, "Africa;North America": 12, "Eurasia;North America": 12, "Eurasia;South America": 11, "Eurasia;Papunesia;South America": 8, "Africa;Eurasia;Papunesia;South America": 7, }</pre>

Code

Details

```
"Australia;Papunesia": 5,
"Eurasia;North America;South America": 5,
"Eurasia;North America;Papunesia;South America": 4,
"Papunesia;South America": 3,
"Africa;Papunesia": 3,
"Africa;Australia;Eurasia;North America;Papunesia": 3,
"Africa;North America;South America": 2,
"Africa;Eurasia;Papunesia": 2
```

Download

Response headers

```
content-length: 955
content-type: application/json
date: Fri,20 Mar 2026 08:24:46 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
"string"		

GET

/stats/languages-per-family

Languages Per Family

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/stats/languages-per-family' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

http://127.0.0.1:8000/stats/languages-per-family

Server response

Code	Details
200	Response body <pre>{ "Atlantic-Congo": 4863, "Austronesian": 4117, "Indo-European": 3235, "Sino-Tibetan": 1939, "Afro-Asiatic": 1459, "Nuclear Trans New Guinea": 837, "Pama-Nyungan": 643, "Austroasiatic": 526, "Otomanguean": 385, "Bookkeeping": 381, "Sign Language": 343, "Mande": 322, "Dravidian": 281, "Turkic": 273, "Central Sudanic": 269, "Tai-Kadai": 261, "Uralic": 236, "Nilotic": 235, "Nakh-Daghestanian": 190, "Arawakan": 188, "Kru": 185, "Japonic": 178, "Tupian": 175, "Iltco-Aztecan": 165 }</pre> Response headers <pre>content-length: 855 content-type: application/json date: Fri,20 Mar 2026 08:24:55 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links



/language-sets Create Language Set

Cancel

```
token * required
string
(query)
```

```
{ "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTJ5In0=
```

application/json

```
{
  "title": "string",
  "description": "string",
  "notes": "string"
}
```

Clear

Responses

```
curl -X 'POST' \
  'http://127.0.0.1:8000/language-sets?token=%7B%20%20%20%22access_token%22%3A%20%22eyJ'
-H 'accept: application/json' \
-H 'X-API-Key: secret123' \
-H 'Content-Type: application/json' \
-d '{
  "title": "string",
  "description": "string",
  "notes": "string"
}'
```

127.0.0.1:8000/docs#/default/root__get

http://127.0.0.1:8000/language-sets?
token=%7B%20%20%20%22access_token%22%3A%20%22eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.e
yJzdWIiOiJob2RvIiwicm9sZSI6IlVTRVliLCJpZCI6NSwiZXhwIjoxNzczOTk3NTIyfQ.0fCIxRXa2_4DS
5cHaemtMyhLacPoJw_SEzYzN13a1HY%22%20%7D

Server response

Code	Details
401 <i>Undocumented</i>	Error: Unauthorized Response body <pre>{ "detail": "Unauthorized" }</pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 25 content-type: application/json date: Fri,20 Mar 2026 08:05:47 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Code	Description	Links
	<pre>] }</pre>	

GET

/language-sets

List Language Sets



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://127.0.0.1:8000/language-sets' \
 -H 'accept: application/json' \
 -H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/language-sets

Server response

Code	Details
200	Response body <pre>[{ "user_id": 3, "id": 5, "created_at": "2026-03-20T07:56:24.414812", "title": "My Test Set", "notes": null, "description": null, "updated_at": "2026-03-20T07:56:24.414814" }]</pre> Response headers <pre>content-length: 160 content-type: application/json date: Fri, 20 Mar 2026 08:09:26 GMT server: uvicorn</pre>

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

GET /language-sets/{set_id} Get Language Set

Cancel

Name

Description

set_id * required

integer (path)

5

Execute

Clear

Responses

Curl

curl -X 'GET' \

'http://127.0.0.1:8000/language-sets/5' \

-H 'accept: application/json' \

-H 'X-API-Key: secret123'

Request URL

http://127.0.0.1:8000/language-sets/5

Server response

Code

Details

200

Response body

{

"user_id": 3,

"id": 5,

Code

Details

```
"created_at": "2026-03-20T07:56:24.414812",
"title": "My Test Set",
"notes": null,
"description": null,
"updated_at": "2026-03-20T07:56:24.414814"
}
```

Response headers

```
content-length: 158
content-type: application/json
date: Fri,20 Mar 2026 08:11:54 GMT
server: uvicorn
```

Download

Responses		
Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example ValueSchema"string"		
422	Validation Error	No links
Media type application/json Example ValueSchema<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

PATCH

/language-sets/{set_id}

Update Language Set

Parameters

Cancel

Reset

NameDescription

set_id * required
integer
(path)

5

Request body required

application/json

Edit Value Schema

```
{
  "title": "Swahilli",
  "description": "Language spoken across Africa",
  "notes": "could be used for further linguistic research"
}
```



ExecuteClear

Responses

Curl

```
curl -X 'PATCH' \
  'http://127.0.0.1:8000/language-sets/5' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Swahilli",
    "description": "Language spoken across Africa",
    "notes": "could be used for further linguistic research"
  }'
```

Request URL

http://127.0.0.1:8000/language-sets/5

Server response

Code

Details

200

Response body

```
{
  "user_id": 3,
  "id": 5,
  "created_at": "2026-03-20T07:56:24.414812",
  "title": "Swahilli",
  "notes": "could be used for further linguistic research",
  "description": "Language spoken across Africa",
  "updated_at": "2026-03-20T08:12:59.742550"
}
```

Download

Response headers

```
access-control-allow-credentials: true
content-length: 225
content-type: application/json
date: Fri,20 Mar 2026 08:12:58 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

DELETE

/language-sets/{set_id}

Delete Language Set



Parameters

Cancel

Name	Description
set_id * required integer (path)	set_id
token * required string (query)	token

Execute

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", </pre>	No links

Code	Description	Links
	<pre>"ctx": {} }] }</pre>	

POST

/language-sets/{set_id}/items

Add Item



Parameters

Cancel

Reset

Name	Description
set_id * required integer (path)	

5

Request body

required

application/json

Edit Value

Schema

```
{  
  "language_id": "paho1240"  
}
```



Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'http://127.0.0.1:8000/language-sets/5/items' \  
  '
```

```
-H 'accept: application/json' \  
-H 'X-API-Key: secret123' \  
-H 'Content-Type: application/json' \  
-d '{  
  "language_id": "paho1240"  
}'
```

Request URL

http://127.0.0.1:8000/language-sets/5/items

Server response

Code	Details
200	Response body <pre>{ "language_id": "paho1240", "id": 2, "language_set_id": 5 }</pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 53 content-type: application/json date: Fri,20 Mar 2026 08:14:03 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], },], }</pre>	No links

Code	Description	Links
	<pre>"msg": "string", "type": "string", "input": "string", "context": {} }]</pre>	

GET

/language-sets/{set_id}/items

List Items



Parameters

Cancel

Name	Description
set_id ★ required	
integer (path)	5

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/language-sets/5/items' \
  -H 'accept: application/json' \
  -H 'X-API-Key: secret123'
```

Request URL

```
http://127.0.0.1:8000/language-sets/5/items
```

Server response

Code	Details
200	Response body <pre>[{ "item_id": 2, "language_id": "paho1240", "name": "Pahoturi", "macroarea": "Papunesia", "level": "family" }]</pre> Download

Code	Details	
	Response headers content-length: 99 content-type: application/json date: Fri,20 Mar 2026 08:14:21 GMT server: uvicorn	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

DELETE

/language-sets/{set_id}/items/{item_id}

Delete Item



Parameters

Cancel

Name	Description
set_id * required integer	set_id

NameDescription

(path)

item_id ★ required
integer
(path)

item_id

Execute

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET

/analytics/similarity

Language Similarity

^

Parameters

Cancel

Name	Description
lang1 * required string (query)	cuit1236
lang2 * required string (query)	cuit1236

Execute

Clear

Responses

Curl

curl -X 'GET' \
'http://127.0.0.1:8000/analytics/similarity?lang1=cuit1236&lang2=cuit1236' \
-H 'accept: application/json'

Request URL

http://127.0.0.1:8000/analytics/similarity?lang1=cuit1236&lang2=cuit1236

Server response

Code	Details
200	Response body <pre>{ "language1": "Cuitlatec", "language2": "Cuitlatec", "similarity_score": 0.6, "insight": "Moderately related" }</pre> Download Response headers <pre>content-length: 103 content-type: application/json date: Fri, 20 Mar 2026 08:17:34 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

POST /analytics/compare-sets Compare Sets

Auth

POST /auth/register Register

Parameters Cancel Reset

No parameters

Request body required application/json

Edit Value Schema

```
{
  "email": "hodo",
  "password": "hodo"
}
```



Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/auth/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "hodo",
    "password": "hodo"
  }'
```

Request URL

http://127.0.0.1:8000/auth/register

Server response

Code	Details
200	Response body <pre>{ "message": "User created" }</pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 26 content-type: application/json date: Fri,20 Mar 2026 08:05:02 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

POST /auth/login Login

Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "email": "hodo",
  "password": "hodo"
}
```



Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/auth/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "hodo",
    "password": "hodo"
  }'
```

Request URL

http://127.0.0.1:8000/auth/login

Server response

Code	Details
200	Response body <pre>{ "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJob2RvIiwicm9sZSI6IlVTRVliLCJpZCI6NSwiZXhwIjoxNzczOTk3NTIyfQ.0fCIxRXa2_4DS5cHaeMtMyhLacPoJw_SEzYzN13a1HY"</pre> Download Response headers <pre>access-control-allow-credentials: true content-length: 170 content-type: application/json date: Fri, 20 Mar 2026 08:05:22 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

GET /auth/me Me

Parameters

Cancel

NameDescription

token * required
string
(query)

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/auth/me?token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJob2RvIiwicm9sZSI6IiVTRViiLCJpZCI6NSwiZXhwIjoxNzczOTk3NTIyYQ.0fCIxRXa2_4DS5cHaemtMyhLacPoJw_SEzYzN13a1HY' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/auth/me?
token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJob2RvIiwicm9sZSI6IiVTRViiLCJpZCI6NSwiZXhwIjoxNzczOTk3NTIyYQ.0fCIxRXa2_4DS5cHaemtMyhLacPoJw_SEzYzN13a1HY
```

Server response

Code	Details
200	Response body <pre>{ "sub": "hodo", "role": "USER", "id": 5, "exp": 1773997522 }</pre> Response headers <pre>content-length: 52 content-type: application/json date: Fri,20 Mar 2026 08:18:24 GMT server: uvicorn</pre> Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string" No links	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [</pre> No links	

Code	Description	Links
	<pre>{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }</pre>	

Schemas

AuthRequest ^ Collapse all

object

email* string

password* string

HTTPValidationError ^ Collapse all

object

detail > Expand all

array<object>

LanguageSetCreate ^ Collapse all

object

title* string

description > Expand all

(string | null)

notes > Expand all

(string | null)

LanguageSetItemCreate ^ Collapse all

object

language_id* string

LanguageSetUpdate ^ Collapse all

object

title > Expand all

(string | null)

description > Expand all

(string | null)

notes > Expand all

(string | null)

ValidationError ^ Collapse all

object

loc* > Expand all

array<(string | integer)>

```
msg* string
type* string
input any
ctx object
```