

HuhnLite

Here you can find out how this program came about.

It began in 1988, when the first version of the MSDOS program was released. **CHICKEN**It was released. The last update was in 1992 as version 3.1.

CHICKENIt was a multi-user version – with a text interface, Btrieve/N as the file system, and written in Turbo Pascal. It was developed in collaboration with Riehl & Partner GmbH, who also handled distribution.



So it was time to develop a new application adapted to technological progress.

HuhnLite is ideal for small to medium-sized laying hen farms. **HuhnLite** It is designed as a single-user version. The limitation relates to the database used. **Sqlite**. It is not designed for competing work. However, it can be performed from multiple workstations, but not simultaneously.

1. System Requirements

HuhnLiteIt is available in several versions for MacOS, Windows and Linux.

- *Windows Native AMD/Intel64*
 - *Requirements: Win10, Win 11, WebView 2.0*

- *Windows Native ARM64*
 - *Requirements: Win10, Win 11, WebView 2.0*

- *Mac Native*
 - *Prerequisite: Apple Silicon Processor M1 and the following*

- *Mac Native*
 - *Prerequisite: Apple AMD/Intel 64*

- *Browser - Server runs on Windows AMD/Intel64*

- *Browser - Server runs on Windows AMD/Intel64*

- *Browser - Server running on Mac*
 - *Prerequisite: Apple Silicon Processor M1 and the following*

- *Browser - Server running on Mac*

Requirements: Apple AMD/Intel64

- *Linux Mint (tested under VMware) ARM/Intel64*

2. Home screen (dashboard)

HuhnLite After being launched, it displays a modern graphical interface. **Home screen**, is divided into a **Header sidebar** with the menu items and the **Tiles** with the dominant functions

1. The header

- The “hamburger menu” on the far left opens/closes the sidebar.
- Switch from production to test when checkbox is clicked.
- System date and time in the middle
- The next symbol switches the display mode between light and dark.
- Switching between German/English/Italian languages
- The currently logged-in user is shown on the far outside.
- If the application was started in login mode, the logged-in user can also log out.

2. Tiles

HuhnLite

Software-Lösung für den Legehennenhalter



Stammdaten

Herden, Einrichtungen, Personen...



Bewegungsdaten

Buchungen, Futter, Verluste...



Tabellen

Kosten, Parameter, MwSt...




Reports

Dynamische Auswertungen...



admin

Sitzung beenden




*The **sidebar** has a slightly different distribution of functions. You can control the program according to your preference. **System administration** It is closed by default and can only be opened by the system administrator.*

3. Master data flocks & Breeds

The flock management This is the control center for your animals. Every group of hens you house on your farm is set up here as its own "flock." All subsequent management is based on this. **Stable announcements** (Eggs, losses, weights) --> daily performance data recorded and evaluated.

The module is divided into clearly structured areas that you can easily access via tabs.

Area 1: The flock Dashboard (Overview)



Once you **flock management** Once you open the dashboard, you'll see it. Here, all flocks are displayed as clear maps. You can see at a glance which flocks are currently in the barn.


Search and filter functions (quick search)

Above the lists are controls that allow you to narrow your view to find the data you are looking for more quickly:

- **Quick search (filter):** A free text search field. Simply type a name, number, or stable here to filter the list instantly.
- **Show only productive flocks (onlyActive):** If you check this box, archived (removed) flocks will be hidden. You will then only see the groups that are currently laying eggs.

Section 2: Create or edit a flock

When you receive a new group of hens, open the "New Flock" dialog using the button. Here you enter the birth certificate and the flock's basic information:



Herde bearbeiten

Interne Herdennummer * 9141

Bezeichnung / Name 9141 - Knapp

Rasse * LB

Züchter/Händler lw.oedingberge

Bestand (Tiere) 11100

Einstalldatum 08.11.2025

Legebeginn 08.11.2025

Einstandskosten (€) 67488

Stall Knapp

Silo Knapp, Delbrück

Eilager Lager 40

☐ Buchungen zwingend mit Datum ☒ Herde ist Aktiv

ABBRECHEN AKTUALISIEREN

- **Commemorative issue (MEMORIAL ISSUE):** A unique number for this animal group. Since this is a mandatory field, a number must be entered here.
- **Designation (DESIGNATION):** A name for the flock that you can freely choose (e.g. "Organic hens spring 2026" or "Free-range barn 2").
- **Breeds (ID_RASSE):** → Manage breed Select the chicken breed from the drop-down menu (e.g. Lohmann Brown This is a required field).
- **Breeder / Dealer (ID_ZUECHTER):** → Manage people Here you select the supplier or breeder of the pullets from your saved contacts.

- **Initial inventory (INITIAL STOCK):** The exact number of live animals brought into the barn on the day of installation.
- **Installation date (INSTALLATION DATE):** The date the animals physically moved into your barn.
- **Expected start of laying (LAW):** The date on which you can expect the first eggs to be laid by this flock. This date is reset with the first booking.
- **Installation costs (INSTALLATION COSTS):** The total purchase price (in euros) for this flock. This value is needed for later profitability calculations.
- **Stall allocation (ID_STALL):** → Manage barn: In which physical barn building or compartment is this flock housed? (Important for later QR code scanning on site!).
- **Feed silo (ID_SILO):** → Manage silo Which silo supplies this flock with feed? (Automatically links the flock to silo management) .
- **Standard-Eilslager (ID_EILAGER):** → Manage storage Determines the default storage location where the eggs of this flock are booked after collection.
- **Date requirement for recording (ALL BOOKINGS WITH DATE):** If you activate this checkbox, the user will be forced to explicitly enter or confirm the date when submitting the daily stable report. This prevents accidental incorrect entries on the wrong day.
- **Status Active (ACTIVE):** As long as this flock is in operation and laying eggs, this switch should be set to "Yes". Once the flock has been emptied and the cycle is complete, flip the switch to securely archive the flock.

„Parameters (The control)

This tab is extremely powerful. It contains exactly the same settings fields as your global company master data (e.g., organic surcharges, recording methods for egg varieties, or batch building blocks).

The brilliant thing about it: Here you can find the company's general default values for this a very specific flock Overwrite completely.

☐ Globale Herdenparameter

Herde suchen / auswählen

 Herde mit Parametersatz wählen

- **Select flock** into deviate from the standard for this flock

In the second selection box, select a flock to change or delete its deviation (see below).

- **Activate custom flock parameters (companyActive):** Use this checkbox to toggle the settings. If it's checked, the standard settings of your farm apply to this flock. If the checkbox is unchecked, you can edit a flocken parameter Sentence ("special treatment").
- **Attention: Activate global flock parameters (copySourceId):** If you have set a different flock that is currently displayed, then this flock will be reverted to the default settings. **Company standard** zurückgesetzt. There"s" means the parameter set for this flock will be deleted!!!

Details, statistics & charts

If you want to analyze a flock in more depth, these tabs offer you a quick, visual overview:


☒ Nur aktive Herden anzeigen

Herden suchen

 ALLE AUS-/EINKLAPPEN

	Bezeichnung	Nr.	Rasse	Legedatum	Letzte Buchung	Klasse A	S	M	L	XL	Verluste
	9141 - Knapp	9141	LB	2026-04-21	1.302.440	593.030	433.200	27.257	0	531	
Wochenstatistik für Herde 9141											
LW	Bis Datum					Klasse A	S	M	L	XL	Verluste
23	2026-04-21					36.370	11.565	23.021	1.782	0	8
22	2026-04-17					66.510	21.152	42.100	3.260	0	10
21	2026-04-10					60.250	19.157	38.138	2.952	0	7
20	2026-04-03					67.060	21.325	42.449	3.286	0	12
19	2026-03-27					61.740	19.634	39.082	3.026	0	10
18	2026-03-20					61.900	19.686	39.184	3.034	0	8
17	2026-03-13					56.130	20.248	33.398	2.367	0	12
16	2026-03-06					61.310	21.055	41.020	3.107	0	11

- **Details/Statistics:** A detailed, tabular analysis broken down by week. Here you can see exactly how the performance indicators (e.g., the distribution of eggs by weight class) change over the weeks of the hens' lives.



- **Chart:** It presents the production data to you as easy-to-understand pie charts.
- **Time period restriction (`chartflockeId`, `filterYear`, `filterQuarter`, `filterMonth`):** These dropdown fields allow you to restrict the statistical graphs to a specific year, quarter, or month.

🐔 The "Breeds" tab (Breed Management)

Within the **flock management** You will find a separate sub-register for managing the master data of chicken breeds. Here you maintain the breeds used on your farm.

- **The breed list:** Displays a simple tabular list of all created breeds and offers buttons for creating, editing, and deleting.
- **breed name (DB field: `BREED` / `newRace`):** The exact name of the breed (e.g., „Lohmann Brown“ or „Sandy“ This is a mandatory field and must not be left blank.

 **Automatic background logic:** When you create a new breed, change a name, or delete a breed here, the system automatically sends a signal to the flock database in the background. The selection lists in the "New flock" form update immediately without requiring you to restart the program.


4. Personnel Management

The contact management system is your company's digital address book. All external individuals, businesses, and partners are centrally entered and maintained here (e.g., pullet rearers, feed suppliers, veterinarians, or egg buyers).

Once a contact is registered here, it is immediately available in the respective selection lists in the other modules (such as flock or silo management).

The Contacts Overview (Dashboard)

When you open the module, you will see all contacts in a modern, clear card view ("business cards"). Each card immediately displays the most important information such as name, phone number, and email address.



Search and filter functions

- **Quick search (searchTerm):** Simply type a name, location, or phone number into the search field. The map view will filter in real time as you type.
- **Filter by contact type (filterType):** → Manage texts This allows you to selectively restrict the display (e.g. "Show me only breeders" or "Show me only food suppliers") The selectable types come from your saved settings. **System Text.**



Create or edit a contact

When you click on "Add new person", the input form opens. This is divided into logical sections:

1. Profile picture & tags

- **Photo (PHOTO):** Here you can optionally upload a partner logo or profile picture. It will then be displayed on the business card in the overview.
- **Social security number (PERSONAL NUMBER):** A unique, internal number for this contact (e.g., a customer number or supplier number).
- **Contact type (ID_TEXTE):** Select from the dropdown menu what type of partner it is (e.g. Supplier, breeder, customer, veterinarian).
- **System abbreviation (KZ(Read-only)):** This field is automatically populated by the program and displays the internal abbreviation of the selected contact type. The abbreviation A (for administrator) is permanently locked for internal company administration.

2. Name & Address

- **Salutation (ID_SALUTATION):** → Manage texts Select the appropriate salutation from the menu (e.g. Mr. Mrs or Business).
- **Name (NAME):** The person's last name or the contact's primary name. This is a **Required field** and must not be left empty.
- **Company name (BUSINESS):** If this is a company, please enter the exact company name here.
- **Address (STREET, PLZ, LOCATION, PO BOX):** The partner's full address details for correspondence.

3. Accessibility (Communication)

- **Telephone (TELEPHONE):** The contact's landline number.
 - **Mobile phone (MOBILEPHONE):** The mobile phone number.
 *Practical advantage for the smartphone: This number is listed as a direct link in the overview. Tapping it immediately opens the phone app on your mobile device, allowing you to call your partner.*
 - **E-Mail (EMAIL):** The partner's primary email address. This is also directly linked in the overview, so that clicking it opens the email program immediately.
 - **Internet address (HOMEPAGE):** The partner's website (e.g., your pet food supplier).
-

5. Daily recordings & bookings (central office)

Welcome to the operational core of **HuhnLite**! This module is your daily digital stable management board. Instead of clicking through endless submenus, this central hub brings together all the tasks that arise during day-to-day operations in one place.

You can easily switch between the individual data entry forms using the tabs at the top.

 **Practical tip for a quick start:** The system is so intelligent that it can remember where you came from. For example, if you scan a sign with a QR code on the farm, the application will automatically open directly to the appropriate tab (e.g., immediately to silo recording or barn log), without you having to search for it manually!

Overview: The seven everyday building blocks

Depending on the task you are currently performing, select the appropriate tab:

1. Performance (performance measurement per flock)

The most important tool for every day. Here you record how many eggs your animals have laid.

- What is being recorded here? The daily number of eggs, sorted according to your desired quality and weight classes (e.g. class A, cracked or broken eggs) as well as the data for regular weight checks of your hens.

2. 🥩 Losses (Quick entry for animal deaths)

If animals die in the barn, this must be recorded immediately for documentation purposes and to accurately calculate the current animal population.

- What is being recorded here? The number of dead or euthanized hens, including a quick selection of the cause (e.g., disease, age, or bird of prey).

3. 🦋 Animal movements (population changes)

You use this module for the major events in the life cycle of a flock that are not part of the daily loss-making business.

- What is being recorded here? The first time **Install** new young hens **Moving the stables** of animals to other barn sections as well as the final sale or disposal of the old hens at the end of the laying period (expulsion).

4. 📦 Egg storage (warehouse management & sorting)

Your digital inventory book. Here you control the flow of eggs after they have left the henhouse.

- What is being recorded here? The transfer of egg pallets between different storage areas (e.g. from the sorting room to the main cold storage) as well as manual inventory adjustments.

5. 🌾 Feed (Silo Management & Deliveries)

To ensure accurate feed balance and cost control, the receipt of feed goods is documented here.

- What is being recorded here? Each new feed delivery from your dealer, broken down into the respective feed silos, including delivery note numbers, prices and qualities.

6. 💰 Sales (Direct Marketing & Trade)

This section details the economic aspects of egg production.

- What is being recorded here? The commercial documentation of **egg sales** to large customers or the farm shop – including the assignment of batch numbers for complete traceability.

7. 📅 Actions (Tasks, vaccinations & notes)

The digital memory for flock management. Here you plan and document everything that goes beyond the raw numbers.

- What is being recorded here? Upcoming or completed mandatory vaccinations, official inspection appointments, veterinary findings, or simple to-do lists for your staff in the barn.

6. Daily performance recording (stable log)

This module is the most important tool for your daily work. Here you enter every day how many eggs your animals have laid, the egg weight, and whether there were any unusual occurrences in the barn.

The system actively thinks for you in the background: It automatically locks or unlocks input fields depending on what you have set in the master record of the respective flock (e.g., whether you sort by weight class or not).

Section 1: Performance Overview (Filter Functions)

When you open the module, you will see a list of previous stable reports. To keep track of everything, use the controls at the top:


Leistungs-Buchung																	
+ NEUE BUCHUNG																	
Herde filtern		☒ Nur aktive Herden		Zeitraum * 14.05.2026 - 21.05.2026													
Aktion	V	Datum ↓	LW	Herde	Bestand	Klasse A	XL	L	M	S	Knick	Schm.	Gew. KG	Vp. KG	GP	g/Ei	V
 	N	2026-05-18	16	9.202	28.516	15.000	315	8.760	5.925	0	0	0	32,10	0,00	600	50,90	
 	N	2026-05-17	16	9.202	28.516	15.000	225	7.275	7.500	0	0	0	32,00	0,00	600	50,73	
 	N	2026-05-16	15	9.202	28.516	60.000	900	29.100	30.000	0	0	0	32,00	0,00	600	50,73	
 	N	2026-05-15	15	9.202	28.516	11.000	165	5.335	5.500	0	0	0	32,00	0,00	600	50,73	

- **Filter flocks (filter cookers):** → Manage flocks Select a specific flock to view only its laying records.
- **Only active flocks (Active filters only):** Hide old, already culled flocks to keep the selection list nice and clear.

- **Limit the time period (*filterDateRangeText*):** A calendar search field. Here you can specifically search for entries from a particular week or month.

Section 2: The daily data entry form

When you create a new stable report or edit an existing entry, the input form opens:



1. Master data of the notification

- **Select flock (*ID_flockEN*):** Determines which animal group you are entering the data for.
 A notice: For safety reasons, the flock may be affected during subsequent EditAn entry can no longer be changed in order to prevent incorrect bookings.
- **Booking date (*bookingDateOnly*):** The date on which the service was provided (today is the default).
 Important safety checks: 1. The date **must not lie in the future** 2. The date **may not be before the official start of laying** The booking will be made available to the selected flock. If the interval since the last booking is greater than 1 day, the booking will be shared (split), but no more than defined in the settings.
- **Key figures calculated by the system (read-only):** Once you select the date, the program immediately determines three important values for you:
 - **Performance Week (LW):** The current week of the flock, calculated from the start of laying.
 - **Alterswoche (AW):** The actual age of the hens in weeks of life.
 - **Current animal population:** The number of hens that are theoretically in the barn on that day.

2. Laying performance, sorting & weights

(Note: You can flexibly control which of these fields are enabled for you via the flock parameters)

- **Total weight check weighing (*display control weight*)**: If you are weighing a sample of eggs, enter the total weight in kilograms (kg) here.
- **Packaging weight / tare (*display Verpackung*)**: The tare weight of the packaging or pallet used (in kg). The system automatically subtracts this value to determine the net egg weight.
- **Average egg weight (*display weight* (Read-only))**: The program instantly calculates the average weight per egg (in grams, g) as soon as quantities and weights are entered.
- **Class A Owner (*CLASS*)**: The total number of flawless, saleable eggs. Depending on the farm settings, you either enter this number manually or the system calculates it automatically from the individual weight classes.
- **Full (*display Vollei*)**: The weight of liquid whole egg (in kg) if eggs are cracked directly on the premises or otherwise used.
- **Sorting by size classes (*JUMBO, XL, LARGE, MEDIUM, SMALL*)**: Number of eggs laid, neatly divided according to legal weight classes. These fields are only editable if sorting is activated for this flock.
- **Rejects / Defects (*DIRT, KNICKEIER, BRUCHEIER*)**: Number of unclean or damaged eggs. This data is extremely important for subsequent flock analysis.

Area 3: Direct Actions (The Logistics Turbo)

Once you've entered the figures, you don't need to leave the screen to initiate the logistics process. Powerful quick functions are available at the bottom:

Übertrag an Eierlager

Charge erstellen und Bestand einbuchen

Ziel-Lager auswählen *

50 - Lager 50

Lagerplatz / Ort *

Lagerplatz noch nicht zuge...

Aktueller Lagerbestand (Referenz)

JUMBOS: 0 XL: 0 LARGE: 0 MEDIUM: 0 SMALL: 0

Verfügbar (v = b - e)

J: 0 XL: 0 L: 0 M: 0 S: 0

JUMBOS

0

XL

315

LARGE

8760

MEDIUM

5925

SMALL

0

Chargennummer (Vorschlag)

CH-9202-210526-50

ABBRECHEN


BESTAND EINBUCHEN

a) “Transferred to egg storage” or “Other use”

With one click, the recorded egg quantities are immediately and physically transferred to the selected storage location, making them available in the farm shop or wholesaler.

 **The barn barrier (egg overflow protection):** The save button is controlled by the system **automatically blocked**. The program will not respond if: 1. The number of Class A eggs entered is zero. 2. The total number of eggs (Class A + defective eggs) unnaturally exceeds the current number of animals in the barn. This protects you from typos (e.g., accidentally typing an extra zero).

b) “Book losses”



If you had to remove dead animals from the barn today, click this button. A small, quick data entry window will open:

- **Number (LOSSES):** How many hens are affected (must be greater than 0)?
- **Cause (ID_TEXTE):** Quick selection of the reason from a simple list (e.g. Illness, age, bird of prey).
- **Note (MEMO):** A free text field for your personal observations on site.

 The underlying logic: The system immediately pulls these animals from the current one when saving. **Memorial** The next day, your hen count in the coop will again match the number of animals exactly.

7. Animal losses & relocations

In this area you manage the actual **Hen stock** Your farm. Every addition or removal of animals is documented here down to the minute. The system works in the background to ensure that the daily animal counts for the morning egg report are always accurate down to the hen.

Area 2: Animal losses (Loss Grid)

This module is designed for the targeted recording and analysis of everyday animal losses. Unlike quick entry directly at the **Egg report** Here you have a convenient long-term overview of the mortality rate of your flocks.

+ NEUE VERLUSTE						Verluste
 Zeitraum (Tage) 7	 Herde auswählen	 Grund Verlust				
Aktion	Herde	Datum ↓	Anzahl	Kosten (€)	Grund	
 	Herde 9202 in BEVERFARM II	2026-05-16	68	0,00	Allgemeine Verluste	
 	Herde 9204 in BEVERFARM IV	2026-05-16	85	0,00	Allgemeine Verluste	

a) Search and filter functions

To quickly find specific loss reports or check statistics, use the filter bar at the top:

- **Limit the time period (*filterDays*):** Specifies how many days back in time to look. By default, you will see the messages from the last **7 Takes** displayed.
- **Select flock (*filter cookers*):** Filters the list by a specific animal group.
 Important: A flock must be selected here in order for you to even click the button for a new loss report!
- **Filter loss reason (*filterText*):** → Manage texts If you want to specifically track how many animals have died, for example, due to a particular disease or from birds of prey, you can filter the list by this reason.

b) To record or edit a loss report


When you click on "New Losses," the data entry window opens. The system automatically switches to a...**locked loss mode** This means for the user: The booking type is permanently fixed to "loss", which makes accidental clicks in the heat of the moment impossible.

- **Number of dead animals (*LOSSES*):** The exact number of affected hens. This value must be greater than 0.
- **Cause (*ID_TEXTE*):** Select the exact reason from a simple drop-down list (e.g. Illness, age, culling or Raubvogel).

- **Personal note (MEMO):** A free text field for your personal observations on site (e.g. "Two hens found in the run, probably a hawk").

Animal movements & relocations (Animal Movements Grid)

This module is a true multi-tool. It manages all major inventory changes beyond the daily loss-making business – such as the purchase of new pullets, the final sale of older hens, or the transfer of animals between barns (relocation).



+ NEUE BEWEGUNG Tierbewegungen

Herde auswählen Zeitraum Letzte 7 Tage Manuelles Datum 15.05.2026 - 22.05.2 Grund Umgebucht

Abgebende Herde (Geben)				Empfangende Herde (Nehmen)			
Aktion	Herde-Nr	Bezeichnung	Datum	Aktion	Herde-Nr	Bezeichnung	Datum
☐	9202	Herde 9202 in BEVERFARM II	2026-05-21	☒	9204	Herde 9204 in BEVERFARM IV	2026-05-16
☐	9202	Herde 9202 in BEVERFARM II	2026-05-20	☐	9010	Herde 9010 in Beverfarm gesamt	2026-05-16
☐	9202	Herde 9202 in BEVERFARM II	2026-05-19				
☐	9202	Herde 9202 in BEVERFARM II	2026-05-18				
☐	9202	Herde 9202 in BEVERFARM II	2026-05-17				
☒	9202	Herde 9202 in BEVERFARM II	2026-05-16				
☐	9204	Herde 9204 in BEVERFARM IV	2026-05-16				
☐	9010	Herde 9010 in Beverfarm gesamt	2026-05-16				
☐	9201	Herde 9201 in BEVERFARM I	2026-05-15				
☐	9202	Herde 9202 in BEVERFARM II	2026-05-15				

a) Overview list & filters

- **Select flock (filter cookers):** Displays the history of a specific flock. Again, the field is a prerequisite for being able to record a new movement.
- **Quick selection of time period (timeframe):** A handy dropdown menu to quickly filter the list to the last 7, 30 or 90 days (or "All").
- **Exact time period (filterDateRangeText):** Allows you to set a precise start and end date for your search using a calendar.

- **Reason for movement (filterText):** Determines what type of movement you want to see or create (e.g. Access, Departure/Sale or Slaughter).

b) ⚡ **Special mode: Moving animals within the farm (Dual-Grid)**

The system has an extremely clever automatic function: As soon as you enter the word for the reason for movement "**Relocation**" When you select a option, the entire program interface instantly changes its appearance and switches to a **Dual Grid layout!**

On the left you see the "Sending flock" (source) and on the right the "Receiving flock" (destination). This process is strictly date-oriented to nip booking errors in the bud.

1. **The left side (giving):** You select an existing egg report from a flock on a specific day from the table on the left.
2. **The right side (Take):** Once you have clicked on the left, the system automatically filters the table on the right in the background. It shows you **Bookings must only be made for other flocks on the exact same calendar day.** Note: A change of location to an incorrect date or to the same flock will be actively blocked by the program.

3. **The transfer:** If you have marked the day on both sides, the large one will appear in the middle. **Arrow button** active. A click on it opens the quantity window:

- **Number of pieces (amount):** The exact number of chickens that are to be moved to a different coop.

 **The inventory freeze:** The system immediately performs a mathematical check of the number. The entered quantity **must be greater than 0** and may **never be higher than the number of animals that were still in the barn in the source flock on that day!** Overbooking the stable is impossible.

- **Reason for relocation (idText):** A mandatory field where you document from the system texts why the animals are moving (e.g. Change to laying pen 2).


Upon saving, the backend automatically generates a dispatch entry for the old flock and an arrival entry for the new flock at the same moment. Logistics couldn't be cleaner, faster, or more secure!

8. System settings & company master data

In this section, you configure the basic settings for your entire operation. The values entered here serve as a "template" (default values). This will save you considerable time later, as these values will be automatically suggested when setting up a new flock. They can be copied to and modified in new or existing flocks.

Area 1: Registration & System Security

- **Login required upon startup (authRequired)** Determines whether users must log in with a password when starting the program.
 A notice: This setting can be changed for security reasons **only by an administrator** will be changed.



The screenshot shows a web interface with two main sections. The top section, 'System-Sicherheit', has a yellow header and contains a toggle for 'Anmeldung beim Start erforderlich' which is checked. The bottom section, 'Firmenstammdaten', has a blue header and contains a form for company data. On the left of the form is a circular image placeholder for a company logo. The form fields are: 'Name *' with 'Otto Dotter', 'Zusatz' with 'Hühnerhof', 'Straße' with 'Großer Hahnensteig 17', 'PLZ' with '9876', 'Ort' with 'Burg GroÙeiertal', 'Mobil' with '172 99 88243', and 'Email' with 'ottdotter@eiermail.com'. Buttons for 'ABBRECHEN' and 'SPEICHERN' are in the top right of the form area.

Your company master data

This data is used for letterheads, reports and analyses.

- **Company logo (PHOTO):** Your logo, which is displayed in the application and on reports as a distinguishing feature.
- **Company name (NAME):** The main name of your company. This is a required field.
- **Additional (BUSINESS):** Here you can find legal forms (e.g. GmbH) or secondary occupation designations.

- **Address (*STREET, PLZ, LOCATION*):**The full address of your business.
- **Contact (*MOBILETELEPHON, WEBSITE,EMAIL*):**Your phone number, email address, and website for system notifications. These are active fields, meaning that if you enter "Email," your email application will be opened, and if you enter "Website," your internet address will be accessed.

Default values for your flocks & recording

The values entered here apply to all flocks, but can be adjusted for each flock if necessary.


Globale Parameter (Defaults)
ABBRECHEN
SPEICHERN

Numerische Basis-Werte

Mass Vollei 1000	Anzahl Kontrolle 600	Laufzeit (W) 90	Prod. Dauer 65	Legebeg. (...) 20	☒ BIO	Bio-Aufschlag (€) € 0,1
Haltungstyp B - Bodenhaltung	Verpackung (kg) 1,56	Max. Tage Vermittlung 7	Referenz Alterstabelle Brown Alter Eier Prozent	Referenz Gewichtstabelle Aufteilung in Abhängigkeit D-Gewi...		

Chargen-Einstellungen

Präfix (Firma) CH	Trenn. -
☒ Lagernummer einbeziehen	☒ Herdennummer einbeziehen
☒ Jumbos ☒ XL ☒ Large ☒ Medium ☒ Small ☐ Vollei	☒ Datum einbeziehen

Optionen

☐ Jumbos erfassen	☒ Gewichtsklassen	☒ KlasseA erfassen
☐ KlasseA errechnen	☒ KlasseA vermitteln	☐ Schmutzeier
☐ Knickeier	☐ Brucheier	☐ Vollei (Stück)
☐ Vollei (kg)	☒ Aufteilung Gewicht	☐ Aufteilung Alter
☒ Kontrollwiegung	☒ Verluste direkt bei Leistungsbuchung erfassen	☒ Lagerbuchungen automatisch bei Leistung ausführen
☒ Aktuelles Datum vorschlagen	☐ PseudoLager erlauben	

a) Basic values & posture type

- **Measure for whole egg (*MEASURE EGGS*):**Specifies how whole eggs are measured by default.
- **Number of checkweighings (*NUMBER CONTROL*):**How many eggs should be weighed during a standard weight check?
- **Production runtime (*RUNTIME WEEKS / PRODUCTION TIME*):**The planned duration of flock production in weeks or days.

- **Typical start of laying (DOCTORAL START_LW):** In which week of life the hens typically begin laying eggs (standard: week 18).
- **Organic production & surcharge (BIO / ORGANIC SURCHARGE):** Determines whether your business operates according to organic guidelines as standard and what price premium (in € cents) is charged for this.
 **Automatic logic:** If you are at **Posture type** you select the checkbox (for organic production/organic), the system will automatically activate the organic checkbox for you.
- **Packaging weight (PACKAGING KG):** The standard weight of the packaging in kilograms. This weight is subtracted during the control weighing to determine the average weight per egg.
- **Standard tables (ID_TABLEALTERS / ID_TABLEWeight):** Determines which stored standard guidelines should be used for class classification by age or weight.

b) Automatic batch numbers (traceability)

If you want the system to automatically generate batch numbers for your egg deliveries, you can define the "configuration kit" for this here:

- **Company ID (CHARGEPREFIXFIRMA):** A fixed abbreviation for your company, which appears at the beginning of each batch.
- **Separator (BATCH SEPARATION):** The character between the numbers. Allowed characters: period (.), hyphen (-), underscore (_), slash (/) or a space.
- **Additional modules:** You can determine whether the system automatically... **Storage number**, the **Commemorative issue** or that **current date** which should be included in the batch number.
- Example of a batch with prefix = CH, storage number = 10, flock number = 2601, date = 20260101 results in batch CH-10-202601-20260101
- **Size classes (CHARGEJUMBOS until Batch egg):** Select which egg sizes this automatic batch number should be applied to.

c) Data collection logic (What information is queried in the barn?)

Here you only activate the functions that you actually use on your farm, in order to keep the daily input screen as clean as possible (exactly your topic, Werner!):

- **Record weight classes (CLASS RECORDING):** Activate if you are sorting and recording eggs by weight class (S, M, L, XL).
- **Only class A captures (CLASSIFICATION):** If you do not specify a sorting method, but only document the pure Class A, the classification will then be based on the settings "According to age table" or "According to weight table". This requires a control weighing from which an average weight per egg can be calculated.
- **Automatically calculate Class A (CLASS Arithmetic):** The system automatically determines the quantity of class A from the inputs into the corresponding egg classes.
- **Special egg varieties (ERFASSE SCHMUTZEI, ERFASSE KUCKEI, ERFASSE BRUCHEI, CAPTIVATING):** Activate the fields if you want to record dirty, cracked or broken eggs (in pieces or kg) by default when booking.
- **Book losses directly (LOSS BOOKING): (Very important for the stable!)** If this option is enabled, the system immediately checks for any dead animals during the daily egg report and removes them directly from the flock.
- **Feed inventory (FEED INVENTORY):** If this checkbox is enabled, an inventory can be performed for a silo. This setting is only available in conjunction with Class A brokerage. Feed brokerage requires complete performance recording.
- **Storage & Brokerage (WAREHOUSE BOOKING SUPPLEMENT, PSEUDOLAGER):** Controls whether eggs are immediately booked into storage upon registration and whether a virtual "pseudo-storage" may be used for quick bookings.

9. Feed, Sales & Promotion Management

Area 4: Feed balance & silo management (FeedGrid)

To ensure accurate cost control and documentation for the operation, this module precisely records every incoming delivery of animal feed and books it to the physical silos.

Futterbuchung bearbeiten

Lieferdatum
15.06.2026

Silo *
2: Silo Nummer 2

Lieferant
75103: Raiffeisen Futter Lieferant

Grund / Sorte
Kofu Ia 2

Menge (kg)
10.000,00

Preis / dt
2,50

Netto (€)
250,00

MwSt
2 (19%)

Brutto (€)
297,50

Rabatt (%)
0,00

ABBRECHEN

AKTUALISIEREN

a) Search and filter functions

- **Filter silo (*filterSilo*)**: Shows you only the feed deliveries that were filled into a specific silo.
- **Filter feed type (*filterText*)**: Filters the history by a specific type of feed (e.g. Laying hen meal, Starter feed).

b) Record or edit a feed delivery

- **Date and time (*fullTimestamp*)**: The exact time when the feed was delivered and blown into the silo.
- **Delivery date (*DELIVERY DATE*(Read-only))**: The system automatically extracts the time from the clock and displays it clearly.
- **Select target silo (*ID_SILO*)**: The physical silo into which the delivery is filled (required field).
- **Supplier (*ID_PERSON*)**: The feed supplier from your address book. The list intelligently displays only contacts marked as suppliers.


- **Feed type (*ID_FOOD_VARIETY*)**:The exact forte of the feed (mandatory field).
- **Delivery quantity (*DELIVERY QUANTITY*)**:The weight of the shipment in kilograms (kg). The system supports convenient decimal point input.
- **Price per deciton (*PREISDT*)**:The purchase price per 100 kg (deciton) of feed.
- **Value Added Tax (*MWSTKZ*)**:The appropriate tax code from your preferences.
- **Net total amount (*NET*)**:The calculated value of goods excluding taxes
.
- **Discount/Discount (*DISCOUNT*)**:Optional entry of a price discount.
- **Gross total amount (*BAD*(Read-only))**:The final invoice amount including tax and less any discounts.

 **NEUE FUTTERBUCHUNG**

 **FUTTERINVENTUR**

 Silo filtern

 Grund / Sorte



Futterinventur X

Silo *
1: Silo Nummer 1

Inventurdatum *
30.06.2026

Inventurmenge (kg) *
30000

ABBRECHEN SPEICHERN

c) Feed inventory and feed distribution

The "Feed Inventory" button is only visible if this function is activated in the company parameters.

This function prepares the feeding process for a specific silo.

- **Silo number** Here, the silo for which the inventory is to be carried out is selected..
- **Invented** This is the date on which the inventory is carried out. This date defines the inventory period, which begins at the end of the last inventory date plus one day. All bookings for the flocks connected to the silo must be recorded by this time.
- **Inventory quantity is** The amount of feed still in the silo. A negative and a positive feed entry are generated using this value. The positive entry receives the inventory date, the negative entry the inventory date + 1.

Danger!!!

Feed distributions based on flock performance levels can only ever fluctuate within the timeframes between inventory dates. Errors in the inventory date are not permitted.

It is not possible to delete an inventory entry. This is also unnecessary, as the inventory entry is value-neutral. Two journal entries are generated in this process:

A negative journal entry as a closing entry, intended to relieve the current period.

A positive journal entry for the following period.

The two bookings cancel each other out.

These accrual entries are necessary to allocate quantities and costs. The distribution to the flocks supplied from the silo takes place after the inventory entry has been saved.

Egg sales & invoicing (Sales Grid)

This module regulates the economic disposal of your goods.

 **Important system notice:** Sales are usually not manually created in this mask! They are generated fully automatically as a subsequent process when you check the box for egg removal in the egg storage area. "Create a sale" The SalesGrid then retrieves the quantities directly and in read-only mode from the warehouse.

Verkauf bearbeiten
✕

Dieser Verkauf ist mit einer Eilager-Umbuchung (ID 95) verknüpft. Mengen sind schreibgeschützt.

Buchungsdatum *
28.04.2026

ID Eilagerbuchung
95

ID Leistung
10057

Menge S
0

Menge M
6000

Menge L
5820

Menge XL
180

Preis S
0,10

Preis M
0,13

Preis L
0,15

Preis XL
0,18

Gesamtpreis (€)
1.678,95

Charge
CH-9202-260426-50

Rabatt (%)
0

☐ Bio-Ware

☐ Bereits verbucht

AKTUALISIEREN

ABBRECHEN

Edit the sales form

- **Booking date (*BOOKING DATE*):**The date of the sale. Once a sale is officially marked as completed in the system, this field is locked.
- **References (*ID_EILAGERBUCH* / *ID_BOOKING*(Read-only):**Shows you, down to the second, from which physical stock withdrawal or barn output this sale was originally generated.
- **Batch number (*CHARGE*(Read-only):**The batch of eggs sold for legal traceability.
- **Quantity display by class:**The quantities for **Jumbos**, **XL**, **L**, **M**, **S** as well as the weight for **Full egg (kg)** are loaded directly from the warehouse and are write-protected here.

- **Unit prices (PRICE MALL until PREISXL):** The price per egg. The system automatically pre-populates these fields with your standard farm prices when opened. However, you can manually override them for this specific customer at any time.
 - **Bio-Ware Toggle (BIO):** If you activate this switch, the system will automatically add the organic surcharge stored in your company parameters to the individual prices.
 - **Discount in percent (DISCOUNT PERCENT):** If you are offering the customer a percentage discount, enter it here. The system will immediately recalculate all individual and total prices live.
 -  **The “backward calculation feature” (TOTAL PRICE):** Here's an ingenious feature the program offers: If you've agreed on a fixed price with the customer (e.g., exactly €350.00), simply enter this amount directly into the "Total Price" field. The system will then check the entry and... **At the same moment, the calculation automatically reverses.**, how many discount percentages that corresponds to, and adjusts the individual prices of the eggs to the exact cent!
 - **Already booked (BOOKED):** A checkmark that blocks the sale and signals that the transaction has been handed over to accounting.
-



10. Action & Task Management


This module is the digital memory of your farm – a mixture of to-do list and veterinary follow-up system for mandatory vaccinations, check-up appointments or stable cleanings.

a) Overview list & filters

- **Responsibility (filterUser):** Filters tasks by responsible employee or displays "All".
- **Action type (filterKz):** Distinguishes between one-off and recurring tasks.

- **Status-Filter (*filterStatus*)**: Easily switches between "Open", "Completed" or "All tasks".


b) Identifying a task (one-off vs. recurring)



Action type

- **(*ACTIONS_KZ*)**: Defines the type of task:
 - **Type 'B' (single task)**: A one-off to-do (e.g. "Repair fence at paddock 3").
 - **Type 'W' (Recurring task)**: The "mother task" for regular appointments (e.g. "Perform vaccination at intervals").
- **Due date (*DATUM*)**: When the task needs to be completed.
- **Responsible user (*ID_USER*)**: To which employee this task is permanently assigned.

- **Description (*DESIGNATION*)**: The free text field (textarea) for the exact work instructions.
- **Interval in days (*INTERVAL_DAYS*)**: Only active when the type is set to 'W' (Recurring). Determines the interval between tasks (e.g., every 30 days).
- **Number of intervals (*NUMBER_INTERVALS*)**: Defines how many individual tasks should be generated in advance for the future.
-  **The series generator (special button)**: If you have created a recurring task ('W'), click the button. "Create number of intervals" The system now performs an automated backend operation: It creates independent individual tasks ('B') in the background for all future dates and automatically moves the main date of the recurring task into the future.



- **Done checkmark (*DONE_BOOL*)**: When you or an employee checks off an individual task, a comment is requested; afterwards, the system saves it securely in the background. **who** has completed the task from the current registration and **at what time** This happened.
 **Protection rule**: Recurring main tasks ('W') cannot be checked off directly – the individual appointments ('B') generated from them must always be completed in the stable!

11. Cost Management & Profitability

To know whether there's a profit at the end of the month, all costs must be recorded precisely. This module is the economic data center of...**HuhnLite**.

The system is divided into two logical areas that automatically interlock to provide you with the **Total cost per day** to display for your business:

1. **The cost header (long-term fixed costs):** Here you manage your large asset values and depreciation. The system then automatically calculates your daily basic operating costs for the barn.
2. **The cost grid (ongoing expenses):** Enter your everyday, short-term invoices here. These totals are then divided by the number of days of use to determine the variable daily costs.

Area 1: Long-term values & depreciation (cost tab header)

In this upper section, you enter the major tax and operational parameters. These values typically change only rarely (master data & factors).

- **Building value (€) (BUILDING VALUE):** The total value or construction costs of your barn building.
- **Depreciation of buildings (%) (DEPRECIATION_G):** The percentage rate by which the building is depreciated each year (e.g. 2.0% or 3.0%).
- **Device value (€) (DEVICE VALUE):** The total value of the technology installed in the barn, such as feeding systems, ventilation systems or egg sorting belts.
- **Depreciation of equipment (%) (DEPRECIATION_R):** The annual depreciation rate for the equipment, since equipment usually loses value faster than buildings (e.g. 10.0%).
- **Planned production duration (days) (PRODDAUERGEPLANT):** The number of days a flock is expected to remain in the barn by default. This value serves as a mathematical divisor for cost calculation.

- **Slaughter proceeds at the end (€) (SLAUGHTER LOES):** The amount you estimate you will receive at the end of the laying period from selling or slaughtering the spent hens (soup hens). The system includes this revenue as a positive factor in the overall calculation.

Record ongoing expenses (The cost grid)

In the table below, you record all invoices that arise during day-to-day operations (e.g., veterinarian, repairs, bedding, or energy).

When adding a new cost item, fill in the following fields:

- **Booking date (BOOKING DATE):** The date on which the costs were incurred, or the invoice date.
 - **Cost type (COST TYPE):** → Manage texts. Use the selection menu to precisely differentiate between:
 - **Variable (VA):** Ongoing costs that vary depending on the situation (e.g. "Veterinary visit" or "Disinfectant").
 - **Fix (FI):** Fixed additional costs that remain the same every month regardless of the current situation (e.g. "Stable lease" or "Insurance").
 - **Designation (DESIGNATION):** A free text field in which you briefly describe what the output is about (e.g. "Maintenance of the ventilation system").
 - **Costs (€) (COSTS):** The gross or net total amount of the invoice in euros (€).
 - **Number of days (TAKE): (The core commercial feature!)** Consider the time period for which this expenditure is intended.
 - 💡 A practical example from the manual: If you receive a veterinary bill for €140.00 for a medication that lasts for two weeks, enter "14" in the number of days field. The program will automatically divide the total in the background ($€140.00 / 14 \text{ days} = €10.00$) and post the exact amount for the runtime analysis. **10.00 euros per day** This prevents your statistics from being skewed by a single large bill on a single day.
-

12. Dynamic Reports & Analyses


The reporting module is the central information hub for your business. Here, the data collected in daily operations (performance, feed, sales) is compiled, filtered, and presented graphically or in tabular form.

The module is intelligently separated: Regular users only see the "Display" tab to retrieve reports. Users with administrator rights can extend the entire system in the "Configuration" tab.



Retrieve & use reports (display mode)

When you open the module, you will see a [unclear text] on the left side. **Berichtsbaum** (**Tree structure**). Here, all available analyses are neatly sorted into folders according to subject areas (e.g., folders "Finance" or "flock Performance").



1. Set report filters (**Parameter-Filter**)

As soon as you click on a report, the system checks in the background whether this report contains variables (e.g., if the analysis asks for a specific flock or time period).

- A window will open automatically: **"Set filters" dialog**.
- Depending on the report, you can restrict data here using convenient selection fields (such as a calendar or a flock selection list).

2. The three forms of representation

Depending on how the report is structured in the background, the program displays the data in one of three modern views:

- **Standard List (S, L):** A clear, flat table. You can sort each column with a click. At the bottom of the table, there is often an automatic totals row (e.g., total number of eggs in the selected month).
- **Master-Detail Grid (M):** Here you see two tables, one above the other. If you click on a record in the upper table ("Master") (e.g., a customer), the lower table ("Detail") immediately displays the corresponding individual transactions (e.g., all invoices for this customer).
- **HTML-Template (T):** This view generates a fully formatted document directly based on a saved layout. Perfectly suited for the clean display of delivery notes or finished invoices.

3. **Print & Excel Export**

RECHTE SEITE AKTIV



Herden-Übersicht: Status & Einstellung



DRUCKEN / PDF



CSV EXPORT

Two quick functions are available at the top of each executed report:

- **Print / PDF:** Creates a clean, printer-optimized view or saves the report as a PDF file.
- **CSV-Export:** With one click, it downloads the displayed raw data as a file, allowing you to immediately process it further in Microsoft Excel or Google Sheets.

Create reports (configuration mode for administrators)

Note: This tab is only visible if you are logged in with an administrator account.

New reports are created via a structured, multi-step wizard (**Stepper**). The core element here is the direct querying of columns from the database.

Existing reports cannot be modified or deleted. However, you can copy reports or create new ones and add them to the tree as desired. Reports can also be moved within the tree using drag and drop.

Step 1: Name & Type

- Enter the name of the report and assign it to a category (folder in the report tree).


- Select the basic display type (*S, L, M or T*).

Step 2: Database queries (SQL input)

- **System identifier (*SYSTEM_KZ*):** If you check this box, the report will be marked as a "system report." This protects it from accidental deletion or overwriting by other users.
- **Main query (*Master SQL*):** The primary SQL command is entered here.
- Select the master table from the database tree. You can then drag and drop fields into the SQL window.
 - 💡 **Variable carrying:** If the user should be able to filter flexibly later, create a WHERE clause with the appropriate Button. It provides the syntax. The system recognizes this automatically and creates the appropriate input field for the user when the function is called.
- **Detailed query (*Detail-SQL*):** (Only active for master-detail reports). Here you define the lower table. If the data is system-linked, a WHERE clause is not required for the connection. Example: Feed is linked with SILO.ID= FUTTER.ID_SILO or flockEN.ID= BOOKING.ID_flockS
- **3: Parameter Formatting**

Here you define in detail how the question mark variables should be presented to the end user in the filter dialog:

- Using the "Create Filters" function, you can generate query dialogs that are displayed when the report is run. The system recognizes the field format and applies it in the dialog. For example: Date query, Date Picker



13. System Texts & Dropdown Management

Have you ever wondered where the selection lists (dropdown menus) in the program – such as the reasons for animal losses or the different chicken breeds – get their entries from? The answer is: from the central text management system.

This module is HuhnLite's "dictionary." It prevents the software from becoming rigid. You can extend existing lists or add new options here without requiring any changes to the program code.

The administration is divided into two logical levels:

1. **The text types (categories):** The overarching category (e.g., "Reasons for animal losses").
2. **The texts (entries):** The actual slips of paper in the drawer that the user can later click on (e.g., "Hawk", "Senile degeneration").

 **Important safety notice:** Some entries that are absolutely necessary for the software's calculations (such as the abbreviation "U" for relocations) are listed as **System entry** Marked and protected. Texts are locked; they cannot be overwritten or deleted. They serve not only for display but also for control purposes. However, new text types and texts can be entered and modified by the user. The text can be locked so that only the administrator can delete and modify it.

Texttypen				Typ filtern P - Personentyp				
Aktion	KZ	Bezeichnung	System	Aktion	Typ	Kennz.	Betreff	Inhalt
 	 K	Kosten		 	P	 Z	Zuechter	
 	 A	Aktionen		 	P	 K	Kunde	
 	 P	Personentyp		 	P	 L	Lieferant	
 	 H	Haltungstyp		 	P	 V	Vertreter	
 	 N	Anrede		 	P	 B	Bekannte und Freunde	Private Adressen Freunde
 	 T	Zugänge		 	P	 A	Anwender	Bezieht sich auf den Anw
 	 V	Abgänge		 	P	 F	Firmenstamm	Bezieht sich auf die Firm
 	 S	Solltabellen Klassenaufteilung		 	P	 H	Behörde	Behörden und Ämter
 	 E	Eilager Buchungen						
 	 L	Eilager Typen						
 	 Z	Zugang						
Records per page: 15 1-11 of 11				Records per page: 15				

Section 1: Text Types (Managing Categories)

In this section, you define the parent lists. When you edit a category, you will see the following fields:

- **Abbreviation (KZ):** A unique, short identifier for the entire list (e.g. TV (for animal movements). This field serves as a guide for the software running in the background.
 - **Plausibility:** This is a required field. For regular users, it is read-only in existing categories to prevent the database link from being broken.
- **Designation:** The understandable name of the list that you see in the system (e.g. "Reasons for animal deaths").

- **System entry (protected):** A security checkbox. If activated, the entire category is locked for standard users to prevent the deletion of system-relevant lists. Only administrators can disable this protection.

Section 2: The texts (The specific selection entries)

Here you enter the actual words that the user will later click on the screen in the stable or in the office.

- **Text type (text_type_kz):** Use a dropdown selection to determine which parent category this entry should be sorted into.
- **Characteristic / Function (kz):** A single letter or number as a technical abbreviation (e.g. **IN** for loss or **IN** (for relocation)). The program logic uses this abbreviation in the background to, for example, automatically switch the app's layout when you initiate a relocation.
- **Reference:** This is probably the most important field for everyday use. The text you enter here will later be displayed directly to the user in the selection menus of the forms.
- **Contents:** An expanded text area for additional, detailed descriptions, internal notes, or long texts about this entry.
- **System entry (protected):** Deletion protection is also available at the line level. If this option is enabled, a standard user can never accidentally delete this specific entry.
- Text can be added to specific text types at any time.
- Here is an example of extending the program control via text: in the Person Type section, you can create a new text – 'B' Acquaintances and Friends.

14. Background Tables & System Configuration

This module is the logical foundation of HuhnLite. It does not handle everyday barn bookings, but rather maintains the central guidelines, price lists, and tax rates that the program needs for its automatic calculations in the background.

The administration is clearly divided into six departments (tabs):



Register 1: Age tables (breeders' reference values)

Here you enter the official performance data from the breeding companies for your chicken breeds. The system will later use these values to compare the actual performance of your flock in the coop with the breeders' optimal specifications.

a) Table header data (The template)

- **Table number & name:** A unique number and a name (e.g. "Lohmann Brown 2026 Guidelines").
- **Date of creation & validity:** Documents when this table may be used for comparisons.

b) Row data (The weekly specifications)

For each individual week of life the following guidelines are provided for the hens:

- **Legerate AH / DH (%):** The expected daily egg yield is based on the number of hens housed (initial helpers) or the current stock (average helpers).
- **Egg weight per week / Cumulative (g):** The average weight of an egg this week, as well as the overall average since laying began.
- **Egg mass & eggs cumulative:** The projected total egg mass in grams and the total number of eggs a hen should have laid on average by this week of her life.

Register 2: Weight tables (size sorting)

This table controls one of the program's cleverest functions: it determines how the eggs are statistically distributed across the weight classes for a given average weight.

- **The sorting logic:** You enter an average weight in grams (g). The system now requires a percentage breakdown, which in total...**exactly 100%** must result (divided among the classes) **XL, L1, L2, M1, M2, S1, S2**.
- **The practical advantage:** If you weigh a sample in the barn and determine the average weight, the program can immediately use this table to mathematically estimate how many XL, L, or M eggs are on the pallets today, without you having to sort each egg individually!

Value Added Tax (Tax Office Settings)

Here you maintain the tax framework for your commercial bookings, which are needed, for example, when purchasing feed.

- **Tax identification number (MWSTKZ):** A short abbreviation for the tax rate (e.g., „A“ for the full set, „B“ for the reduced rate).
- **Percentage (%) PERCENT):** The current tax rate (e.g. 19.0% or 7.0%).
- **Account (ACCOUNT):** An optional field for the account number of your financial accounting system (FiBu), in case you wish to transfer the data to a tax office later.

Register 4: Price tables (Central egg prices)

Automatic price memory for your egg sales. When you initiate a sale in the egg storage area, the system consults this table to accurately display the prices.

- **Posture type (Concentration camp attitude type):** Determines the housing method (e.g. Organic, free-range or floor housing).
- **Egg classes (EGG CLASSES):** The weight class for which the price applies (e.g. XL, L, M, S).

- **Weight from/to (g):** The weight range in grams for this class.
 - **Price range (€):** The default selling price.
-

Register 5: Types of feed (feed catalog)

A very simple, clean list of all feedstuffs used on your farm.

- **Designation (**DESIGNATION**):** The name of the feed (e.g. "Organic laying hen meal Phase 1" or „Junghennenfutter“). The varieties listed here are immediately available to your employees as a clean selection menu in the feed receiving area.
-

Register 6: Field Configuration (The Translation Center)

Note: This is a deep system function that should generally only be changed by the administrator or system manager.

This table translates the "technical language" of the database into understandable terms for the user interface.

- **Technical name (**FELDNAME**):** The exact name of the column in the database (e.g. **INITIAL STOCK**).
 - **Display name / translation (**CONTENTS**):** The word that the user sees on the screen (e.g. "Initial animal population").
 - **Short title / Subject (**REFERENCE**):** Additional text or a short description for column headers and tables.
 - **Available in database (**NAMEINDB**):** A yes/no switch (flag). It indicates to the system whether it is a real, physical field in the database or a value calculated live by the program (a so-called "alias").
-

15. System administration, user rights, data backup

This manual chapter is specifically intended for the farm manager or system administrator. In this protected area, you control who is authorized to use the program, which buttons employees in the barn can see, and how to back up and restore your data in case of emergency.

*Before setting up access for your employees, define their "roles" in the profile management. Here you can easily determine their roles. **Authorization matrix (checklist)** Precisely specifying who is allowed to view or modify which data.*

a) Create a new profile

- **Profile license plate (**PROFILE_KZ**):**A single letter as an abbreviation for the role (e.g. **M**for employees, **G**(for guest).
 **System-Lock:**The license plate **A**This profile is permanently reserved for the administrator. This profile always has full access to all functions and can never be deleted.
- **Description (**DESCRIPTION**):**The role name in plain text (e.g. "Temporary worker without writing rights").

b) The authorization matrix (Which checkbox allows what?)

You can activate the rights simply by clicking on the respective checkbox:

- **Group: Basic & Master Data**
 - Show dashboard (*F_DASHBOARD*): Allows you to view the start overview.
 - Managing flocks (*F_flock_MANAGEMENT*): Allows the creation, modification, or archiving of flocks.
 - manage facilities (*Manage_facilities*): Unlocks the maintenance of stables and silos.
 - Manage people (*F_PERSONS_MANAGEMENT*): Allows access to the address book (suppliers/customers).


- **Group: Operational & Evaluation**
 - Recording bookings (*F_BOOKINGS_RECORD*): Allows for the recording of eggs, losses, and feed.
 - View reports/evaluations (*F_AUSWERTUNGEN_DISIGEN*): Allows retrieving and printing reports.
 - Manage costs (*F_COUNT_MANAGEMENT*): Unlocks the commercial expenditure side and depreciation.
 - Show raw tables (*F_TABLEN_DISIGEN*): Allows access to the system-wide background tables ("rubbish").

- **Group: System & Admin**

- Access System Administration (*F_SYSTEM_ADMINISTRATION*):Unlocks the entire admin panel.
- Manage users & profiles (*F_USER_PROFILE*):Allows the creation of employee profiles and the changing of passwords.
- Manage report structure (*F_SQL_STRUCTURE_MANAGEMENT*):Allows writing and modifying SQL reports.
- Edit parameters (*F_PARAMETER_EDIT*):Unlocks the ability to edit global company default values.
- Manage texts (*F_TEXT_MANAGE*):Allows access to the dropdown dictionaries.
- Create backups (*Create_backup*):Enables manual data backup.
Attention!! This is a snapshot.

16. User Accounts & Logins (User Page)

Here you create and manage the actual accounts that your employees use to log into the app in the morning.



- **Username (*USERNAME*)**:The unique name for the login screen (e.g.,„bauer.werner“).
⚠ Safety rule:For existing users, this name can be changed retroactively.**It can no longer be changed**(read-only) to ensure the traceability of bookings.
- **Clear name (*CLEAR NAME*)**:The employee's real name. This is displayed in the corner of the app."Logged in as: Werner").
- **password (*PASSWORD*)**:The password for access (displayed hidden during entry). If you edit a profile and leave the field blank, the old password simply remains valid.

- **Profile roller (USER_PROFILE ID):** Here you assign the user one of the roles previously created in section 1. From this point on, the system automatically manages which menu items are visible to this employee.

17. Backup Management

Sicherungsverwaltung

Verwalten Sie Ihre Datenbanksicherungen. Sie können Sicherungen löschen, komprimieren oder wiederherstellen.

Aktive Datenbank: C:\Users\hofma\GolandProjects\HuhnLite-Wails\build\bin\mandant_1\HuhnLite_prod.db

AUSGEWÄHLTE LÖSCHEN AUSGEWÄHLTE KOMPRIMIEREN WIEDERHERSTELLEN

☐	Dateiname	Typ	Größe	Datum	Pfad
☐	HuhnLite_prod_202607191424_start.db	Produktion	3.34 MB	19.07.2026, 14:24:57	C:/Users/hofma/GolandProjects/HuhnLite-V
☐	HuhnLite_prod_202607191424_exit.db	Produktion	3.34 MB	19.07.2026, 14:24:52	C:/Users/hofma/GolandProjects/HuhnLite-V
☐	HuhnLite_prod_202607191423_start.db	Produktion	3.34 MB	19.07.2026, 14:23:50	C:/Users/hofma/GolandProjects/HuhnLite-V
☐	Backups_202607191422.zip	Produktion	2.07 MB	19.07.2026, 14:22:37	C:/Users/hofma/GolandProjects/HuhnLite-V

Records per page: 15 1-4 of 4

Here you determine how your backups are handled. Use the checkboxes to specify which backups should be deleted, compressed (.ZIP), or restored. Multiple backup copies can be compressed together. Files that have already been compressed are excluded.

Automatic backups see **Chapter 17. Client Management**

Should a system failure, server error, or massive data loss ever occur, you can recover the system here using a previously created backup (disaster recovery).

- **Active database (currentDB):** For security purposes, it displays the exact path of the database on which the system is currently working live (e.g. `huhnLite.db`).

- **Available backups:** The system automatically lists all backup files found in the backup folder, sorted by date (the newest at the top). The currently active live database is hidden to prevent accidental overwriting.

The automatic process during a recovery:

Since this process irrevocably overwrites all current data, the system has a built-in safety net:


Confirmation: You must explicitly confirm the process in a warning window.

Automatic security backup: Before the program imports the old data, the backend creates **A fully automatic, secret backup copy (safety copy) is created** of the current status. So if you made a mistake in the line, nothing is lost.

Automatic restart: Once the data has been imported, the app forces a **complete restart of the application**. This completely clears the internal memory of the Vue app and loads it fresh with the recovered data.

When restoring, you can also select a ZIP archive containing multiple files. The saved databases are displayed as a list for selection:

Please note that these are all local backups. To protect your data from hardware failure, you should definitely consider an external data backup using a NAS or external hard drive.



Datenbank auswählen

Dieses Backup enthält mehrere Datenbankdateien. Bitte wählen Sie die wiederherzustellende Datenbank aus:

- ☒ HuhnLite_prod_202607201051_start.db
- ☐ HuhnLite_prod_202607192000_sched.db
- ☐ HuhnLite_prod_202607191917_start.db
- ☐ HuhnLite_prod_202607191550_exit.db
- ☐ HuhnLite_prod_202607191549_start.db
- ☐ HuhnLite_prod_202607191522_exit.db
- ☐ HuhnLite_prod_202607191517_start.db
- ☐ HuhnLite_prod_202607191429_exit.db
- ☐ HuhnLite_prod_202607191424_start.db
- ☐ HuhnLite_prod_202607191424_exit.db
- ☐ HuhnLite_prod_202607191423_start.db

[CANCEL](#) [WIEDERHERSTELLEN](#)

Area 4: The Developer Direct Mode (AdminPage / AdminDirect)

Note: This module is completely invisible in everyday production and strictly locked for testing, demo or development purposes.

This tool has a single, highly effective function: moving calendar data.


- **Postpone days (*daysInput*):** If you have loaded an older test database (e.g., with actual performance data from 2024) and want to date it precisely "to today" for a demonstration or analysis, enter the number of days here. Positive numbers shift all data into the future, negative numbers into the past.
- **The automatic calculation (*latestDate* / *suggestedDiff*):** The system automatically searches the entire database for the most recent entry. It calculates the difference up to today's calendar date and **The perfect suggestion will be written directly into the field as a number..** One click is all it takes, and the entire database has traveled through time to the present day.

18. Client Management

Mandanten verwalten				
Verwalten Sie Ihre verschiedenen Betriebsmandanten und deren Datenbanken.				
+ NEUER MANDANT				
ID	Mandanten-Name 	Systemverwaltung	Test-Modus (Test-DB)	Status / Aktion
1	Otto Dotter 			Aktiv
2	Gustav Hahn 			UMSCHALTEN
3	Hugo von Hoffmannstal 			UMSCHALTEN

Client management functions:

- **Switch client:** The system switches to the selected client during operation. The associated database opens automatically, and the active client is displayed in the status bar for verification.



Dotter

Backup: Beim Start (um 08:00,20:00)

Mandant bearbeiten

Name des Mandanten
Otto Dotter

Automatisches Backup
Beim Starten der Anwendung

Backup Uhrzeiten (z.B. 12:00, 20:00)
08:00,20:00

Mehrere Zeiten mit Komma trennen (z.B. 12:00, 20:00)

ABBRECHEN SPEICHERN

- **Create a new client:** Automatically creates a new client with the next available, consecutive client number.
 - The system creates a new target directory (e.g. */mandant_2*).
 - The reference database *HuhnLite.db* is used as a production database *HuhnLite_prod.db* copied to this directory.
 - The folder will automatically appear below it. */backups* generated for data backups.
 - After successful creation, the application immediately switches to the new client.
 - Set automatic backup. Can also be changed later.
 - There are two types: event-driven start program, end program, or both.
 - - Time-controlled; multiple times of day can be set. The backup is performed in the background at this time(s).

⚠ Safety notice: For data protection and security reasons, you should immediately check the following after creating a new account: **User management** assign the respective user accounts and their specific access rights.

If necessary, adjust the company master data via company parameters.

19. Directory structures and other information

C:\Program Files\HuhnLite

 HuhnLite-Local	17.07.2026 17:01	Anwendung	37.462 KB
 HuhnLite-Server	17.07.2026 17:02	Anwendung	34.719 KB
 settings	11.07.2026 17:09	JSON-Datei	1 KB
 settings_server	21.06.2026 16:39	JSON-Datei	1 KB
 unins000.dat	17.07.2026 17:44	DAT-Datei	11 KB
 unins000	17.07.2026 17:43	Anwendung	5.046 KB

C:\Users\YourUserid\AppData\Roaming\HuhnLite

Name	Änderungsdatum	Typ	Größe
 Doku	17.07.2026 17:44	Dateiordner	
 images	17.07.2026 17:44	Dateiordner	
 mandant_1	17.07.2026 17:44	Dateiordner	
 mandant_2	17.07.2026 17:44	Dateiordner	
 app	17.07.2026 17:28	Textdokument	0 KB
 HuhnLite_prod	12.07.2026 20:18	SQLite	3.424 KB
 HuhnLite_test	12.07.2026 19:30	SQLite	3.424 KB
 HuhnLite-de	27.05.2026 18:16	Microsoft Edge H...	148 KB
 HuhnLite-en	04.06.2026 23:30	Microsoft Edge H...	138 KB
 HuhnLite-it	04.06.2026 23:07	Microsoft Edge H...	149 KB

.db-shm and .db-wal

The file extension .db-shm (stands for Shared Memory) belongs, along with .db-wal (Write-Ahead Log), to an SQLite database that operates in so-called WAL mode.

Here is a brief summary of the most important details:

Function:

The -shm file serves as temporary memory (cache). It stores indexes and coordination data to make read and write access to the actual database extremely fast.

Lifespan:

It is created when the database is opened and is typically deleted when the database is closed correctly.

Importance for backups:

It is purely temporary and contains no permanent data. If you want to back up the database, it is sufficient to copy the main file (.db) and the log file (.db-wal).

User consensus:

In developer forums like Stack Overflow, there is a consensus that these files are normal behavior in modern SQLite installations and prevent write conflicts during multiple simultaneous accesses.