

Norwegian University of Science and Technology



### **Version control for researchers**

Sigurd Hofsmo Jakobsen

Department of electric power engineering

June 21, 2018

### **Outline**



### Taking over some old code and fixing it


Version control using git

Making the code more readable


More topics to be considered

Discussion


 Some master students are going to continue the work of a PhD



- Some master students are going to continue the work of a PhD
- They received several files on a USB stick (don't tell the it guy)



- Some master students are going to continue the work of a PhD
- They received several files on a USB stick (don't tell the it guy)
- There are no explanation on what the files do



- Some master students are going to continue the work of a PhD
- They received several files on a USB stick (don't tell the it guy)
- There are no explanation on what the files do
- Looking at one of the files doesn't help

```
with open(os.path.join(a, b)) as cf:
```



— How do they share the code with each other?



- How do they share the code with each other?
  - With version control.



- How do they share the code with each other?
  - With version control.
- How do they keep track of the old versions?



- How do they share the code with each other?
  - With version control.
- How do they keep track of the old versions?
  - With version control.



- How do they share the code with each other?
  - With version control.
- How do they keep track of the old versions?
  - With version control.
- How do they make the code readable



- How do they share the code with each other?
  - With version control.
- How do they keep track of the old versions?
  - With version control.
- How do they make the code readable
  - Implement and follow code style guidelines



- How do they share the code with each other?
  - With version control.
- How do they keep track of the old versions?
  - With version control.
- How do they make the code readable
  - Implement and follow code style guidelines
- How do prevent copy paste?



- How do they share the code with each other?
  - With version control.
- How do they keep track of the old versions?
  - With version control.
- How do they make the code readable
  - Implement and follow code style guidelines
- How do prevent copy paste?
  - · Create functions.

#### **Outline**



Taking over some old code and fixing in


Version control using git

Making the code more readable


More topics to be considered

Discussion


 The code can easily be shared online on GitHub




- The code can easily be shared online on GitHub
- Everyone can access and download the code




- The code can easily be shared online on GitHub
- Everyone can access and download the code
- Readme and wiki for documenting the code




- The code can easily be shared online on GitHub
- Everyone can access and download the code
- Readme and wiki for documenting the code
- Issue tracker for reporting bugs and discussing the code



Download the GitHub repository using a GUI or the terminal.



- Download the GitHub repository using a GUI or the terminal.
- Find the files and delete them.






- Download the GitHub repository using a GUI or the terminal.
- Find the files and delete them.
- The GUI informs you that changes have been made.






- Download the GitHub repository using a GUI or the terminal.
- Find the files and delete them.
- The GUI informs you that changes have been made.
- The changes have to be staged.



June 21, 2018


- Download the GitHub repository using a GUI or the terminal.
- Find the files and delete them.
- The GUI informs you that changes have been made.
- The changes have to be staged.
- Write a commit message and commit the change.



- Download the GitHub repository using a GUI or the terminal.
- Find the files and delete them.
- The GUI informs you that changes have been made.
- The changes have to be staged.
- Write a commit message and commit the change.
- Our local version is now ahead of the GitHub version and the changes can be pushed.



- Download the GitHub repository using a GUI or the terminal.
- Find the files and delete them.
- The GUI informs you that changes have been made.
- The changes have to be staged.
- Write a commit message and commit the change.
- Our local version is now ahead of the GitHub version and the changes can be pushed.
- The versions are now identical



### **Outline**



Taking over some old code and fixing i

Version control using git

### Making the code more readable

More topics to be considered

Discussion

## General tips on making code better


- Use descriptive variable names
- Have some space in between lines
- Write comments
- Write docstrings
- Don't copy and paste code

```
mport csv
                 import os
                 with open(os.path.join(a, b)) as cf:
                     r = csv.DictReader(cf)
                     temp 1 = 0
                     temp 2 = 0
                     temp 3 = 0
                     temp 4 = 0
                     for rr in r:
                         temp 1 += int(rr["beard length"])
                         temp 2 += int(rr["churches burned"])
                         temp 3 += int(rr["age"])
                         temp 4 += 1
                 a b l = temp 1/temp 4
                 cbl = temp 2/temp 1
                 aa = temp 3/temp 4
                 print("Calculations done")
                 with open(os.path.join(a, b)) as cf:
                     r = csv.DictReader(cf)
                     temp 1 = 0
                     temp 2 = 0
                     temp 3 = 0
                     temp 4 = 0
                     for rr in r:
                         temp_1 += int(rr["beard length"])
                         temp 2 += int(rr["churches burned"])
                         temp 3 += int(rr["age"])
                         temp 4 += 1
                 a b l = temp 1/temp 4
                 cbl = temp 2/temp 1
                 aa = temp_3/temp_4
                 print("Calculations done")
Version control for with open (os.path.join(a, b)) as cf:
```

## Using the GitHub issue tracker




- Write a descriptive issue




## Using the GitHub issue tracker

- Write a descriptive issue
- You can make someone responsible for fixing the issue




# Using the GitHub issue tracker

- Write a descriptive issue
- You can make someone responsible for fixing the issue
- The issue get a number you can use for referencing it




Create a branch for the issue



- Create a branch for the issue
- Give the branch a good name



- Create a branch for the issue
- Give the branch a good name
- Checkout the branch






- Create a branch for the issue
- Give the branch a good name
- Checkout the branch
- We are now ready to clean up the code



- Create a branch for the issue
- Give the branch a good name
- Checkout the branch
- We are now ready to clean up the code
- After the code is clean reference the issue in the commit message



# Using git for fixing the code

- Create a branch for the issue
- Give the branch a good name
- Checkout the branch
- We are now ready to clean up the code
- After the code is clean reference the issue in the commit message
- We can now see the commit message in GitHub



Added a docstring to the file

```
def read file and do calculations(file path):
       with open(os.path.join(data dir. fname)) as csyfile:
           reader = csv.DictReader(csvfile)
           total churches burned = 0
           cummulative age = 0
           band members = 0
           for row in reader:
               total beard length += int(row["beard length"])
       average age = cummulative age/band members
35 data dir = "../data
38 fname = "blood thirsty janitors.csv"
41 read file and do calculations(os.path.join(data dir. fname))
44 fname = "evil_vikings.csv"
47 read_file_and_do_calculations(os.path.join(data_dir, fname))
```

- Added a docstring to the file
- Created a function

```
def read file and do calculations(file path):
       with open(os.path.join(data dir. fname)) as csyfile:
           reader = csv.DictReader(csvfile)
           total churches burned = 0
           cummulative age = 0
           band members = 0
           for row in reader:
               total beard length += int(row["beard length"])
       average age = cummulative age/band members
35 data dir = "../data
38 fname = "blood thirsty janitors.csv"
41 read file and do calculations(os.path.join(data dir. fname))
44 fname = "evil_vikings.csv"
```

47 read\_file\_and\_do\_calculations(os.path.join(data\_dir, fname))

- Added a docstring to the file
- Created a function
- Wrote a docstring for the function

```
import os
       with open(os.path.join(data dir. fname)) as csyfile:
           reader = csv.DictReader(csvfile)
           total churches burned = 0
           cummulative age = 0
           band members = 0
           for row in reader:
               total beard length += int(row["beard length"])
              total churches burned += int(row["churches burned"])
       average beard length = total beard length/band members
       average age = cummulative age/band members
35 data dir = "../data
38 fname = "blood thirsty janitors.csv"
41 read file and do calculations(os.path.join(data dir. fname))
44 fname = "evil_vikings.csv"
47 read_file_and_do_calculations(os.path.join(data_dir, fname))
```

- Added a docstring to the file
- Created a function
- Wrote a docstring for the function
- Added proper spacing

```
import os
  def read file and do calculations(file path):
       with open(os.path.join(data dir. fname)) as csyfile:
           reader = csv.DictReader(csvfile)
           total churches burned = 0
           cummulative age = 0
           for row in reader:
               total beard length += int(row["beard length"])
              total churches burned += int(row["churches burned"])
              band members += 1
       average beard length = total beard length/band members
       average age = cummulative age/band members
35 data dir = "../data
38 fname = "blood thirsty janitors.csv"
44 fname = "evil_vikings.csv"
47 read_file_and_do_calculations(os.path.join(data_dir, fname))
```

- Added a docstring to the file
- Created a function
- Wrote a docstring for the function
- Added proper spacing
- Added comments

```
import os
  def read file and do calculations(file path):
       with open(os.path.join(data dir. fname)) as csyfile:
           reader = csv.DictReader(csvfile)
           total churches burned = 0
           cummulative age = 0
           for row in reader:
               total beard length += int(row["beard length"])
               total churches burned += int(row["churches burned"])
              band members += 1
       average beard length = total beard length/band members
       average age = cummulative age/band members
35 data dir = "../data
38 fname = "blood thirsty janitors.csv"
40 # Do calculations
41 read file and do calculations(os.path.join(data dir. fname))
44 fname = "evil_vikings.csv"
47 read_file_and_do_calculations(os.path.join(data_dir, fname))
```

- Added a docstring to the file
- Created a function
- Wrote a docstring for the function
- Added proper spacing
- Added comments
- Made reasonable variable names

```
import os
  def read file and do calculations(file path):
       with open(os.path.join(data dir. fname)) as csyfile:
           reader = csv.DictReader(csvfile)
           total churches burned = 0
           cummulative age = 0
           for row in reader:
               total beard length += int(row["beard length"])
       average beard length = total beard length/band members
       average age = cummulative age/band members
34 # Define data directory
35 data dir = "../data
38 fname = "blood thirsty janitors.csv"
40 # Do calculations
41 read file and do calculations(os.path.join(data dir. fname))
44 fname = "evil_vikings.csv"
47 read_file_and_do_calculations(os.path.join(data_dir, fname))
```




 The code is now clean, and we want the changes in our master branch.





- The code is now clean, and we want the changes in our master branch.
- GitHub automatically checks if the changes are compatible.



- The code is now clean, and we want the changes in our master branch.
- GitHub automatically checks if the changes are compatible.
- You can ask someone to review your code.






- The code is now clean, and we want the changes in our master branch.
- GitHub automatically checks if the changes are compatible.
- You can ask someone to review your code.
- After the review you can merge your code with the old.



## Another student downloading the changes




 Other students can now get the changes using pull



## Another student downloading the changes

🤾 Example (master) - Git Extensions Repository Navigate View Commands Github C:\Users\sigurdia\PhD\qitext\Example\ → master → 100 → 100 Commit (1)

- Other students can now get the changes using pull
- Afterwards the changes will be merged and available



#### **Outline**



Taking over some old code and fixing i

Version control using git


Making the code more readable

More topics to be considered


Discussion

## GitHub provides organizational pages






# GitHub provides organizational pages



## Structuring of packages and toolboxes

- Properly structured packages can easily be installed by others.
- For Python check out setuptools
- For Matlab check out their help pages



## Automating code sanity tests



- Code can be tested for guidelines (PEP8)
- The code installation can be tested (tox)
- Unit tests can be done (pytest)
- Documentation can be generated and tested (sphinx)
- Many more options



## Automating code sanity tests



- Code can be tested for guidelines (PEP8)
- The code installation can be tested (tox)
- Unit tests can be done (pytest)
- Documentation can be generated and tested (sphinx)
- Many more options



#### **Outline**



Taking over some old code and fixing it

Version control using git

Making the code more readable

More topics to be considered

Discussion

#### Questions for discussion



- How does my code look?
- How do we work with code today? Cooperation? Version control?
- Could my code be useful for others?
- Should the department have a more active approach to the topic?
  - Education?
  - Infrastructure?
  - Who has the responsibility?
- Actions?