Issued: 08 April 2024



## Location

Label: Not provided

Latitude: -33.8774 [Nearest grid cell: 33.8875 (S)]
Longitude: 151.093 [Nearest grid cell: 151.0875 (E)]

## **Very Frequent Design Rainfall Depth (mm)**

Rainfall depth for Durations, Exceedance per Year (EY), and Annual Exceedance Probabilities (AEP). FAQ for New ARR probability terminology

Duration	Exceedance per Year (EY)									
	12EY	6EY	4EY	3EY	2EY	1EY	0.5EY#	0.2EY*		
1 <u>min</u>	0.999	1.13	1.37	1.55	1.80	2.28	2.79	3.31		
2 <u>min</u>	1.77	2.00	2.39	2.67	3.07	3.77	4.55	5.25		
3 <u>min</u>	2.41	2.73	3.29	3.68	4.25	5.23	6.34	7.35		
4 <u>min</u>	2.96	3.36	4.07	4.58	5.30	6.56	7.98	9.33		
5 <u>min</u>	3.43	3.91	4.76	5.37	6.23	7.75	9.46	11.1		
10 <u>min</u>	5.15	5.91	7.28	8.27	9.70	12.2	15.1	18.0		
15 <u>min</u>	6.29	7.25	8.96	10.2	12.0	15.3	18.8	22.5		
20 <u>min</u>	7.16	8.26	10.2	11.7	13.7	17.5	21.5	25.7		
25 <u>min</u>	7.86	9.07	11.2	12.8	15.1	19.3	23.7	28.3		
30 <u>min</u>	8.46	9.76	12.1	13.8	16.3	20.8	25.5	30.3		
45 <u>min</u>	9.86	11.4	14.1	16.1	19.0	24.3	29.7	35.0		
1 hour	10.9	12.6	15.6	17.8	21.0	27.0	32.8	38.5		
1.5 hour	12.6	14.5	18.0	20.5	24.2	31.0	37.6	43.9		
2 hour	13.9	16.0	19.8	22.6	26.8	34.3	41.6	48.4		
3 hour	16.0	18.5	22.9	26.2	31.0	39.8	48.1	56.2		
4.5 hour	18.4	21.3	26.5	30.4	36.0	46.4	56.3	66.2		
6 hour	20.4	23.7	29.5	33.9	40.3	52.0	63.4	75.2		
9 hour	23.6	27.5	34.5	39.7	47.4	61.5	75.5	91.0		
12 hour	26.1	30.5	38.5	44.5	53.3	69.5	85.8	105		
18 hour	30.0	35.3	45.0	52.1	62.8	82.5	103	128		
24 hour	33.0	39.1	50.0	58.1	70.3	92.8	117	148		
30 hour	35.4	42.0	54.0	63.0	76.4	101	128	164		
36 hour	37.3	44.5	57.4	67.1	81.6	109	138	177		
48 hour	40.3	48.3	62.7	73.6	89.8	120	153	199		
72 hour	44.0	53.2	69.8	82.3	101	136	174	227		
96 hour	45.9	55.9	74.1	87.7	108	146	187	244		
120 hour	46.9	57.6	76.9	91.4	113	153	195	254		

144 hour	47.4	58.4	78.8	93.9	116	158	201	259
168 hour	47.5	58.9	80.1	95.8	119	162	205	263

## Note:

# The 0.5 EY design rainfall corresponds to the 2 year Average Recurrence Interval (ARI) IFD **not** the 50% AEP IFD.

This page was created at 15:25 on Monday 08 April 2024 (AEST)

<sup>\*</sup> The 0.2 EY design rainfall corresponds to the 5 year Average Recurrence Interval (ARI) IFD **not** the 20% AEP IFD.

<sup>©</sup> Copyright Commonwealth of Australia 2024, Bureau of Meteorology (ABN 92 637 533 532) | CRICOS Provider 02015K | Disclaimer | Privacy | Accessibility