

---

# A Template for Academic Presentations

Adam Smith<sup>a, c</sup>    **Janet Smith**<sup>b, c</sup>    Jeremiah Smith<sup>a</sup>

<sup>a</sup> *University of Bonn, Germany*

<sup>b</sup> *University of Cologne, Germany*

<sup>c</sup> *Collaborative Research Center Transregio 224*

**Name of the Inviting Institution/Seminar Series**

December 31, 2018

---

## Outline

---

- ➊ Introduction
- ➋ Study Design
- ➌ Results
- ➍ Discussion
- ➎ References

---

# Introduction

---

## Introduction 1

---

- Temporal discounting is key concept in economics.
- Normative model: exponential discounting, but observed decisions are hard to explain (e.g., Dohmen et al., 2012).
- The composition of latex and of typical rubbers is given below.
- The trees are regularly tapped and the coagulated latex which exudes is collected and worked up into rubber (Kőszegi and Szeidl, 2013).
- There is no feasible method at present known of preventing the inclusion of the resin of the latex with the rubber during coagulation.
- Although the separation of the resin from the solid caoutchouc by means of solvents is possible, it is not practicable or profitable commercially.

---

## **Study Design**

---

## Study Design 1: Design of the Study

---

- The latex of the best rubber plants furnishes from 20% to 50% of rubber.
- As the removal of the impurities of the latex is one of the essential points to be aimed at, it was thought that the use of a centrifugal machine to separate the caoutchouc as a cream from the watery part of the latex would prove to be a satisfactory process.

## Study Design 2: Design of the Study

---

The watery portion of the latex soaks into the trunk, and the soft spongy rubber which remains is kneaded and pressed into lumps or balls:

$BAL_{1:1}^I$ ,  $BAL_{1:1}^{II}$ : Each payment transferred on single day.

$UNBAL_{1:n}^I$ : Earlier payoff concentrated, while later payoff dispersed over  $n = 2, 4$ , or 8 dates.

$UNBAL_{n:1}^{II}$ : Earlier payoff dispersed over  $n = 2, 4$ , or 8 dates, while later payoff concentrated.

## Study Design 3: Control Experiment

---

- Control for alternative explanations.
- Many of the example sentences were taken from <http://sentence.yourdictionary.com/latex>.



## Study Design 4: An Example List

---

1. First item in a list
  - a. First item in a list
    - i. First item in a list
    - ii. Second item in a list
    - iii. Third item in a list
    - iv. Fourth item in a list
  - b. Second item in a list
  - c. Third item in a list
  - d. Fourth item in a list
2. Second item in a list
3. Third item in a list
4. Fourth item in a list

## Study Design 5: Some Example Text

---

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place.  $\sin^2(\alpha) + \cos^2(\beta) = 1$ . If you read this text, you will get no information  $E = mc^2$ . Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look.  $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$ . This text should contain all letters of the alphabet and it should be written in of the original language.  $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$ . There is no need for special content, but the length of words should match the language.  $a\sqrt[n]{b} = \sqrt[n]{a^n b}$ .

## Study Design 6: Some Example Formulas

---

$$p(R, \phi) \sim \int_{-\infty}^{\infty} \frac{\tilde{W}_n(\gamma) \exp\left[iR/a\left(\sqrt{k^2a^2 - \gamma^2} \cos \phi\right)\right]}{(k^2a^2 - \gamma^2)^{3/4} H_n^{(1)}\left(\sqrt{k^2a^2 - \gamma^2}\right)} d\gamma$$

$$\int_a^b f(x) dx = F(b) - F(a)$$

## Study Design 7: Additional Example Formulas

---

The ISO recommends that only variables be set in italic—hence the upright shapes for “d,” “e,” and “ $\pi$ ” (entered as `\mathup{d}`, `\mathup{e}`, and `\mathup{\pi}`), respectively).

### Theorem (Simplest form of the *Central Limit Theorem*)

Let  $X_1, X_2, \dots$  be a sequence of i.i.d. random variables with mean 0 and variance 1 on a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$ . Then

$$\mathbb{P}\left(\frac{X_1 + \dots + X_n}{\sqrt{n}} \leq y\right) \rightarrow \mathfrak{N}(y) := \int_{-\infty}^y \frac{e^{-v^2/2}}{\sqrt{2\pi}} \, dv \quad \text{as } n \rightarrow \infty,$$

or, equivalently, letting  $S_n := \sum_1^n X_k$ ,

$$\mathbb{E}f\left(S_n/\sqrt{n}\right) \rightarrow \int_{-\infty}^{\infty} f(v) \frac{e^{-v^2/2}}{\sqrt{2\pi}} \, dv \quad \text{as } n \rightarrow \infty, \text{ for every } f \in \mathcal{BC}(\mathbb{R}).$$

---

## Results

---

## Results 1: Overview

---



1. As a secondary function we may recognize the power of closing wounds, which results from the rapid coagulation of exuded latex in contact with the air:
  - a. In some cases (Allium, Convolvulaceae, etc.) rows of cells with latex-like contents occur.
  - b. However, the walls separating the individual cells do not break down.
2. The rows of cells from which the laticiferous vessels are formed can be distinguished (6.3 p.p. vs. 2.6 p.p.;  $p < 0.01$ ).

## Results 2: Our Main Results

The charts are taken from Dertwinkel-Kalt et al. (2017).

(A) Difference between treatment and control condition.

(B) Heterogeneity.




## Results 3: Main vs. Control Experiment

---

Rule out some alternative explanation.

### Result 3





---

## Discussion

---

## Conclusion

---

- The latex exhibits a neutral, acid, or alkaline reaction, depending on the plant from which it was obtained.
- The latex is therefore usually allowed to coagulate on the tree (Kőszegi and Szeidl, 2013).
- See also Bordalo, Gennaioli, and Shleifer (2013).
- The latex, which is usually coagulated by standing or by heating, is obtained from incisions.

## Discussion

---

- When exposed to air, the latex gradually undergoes putrefactive changes accompanied by coagulation.
- The addition of a small quantity of ammonia or of formalin to some latices has the effect of preserving them.
- There is, however, reason to believe the following.
- The coagulation of latex into rubber is not mainly of this character.

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 1—Angle: 30.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 2—Angle: 60.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 3—Angle: 90.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 4—Angle: 120.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 5—Angle: 150.0°



## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 6—Angle: 180.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 7—Angle: 210.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 8—Angle: 240.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 9—Angle: 270.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 10—Angle: 300.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.




**Figure:** Step 11—Angle: 330.0°

## An Automated Animation

---

The automated transition to the next slide (= page in the PDF document) only works in full-screen mode.

- The feature is available in Adobe Acrobat and Acrobat Reader.
- Unfortunately, it is (currently, December 31, 2018) not available in macOS Preview, Skim, and SumatraPDF.



**Figure:** Step 12—Angle: 360.0°

---

## References

---



## References

---

- Bordalo, Pedro, Nicola Gennaioli, and Andrei Shleifer.** 2013. "Salience and Consumer Choice." *Journal of Political Economy*, 121(5): 803–843. DOI: [10.1086/673885](https://doi.org/10.1086/673885).
- Dertwinkel-Kalt, Markus, Holger Gerhardt, Gerhard Riener, Frederik Schwerter, and Louis Strang.** 2017. "Concentration Bias in Intertemporal Choice." University of Bonn et al., working paper, Bonn, Germany, et al. URL: [https://www.dropbox.com/s/dv20mcu0qkygmjz/Concentration\\_Bias\\_in\\_Intertemporal\\_Choice.pdf](https://www.dropbox.com/s/dv20mcu0qkygmjz/Concentration_Bias_in_Intertemporal_Choice.pdf).
- Dohmen, Thomas, Armin Falk, David Huffman, and Uwe Sunde.** 2012. "Interpreting Time Horizon Effects in Inter-Temporal Choice." Maastricht University et al., IZA Discussion Paper 6385. URL: <http://ftp.iza.org/dp6385.pdf>.
- Kőszegi, Botond, and Adam Szeidl.** 2013. "A Model of Focusing in Economic Choice." *Quarterly Journal of Economics*, 128(1): 53–104. DOI: [10.1093/qje/qjs049](https://doi.org/10.1093/qje/qjs049).

---

## Appendix

---

## Modeling Concentration Bias

---

Subjects consider a sequences of consequences  $\mathbf{c}$  from choice set  $\mathbf{C}$ .

- **Standard discounted utility:** Suppose instantaneous utility function  $u$  satisfies  $u' > 0$  and  $u'' \leq 0$ , and earlier consequences are preferred over later consequences of the same magnitude, i.e.,  $D(t) \leq 1$ :

$$U(\mathbf{c}) := \sum_{t=1}^T D(t) u(c_t), \quad \text{where, e.g.,} \quad D(t) = \delta^t \text{ or } D(t) = \frac{1}{1+kt}.$$

- **Focusing model (Kőszegi and Szeidl, 2013):**

$$\tilde{U}(\mathbf{c}, \mathbf{C}) := \sum_{t=1}^T g_t D(t) u(c_t), \quad \text{where}$$

$$g_t \equiv g[\max_{\mathbf{c}' \in \mathbf{C}} u(c'_t) - \min_{\mathbf{c}' \in \mathbf{C}} u(c'_t)]$$

- Weighting function  $g[\cdot]$  increases in difference of maximum and minimum possible utility at a point in time.
- Subjects overweight intertemporal consequences with a greater range.