

HOLIC

CUSTOM DISPLAY & COMMERCIAL
REFRIGERATION SOLUTIONS

BAKERY

• COFFEE

• RETAIL

• HOSPITALITY

ENGINEERED
FOR PERFORMANCE

BUILT
FOR BUSINESS



CUSTOM
DESIGN



IN-HOUSE
MANUFACTURING



RELIABLE
REFRIGERATION



NATIONWIDE
SERVICE SUPPORT



QUALITY
YOU CAN TRUST

25+ YEARS
EXPERIENCE

DESIGNED. ENGINEERED. DELIVERED.

COMPANY INTRODUCTION

Custom Display Solutions for Bakery, Coffee & Retail Brands

For more than 25 years, Holic has helped food and beverage brands create attractive, functional, and reliable display environments that enhance customer experience and product presentation.

Our work combines design consultation, in-house manufacturing, installation, and after-sales support to help customers create display solutions that fit their products, space, and operation.

WHAT WE DO

- Custom Refrigerated Display Systems
- Bakery & Pastry Display Solutions
- Coffee Shop Merchandising Displays
- Chocolate & Dessert Display Systems
- Retail & Supermarket Food Displays
- Heated Food Displays
- Salad Bar & Fresh Food Displays
- Service, Maintenance & Technical Support

WHY HOLIC

- 25+ Years Industry Experience
- Fully Customisable Solutions
- In-House Manufacturing Capability
- Nationwide Installation & Service Support
- Trusted by Leading F&B Brands Across Indonesia
- Lifecycle Support from Design to Maintenance

More than a showcase manufacturer. Holic is a long-term partner from design consultation to manufacture

Our Showcase Models



01 CURVE COUNTERTOP SHOWCASE

Space-saving design perfect for compact counter spaces.



2 Shelves



Standard length 750, 900, 1200 mm
(Customizable by request)



02 RECTANGULAR COUNTERTOP SHOWCASE

Space-saving design perfect for compact counter spaces.



2 Shelves



Standard length 750, 900, 1200 mm
(Customizable by request)



03 JEWELRY STANDALONE SHOWCASE

Elegant and premium design to present food like precious jewelry.



1 Shelf



Standard length 900, 1200, 1500, 1800, 2100,
2400, 3000 mm
(Customizable by request)



04 RECTANGULAR STANDALONE SHOWCASE

Space-saving design perfect for compact counter spaces.



2 Shelves



Standard length 900, 1200, 1500, 1800,
2100, 2400, 3000 mm
(Customizable by request)



05 RECTANGULAR STANDALONE SHOWCASE

Elegant and premium design to present food like precious jewelry.



3 Shelves



Standard length 900, 1200, 1500, 1800, 2100,
2400, 3000 mm
(Customizable by request)



06 RECTANGULAR STANDALONE SHOWCASE

Space-saving design perfect for compact counter spaces.



4 Shelves



Standard length 900, 1200, 1500, 1800,
2100, 2400, 3000 mm
(Customizable by request)

★All models are customizable in size, color, materials and functions (e.g. temperature) to fit your business needs.





Our Showcase Models



07 TALL RECTANGULAR SHOWCASE

Space-saving design perfect for compact counter spaces.



5 Shelves



Standard length 1200, 1500, 1800, 2100, 2400, 3000 mm
(Customizable by request)



08 FRONT OPENING SHOWCASE

Space-saving design perfect for compact counter spaces.



5 Shelves



Standard length 1200, 1500, 1800, 2100, 2400, 3000 mm
(Customizable by request)



09 CURVED STANDALONE SHOWCASE

Elegant and premium design to present food like precious jewelry.



2 Shelf



Standard length 900, 1200, 1500, 1800, 2100, 2400, 3000 mm
(Customizable by request)



10 CURVED STANDALONE SHOWCASE

Space-saving design perfect for compact counter spaces.



3 Shelves



Standard length 900, 1200, 1500, 1800, 2100, 2400, 3000 mm
(Customizable by request)



11 RECTANGULAR GELATO SHOWCASE

Elegant and premium design to present food like precious jewelry.



10 / 12 / 14 / 16 / 18 / 20 trays (GN1/3)



Standard length 1200, 1332, 1500, 1800, 2100, 2250 mm
(Customizable by request)



12 CURVED GELATO SHOWCASE

Space-saving design perfect for compact counter spaces.



10 / 12 / 14 / 16 / 18 / 20 trays (GN1/3)



Standard length 1200, 1332, 1500, 1800, 2100, 2250 mm
(Customizable by request)

★All models are customizable in size, color, materials and functions (e.g. temperature) to fit your business needs.



Our Showcase Models



13 OPEN DISPLAY SHOWCASE

Easy access open display for fresh food, drinks and ready-to-eat.



2 Shelves



Standard length 900, 1200, 1500, 1800 mm
(Customizable by request)



14 OPEN DISPLAY SHOWCASE

Easy access open display for fresh food, drinks and ready-to-eat.



2 Shelves



Standard length 900, 1200, 1500, 1800 mm
(Customizable by request)



15 OPEN DISPLAY SHOWCASE

Easy access open display for fresh food, drinks and ready-to-eat.



3 Shelves



Standard length 900, 1200, 1500, 1800 mm
(Customizable by request)



16 OPEN DISPLAY SHOWCASE

Easy access open display for fresh food, drinks and ready-to-eat.



4 Shelves



Standard length 900, 1200, 1500, 1800 mm
(Customizable by request)



17 OPEN ISLAND DISPLAY SHOWCASE

Easy access open display for fresh food, drinks and ready-to-eat.



1 Shelf Chill & 2 Shelves Room Temperature



Standard length 900, 1200, 1500, 1800 mm
(Customizable by request)



18 OPEN ISLAND DISPLAY SHOWCASE

Premium open display to optimize visibility and boost sales.



1 Shelf



Standard length 900, 1200, 1500, 1800, 2100 mm
(Customizable by request)

★All models are customizable in size, color, materials and functions (e.g. temperature) to fit your business needs.



CUSTOM
DESIGN



IN-HOUSE
MANUFACTURING



RELIABLE
REFRIGERATION



NATIONWIDE
SERVICE SUPPORT



QUALITY
YOU CAN TRUST



Our Showcase Models



19 SHOWCASE WITH BACK STORAGE

Space-saving design with high performance.



Extra storage visible only from backside



Standard length 900, 1200, 1500, 1800, 2100, 2400, 3000 mm (Customizable by request)



20 MULTIFUNCTION DISPLAY CASE

support customers with limited space and several types of products.



1 / 2 / 3 / 4 Shelves



Standard length 900, 1200, 1500, 1800, 2100, 2400, 3000 mm (Customizable by request)



21 MULTIFUNCTION DISPLAY CASE

Grab & Go, Chiller and Ambient in one unit. Ideal for cafes and food outlets



2 or 3 Shelves



Standard length 900, 1200, 1500, 1800, 2100, 2400, 3000 mm (Customizable by request)



22 MULTIFUNCTION DISPLAY CASE

Grab & Go, Chiller and Ambient in one unit. Ideal for cafes and food outlets



1 / 2 / 3 / 4 Shelves



Standard length 900, 1200, 1500, 1800, 2100, 2400, 3000 mm (Customizable by request)

Creating Better Food Display Experiences

Refrigeration - Undercounter



LRH704 / LFH704



LRCP120 / LFCP120
LRCP150 / LFCP150



LRCG120 / LRCG150



LRH704 / LFH704



LRCP180 / LFCP180



LRCG180

Refrigeration - Upright



SRCP70 / SFCP70



SRCP120 / SFCP120



SRCP180 / SFCP180



SRCG70



SRCG120




SRCG180

Model	Function	Capacity (L)	Temperature (°C)	Cooling Type	Refrigerant	Shelf	Power (W)	Dimension (mm)
LRH-704	R	127	2 ~ 8	A	R134	2	250W	704x770x(780+70)
LFH-704	F	127	-20 ~ -18	A	R134	2	350W	704x770x(780+70)
LRH-900	R	100	2 ~ 8	A	R134	2	250W	900x600x(750+100)
LFH-900	F	100	-20 ~ -18	A	R134	2	350W	900x600x(750+100)
LRCP-120	R	200	2 ~ 8	A	R290	2	270W	1200x600x(700+100)
LFCP-120	F	200	-20 ~ -18	A	R290	2	300W	1200x600x(700+100)
LRCP-150	R	280	2 ~ 8	A	R290	2	320W	1500x600x(700+100)
LFCP-150	F	280	-20 ~ -18	A	R290	2	320W	1500x600x(700+100)
LRCP-180	R	360	2 ~ 8	A	R290	2	450W	1800x600x(700+100)
LFCP-180	F	360	-20 ~ -18	A	R290	2	450W	1800x600x(700+100)
SRCP-70	R	500	2 ~ 8	A	R290	3	270W	700x760x(1900+100)
SFCP-70	F	500	-20 ~ -18	A	R290	3	420W	700x760x(1900+100)
SRCG-70	R	450	2 ~ 8	A	R290	2	270W	700x760x(1900+100)
SRCP-120	R	1000	2 ~ 8	A	R290	6	480W	1200x760x(1900+100)
SFCP-120	F	1000	-20 ~ -18	A	R290	6	720W	1200x760x(1900+100)
SRCG-120	R	950	2 ~ 8	A	R290	6	480W	1200x760x(1900+100)
SRCP-180	R	1500	2 ~ 8	A	R290	9	780W	1800x760x(1900+100)
SFCP-180	F	1500	-20 ~ -18	A	R290	9	1050W	1800x760x(1900+100)
SRCG-180	R	1400	2 ~ 8	A	R290	9	780W	1800x760x(1900+100)


Ice Machine

AC SERIES


Cube / Half Cube / Large Cube Ice



S: Half cube
Weight: 6g
Water content: 2%
Dimension: 10x28x23



M: Cube
Weight: 11g
Water content: 2%
Dimension: 23x23x23



L: Large cube
Weight: 16g
Water content: 2%
Dimension: 28x28x23



AC80X / AC120X



AC150X / AC215X /
AC270X



AC100 / AC150 /
AC250 / AC300



AC500 / AC700 /
AC1050




AC1500 / AC2000


Model	Production (lbs/kg)	Storage Capacity (lbs/kg)	Power	Ice Type	Cooling	Refrigerant	Dimensions W*D*H (mm)
AC-80X	77 lbs / 35 kg	16 lbs / 8 kg	285W	Cube	Air	R290	400 x 580 x (705+30)
AC-120X	121 lbs / 55 kg	33 lbs / 15 kg	320W	Cube	Air	R290	500 x 580 x (705+30)
AC-150X	154 lbs / 70 kg	66 lbs / 30 kg	360W	Cube / 1/2	Air	R290	700 x 650 x (705+100)
AC-215X	209 lbs / 95 kg	66 lbs / 30 kg	420W	Cube / 1/2	Air	R290	700 x 650 x (705+100)
AC-270X	275 lbs / 125 kg	110 lbs / 50 kg	680W	Cube / 1/2	Air	R290	900 x 750 x (705+100)
AC-100	110 lbs / 50 kg	39 lbs / 18 kg	320W	Cube	Air	R290	560 x 580 x (745+65)
AC-150	154 lbs / 70 kg	39 lbs / 18 kg	360W	Cube / 1/2	Air	R290	560 x 580 x (745+65)
AC-250	231 lbs / 105 kg	66 lbs / 30 kg	420W	Cube / 1/2	Air	R290	660 x 670 (830+100)
AC-300	297 lbs / 135 kg	88 lbs / 40 kg	680W	Cube / 1/2	Air	R290	760 x 670 x (830+100)
AC-500	485 lbs / 220 kg	352 lbs / 160 kg	800W	Cube / 1/2	Air / Water	R410A	560 x 885 x (1655+150)
AC-700	705 lbs / 320 kg	551 lbs / 250 kg	1000W	Cube / 1/2	Air / Water	R410A	760 x 885 x (1655+150)
AC-1050	992 lbs / 450 kg	551 lbs / 250 kg	1600W	Cube / 1/2	Air / Water	R410A	760 x 885 x (1655+150)
AC-1500	1433 lbs / 650 kg	881 lbs / 400 kg	1900W	Cube / 1/2	Air / Water	R410A	1220 x 885 x (1755+150)
AC-2000	1873 lbs / 850 kg	881 lbs / 400 kg	3200W	Cube / 1/2	Air / Water	R410A	1220 x 885 x (1755+150)

SC SERIES


Square / Small Square / Big Square Ice



SS: Small square
Weight: 11g
Water content: 2%
Dimension: 23x23x23



MS: Square
Weight: 23g
Water content: 2%
Dimension: 28x28x32



LS: Large square
Weight: 110g
Water content: 2%
Dimension: 48x48x58



SC100 / SC120 /
SC150 / SC200



SC500



SC1000

Model	Production	Storage Capacity	Power	Ice Type	Cooling	Refrigerant	Dimensions
SC100	110 lbs / 50 kg	33 lbs / 15 kg	320W	Square	Air	R290	500 x 580 x (785+30)
SC-120	121 lbs / 55 kg	33 lbs / 15 kg	320W	3/4 Square	Air	R290	500 x 580 x (785+30)
SC-200	209 lbs / 95 kg	66 lbs / 30 kg	460W	Square	Air	R290	660 x 670 x (830+30)
SC-200L	209 lbs / 95 kg	66 lbs / 30 kg	460W	Square	Air	R290	660 x 670 x (830+30)
SC-500	440 lbs / 200 kg	352 lbs / 160 kg	850W	Square	Air/Water	R410A	560 x 885 x (1852+150)
SC-1000	880 lbs / 400 kg	881 lbs / 400 kg	1700W	Square	Air/Water	R410A	1220 x 885 x (1852+150)

EC SERIES

Cylinder Ice



EC: Cylindrical
Weight: 20g
Water content: 2%
Dimension: ϕ 25x30mm



EC65 / EC105



EC200



EC400

Model	Production (lbs/kg)	Storage Capacity (lbs/kg)	Power	Ice Type	Cooling	Refrigerant	Dimensions W*D*H (mm)
EC-65	66 lbs / 30 kg	17 lbs / 8 kg	320W	Cylindrical	Air	R290	400 x 620 x (700+30)
EC-105	110 lbs / 50 kg	33 lbs / 15 kg	360W	Cylindrical	Air	R290	500 x 580 x (700+30)
EC-200	198 lbs / 90 kg	66 lbs / 30 kg	490W	Cylindrical	Air	R290	700 x 700 x (800+100)
EC-400	396 lbs / 250 kg	551 lbs / 250 kg	850W	Cylindrical	Air/Water	R410A	760 x 885 x (1775+100)

BT SERIES

Bullet Ice



BT: Bullet ice
Weight: 17g
Water content: 2%
Dimension: ϕ 35x40



BT65 / BT105



BT200

Model	Production	Storage Capacity	Power	Ice Type	Cooling	Refrigerant	Dimensions
BT-120	110 lbs / 50 kg	33 lbs / 15 kg	360W	Bullet	Air	R290	500 x 620 x (700+30)
BT-200	198 lbs / 90 kg	66 lbs / 30 kg	490W	Bullet	Air	R290	700 x 700 x (800+100)

JM SERIES

Crescent Ice



JM: Crescent
Weight: 10g
Water content: 2%
Dimension: 30x13x38mm



JM120 / JM250



JM500



JM850 / JM1000



JM1700

Model	Production	Storage Capacity	Power	Ice Type	Cooling	Refrigerant	Dimensions
JM-120	110 lbs / 50 kg	33 lbs / 15 kg	320W	Crescent	Air	R290	500 x 580 x (705+30)
JM-250	253 lbs / 115 kg	66 lbs / 30 kg	480W	Crescent	Air	R290	700 x 700 x (800+100)
JM-500	551 lbs / 250 kg	352 lbs / 160 kg	830W	Crescent	Air/Water	R410A	560 x 885 x (1775+150)
JM-850	837 lbs / 380 kg	551 lbs / 250 kg	1250W	Crescent	Air/Water	R410A	760 x 885 x (1775+150)
JM-1000	947 lbs / 430 kg	551 lbs / 250 kg	1650W	Crescent	Air/Water	R410A	760 x 885 x (1775+150)
JM-1700	1675 lbs / 760 kg	881 lbs / 400 kg	2500W	Crescent	Air/Water	R410A	1220 x 885 x (1775+150)

SOME OF OUR PROJECT EXPERIENCES



OUR APPROACH

From Concept to Long-Term Performance

At Holic, every project begins with understanding how consumers interact with the display environment. Rather than offering standard products only, we develop solutions that fit each customer's operational requirements, store concept, and merchandising objectives.

The result:

A display system that balances aesthetics, product preservation, operational efficiency, and long-term reliability.



Inquire

Design | Manufacture | Installation | Service Support | Future Monitoring

A complete lifecycle approach for growing F&B brands.



*From concept to
long-term performance*

 www.holicindo.com

 info@holicindo.com

 +62 811 1182 5718

 Green Sedayu Bizpark Cakung Blok GSB No. 016
Jl. Cakung Cilincing Timur Raya
Jakarta Timur 13910, Indonesia

Designed and manufactured in Indonesia.