Chained Scoring (Analysis)

Title Chained Scoring (Analysis)

Summary

This tool will score every field selected by the tool, and return a value base
that field (IE Proximity), is within a set of threshold bounds. This tool is int
Chained Near Analysis tool, and will even remove the "DIST_" or "ANGLE_"
created field names when scoring proximity fields.

Usage

This tool will conduct a chained scoring for every proximity field passed to i

Syntax

ChainedScoring (Input_Features, Fields_to_Score, Score_Threshold_Upper,
Score_If_WithinThreshold, Score_If_Outside_Threshold)

Parameter	Explanation
Input_Features	**Dialog Reference** The input features that can be point, polyli polygon, or multipoint type. Will have new added to it. There is no python reference for this paran
Fields_to_Score	**Dialog Reference** These are the fields that will be compared the threshold value chosen, and then will b to generate new scoring fields based on th passed field names. --- **Python Reference**

Score_Threshold_Lower	**Dialog Reference** This represents the upper value of the near values that will be considered for scoring in proximity analysis. If the value is greater t equal to this value and below the upper thr value, it is considered "Within" the thresho There is no python reference for this paran
Score_If_WithinThreshold	**Dialog Reference** This is the score the field will have if it is w the threshold value bounds. There is no python reference for this paran
Score_If_Outside_Threshold	**Dialog Reference** This is the score the field will have if it is ou the threshold value bounds. There is no python reference for this paran

Code Samples

There are no code samples for this tool.

Side-panel Help Illustration

Tags

Near, Scoring, Proximity, Analysis, Chained

Credits

There are no credits for this item.

Use limitations

There are no access and use limitations for this item.

You are currently using the Item Description metadata style. Change your
Options dialog box to see additional metadata content.