

# Index

---

Page numbers followed by “f” denote figures; those followed by “t” denote tables

## A

Action potentials, 6  
Activity index, 68  
ADC. *See* Analog-to-digital conversion  
AEP. *See* Auditory-evoked potentials  
Aliasing, 26  
Alpha rhythm, 3  
Amplitude, 41–42  
Amplitude spectrum, 108  
Analog filters, 169, 173, 177  
Analog-to-digital conversion  
    continuous signals, 20–21  
    continuous time function, 23  
    conversion process, 29  
    description of, 6–7, 7f, 20–26  
    high-speed, 29  
    signal discretization, 20  
Analog-to-digital converter  
    description of, 6–7  
    discretization error, 46  
    low-resolution, 64  
    precision of, 63  
    32-bit, 29  
Anti-aliasing filter, 15, 19, 25  
AR. *See* Autoregressive digital filter  
Argand diagram, 197f  
ARMA. *See* Autoregressive moving  
    average digital filter  
Attractor dimension, 288–290  
Auditory-evoked potentials, 3  
Autocorrelation  
    definition of, 234

    linear time invariant systems,  
        136–142  
    spike train, 234–239  
    time series applications, 283  
Autoregressive digital filter,  
    206–207  
Autoregressive moving average  
    digital filter, 207

## B

Backprojection, 122–124  
Band-pass filter, 171f  
Band-reject filter, 171f  
Bartlett data window, 115t  
Base frequency, 89  
Bayes’s rule, 240–241  
Beta rhythm, 3  
Bias, systematic, 35  
Biomedical signals, 2  
Biopotentials  
    description of, 2, 3f  
    measurement of, 19f  
Bode plot, 196–197, 198f, 212  
Brain electrical activity, 294–295  
Butterworth filter, 196, 212–213

## C

Capacitance  
    equations regarding, 12–13  
    parasitic, 45  
Capacitor, 186

- Cartesian coordinates
    - absorption function in, 120–121
    - backprojection in, 122–124
  - Central processing units, 29
  - CFT. *See* Fourier transform, continuous
  - Chain rule, 49
  - Characteristic function, 53
  - Chebyshev filter, 213
  - CNV. *See* Contingent negative variation
  - Cochlear implants, 213–215
  - Coherence
    - definition of, 142
    - description of, 127
    - electroencephalography application of, 147
    - phase, 143
    - principles of, 142–146
    - values for, 146–147
  - Complex convolution, 135–136
  - Complex Fourier series, 81–83
  - Complexity, 68
  - Contingent negative variation
    - paradigm, 66–67
  - Continuous Fourier transform
    - definition of, 91
    - discrete Fourier transform and, 97–99
    - one-dimensional, 119
    - principles of, 94–96
  - Continuous function, 30
  - Continuous time
    - convolution in, 130–133
    - cross-correlation in, 136–137
    - RC filter analysis, 178–181
  - Continuous time function, 23
  - Continuous wavelet transform, 265–269
  - Convolution
    - complex, 135–136
    - in continuous time, 130–133
    - description of, 70, 127
    - in discrete time, 133–134
    - example of, 132f, 148f
    - frequency domain, 134–135
  - Correlation dimension, 289
  - Correlation integral, 289
  - Covariance, 41
  - Covariance function, 137
  - Cross-correlation
    - between sine waves, 285
    - in continuous time, 136–137
    - description of, 70, 127
    - in discrete time, 137–138
    - example of, 138–140
    - in frequency domain, 140–142
    - spike trains, 239–240
  - Cumulative function, 38–39
  - CWT. *See* Continuous wavelet transform
- D**
- Data acquisition
    - measurement chain for. *See* Measurement chain
    - signal processing and, 15
  - Data windows, 112–115
  - Daub4 scaling signal, 257
  - Daub4 wavelet, 258
  - Daubechies wavelet, 245, 257–260
  - dB. *See* Decibel
  - Decibel, 41
  - Delta rhythm, 3
  - Denoising, 256–257
  - Deterministic processes, 36
  - Deterministic relationships, 280
  - DFT. *See* Fourier transform, discrete
  - Differentiation, 50
  - Differentiation and integration by parts, 49
  - Digital filters
    - autoregressive, 206–207
    - autoregressive moving average, 207
    - description of, 169, 205
    - finite impulse response, 205–206
    - frequency characteristic of, 207–208
    - infinite impulse response, 205–206
    - MATLAB implementation, 209–211
    - moving average, 207
    - output/input ratio for, 201–203
    - in spatial domain, 215–216
    - types of, 212–213
  - Digital signal processing, 6, 29–30
  - Dirac comb, 23
  - Dirac delta function, 21–23, 94, 113

- Dirac impulse, 95
- Dirichlet condition, 82
- Discrete Fourier transform
- continuous Fourier transform and, 97–99
  - definition of, 91
  - fast Fourier transform vs., 99–101
  - frequency domain scale in, 97f
  - time domain scale in, 97f
- Discrete time
- convolution in, 133–134
  - cross-correlation in, 137–138
  - RC filter analysis, 181–183
- Discretization error, 46
- Duality property, 94
- Dynamic system, 128
- Dynamical noise, 35–36
- E**
- ECG. *See* Electrocardiogram
- EEG. *See* Electroencephalogram
- Electrocardiogram
- description of, 5–6
  - Einthoven's methods for recording, 5f, 6
- Electroencephalogram
- activity index, 68
  - coherence application to, 147
  - description of, 2–4
  - electrode placement system, 4f
  - foreground patterns, 3
  - frequency bands, 111–112
  - spectral analysis applications, 111–112
- Electromagnetic noise, 43–45
- Electrostatic noise, 43, 45–48
- Elliptic filter, 213
- Embedding, 285–287
- Ensemble, 39
- Entropy
- description of, 228–234
  - Kolmogorov, 290–293
- EP. *See* Evoked potentials
- Epoch length, 110f, 271
- Ergodic process, 39, 48–49
- Ergodicity, 137
- Euler method, 186–187
- Euler relationships, 31
- Even function, 90
- Evoked potentials
- contingent negative variation paradigm, 66–67
  - diagnostic uses of, 66
  - oddball paradigm, 66
- F**
- Fano factor, 227
- Fast Fourier transform
- discrete Fourier transform vs., 99–101
  - spectral analysis, 107
  - surrogate time series created using, 294
- FFT. *See* Fourier transform, fast
- Figure of merit, 41–42
- FIR. *See* Finite impulse response
- digital filter
- Filter(s)
- analog, 169, 173, 177
  - as linear time invariant systems, 189–190
  - band-pass, 171f
  - band-reject, 171f
  - digital. *See* Digital filters
  - frequency response of, 189, 200–203
  - high, 171f
  - high-pass, 171f
  - ideal, 184–185
  - low, 171f
  - low-pass, 171f
  - types of, 169–171
- Filter bank
- description of, 213–215, 265
  - wave analysis used as, 270f
- Filtered backprojection, 122
- Finite impulse response digital filter, 205–206
- Fourier series
- complex, 81–83
  - description of, 73–74
  - examples, 84–87
  - orthogonal functions, 79, 87–90
- Fourier slice theorem, 121
- Fourier transform
- absorption function, 120–121
  - continuous

- Fourier transform (*Continued*)  
 definition of, 91  
 discrete Fourier transform and,  
 97–99  
 one-dimensional, 119  
 principles of, 94–96  
 definition of, 91  
 discrete  
 continuous Fourier transform  
 and, 97–99  
 definition of, 91  
 fast Fourier transform vs.,  
 99–101  
 frequency domain scale in, 97f  
 time domain scale in, 97f  
 equation for, 153  
 examples of, 102–104  
 fast  
 discrete Fourier transform vs.,  
 99–101  
 spectral analysis, 107  
 surrogate time series created  
 using, 294  
 Laplace transform vs., 151  
 of probability density function, 41,  
 52–53  
 of sampled function, 28f, 30–33  
 pairs, 94–96, 266  
 principles of, 91–94  
 spectral analysis, 107–117, 271  
 tomography applications, 117–124  
 unevenly sampled data, 105  
 z-transform vs., 151  
 Frequency characteristic  
 of digital filters, 207–208  
 of low-pass filters, 193–200  
 Frequency domain  
 convolution in, 134–135  
 cross-correlation in, 140–142  
 description of, 71
- G**  
 Gamma rhythm, 3  
 Goldman equation, 13
- H**  
 Haar scaling signal, 268  
 Haar transforms, 248–251  
 Haar wavelet, 245–248, 261f, 266  
 Hamming data window, 115t  
 Hann data window, 115t  
 Heisenberg uncertainty boxes, 272f  
 High filter, 171f  
 High-pass filter, 171f  
 Hodgkin and Huxley model, 279
- I**  
 IIR. *See* Infinite impulse response  
 digital filter  
 Impedance transformers, 18  
 Impulse response function, 128  
 Inductor, 186  
 Infinite impulse response digital filter,  
 205–206  
 Integration, 50  
 Interval analysis, 68  
 Inverse Haar transform, 250  
 Inverse Laplace transform, 156,  
 165–168  
 Inverse transform, 121–122  
 Inverse z-transform, 161–162, 165–168
- J**  
 Johnson noise, 43
- K**  
 Kirchhoff's first law, 12  
 Kirchhoff's second law, 12  
 Kolmogorov entropy, 290–293
- L**  
 Lag operator, 161  
 Laplace transform  
 delay effects on, 159  
 description of, 41  
 equation for, 153  
 examples of, 154–159  
 Fourier transform vs., 151  
 inverse, 156, 165–168  
 of unit impulse function, 154–156  
 ordinary differential equations  
 solved using, 156–159, 180  
 pairs, 163  
 probability density function  
 applications, 52–53  
 properties of, 153–154

- region of convergence, 164–165
    - two-sided, 153
  - Level detectors, 70
  - Level-1 Haar transform, 248–252
  - l'Hôpital's rule, 242
  - Linear time invariant systems
    - autocorrelation, 136–142
    - coherence
      - definition of, 142
      - description of, 127
      - electroencephalography
        - application of, 147
      - phase, 143
      - principles of, 142–146
      - values for, 146–147
    - convolution
      - complex, 135–136
      - in continuous time, 130–133
      - description of, 127
      - in discrete time, 133–134
      - example of, 132f, 148f
      - frequency domain, 134–135
    - cross-correlation
      - in continuous time, 136–137
      - description of, 127
      - in discrete time, 137–138
      - example of, 138–140
      - in frequency domain, 140–142
    - description of, 279
    - examples of, 129f
    - filters as, 189–190
    - impulse response function, 128
    - input-output relationships, 129f, 130
    - properties of, 127–130
    - schematic diagram of, 129f
    - transfer function of, 154
    - weighting function, 128
  - Low filter, 171f
  - Low output impedance = high input impedance, 17
  - Low-pass filter
    - frequency characteristic for, 193–200
    - ordinary differential equations, 177–178
    - response of, 171f
    - time domain analysis, 190–193
  - LTi. *See* Linear time invariant systems
  - Lyapunov exponent, 285, 292–293
- M**
- MA. *See* Moving average digital filter
  - Magnetic flux, 12
  - MATLAB analysis environment, 7–11
  - Mean, 40
  - Measurement chain
    - analog components, 16–20
    - description of, 15–16
  - Measurement noise, 35
  - Memoryless system, 128
  - Mexican Hat wavelet, 257, 268, 270f
  - Mobility, 68
  - Morlet wavelet, 257
  - Moving average digital filter, 207
  - MRA. *See* Multiresolution analysis
  - Multiplexer, 20, 29
  - Multiresolution analysis, 252–256
- N**
- Nernst equation, 13
  - Noise
    - dynamical, 35–36
    - electromagnetic, 43–45
    - electrostatic, 43, 45–48
    - estimates of, 61
    - filter frequency response and, 200–203
    - hum, 43–46, 44f
    - Johnson, 43
    - measurement, 35
    - nonrandom, 61–62
    - probability density function of, 46
    - quantization, 47
    - random, 57–61
    - signal averaging and, 57–62
    - signal-to-noise ratio, 41–43
    - sources of, 35, 43–48
    - statistics regarding, 37–41
    - thermal, 43
  - Noninteger stimulus rate, 62
  - Nonlinear deterministic processes
    - brain electrical activity applications, 294–295
    - description of, 280–282
    - metrics for characterizing, 288–294

Nonlinear dynamics, 282–285  
 Nonrandom noise, 61–62  
*n*th moment, 40  
 Nyquist plot, 196–197, 198f  
 Nyquist sampling frequency  
   definition of, 25  
   description of, 98  
   in frequency domain, 26–29

## O

Odd function, 90  
 Oddball paradigm, 66  
 Ohm's law, 11–12  
 Ordinary differential equations  
   description of, 2, 151  
   Laplace transform used to solve,  
     156–159, 180  
   for low-pass RC filter, 177–178  
   transforms used to solve, 151–152  
 Orthogonal function property, 80  
 Orthogonal functions, 79, 87–90

## P

Parasitic capacitance, 45  
 Parseval's theorem, 124–126  
 Partial derivatives, 75  
 Partial fraction expansion, 165–168  
 Peak detection, 68–69  
 Period-doubling route to a chaos, 281  
 Phase coherence, 143  
 Phase space, 285  
 Phase spectrum, 108  
 $\pm$  averaging, 61  
 Poisson distribution, 227  
 Poisson process  
   applications of, 227–228  
   description of, 52, 223  
   principles of, 223–228, 242–243  
   probability density function of, 224  
 Power spectrum, 107, 114f, 141  
 Probability density function(s)  
   cumulative function, 38–39  
   description of, 37  
   Fourier transform application to,  
     52–53  
   Fourier transforms of, 41  
   Laplace transform application to,  
     52–53

  of Poisson process, 224  
   survival function, 38–39  
 Probability mass function, 37  
 P-wave, 5–6

## Q

QRS complex, 6, 105  
 Quantization noise, 47, 65

## R

Radon transform, 118–119  
 Random noise, 57–61  
 Random processes  
   ergodic, 39, 48–49  
   probability density function of, 37,  
     38f  
   stationary, 39  
   wide sense stationary, 48  
 Raster plots, 221–223  
 RC circuits  
   continuous time analysis, 178–181  
   description of, 169  
   discrete time analysis, 181–183  
   experimental data for, 183–184  
   input-output relationship of,  
     172–175  
 Rectangular data window, 115t  
 Region of convergence, 164–165, 206  
 Renewal theory, 223–224  
 Renyi dimensions, 288  
 Resistor, 186  
 Return plots, 283  
 Reversed wavelet transfer functions,  
   268

## S

Sampled function, 28f, 30–33  
 Scalar product, 247  
 Scaling signals, 246–248, 268  
 Scalogram, 213, 275–277, 276f  
 SEP. *See* Somatosensory-evoked  
   potentials  
 Sifting property, 23  
 Signal averaging  
   assumptions of, 55  
   noise effects on, 63–66  
   nonrandom noise and, 61–62  
   random noise and, 57–61

- simulation of, 56–57
  - time locked signals, 55–57
  - Signal compression, 256–257
  - Signal-to-noise ratio
    - description of, 41–43
    - signal averaging effects on, 61
  - Sinc function, 185
  - Somatosensory-evoked potentials, 3, 5f
  - Spatial filters, 215–216
  - Spectral analysis, 107–117, 271
  - Spectrogram, 213, 276f, 277
  - Spike trains
    - autocorrelation function, 234–239
    - Bayes's rule, 240–241
    - cross-correlation, 239–240
    - $\delta$  function, 221–223
    - description of, 6, 219
    - deterministic approach, 219–220
    - entropy, 228–234
    - Poisson process. *See* Poisson process
    - probabilistic approach, 219–220
  - Square waveform, 86
  - Standard deviation, 40
  - Standard error of the mean, 40
  - State space, 285
  - Static system, 128
  - Stationarity, 48
  - Stationary random processes, 39
  - Superposition, 128, 131
  - Surrogate time series, 294
  - Survival function, 38–39
  - Symmetric functions, 90
  - Systematic bias, 35
- T**
- Template matching, 70
  - Thermal noise, 43
  - Theta rhythm, 3
  - Time autocorrelation functions, 136
  - Time average, 235
  - Time domain
    - continuous time, 130–133
    - discrete time, 133–134
    - low-pass filter output in, 190–193
    - signal energy in, 124
  - Time domain analysis
    - complexity parameters, 68
    - in discrete Fourier transform, 97f
    - mobility parameters, 68
    - techniques, 68–70
  - Time domain Dirac delta function, 94
  - Time frequency resolution, 269, 271–275
  - Time invariance, 131
  - Time locked signals, 55–57
  - Time series
    - autocorrelation applications, 283
    - embedding of, 285
    - surrogate, 294
  - Tomography, 117–124
  - Transfer function, 154
  - Transform
    - Fourier. *See* Fourier transform
    - Haar, 248–251
    - Laplace. *See* Laplace transform
    - radon, 118–119
    - wavelet. *See* Wavelet transform
    - z-. *See* z-transform
  - Triangular wave, 84
  - T-wave, 6
  - Twiddle factor, 99, 100f
  - Two-sided Laplace transform, 153
- U**
- Uncertainty principle, 272
  - Unit impulse function, 154–156
  - Unit impulse response, 130
  - Unit step function, 155
- V**
- $v_{eff}$ , 42, 51
  - VEP. *See* Visual-evoked potentials
  - Visual-evoked potentials, 3
- W**
- Wavelet
    - Daub4, 258
    - Daubechies, 245, 257–260
    - denoising uses of, 256–257
    - Haar, 245–248, 261f, 266
    - MATLAB examples, 275–277
    - Mexican Hat, 257, 268, 270f
    - Morlet, 257
    - signal compression uses of, 256–257
  - Wavelet basis function, 262

## Wavelet transform

description of, 245–246

Haar transform, 248–251

level-1 transform, 251–252

multiresolution analysis, 252–256

two-dimensional application of,  
260–262

## Weighting function, 128

Wide sense stationary random  
process, 48

## Window detectors, 70

## Window smoothing, 265

**X**

X-axis of the spectrum, 108–109

**Z**

Zero-crossings, 68

## z-transform

complex variable  $z$ , 160–161

examples of, 162–163

Fourier transform vs., 151

inverse, 161–162, 165–168

pairs, 164t