# CPSC 319 Assignment 2: Implementation of Lists

Due Date: Friday, July 21, 2021 by 11:59pm Weight: (80 \* 0.20) % [Assignment 2 of 4]

------

#### Collaboration

#### **IMPORTANT**

Discussing the assignment requirements with others is a reasonable thing to do, and an excellent way to learn. However, the work you hand-in must ultimately be your work. This is essential for you to benefit from the learning experience, and for the instructors and TAs to grade you fairly. Handing in work that is not your original work, but is represented as such, is plagiarism and academic misconduct. Penalties for academic misconduct are outlined in the university calendar.

Here are some tips to avoid plagiarism in your programming assignments.

- 1. **Collaborative coding is strictly prohibited.** Your assignment submission must be strictly your code. Discussing anything beyond assignment requirements and ideas is a strictly forbidden form of collaboration. This includes sharing code, discussing code itself, or modelling code after another student's algorithm. **You can not (even with citation) use another student's code.**
- 2. Discuss and share ideas with other programmers as much as you like, but make sure that when you write your code that it is your own. A good rule of thumb is to wait 20 minutes after talking with somebody before writing your code. If you exchange code with another student, write code while discussing it with a fellow student, or copy code from another person's console, then this code is not yours.
- 3. Everything that you hand in must be your original work, except for the code copied from the textbook, lecture material (i.e., slides, notes), web, or that supplied by your TA. When someone else's code is used like this, you must acknowledge the source explicitly, citing the sources in a scientific way (i.e., including author(s), title, page numbers, URLs, etc.)
- 4. Cite all sources of code that you hand-in that are not your original work. You can put the citation into comments in your program. For example, if you find and use code found on a web site, include a comment that says, for example:

```
# the following code is from
https://www.quackit.com/python/tutorial/python_hello_world.cfm.
Use the complete URL so that the marker can check the source.
```

- 5. Citing sources avoids accusations of plagiarism and penalties for academic misconduct. However, you may still get a low grade if you submit code that is not primarily developed by yourself.
- We will be looking for plagiarism in all code submissions, possibly using automated software designed for the task. For example, see Measures of Software Similarity (MOSS https://theory.stanford.edu/~aiken/moss/).
- 7. Copying another student's work constitutes academic misconduct, a very serious offense that will be dealt with rigorously in all cases. Please read the sections of the University Calendar under the heading "Student Misconduct". If you are in doubt whether a certain form of aid is allowed, ask your instructor!

Remember, if you are having trouble with an assignment, it is always better to go to your TA and/or instructor to get help than it is to plagiarize.

#### **Late Penalty:**

#### LATE ASSIGNMENTS WILL NOT BE ACCEPTED

## Goal

The goal of this assignment is to write a Java program that arranges a list of words into separate lists of anagrams. Your program should be named "CPSC319S21A2" and will be called from the command line as follows

### \$ java CPSC319S21A2 file

where *file* is a file containing a list of words to be sorted into anagrams and is read by the program through standard input. The number of words in the input is arbitrary. The program should print to standard output the lists of anagrams in the following way:

- 1. all the words that are anagrams of each other are printed on one line of output
- 2. exactly one space between words on the same line, and
- **3.** no other spaces.


For example, this input text file:	$\rightarrow$	Should yield the <b>output text</b> :
car		arc car game mega
mega bed		pots stop tops
stop game		bed
pots		
arc		
tops		

Note that the input can be large. Some test files will be available on the course website.

## The Algorithms

You are required to use **1-D arrays** and **singly linked lists** in your program to deal with the arbitrary number of words in the input as follows:

**Step #1.** The data from the **input** text file should be structured in a 1-D array of words (example):



LIST A

1-D array of words


**Step #2.** LIST A may then be **sorted** (example): (It is not a must)

0	arc
1	bed
2	car
3	game
4	mega
5	pots
6	stop
7	tops

LIST A

Sorted 1-D array of words

**Step #3.** A new **LIST B** should then be created directly <u>from</u> **LIST A** (i.e., the sorted 1-D array of words, step #2) as follows (example):




1-D array of singly linked lists

**LIST B** is a **1-D array** storing, at each array entry, a **singly linked list** of all the <u>anagrams</u> found in the <u>sorted</u> **LIST A** (step #2) – i.e., (arc, car), (game, mega), (pots, stop, tops) – <u>as well</u> <u>as</u> any remaining word(s) with no anagrams found in the <u>sorted</u> **LIST A** (step #2) – i.e., (bed).


Note: all the words in <u>each</u> of the singly linked lists are stored in <u>alphabetical order</u> and subsequently stored at each array entry also in <u>alphabetical order</u> – e.g., note the first word at LIST B  $[0] \rightarrow (arc, car)$ , LIST B  $[1] \rightarrow (bed)$ , LIST B  $[2] \rightarrow (game, mega)$ , and LIST B  $[3] \rightarrow (pots, stop, tops)$ . This is achieved by structuring LIST B (i.e., both 1-D array and singly linked lists) <u>directly</u> from LIST A which is <u>sorted</u> already (i.e., step #2).

**Step #4.** Traverse **LIST B** to generate the required **output text** format (refer to previous page).



## Sorting is not mandatory. But it would make your output elegant and increase understanding.

**Finding Anagrams**: To determine if <u>two</u> words are anagrams is to sort the letters in <u>both</u> words. If the two sorted words are the same, then the original two words are anagrams. For example, array entries #5, #6, and #7 (i.e., "pots", "stop", and "tops") from the <u>sorted</u> **LIST A** of words (i.e., step #2) are anagrams:



**IMPORTANT**: You can use Arrays or ArrayLists, However you should use your <u>own</u> <u>implementation</u> of **singly linked lists**. You may use our textbook, lecture and tutorial materials or other sources of information as guidance but be sure to <u>cite</u> them. **Check with your TA/instructor if you are unsure.** 

#### Instructions

1. Write the program described above.

## Hand-In (digitally to D2L dropbox)

- Your source code file that generates the output in the form requested. The README file should include description of which class begins execution of your submitted code. For example, "CPSC319S21A2.java" is my main class and should be executed.
- Include all of the above items in a zipped folder (standard ZIP) titled CPSC319S21A2-LASTNAME-ID.zip before submission to the **D2L dropbox** for assignment 2.

#### Grading

 Assignment grades will be base equally on the submitted components as described on grading summary

- Source code that does not compile or produces run-time errors will receive a grade of 0%.
- Code that produces incorrect output (Ex. wrong format of output) will be penalized appropriately.

## **GRADING SUMMARY**

Name:	 PROGRAM:	/40
ID:		

# PROGRAM

Program builds correctly		No
Runs: completes with zero run-time errors	Yes	No

**IMPORTANT**: Source code that does not compile or produces run-time errors will receive 0%

Criteria	TOTAL
Functionality: produces correct output (28 Marks)	
Readability: code is clear and easy to read (3 marks)	
Modularity: code is easy to extend, or use (3 marks)	
<b>Generality</b> : easy to extend to more sophisticated applications (3 marks)	
<b>Documented:</b> code classes/functions/inline commented (3 marks)	
TOTAL:	/40