

LAB 2 : TokTickIT Requester-Facing IT Ticketing System


Student Name: Thira Rungruangkaset	Student ID: 67070503419
GitHub Username: HolyThiccDaddy	Peer Reviewer: Ashira Sansoda (67070503445)

Answer Part 1: Git Use with Engineering Workflow (10 Points)

1.1 Repository, Board, Issue and PR URLs

GitHub Repository URL:	https://github.com/HolyThiccDaddy/toktickit
GitHub Project Board URL:	https://github.com/users/HolyThiccDaddy/projects/1
Lab 2 Issue #5 (GitHub #12, contract):	https://github.com/HolyThiccDaddy/toktickit/issues/12
Lab 2 Issue #6 (GitHub #13, database and seed):	https://github.com/HolyThiccDaddy/toktickit/issues/13
Lab 2 Issue #7 (GitHub #14, requester context):	https://github.com/HolyThiccDaddy/toktickit/issues/14
Lab 2 Issue #8 (GitHub #15, Create Ticket):	https://github.com/HolyThiccDaddy/toktickit/issues/15
Lab 2 Issue #9 (GitHub #16, My Tickets):	https://github.com/HolyThiccDaddy/toktickit/issues/16
Lab 2 Issue #10 (GitHub #17, Ticket Detail):	https://github.com/HolyThiccDaddy/toktickit/issues/17
Lab 2 Issue #11 (GitHub #18, E2E and release):	https://github.com/HolyThiccDaddy/toktickit/issues/18
Contract PR #19 and feature PRs #20-#25:	GitHub pull requests authored by HolyThiccDaddy.
Core release PR #27 (staging to main):	https://github.com/HolyThiccDaddy/toktickit/pull/27
README/documentation PR #29:	https://github.com/HolyThiccDaddy/toktickit/pull/29
Final evidence/report PR #32:	https://github.com/HolyThiccDaddy/toktickit/pull/32

1.2 GitHub Project Kanban Board Evidence



GitHub Project evidence supplied for this report. The board shows the Lab 2 issues in the Done column. Source: [TokTickIT Project](#).

Issue traceability: Issues #12-#17 remain open because their merged PRs did not close them automatically; Issue #18 was closed by the final release PR. Each is linked to its completed implementation PR (#19-#25) and to the core release PR #27. README/documentation was promoted by PR #29; the Project board records the work as Done.

GitHub issue	Completed implementation PR	Core release link
#12 Contract	PR #19	PR #27
#13 Database and seed	PR #20	PR #27
#14 Requester context	PR #21	PR #27
#15 Create Ticket	PR #22	PR #27
#16 My Tickets	PR #23	PR #27
#17 Ticket Detail	PR #24	PR #27
#18 E2E and release	PR #25	PR #27

1.3 Git Workflow Commit History Evidence

1 Merged

Lab2 staging #27

HolyThiccDaddy merged 22 commits into [main](#) from [lab2-staging](#)

test: feature seed data and database design justifications in specification.md

HolyThiccDaddy committed 2 weeks ago

8c73a62

docs: document seed data quantities and database design justifications in specification.md

HolyThiccDaddy committed 2 weeks ago

d9839c4

Merge pull request #19 from HolyThiccDaddy/feature/5-spec-test-plan

csick authored 2 weeks ago

Verified

29635dc

feat: expand Prisma schema models and add idempotent seed data for Lab 2

HolyThiccDaddy committed 2 weeks ago

1dc5886

Commits on Aug 30, 2026

feat: add TicketCounter model, uploader relation, and idempotent seed tests for Lab 2

HolyThiccDaddy committed 3 days ago

865fa83

test: add env.test.example and verify TicketCounter sequence preservation on re-seed

HolyThiccDaddy committed 3 days ago

7de6890

Commits on Sep 1, 2026

test: isolate seed suite in dedicated test database

HolyThiccDaddy committed 3 days ago

83c1969

test: support Node 18 env loading

HolyThiccDaddy committed 3 days ago

d13b233

Merge pull request #20 from HolyThiccDaddy/feature/6-db-seed

csick authored 3 days ago

Verified

81d1c33

feat: add development requester context

HolyThiccDaddy committed 3 days ago

7ab79a1

fix: validate requester context and isolate database tests

HolyThiccDaddy committed 3 days ago

51b24a7

fix: preserve Lab 1 workspace behavior

HolyThiccDaddy committed 3 days ago

a14247f

Merge pull request #21 from HolyThiccDaddy/feature/7-requester-context

csick authored 3 days ago

Verified

377f4b0

Feature 8: Create Ticket Screen and API

HolyThiccDaddy committed 3 days ago

9288c84

Fix create ticket attachment atomicity tests

HolyThiccDaddy committed 3 days ago

88639df

Fix active category filtering

HolyThiccDaddy committed 3 days ago

b64db75

Use backend ticket date and restore category behavior

HolyThiccDaddy committed 3 days ago

4888d46

Merge pull request #22 from HolyThiccDaddy/feature/8-create-ticket

csick authored 3 days ago

Verified

26b2efc

Commits on Sep 3, 2026

Issue #9: Implement requester-owned My Tickets

HolyThiccDaddy committed yesterday

c1d2aa9

Fix My Tickets category loading failure state

HolyThiccDaddy committed yesterday

f4d7342

Merge pull request #23 from HolyThiccDaddy/feature/9-my-tickets

csick authored yesterday

Verified

f2356df

Issue #10: Add ticket detail and attachment management

HolyThiccDaddy committed yesterday

f06e4d7

Fix Issue #10 review comments

HolyThiccDaddy committed yesterday

7a8c252

Merge pull request #24 from HolyThiccDaddy/feature/10-ticket-detail

csick authored yesterday

Verified

08882a2

test: add Issue #11 E2E and release checks

HolyThiccDaddy committed yesterday

8551316

Commits on Sep 4, 2026

test: align Playwright setup and responsive coverage

HolyThiccDaddy committed yesterday

d1d1978

Merge pull request #25 from HolyThiccDaddy/feature/11-e2e-release

csick authored yesterday

Verified

92c49d2

docs: record Lab 2 peer review history

HolyThiccDaddy committed yesterday

4b221cc

docs: record partner Lab 2 reviews

HolyThiccDaddy committed yesterday

34f18af

Merge pull request #26 from HolyThiccDaddy/feature/lab2-reviewer-docs

csick authored yesterday


Verified

dc02809

© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

GitHub commit-history evidence supplied for this report. It shows the merged Lab 2 pull requests and the release merge from lab2-staging into main.

1.4 IDE Directory Structure Screenshot



The screenshot shows a file explorer interface for a project named 'TOKTICKIT'. The project is expanded, revealing a list of directories and files. The directories are: '.local-backup', '.tmp', 'artifacts', 'client', 'docs', 'e2e', 'node_modules', 'output', 'server', 'test-results', 'tmp', and 'package.json'. The files are: '.gitignore', 'AGENTS.md', and 'README.md'. Each item has a corresponding icon and a status indicator on the right. The status indicators are: a green dot for '.local-backup', '.tmp', 'docs', 'output', and 'tmp'; a brown dot for 'artifacts'; a blue dot for 'node_modules'; a green dot for 'test-results'; a blue dot for 'package.json'; a blue dot for '.gitignore'; a blue arrow for 'AGENTS.md'; and a blue circle with an 'i' for 'README.md'.

- ▼ TOKTICKIT
 - > .local-backup
 - > .tmp
 - > artifacts
 - > client
 - > docs
 - > e2e
 - > node_modules
 - > output
 - > server
 - > test-results
 - > tmp
 - 📄 .gitignore
 - 📄 AGENTS.md
 - 📄 package.json
 - 📄 README.md

IDE evidence supplied for this report, showing the repository tree with client, server, E2E, documentation, and artifact directories.

1.5 Rendered README.md Preview

README Evidence

```
# TokTickIT - Lab 2 Requester Ticketing MVP

TokTickIT is a full-stack, requester-facing IT service-desk application built for Lab 2. A temporary Development Requester selector simulates the current user context until real authentication is introduced in Lab 3. Requesters can create tickets, upload permitted evidence, find their own tickets, and view ticket history.

## Scope and technology

- **Frontend:** React 18, TypeScript, Vite, Bootstrap 5
- **Backend:** Node.js, Express, TypeScript, Prisma ORM
- **Database:** PostgreSQL
- **Testing:** Vitest, Supertest, React Testing Library, Playwright
- **Architecture:** Monorepo with 'client/', 'server/', and repository-root E2E specs

Lab 2 deliberately excludes real authentication, IT Staff workflow, comments/notes, Actions Taken, administration, and status transitions beyond 'NEW'.

## Repository structure



```

.
├── client/
│ └── ...
├── server/
│ └── ...
├── e2e/
│ └── ...
├── docs/lab-02/
│ └── ...
└── artifacts/lab-02/
 └── ...

```



- client/      # React UI, component tests, and Playwright dependency
- server/      # Express API, Prisma schema/migrations, and API tests
- e2e/         # Playwright journeys and deterministic setup/teardown
- docs/lab-02/ # Lab 2 contract, test plan, AI log, and review record
- artifacts/lab-02/ # Test output and responsive/visual evidence

## Prerequisites

- Node.js **20 or higher** (required by the current Playwright dependency)
- PostgreSQL running locally on port '5432'
- A PostgreSQL role that can create databases

## Installation and environment



```

$ bash
$ git clone https://github.com/HolyThiccDaddy/toktickit.git
$ cd toktickit
$ cd server
$ npm install
$ copy .env.example .env
$ cd ../client
$ npm install

```



Set 'server/.env' to a local development database, for example:



```

$ cat server/.env
DATABASE_URL="postgresql://toktickit:toktickit@localhost:5432/toktickit?schema=public"
PORT=3000
TOKTICKIT_UPLOAD_ROOT=uploads

```



Create the dedicated test database before running destructive suites:



```

$ bash
$ createdb -U toktickit toktickit_test
$ cd server
$ copy .env.test.example .env.test
$ npx prisma migrate deploy
$ npm run prisma:seed

```



'server/.env.test' is local-only and ignored by Git. Test setup requires a database name ending in '_test' and writes attachments beneath a test-only temporary directory.

## Run the application



```

$ bash
$ # terminal 1
$ cd server
$ npm run dev

$ # terminal 2
$ cd client
$ npm run dev

```



The API is available at 'http://localhost:3000' and Vite serves the UI at 'http://localhost:5173'.

## Verification commands

Run the smallest relevant suite first, then the full release checks:



```

$ bash
$ cd server
$ npm test
$ npm run build

$ cd ../client
$ npm test
$ npm run build
$ npx playwright test

```



The Playwright command starts isolated services, resets deterministic fixtures in 'toktickit_test', checks desktop/tablet/mobile journeys, and writes JSON results to 'artifacts/lab-02/e2e-results.json' plus PNG evidence under 'artifacts/lab-02/screenshots/'.

## API surface

- 'GET /api/health' - service health
- 'GET /api/requesters' - active Development Requesters
- 'GET /api/categories' - active ticket categories
- 'GET /api/related-systems' - active related systems
- 'POST /api/tickets' - create a 'NEW' requester-owned ticket
- 'GET /api/tickets' - requester-scoped search, filtering, sorting, and pagination
- 'GET /api/tickets/:id' - owned read-only ticket detail
- 'POST /api/tickets/:id/attachments' - add a validated attachment
- 'GET /api/attachments/:id/download' - download an active attachment
- 'DELETE /api/attachments/:id' - soft-remove an owned attachment with a reason

Requester identity is supplied only through the 'X-Requester-Id' header. Attachment uploads enforce allowed type, extension, magic bytes, size, count, ownership, and compensating cleanup rules.

## Lab 2 documentation

- [Sprint specification](docs/lab-02/specification.md)
- [REST API contract](docs/lab-02/api-spec.md)
- [UI specification](docs/lab-02/ui-spec.md)
- [Test plan and results](docs/lab-02/tests.md)
- [AI use and reflection](docs/lab-02/ai-use.md)
- [Peer-review record](docs/lab-02/reviewer.md)
- [Lab 2 visual evidence](artifacts/lab-02/screenshots/)
```

Rendered README capture from the Lab 2 default-branch content, including the Node.js 20 prerequisite, installation, test-database setup, and verification commands.

```
cd client
npm install
npx playwright test
```

[Open README.md on GitHub](#)

1.6 .gitignore File Content

.gitignore Evidence

```
● PS D:\Downloads\toktickit> Get-Content .\.gitignore
# dependencies
node_modules/
# env & secrets
.env
.env.*
!.env.example
!.env.test.example
# build output
dist/
build/
# prisma
server/prisma/*.db
# logs & OS
*.log
.DS_Store
# uploaded files
server/uploads/
# Playwright output
test-results/
playwright-report/
server/tmp/
```

Terminal capture of the `.gitignore` file and its environment/build/test exclusions.

[Open .gitignore on GitHub](#). Local server/.env.test and database files remain ignored.

1.7 Rendered docs/lab-02/reviewer.md

Reviewer Record Terminal Evidence

```
# Lab 2 - Peer Review Record

**Author:** Thira Rungruangkaset - 67070503419 - GitHub: @HolyThiccDaddy
**Peer reviewer:** Ashira Sansoda - 67070503445 - GitHub: @osizk

## Pull Requests I authored (reviewed by my partner)

| PR | Issue | Branch | Merge commit | Reviewer verdict |
| ---| ---| ---| ---| ---|
| [#19](https://github.com/HolyThiccDaddy/toktickit/pull/19) | #5 Lab 2 Specification, Test Plan, UI Spec, and API Spec | `feature/5-spec-test-plan` | `296350c` | Approved after the requested contract, test-plan, selector-state, seed, and database-justification updates. |
| [#20](https://github.com/HolyThiccDaddy/toktickit/pull/20) | #6 Database Schema and Idempotent Seed | `feature/6-db-seed` | `81d1c33` | Approved and merged. |
| [#21](https://github.com/HolyThiccDaddy/toktickit/pull/21) | #7 Requester Context | `feature/7-requester-context` | `37f7e40` | Approved and merged after validation, fixture, and Lab 1 regression updates. |
| [#22](https://github.com/HolyThiccDaddy/toktickit/pull/22) | #8 Create Ticket | `feature/8-create-ticket` | `26b2e9c` | Approved and merged. |
| [#23](https://github.com/HolyThiccDaddy/toktickit/pull/23) | #9 My Tickets | `feature/9-my-tickets` | `f2356bf` | Approved and merged after the category-loading error state was added. |
| [#24](https://github.com/HolyThiccDaddy/toktickit/pull/24) | #10 Ticket Detail and Attachments | `feature/10-ticket-detail` | `08882a2` | Approved and merged after attachment-state and evidence updates. |
| [#25](https://github.com/HolyThiccDaddy/toktickit/pull/25) | #11 E2E and Release Preparation | `feature/11-e2e-release` | `92c4942` | Approved and merged after Playwright, responsive, and release checks. |
| [#26](https://github.com/HolyThiccDaddy/toktickit/pull/26) | Lab 2 review documentation | `feature/lab2-reviewer-docs` | `dcd28d9` | Merged; review-history documentation completed. |
| [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) | Lab 2 release integration | `lab2-staging` -> `main` | `a145b05` | Merged release integration. |
| [#28](https://github.com/HolyThiccDaddy/toktickit/pull/28) | Lab 2 README publication | `feature/lab2-reviewer-docs` | `d35cf17` | Documentation-only update merged into `lab2-staging`. |
| [#29](https://github.com/HolyThiccDaddy/toktickit/pull/29) | Lab 2 README release integration | `lab2-staging` -> `main` | `2d963f7` | Merged release integration. |

### Conversations on PRs I Authored

- **PR [#19](https://github.com/HolyThiccDaddy/toktickit/pull/19) (`feature/5-spec-test-plan`):** The reviewer requested contract updates for attachment-failure compensation, true idempotency wording, backend attachment-boundary tests, unit/style/responsive test coverage, Requester Selection loading/empty/failure states, seed quantities, and a database-design justification. I addressed the comments in commits `0c73a62` and `d9839c4`; osizk then approved with "Everything looks good. I'll merge it now." and merged `296350c` into `lab2-staging`.
- **PR [#20](https://github.com/HolyThiccDaddy/toktickit/pull/20) (`feature/6-db-seed`):** The reviewer requested the missing attachment relation, concurrency-safe ticket counter, idempotent seed tests, isolated `.env.test` execution, and Node.js 18 compatibility. Follow-up comments recorded the test-database and environment-file fixes, then the Node 18 compatibility fix; after the re-review requests, osizk approved and asked to merge before `81d1c33` landed.
- **PR [#21](https://github.com/HolyThiccDaddy/toktickit/pull/21) (`feature/7-requester-context`):** The reviewer requested validated requester persistence, deterministic requester fixtures, and preservation of the Lab 1 Check System behavior. After the fixes, osizk confirmed the points were resolved and that the client tests and builds passed, and I agreed to merge `37f7e40`.
- **PR [#22](https://github.com/HolyThiccDaddy/toktickit/pull/22) (`feature/8-create-ticket`):** The reviewer requested atomic attachment staging, an isolated upload root for tests, valid-header field-validation coverage, and backend-generated ticket dates. The follow-up review approved the updates and asked to merge; I agreed before `26b2e9c` landed.
- **PR [#23](https://github.com/HolyThiccDaddy/toktickit/pull/23) (`feature/9-my-tickets`):** The reviewer requested an explicit category-loading error state with a retry action. This was implemented; the reviewer later corrected a review posted on the wrong commit, confirmed the result was fine, and the PR was merged at `f2356bf`.
- **PR [#24](https://github.com/HolyThiccDaddy/toktickit/pull/24) (`feature/10-ticket-detail`):** The reviewer first flagged duplicate screenshots and mismatched PNG extensions, then requested separate upload/removal busy states and both attachment-validation error keys. The corrected evidence and UI changes were approved before `08882a2` landed.
- **PR [#25](https://github.com/HolyThiccDaddy/toktickit/pull/25) (`feature/11-e2e-release`):** The reviewer requested Playwright under `client/` and responsive E2E journeys for Create Ticket, My Tickets, and Ticket Detail at desktop, tablet, and mobile sizes. The follow-up commit aligned the setup and expanded the journeys/screenshots; osizk confirmed it was ready to merge, and I agreed before `92c4942c` landed in `lab2-staging`.
- **PR [#26](https://github.com/HolyThiccDaddy/toktickit/pull/26) (`feature/lab2-reviewer-docs`):** The documentation-only update synchronized the review record with the actual PR history. osizk confirmed the document looked good and asked to merge; I agreed before `dcd28d9` landed.
- **PR [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) (`lab2-staging` -> `main`):** The release PR had no additional substantive review comment and merged the completed Lab 2 increment into `main` at `a145b05`.
- **PR [#28](https://github.com/HolyThiccDaddy/toktickit/pull/28) (`feature/lab2-reviewer-docs`):** The README publication was documentation-only. GitHub records no review comments before the merge into `lab2-staging`.
- **PR [#29](https://github.com/HolyThiccDaddy/toktickit/pull/29) (`lab2-staging` -> `main`):** The README release promotion was documentation-only. GitHub records no review comments before the merge into `main`.

---
```

Rendered source capture of `docs/lab-02/reviewer.md`, including the contract PR #19, merge commits, and review outcomes.

Authored PR	Issue / Branch	Merge commit	Partner verdict
#19	#5 / feature/5-spec-test-plan	296350c	Approved after contract revisions and merged into lab2-staging
#20	#6 / feature/6-db-seed	81d1c33	Approved and merged
#21	#7 / feature/7-requester-context	37f7e40	Approved and merged
#22	#8 / feature/8-create-ticket	26b2e9c	Approved and merged
#23	#9 / feature/9-my-tickets	f2356bf	Approved and merged
#24	#10 / feature/10-ticket-detail	08882a2	Approved and merged
#25	#11 / feature/11-e2e-release	92c4942	Approved and merged
#26	Lab 2 review documentation	dcd28d9	Merged
#27	Lab 2 release integration	a145b05	Merged into main

The reciprocal review record contains authored PR #19, partner PRs #20-#32, requested changes, responses, and approval outcomes. The core release is PR #27; README/documentation is PR #29. [Open the full rendered reviewer.md record.](#)

Answer Part 2: Specification-Driven Development (5 Points)

The Lab 2 contract is recorded in [specification.md](#), [api-spec.md](#), and [ui-spec.md](#). The specification defines the requester-facing scope, API behavior, data design, Zen Green UI rules, acceptance criteria, and Definition of Done.

Contract area	Recorded evidence	Implementation mapping
Functional requirements	FR-01 to FR-12	Requester selection, references, ticket creation, search/filter/sort/page, owned detail, attachments, and ownership protection
Business rules	BR-01 to BR-11	Atomic ticket numbers, status NEW, test-only requester context, validation, attachment limits, soft removal, ownership, and rollback
Database design	RequesterUser, Category, RelatedSystem, Ticket, Attachment, TicketCounter	Versioned Prisma migrations plus idempotent seed data
API contract	Sections 3.1 to 3.9	Active references, create/list/detail, attachment upload/download/soft-remove
Acceptance criteria	AC-01 to AC-11	Traceable to the unit, API, UI, style, responsive, and E2E tests in Part 3
Definition of Done	Section 10	Implementation, tests, docs, review, visual inspection, and release workflow

2.1 Rendered specification excerpt

Lab 2 Engineering Contract

```
PS D:\Downloads\toktickit> Get-Content .\docs\lab-02\specification.md
# Lab 2 Sprint Engineering Specification

## 1. Sprint Goal
Deliver a robust, responsive Requester-facing IT Ticketing MVP for TokTickIT using the Zen Green design system. This increment enables simulated Development Requesters to submit support tickets with file attachments, view and manage their submitted tickets with search, filtering, and pagination, inspect read-only ticket details, and manage permitted attachments with soft-removal rules while enforcing strict multi-user ownership boundaries.

## 2. Stakeholder Request Interpretation
The IT department requires a full-stack, responsive web application for end-users (Requesters) to report IT incidents and service requests. The system must capture essential ticket metadata (summary, description, category, related system, requested priority, and attachments), automatically generate unique ticket identifiers, and provide self-service inquiry via "My Tickets" and "Ticket Detail" views. Because full authentication is scheduled for Lab 3, Lab 2 introduces a simulated Development Requester context to model and enforce tenant/user ownership across all API endpoints and frontend views.

## 3. Scope

### Included
- **Development Requester Simulation:** Selection screen to choose an active development requester identity, global React context, and persistent header display with switcher.
- **Reference Data Retrieval:** Endpoints for active categories, related systems, and active requesters.
- **Ticket Creation (Create Mode):** Form validation, automatic Ticket Number generation ('TKT-YYYY-XXXXXX'), file attachment upload (JPEG, PNG, WEBP, PDF up to 5MB, max 5 active attachments), and duplicate-submission prevention.
- **Ticket Inquiry (My Tickets):** Paginated listing of tickets owned by the active requester with full-text search, multi-field filtering (category, priority, status), column sorting, and responsive table/card layout.
- **Ticket Detail (View Mode):** Read-only presentation of ticket headers, classification, timestamps, and active/soft-removed attachments.
- **Attachment Management:** Uploading additional attachments to existing tickets, downloading active attachments, and soft-removing attachments with mandatory reason tracking.
- **Data Isolation & Ownership:** Enforced isolation preventing any requester from viewing, querying, creating, or modifying tickets or attachments belonging to another user.
- **Zen Green UI System:** Strict adherence to the specified color palette, typography, spacing, component hierarchy, responsive breakpoints (Desktop, Tablet, Mobile), and accessible state indicators.

### Excluded
- Real user authentication, password hashing, JWT/session management, and role-based access control (deferred to Lab 3).
- IT Staff workflow (ticket claiming, assignment, internal priority adjustment, status progression beyond 'New').
- Collaboration features (Public Comments, Internal Notes, Actions Taken).
- Advanced ticket lifecycle transitions (In Progress, Resolved, Closed, Reopened, Cancelled).
- Administrative user/system management interfaces.

---
```

Terminal capture of the Lab 2 sprint specification and included/excluded scope.

[Open the complete specification.](#)

2.2 Contract-before-implementation Timeline

HolyThiccDaddy / ticketkit			Type to search	
Code	Issues	Pull requests	Agents	Discussions
Actions	Projects	Wiki	Security and quality	Insights
Settings				
Commits				
main				
All users				
Aug 22 - Sep 4				
Commits on Sep 4, 2026				
docs: update README for Lab 2				
Merge pull request #27 from HolyThiccDaddy/lab2-staging				
Merge pull request #26 from HolyThiccDaddy/feature/lab2-reviewer-docs				
docs: record partner Lab 2 reviews				
docs: record Lab 2 peer review history				
Merge pull request #25 from HolyThiccDaddy/feature/11-e2e-release				
test: align Playwright setup and responsive coverage				
Commits on Sep 3, 2026				
test: add issue #11 E2E and release checks				
Merge pull request #24 from HolyThiccDaddy/feature/10-ticket-detail				
Fix issue #10 review comments				
Issue #10: Add ticket detail and attachment management				
Merge pull request #23 from HolyThiccDaddy/feature/9-my-tickets				
Fix My Tickets category loading failure state				
Issue #9: Implement requester-owned My Tickets				
Commits on Sep 1, 2026				
Merge pull request #22 from HolyThiccDaddy/feature/8-create-ticket				
Use backend ticket date and restore category behavior				
Fix active category filtering				
Fix create ticket attachment atomicity tests				
Feature 8: Create Ticket Screen and API				
Merge pull request #21 from HolyThiccDaddy/feature/7-requester-context				
fix: preserve Lab 1 workspace behavior				
fix: validate requester context and isolate database tests				
feat: add development requester context				
Merge pull request #20 from HolyThiccDaddy/feature/6-db-seed				
test: support Node 18 env loading				
test: isolate seed suite in dedicated test database				
Commits on Aug 30, 2026				
test: add .env.test.example and verify TicketCounter sequence preservation on re-seed				
feat: add TicketCounter model, uploader relation, and idempotent seed tests for Lab 2				
Commits on Aug 22, 2026				
feat: expand Prisma schema models and add idempotent seed data for Lab 2				
Merge pull request #19 from HolyThiccDaddy/feature/5-spec-test-plan				
docs: document seed data quantities and database design justifications in specification.md				
docs: refine Lab 2 specifications and test plans based on peer review feedback				
docs: add Lab 2 specification, test plan, UI spec, and API spec				
chore: setup lab-02 directory structure				

GitHub main-branch commit history showing specification PR #19 before database PR #20, requester-context PR #21, and E2E/release PR #25.

Answer Part 3: Test-Driven Development and Verification (10 Points)

The test plan defines unit, API integration, UI component, style/responsive, and Playwright E2E layers. The source table records all required test IDs and the AC traceability matrix. [Open docs/lab-02/tests.md](#).

3.1 Planned Test Specification Table

Test Plan Terminal Evidence

```
PS D:\Downloads\toktickit> Get-Content .\docs\lab-02\tests.md
# Lab 2 Test Plan and Results

## 1. Test Strategy
The testing strategy for TokTickIT Lab 2 guarantees complete functional correctness, multi-user data isolation, boundary validation, and responsive UI behavior through five distinct testing layers:
1. **Unit Testing:** Validates pure business logic functions (e.g., Ticket Number generator formatting, attachment size/MIME validators).
2. **API Integration Testing (Supertest + Vitest):** Verifies all backend endpoints, HTTP status codes, payload structures, database persistence, transaction rollback, and ownership enforcement.
3. **Frontend UI Component Testing (React Testing Library + Vitest):** Verifies screen rendering, component state transitions (idle, busy, success, error, empty), form validation messages, and user interactions with mocked API services.
4. **UI Style & Responsive Verification (Automated Component & Style Tests):** Confirms Zen Green theme tokens, field styling, button hierarchies, and layout integrity across Desktop (>= 992px), Tablet (768-991px), and Mobile (< 768px).
5. **End-to-End Testing (Playwright):** Simulates realistic user journeys from Development Requester selection to ticket submission, list filtering, and attachment management.

## 1.1 Issue and Release Traceability

The GitHub issue records for the Lab 2 work remain open because the merged pull requests did not close them automatically. Each issue is nevertheless linked to its completed implementation PR and to the final release PR, so the implementation and release state are auditable.

| GitHub Issue | Lab 2 scope | Completed implementation PR | Release link |
| :--- | :--- | :--- | :--- |
| [#12](https://github.com/HolyThiccDaddy/toktickit/issues/12) | Contract and test plan | [#19](https://github.com/HolyThiccDaddy/toktickit/pull/19) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |
| [#13](https://github.com/HolyThiccDaddy/toktickit/issues/13) | Database schema and seed | [#20](https://github.com/HolyThiccDaddy/toktickit/pull/20) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |
| [#14](https://github.com/HolyThiccDaddy/toktickit/issues/14) | Requester context | [#21](https://github.com/HolyThiccDaddy/toktickit/pull/21) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |
| [#15](https://github.com/HolyThiccDaddy/toktickit/issues/15) | Create Ticket | [#22](https://github.com/HolyThiccDaddy/toktickit/pull/22) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |
| [#16](https://github.com/HolyThiccDaddy/toktickit/issues/16) | My Tickets | [#23](https://github.com/HolyThiccDaddy/toktickit/pull/23) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |
| [#17](https://github.com/HolyThiccDaddy/toktickit/issues/17) | Ticket Detail and attachments | [#24](https://github.com/HolyThiccDaddy/toktickit/pull/24) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |
| [#18](https://github.com/HolyThiccDaddy/toktickit/issues/18) | E2E and release preparation | [#25](https://github.com/HolyThiccDaddy/toktickit/pull/25) | [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) |

---

## 2. Planned Tests
```

Terminal capture of 'docs/lab-02/tests.md', showing the test strategy, issue traceability, and planned test table.

ID	Scope / AC	What it verifies	Automated test file	Status
UNIT-01	BR-01, FR-04	Ticket number format and zero-padding	server/tests/lab-02/ticket-number.unit.test.ts	Passed
UNIT-02	BR-06, AC-05	Extension, MIME, magic bytes, and size validation	server/tests/lab-02/attachment-validator.unit.test.ts	Passed
API-01..06	AC-01, AC-03..05, AC-11	Active references, create validation, valid/rejected attachments, rollback	server/tests/lab-02/requesters.api.test.ts server/tests/lab-02/create-ticket.api.test.ts	Passed
API-07..09	AC-06, AC-07	Requester-owned list, filters, search, sort, and pagination	server/tests/lab-02/my-tickets.api.test.ts	Passed
API-10..16	AC-08..10	Owned detail, cross-owner denial, attachment lifecycle and download blocking	server/tests/lab-02/ticket-detail.api.test.ts	Passed
UI-01..03	AC-01, AC-02	Requester selector, loading/empty/error, validated session context	client/tests/lab-02/RequesterSelector.test.tsx	Passed
UI-04..07	AC-03..05, AC-11	Create form validation, busy state, file rejection, and data preservation	client/tests/lab-02/CreateTicket.test.tsx	Passed
UI-08..09	AC-06, AC-07	My Tickets list, filters, empty and no-results states	client/tests/lab-02/MyTickets.test.tsx	Passed
UI-10..11	AC-08, AC-09	Read-only detail and reason-required removal modal	client/tests/lab-02/TicketDetail.test.tsx	Passed
STYLE-01	UI Spec Section 7	Zen Green tokens, fields, buttons, and badges	client/tests/lab-02/ThemeStyles.test.tsx	Passed
RESP-01	UI Spec Section 8.7	Table/card switch, touch targets, and form stacking	client/tests/lab-02/ResponsiveLayout.test.tsx	Passed
E2E-01..02	AC-01..10	Requester flow, list isolation, and cross-owner protection	e2e/lab-02/requester-ticket-flow.spec.ts e2e/lab-02/multi-requester-isolation.spec.ts	Passed

E2E-03	AC-01, AC-02, AC-04, AC-06, AC-08	Responsive requester workspace, Create Ticket, My Tickets, and Ticket Detail journey at all three viewport sizes; no horizontal overflow	e2e/lab-02/responsive.visual.spec.ts	Passed (desktop/tablet/mobile)
--------	-----------------------------------	--	--------------------------------------	--

3.2 Acceptance-Criterion Traceability Matrix

Acceptance criterion	Covered tests	Verification scope
AC-01 Requester initialization	API-01, UI-01, UI-02, E2E-01, E2E-03	Active selector data with loading, empty, and error states
AC-02 Context persistence	UI-03, E2E-01, E2E-03	Header identity and requester-specific queries across routes
AC-03 Form validation	API-03, UI-04	Field-level errors and no invalid API submission
AC-04 Ticket creation	API-02, UI-05, UNIT-01, E2E-01, E2E-03	Saved ticket, status NEW, and unique official number
AC-05 Attachment validation	API-04, API-05, API-13, UI-06, UNIT-02	Permitted files, 5 MB limit, MIME/extension/count checks
AC-06 Multi-tenant ownership	API-07, UI-08, E2E-01, E2E-02, E2E-03	Requester-scoped list and isolation
AC-07 Search and filtering	API-08, API-09, UI-08, UI-09	Search, category/priority/status filters, sorting, pagination
AC-08 Read-only detail	API-10, UI-10, E2E-01, E2E-03	Owned detail fields are displayed without edit controls
AC-09 Soft removal	API-14, API-15, API-16, UI-11, E2E-01	Reason retained, metadata visible, removed download blocked
AC-10 Unauthorized detail	API-11, E2E-02	Cross-owner detail access returns 403
AC-11 Compensation and preservation	API-06, UI-07	Rollback, cleanup, no orphan, and preserved form values

3.3 Recorded Final Results

Check	Command recorded in tests.md	Result recorded
Issue #7 server/client regression and build	cd server && npm test cd server && npm run build cd client && npm test cd client && npm run build	Passed: server 4 files/10 tests; client 2 files/8 tests
Issue #8 server/client regression and build	Same server/client commands	Passed twice: server 7 files/25 tests; client 4 files/19 tests
Issue #9 server/client regression and build	Same server/client commands	Passed twice: server 8 files/45 tests; client 5 files/27 tests
Issue #10 server/client regression and build	Same server/client commands	Passed twice: server 9 files/56 tests; client 6 files/34 tests
Issue #11 E2E and database safety	cd client && npx playwright test	Passed: 5 tests total - 2 functional desktop tests plus 3 responsive-project tests; deterministic fixtures loaded into tokticket_test

3.4 Actual Test and Build Output

Server tests - npm test -- --run

```
PS D:\Downloads\toktickit> cd D:\Downloads\toktickit\server
PS D:\Downloads\toktickit\server> npm test

> toktickit-server@1.0.0 test
> vitest run

RUN v2.1.9 D:/Downloads/toktickit/server

✓ tests/lab-01/categories.test.ts (1)
✓ tests/lab-01/health.test.ts (1)
✓ tests/lab-02/attachment-validator.unit.test.ts (2)
✓ tests/lab-02/create-ticket.api.test.ts (12) 450ms
✓ tests/lab-02/my-tickets.api.test.ts (20)
✓ tests/lab-02/requesters.api.test.ts (2)
✓ tests/lab-02/seed.test.ts (6)
✓ tests/lab-02/ticket-detail.api.test.ts (11) 550ms
✓ tests/lab-02/ticket-number.unit.test.ts (1)

Test Files  9 passed (9)
Tests       56 passed (56)
Start at    00:57:54
Duration    7.82s (transform 291ms, setup 0ms, collect 2.83s, tests 1.70s, environment 2ms, prepare 1.18s)
```

First real terminal run: 9 test files and 56 tests passed.

```
PS D:\Downloads\toktickit\server> cd D:\Downloads\toktickit\server
>> npm test

> toktickit-server@1.0.0 test
> vitest run

RUN v2.1.9 D:/Downloads/toktickit/server

✓ tests/lab-01/categories.test.ts (1)
✓ tests/lab-01/health.test.ts (1)
✓ tests/lab-02/attachment-validator.unit.test.ts (2)
✓ tests/lab-02/create-ticket.api.test.ts (12) 744ms
✓ tests/lab-02/my-tickets.api.test.ts (20) 527ms
✓ tests/lab-02/requesters.api.test.ts (2)
✓ tests/lab-02/seed.test.ts (6)
✓ tests/lab-02/ticket-detail.api.test.ts (11) 576ms
✓ tests/lab-02/ticket-number.unit.test.ts (1)

Test Files  9 passed (9)
Tests       56 passed (56)
Start at    00:58:26
Duration    9.29s (transform 172ms, setup 0ms, collect 3.50s, tests 2.42s, environment 2ms, prepare 1.22s)
```

Repeated real terminal run: 9 test files and 56 tests passed again.

Client tests - npm test -- --run

```
PS D:\Downloads\toktickit\server> cd ..\client
● >> npm test

> toktickit-client@1.0.0 test
> vitest run

RUN v2.1.9 D:/Downloads/toktickit/client

✓ tests/lab-01/App.test.tsx (3) 315ms
✓ tests/lab-02/api.test.tsx (8)
✓ tests/lab-02/CreateTicket.test.tsx (8) 1346ms
✓ tests/lab-02/MyTickets.test.tsx (7) 1943ms
✓ tests/lab-02/RequesterSelector.test.tsx (5) 460ms
✓ tests/lab-02/ResponsiveLayout.test.tsx (2)
✓ tests/lab-02/ThemeStyles.test.tsx (2)
✓ tests/lab-02/TicketDetail.test.tsx (6) 849ms

Test Files  8 passed (8)
Tests       41 passed (41)
Start at    01:07:50
Duration    6.37s (transform 446ms, setup 1.82s, collect 2.53s, tests 5.16s, environment 13.51s, prepare 1.93s)
```

Real terminal run: 8 test files and 41 tests passed.

E2E tests - npm run test:e2e

```
● PS D:\Downloads\toktickit\client> npm run test:e2e

> toktickit-client@1.0.0 test:e2e
> playwright test

Running 5 tests using 1 worker

✓ 1 [desktop] > ..\e2e\lab-02\multi-requester-isolation.spec.ts:6:3 > Issue #11 multi-requester isolation > keeps requester A tickets invisible and inaccessible to requester B (1.0s)
✓ 2 [desktop] > ..\e2e\lab-02\requester-ticket-flow.spec.ts:7:3 > Issue #11 requester ticket flow > selects a requester, creates a ticket, opens detail, and removes an attachment (1.6s)
✓ 3 [desktop] > ..\e2e\lab-02\responsive.visual.spec.ts:29:1 > covers the requester journey across Create Ticket, My Tickets, and Ticket Detail (1.2s)
✓ 4 [tablet] > ..\e2e\lab-02\responsive.visual.spec.ts:29:1 > covers the requester journey across Create Ticket, My Tickets, and Ticket Detail (1.2s)
✓ 5 [mobile] > ..\e2e\lab-02\responsive.visual.spec.ts:29:1 > covers the requester journey across Create Ticket, My Tickets, and Ticket Detail (2.8s)

5 passed (18.2s)
```

Real Playwright terminal run: all five requester and responsive E2E tests passed.

Test database migration and repeated seed

```
PS D:\Downloads\toktickit\client> cd ../server
PS D:\Downloads\toktickit\server> $env:DATABASE_URL = (Get-Content .env.test | Where-Object { $_ -match '^DATABASE_URL=' } | ForEach-Object { $_.Substring(13).Trim(' ') })
PS D:\Downloads\toktickit\server> npx prisma migrate deploy
• Environment variables loaded from .env
Prisma schema loaded from prisma/schema.prisma
Datasource "db": PostgreSQL database "toktickit_test", schema "public" at "localhost:5432"

3 migrations found in prisma/migrations

No pending migrations to apply.
```

Real terminal migration run against the dedicated 'toktickit_test' database; no pending migrations remain.

```
PS D:\Downloads\toktickit\server> npm run prisma:seed
•
> toktickit-server@1.0.0 prisma:seed
> tsx prisma/seed.ts

Seeded 4 categories.
Seeded 7 related systems.
Seeded 5 development requesters (4 active, 1 inactive).
Initialized ticket counter.
```

First real terminal seed run.

```
PS D:\Downloads\toktickit\server> npm run prisma:seed
•
> toktickit-server@1.0.0 prisma:seed
> tsx prisma/seed.ts

Seeded 4 categories.
Seeded 7 related systems.
Seeded 5 development requesters (4 active, 1 inactive).
Initialized ticket counter.
```

Second real terminal seed run with the same deterministic counts.

Full readable terminal logs: [server tests](#), [server build](#), [client tests](#), [client build](#), [migration](#), [repeated seed](#), and [Playwright E2E](#).

Evidence note: These are the command results captured during this report run. The Issue #6 seed suite is included in the 9-file/56-test server result, and the migration/seed logs prove the dedicated toktickit_test setup and repeatability.

Answer Part 4: AI Use and Reflection (5 Points)

The project used Codex as a pair-programming and review-analysis assistant. The source log is [docs/lab-02/ai-use.md](#).

Prompt name	Actual prompt or instruction	My reflection
Repository readiness	Verify the current branch and update it from the latest lab2-staging merge.	Confirmed the feature branch and release ancestry before changes.
E2E design	Implement deterministic Playwright coverage for requester flow and multi-requester isolation.	Turned the acceptance criteria into real browser journeys.
Test safety	Ensure destructive setup cannot run against a non-test database.	The strict _test guard and isolated upload root improved repeatability.
Responsive verification	Inspect desktop, tablet, and mobile layouts and capture reviewable evidence.	Combined behavior assertions with viewport screenshots.
Documentation	Update the Lab 2 test plan, peer-review record, and AI-use reflection.	Made review history and test outcomes traceable.
Review feedback	Check the implementation against the partner's review comments before release.	Reconciled the requested setup, cleanup, evidence, and documentation changes with the actual source and test results.
Submission report	Map the Lab 2 evidence into the Lab 1 report structure and replace missing evidence placeholders.	Preserved the Part 1-9 hierarchy and linked every visual artifact to its source path.
Final audit	Re-check stale Lab 1 wording, pending checkboxes, incomplete E2E traceability, and source/PDF mismatches.	Updated the source documents, regenerated the PDF, and verified the final rendered pages.


My Reflection: AI was useful for translating a long engineering contract into small, testable acceptance slices and for checking review feedback against the repository. Human verification remained necessary for branch ancestry, database safety, test output, screenshots, and the final course-delivery checklist.

The source log contains eight selected interactions (within the Lab 2 requirement of six to ten), including the final audit used to reconcile the PDF with the repository.

Answer Part 5: Development Requester Selection Screen (0 Points)


The Development Requester selector is a Lab 2 testing mechanism, not real authentication. It loads active requesters from the API, excludes the inactive seed, shows the Lab 3 authentication disclaimer, and persists the selected requester context for the requester-facing screens.

5.1 Development Requester Workspace




Desktop evidence from artifacts/lab-02/screenshots/release/desktop_requester_workspace.png.

5.2 Loading State




Live API request held open to show the loading state.

5.3 Failure and Retry



Simulated requester API failure with Retry Connection action.

5.4 Selected Requester Workspace



Selected Jennifer Anderson context before opening Create Ticket.

Answer Part 6: Working Ticket Screen - Create Mode (10 Points)

Create Ticket uses the selected Development Requester, active Category and Related System reference data, mandatory field validation, attachment validation, backend-generated ticket number/date, and a safe failure state that preserves form values.

Required evidence	Repository evidence	Status
Selected requester populates the form and saved ticket requesterId matches	client/tests/lab-02/CreateTicket.test.tsx, server/tests/lab-02/create-ticket.api.test.ts, E2E requester flow	Test recorded as passed
Desktop initial screen and database reference data	release/desktop_create_ticket.png	Screenshot present
Validation failure with field-level messages	create-ticket/01_validation_failure.png	Screenshot captured
Submitting / busy state	create-ticket/02_submitting.png	Screenshot captured
Success with backend number and saved values	release/desktop_create_success.png, tablet and mobile equivalents	Screenshots present
API failure with preserved values	create-ticket/03_api_failure_preserved.png	Screenshot captured
One valid and one invalid attachment	create-ticket/04_invalid_attachment.png	Screenshot captured

6.1 Desktop - Initial Create Ticket

TokTicket

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Select category

Related System *

Select related system

Ticket Summary *

Description *

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submit Ticket

Present in release evidence.

6.2 Desktop - Success

TokTicket

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

Ticket created successfully

Official Ticket Number: TKT-2026-000003

Created: 9/5/2026, 1:09:00 AM

Back

Present in release evidence; ticket number and backend-created date are displayed after API success.

6.3 Tablet - Initial Create Ticket

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Select category

Related System *

Select related system

Ticket Summary *

Description *

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submit Ticket

Present in release evidence.

6.4 Mobile - Success

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Ticket created successfully

Official Ticket Number: **TKT-2026-000005**

Created: **9/5/2026, 1:09:05 AM**

Back

Present in release evidence.

6.5 Validation Failure

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Select category

Related System *

Select related system

Ticket Summary *

Description *

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submit Ticket

Required fields show field-level messages and the API is not invoked.

6.6 Submitting State

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Hardware

Related System *

Email

Ticket Summary *

Submitting state capture

Description *

Capture the disabled submit button and spinner while the request is pending.

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submitting...

Submit button is disabled and shows the spinner while the request is pending.

6.7 API Failure with Values Preserved

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket DateAssigned on submission

RequesterJennifer Anderson

Category *Hardware

Related System *Email

Ticket Summary *API failure preserved values

Description *Typed values must remain visible when the ticket API fails.

Requested Priority *MEDIUM

AttachmentsChoose FilesNo file chosen

Unable to create ticket

CancelSubmit Ticket

Simulated 500 response leaves the typed summary and description visible.

6.8 Valid and Invalid Attachments

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket DateAssigned on submission

RequesterJennifer Anderson

Category *Select category

Related System *Select related system

Ticket Summary *

Description *

Requested Priority *MEDIUM

AttachmentsChoose Files2 files

not-an-image.txt must be JPG, PNG, WEBP, or PDF and no larger than 5 MB

CancelSubmit Ticket

Two files are selected; the invalid text file is rejected with the explicit file error.

Answer Part 7: Working My Tickets Screen (10 Points)

My Tickets is requester-scoped and supports search, category/priority/status filters, multi-column sorting, pagination, empty/no-results states, and requester switching. The source test plan records API-07 to API-09, UI-08 to UI-09, and both E2E isolation checks.

Required state	Evidence path	Result
Requester-owned desktop table and sort indicator	my-tickets/01_ticket_list_desktop.png	Passed
Combined search and filters	my-tickets/02_search_and_filter.png	Passed
Pagination	my-tickets/03_pagination.png	Passed
Empty account	my-tickets/04_empty_state.png	Passed
Mobile ticket cards	my-tickets/05_mobile_card_view.png	Passed
Requester switch / isolation	my-tickets/06_requester_isolation.png	Passed
Filtered no-results and Clear Filters	my-tickets/07_no_results.png	Passed
Tablet table at 768px	my-tickets/08_tablet_table_view.png	Passed

7.1 Desktop List

TokTicketIT

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

Create Ticket

Search tickets

Category

Requested Priority

Current Status

Clear Filters

Ticket No.

Created Date

Summary

Category

Requested Priority

Current Status

Actions

Ticket-2026-000012

9/3/2026

Corporate laptop keyboard issue

Network

URGENT

NEW

View

Ticket-2026-000011

9/3/2026

Printer produces blank pages

Software

HIGH

NEW

View

Ticket-2026-000010

9/3/2026

Wi-Fi signal weak in office

Hardware

MEDIUM

NEW

View

Ticket-2026-000009

9/3/2026

Email password reset required

Account and Access

LOW

NEW

View

Ticket-2026-000008

9/3/2026

Laptop screen flickers after login

Network

URGENT

NEW

View

Ticket-2026-000007

9/3/2026

VPN access needed for travel

Software

HIGH

NEW

View

Ticket-2026-000006

9/3/2026

Software license activation fails

Hardware

MEDIUM

NEW

View

Ticket-2026-000005

9/3/2026

Printer queue remains stuck

Account and Access

LOW

NEW

View

Ticket-2026-000004

9/3/2026

Campus Wi-Fi drops in meetings

Network

URGENT

NEW

View

Ticket-2026-000003

9/3/2026

Email attachments will not open

Software

HIGH

NEW

View

Previous

1

2

Next

7.2 Search and Filter

TokTicketIT

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

Create Ticket

Search tickets

Category

Requested Priority

Current Status

Clear Filters

Ticket No.

Created Date

Summary

Category

Requested Priority

Current Status

Actions

Ticket-2026-000005

9/3/2026

Printer queue remains stuck

Account and Access

LOW

NEW

View

Previous

1

Next

7.3 Pagination

TokTicketIT

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

Create Ticket

Search tickets

Category

Requested Priority

Current Status

Clear Filters

Ticket No.

Created Date

Summary

Category

Requested Priority

Current Status

Actions

Ticket-2026-000002

9/3/2026

Laptop battery drains quickly

Hardware

MEDIUM

NEW

View

Ticket-2026-000001

9/3/2026

VPN disconnects every hour

Account and Access

LOW

NEW

View

Previous

1

2

Next

7.4 Empty Account

TokTicketIT

HomeMy TicketsCreate Ticket

Sarah JohnsonChange Requester

My Tickets

Track IT requests submitted by Sarah Johnson.

Create Ticket

Search tickets

Category

Requested Priority

Current Status

Clear Filters

No tickets found. You have not submitted any IT support tickets yet.

Create Your First Ticket

7.5 Mobile Cards

TokTickIT

Home

My Tickets

+ Create Ticket

Jennifer Anderson

Change Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

+ Create Ticket

Search tickets

Summary or ticket number

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters

TKT-2026-000001

NEW

Tablet responsive verification

Network 9/3/2026

HIGH

Previous1Next

7.6 Requester Isolation

TokTickIT

Home

My Tickets

+ Create Ticket

Michael Brown

Change Requester

My Tickets

Track IT requests submitted by Michael Brown.

+ Create Ticket

Search tickets

Summary or ticket number

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters

Ticket No.	Created Date ↓	Summary	Category	Requested Priority	Current Status	Actions
TKT-2026-000013	9/3/2026	Finance email access request	Account and Access	MEDIUM	NEW	View

Previous1Next

7.7 No Results

TokTickIT

Home

My Tickets

+ Create Ticket

Michael Brown

Change Requester

My Tickets

Track IT requests submitted by Michael Brown.

+ Create Ticket

Search tickets

does-not-exist

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters

No matching tickets found for the selected search and filter criteria.

Clear Filters

7.8 Tablet Table

TokTickIT

Home

My Tickets

+ Create Ticket

Jennifer Anderson

Change Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

+ Create Ticket

Search tickets

Summary or ticket number

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters





Ticket No.	Created Date ↓	Summary	Category	Requested Priority	Current Status	Actions
TKT-2026-000001	9/3/2026	Tablet responsive verification	Network	HIGH	NEW	View

Previous1Next

Answer Part 8: Owned Ticket Screen - View Mode and Attachments (5 Points)

Ticket Detail is read-only for owned tickets. Requesters can add a permitted attachment, download an active attachment, and soft-remove an attachment with a non-empty reason. Removed metadata remains visible while download is blocked. Cross-requester detail and attachment access is rejected by the API.



Required state	Evidence path	Result
Read-only ticket detail	ticket-detail/01_ticket_detail_readonly.png	Passed
Active attachment list and download/remove controls	ticket-detail/02_attachment_list.png	Passed
Removal modal with required reason	ticket-detail/03_soft_removal_modal.png	Passed
Soft-removed metadata and blocked download	ticket-detail/04_soft_removed_state.png	Passed
Unauthorized ticket / attachment access	server/tests/lab-02/ticket-detail.api.test.ts, e2e/lab-02/multi-requester-isolation.spec.ts	Automated evidence recorded







Answer Part 9: Zen Green UI and Responsive Evidence (5 Points)

The rendered UI contract is [docs/lab-02/ui-spec.md](#). The application uses reusable Zen Green tokens, explicit input and validation states, primary/secondary/destructive button hierarchy, read-only detail fields, and responsive table/card behavior.

Token or rule	Contract value	Evidence
Header / primary	#006B3C	ThemeStyles.test.tsx and release screenshots
Hover / active	#0B7A46	ThemeStyles.test.tsx
Pale surface	#EAF6EF	ThemeStyles.test.tsx
Body surface	#F5F7F6	ThemeStyles.test.tsx
Breakpoints	Desktop >= 992px; tablet 768-991px; mobile < 768px	ResponsiveLayout.test.tsx and Playwright responsive spec
Accessibility / layout	Labels, focus, non-color states, touch targets >= 44px, no clipping or horizontal overflow	UI tests, responsive tests, and Issue #11 E2E result





9.7 Responsive and Visual Checklist

- [x] Zen Green palette tokens are asserted in ThemeStyles.test.tsx.
- [x] Typography, spacing, labels, and required-field markers are covered by the UI contract and style tests.
- [x] Primary, outline, warning, and destructive button hierarchy is defined in ui-spec.md.

- [x] Desktop layout is covered by release screenshots and the responsive E2E journey.
- [x] Tablet layout is covered at 768px with a responsive table.
- [x] Mobile layout is covered with stacked forms and ticket cards.
- [x] Recorded Issue #11 result reports no clipping, overlap, horizontal overflow, or console errors.

The source checklist in `docs/lab-02/tests.md` is now checked to match the automated and visual results recorded above.

Report snapshot checked against the GitHub default branch on 2026-09-06. This single HTML file embeds its CSS and uses repository-relative image paths so it can be opened from the repository and printed to A4 PDF. Repository evidence captures, source-document links, test output, and merge metadata are included in the report.