

LAB 2 : TokTickIT Requester-Facing IT Ticketing System


Student Name: Thira Rungruangkaset	Student ID: 67070503419
GitHub Username: HolyThiccDaddy	Peer Reviewer: Ashira Sansoda (67070503445)

Answer Part 1: Git Use with Engineering Workflow (10 Points)

1.1 Repository, Board, Issue and PR URLs

GitHub Repository URL:	https://github.com/HolyThiccDaddy/toktickit
GitHub Project Board URL:	https://github.com/users/HolyThiccDaddy/projects/1
Lab 2 Issue #5 (GitHub #12, contract):	https://github.com/HolyThiccDaddy/toktickit/issues/12
Lab 2 Issue #6 (GitHub #13, database and seed):	https://github.com/HolyThiccDaddy/toktickit/issues/13
Lab 2 Issue #7 (GitHub #14, requester context):	https://github.com/HolyThiccDaddy/toktickit/issues/14
Lab 2 Issue #8 (GitHub #15, Create Ticket):	https://github.com/HolyThiccDaddy/toktickit/issues/15
Lab 2 Issue #9 (GitHub #16, My Tickets):	https://github.com/HolyThiccDaddy/toktickit/issues/16
Lab 2 Issue #10 (GitHub #17, Ticket Detail):	https://github.com/HolyThiccDaddy/toktickit/issues/17
Lab 2 Issue #11 (GitHub #18, E2E and release):	https://github.com/HolyThiccDaddy/toktickit/issues/18
Contract PR #19 and feature PRs #20-#25:	GitHub pull requests authored by HolyThiccDaddy.
Release PR #27 (staging to main):	https://github.com/HolyThiccDaddy/toktickit/pull/27

1.2 GitHub Project Kanban Board Evidence



GitHub Project evidence supplied for this report. The board shows the Lab 2 issues in the Done column. Source: [TokTickIT Project](#).

Issue traceability: GitHub Issues #12-#18 remain open because the merged PRs did not close them automatically. Each is linked to its completed implementation PR (#19-#25) and to release PR #27; the Project board records the work as Done. If the course requires a closed issue state, close those seven issue records manually in GitHub.

GitHub issue	Completed implementation PR	Release link
#12 Contract	PR #19	PR #27
#13 Database and seed	PR #20	PR #27
#14 Requester context	PR #21	PR #27
#15 Create Ticket	PR #22	PR #27
#16 My Tickets	PR #23	PR #27
#17 Ticket Detail	PR #24	PR #27
#18 E2E and release	PR #25	PR #27

1.3 Git Workflow Commit History Evidence

1 Merged

Lab2 staging #27

HolyThiccDaddy merged 22 commits into [main](#) from [lab2-staging](#)

test: feature seed data and database design justifications in specification.md

HolyThiccDaddy committed 2 weeks ago

8c73a62

docs: document seed data quantities and database design justifications in specification.md

HolyThiccDaddy committed 2 weeks ago

d9839c4

Merge pull request #19 from HolyThiccDaddy/feature/5-spec-test-plan

csick authored 2 weeks ago

Verified

29635dc

feat: expand Prisma schema models and add idempotent seed data for Lab 2

HolyThiccDaddy committed 2 weeks ago

1dc5886

Commits on Aug 30, 2026

feat: add TicketCounter model, uploader relation, and idempotent seed tests for Lab 2

HolyThiccDaddy committed 3 days ago

865fa83

test: add env.test.example and verify TicketCounter sequence preservation on re-seed

HolyThiccDaddy committed 3 days ago

7de6890

Commits on Sep 1, 2026

test: isolate seed suite in dedicated test database

HolyThiccDaddy committed 3 days ago

83c1969

test: support Node 18 env loading

HolyThiccDaddy committed 3 days ago

d13b233

Merge pull request #20 from HolyThiccDaddy/feature/6-db-seed

csick authored 3 days ago

Verified

81d1c33

feat: add development requester context

HolyThiccDaddy committed 3 days ago

7ab79a1

fix: validate requester context and isolate database tests

HolyThiccDaddy committed 3 days ago

51524a7

fix: preserve Lab 1 workspace behavior

HolyThiccDaddy committed 3 days ago

a14247f

Merge pull request #21 from HolyThiccDaddy/feature/7-requester-context

csick authored 3 days ago

Verified

3777e40

Feature 8: Create Ticket Screen and API

HolyThiccDaddy committed 3 days ago

9288c84

Fix create ticket attachment atomicity tests

HolyThiccDaddy committed 3 days ago

88639df

Fix active category filtering

HolyThiccDaddy committed 3 days ago

be4db75

Use backend ticket date and restore category behavior

HolyThiccDaddy committed 3 days ago

4888d46

Merge pull request #22 from HolyThiccDaddy/feature/8-create-ticket

csick authored 3 days ago

Verified

26b2e9c

Commits on Sep 3, 2026

Issue #9: Implement requester-owned My Tickets

HolyThiccDaddy committed yesterday

c1d2aa9

Fix My Tickets category loading failure state

HolyThiccDaddy committed yesterday

f4d7342

Merge pull request #23 from HolyThiccDaddy/feature/9-my-tickets

csick authored yesterday

Verified

f2356df

Issue #10: Add ticket detail and attachment management

HolyThiccDaddy committed yesterday

f06e4d7

Fix Issue #10 review comments

HolyThiccDaddy committed yesterday

7a8c252

Merge pull request #24 from HolyThiccDaddy/feature/10-ticket-detail

csick authored yesterday

Verified

08882a2

test: add Issue #11 E2E and release checks

HolyThiccDaddy committed yesterday

8551316

Commits on Sep 4, 2026

test: align Playwright setup and responsive coverage

HolyThiccDaddy committed yesterday

d1d1978

Merge pull request #25 from HolyThiccDaddy/feature/11-e2e-release

csick authored yesterday

Verified

92c49d2

docs: record Lab 2 peer review history

HolyThiccDaddy committed yesterday

4bb21cc

docs: record partner Lab 2 reviews

HolyThiccDaddy committed yesterday

34f18af

Merge pull request #26 from HolyThiccDaddy/feature/lab2-reviewer-docs

csick authored yesterday


Verified

dc02809

© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

GitHub commit-history evidence supplied for this report. It shows the merged Lab 2 pull requests and the release merge from lab2-staging into main.

1.4 IDE Directory Structure Screenshot



The screenshot shows a file explorer interface for a project named TOKTICKIT. The project is expanded, revealing a list of directories and files. The directories are listed with a right-pointing arrow icon, and the files are listed with their respective icons. The directories include .local-backup, .tmp, artifacts, client, docs, e2e, node_modules, output, server, test-results, tmp, .gitignore, AGENTS.md, package.json, and README.md. The files are listed with their respective icons: a diamond for .gitignore, a blue arrow for AGENTS.md, a curly brace for package.json, and an information icon for README.md. The file names are color-coded: .local-backup, docs, output, tmp, AGENTS.md, package.json, and README.md are in green; .tmp, artifacts, node_modules, test-results, and README.md are in orange; client, e2e, server, and tmp are in blue; and .gitignore is in purple.

- ▼ TOKTICKIT
 - > .local-backup
 - > .tmp
 - > artifacts
 - > client
 - > docs
 - > e2e
 - > node_modules
 - > output
 - > server
 - > test-results
 - > tmp
 - ◆ .gitignore
 - ↓ AGENTS.md
 - { } package.json
 - ⓘ README.md

IDE evidence supplied for this report, showing the repository tree with client, server, E2E, documentation, and artifact directories.

1.5 Rendered README.md Preview

README Evidence

```
# TokTickIT - Lab 2 Requester Ticketing MVP

TokTickIT is a full-stack, requester-facing IT service-desk application built for Lab 2. A temporary Development Requester selector simulates the current user context until real authentication is introduced in Lab 3. Requesters can create tickets, upload permitted evidence

## Scope and technology

- **Frontend:** React 18, TypeScript, Vite, Bootstrap 5
- **Backend:** Node.js, Express, TypeScript, Prisma ORM
- **Database:** PostgreSQL
- **Testing:** Vitest, Supertest, React Testing Library, Playwright
- **Architecture:** Monorepo with 'client/', 'server/', and repository-root E2E specs

Lab 2 deliberately excludes real authentication, IT Staff workflow, comments/notes, Actions Taken, administration, and status transitions beyond 'NEW'.

## Repository structure

```text
toktickit/
├── client/ # React UI, component tests, and Playwright dependency
├── server/ # Express API, Prisma schema/migrations, and API tests
├── e2e/ # Playwright journeys and deterministic setup/teardown
├── docs/lab-02/ # Lab 2 contract, test plan, AI log, and review record
├── artifacts/lab-02/ # Test output and responsive/visual evidence
└── ...
```

## Prerequisites

- Node.js **18 or higher**
- PostgreSQL running locally on port `5432`
- A PostgreSQL role that can create databases

## Installation and environment

```bash
git clone https://github.com/MoTyThiccDaddy/toktickit.git
cd toktickit
cd server
npm install
copy .env.example .env
cd ../client
npm install
```

Set `server/.env` to a local development database, for example:

```env
DATABASE_URL="postgresql://toktickit:toktickit@localhost:5432/toktickit?schema-public"
PORT=3000
TOKTICKIT_UPLOAD_ROOT=uploads
```

Create the dedicated test database before running destructive suites:

```bash
createdb -U toktickit toktickit_test
cd server
copy .env.test.example .env.test
npx prisma migrate deploy
npm run prisma:seed
```

`server/.env.test` is local-only and ignored by Git. Test setup requires a database name ending in `_test` and writes attachments beneath a test-only temporary directory.

## Run the application

```bash
terminal 1
cd server
npm run dev

terminal 2
cd client
npm run dev
```

The API is available at `http://localhost:3000` and Vite serves the UI at `http://localhost:5173`.

## Verification commands

Run the smallest relevant suite first, then the full release checks:

```bash
cd server
npm test
npm run build

cd ../client
npm test
npm run build
npx playwright test
```

The Playwright command starts isolated services, resets deterministic fixtures in `toktickit_test`, checks desktop/tablet/mobile journeys, and writes JSON results to `artifacts/lab-02/e2e-results.json` plus PNG evidence under `artifacts/lab-02/screenshots/`.

## API surface

- `GET /api/health` - service health
- `GET /api/requesters` - active Development Requesters
- `GET /api/categories` - active ticket categories
- `GET /api/related-systems` - active related systems
- `POST /api/tickets` - create a 'NEW' requester-owned ticket
- `GET /api/tickets` - requester-scoped search, filtering, sorting, and pagination
- `GET /api/tickets/:id` - owned read-only ticket detail
- `POST /api/tickets/:id/attachments` - add a validated attachment
- `GET /api/attachments/:id/download` - download an active attachment
- `DELETE /api/attachments/:id` - soft-remove an owned attachment with a reason

Requester identity is supplied only through the `X-Requester-Id` header. Attachment uploads enforce allowed type, extension, magic bytes, size, count, ownership, and compensating cleanup rules.

## Lab 2 documentation

- [Sprint specification](docs/lab-02/specification.md)
- [REST API contract](docs/lab-02/api-spec.md)
- [UI specification](docs/lab-02/ui-spec.md)
- [Test plan and results](docs/lab-02/tests.md)
- [AI use and reflection](docs/lab-02/ai-use.md)
- [Peer-review record](docs/lab-02/reviewer.md)
- [Lab 2 visual evidence](artifacts/lab-02/screenshots/)

The Lab 2 release was integrated into 'main' by release PR #27 ('a145b057').
```

Rendered README capture from the Lab 2 default-branch content, including installation, test-database setup, and verification commands.

```
cd client
npm install
npx playwright test
```

[Open README.md on GitHub](#)

1.6 .gitignore File Content

.gitignore Evidence

```
● PS D:\Downloads\toktickit> Get-Content .\.gitignore
# dependencies
node_modules/
# env & secrets
.env
.env.*
!.env.example
!.env.test.example
# build output
dist/
build/
# prisma
server/prisma/*.db
# logs & OS
*.log
.DS_Store
# uploaded files
server/uploads/
# Playwright output
test-results/
playwright-report/
server/tmp/
```

Terminal capture of the `.gitignore` file and its environment/build/test exclusions.

[Open .gitignore on GitHub](#). Local server/.env.test and database files remain ignored.

1.7 Rendered docs/lab-02/reviewer.md

Reviewer Record Terminal Evidence

```
# Lab 2 - Peer Review Record

**Author:** Thira Rungruangkaset - 67070503419 - GitHub: @HolyThiccDaddy
**Peer reviewer:** Ashira Sansoda - 67070503445 - GitHub: @osizk

## Pull Requests I authored (reviewed by my partner)

PR	Issue	Branch	Merge commit	Reviewer verdict
[#19](https://github.com/HolyThiccDaddy/toktickit/pull/19)	#5 Lab 2 Specification, Test Plan, UI Spec, and API Spec	`feature/5-spec-test-plan`	`296350c`	Approved after the requested contract, test-plan, selector-state, seed, and database-justification updates.
[#20](https://github.com/HolyThiccDaddy/toktickit/pull/20)	#6 Database Schema and Idempotent Seed	`feature/6-db-seed`	`81d1c33`	Approved and merged.
[#21](https://github.com/HolyThiccDaddy/toktickit/pull/21)	#7 Requester Context	`feature/7-requester-context`	`37f7e40`	Approved and merged after validation, fixture, and Lab 1 regression updates.
[#22](https://github.com/HolyThiccDaddy/toktickit/pull/22)	#8 Create Ticket	`feature/8-create-ticket`	`26b2e9c`	Approved and merged.
[#23](https://github.com/HolyThiccDaddy/toktickit/pull/23)	#9 My Tickets	`feature/9-my-tickets`	`f2356bf`	Approved and merged after the category-loading error state was added.
[#24](https://github.com/HolyThiccDaddy/toktickit/pull/24)	#10 Ticket Detail and Attachments	`feature/10-ticket-detail`	`08882a2`	Approved and merged after attachment-state and evidence updates.
[#25](https://github.com/HolyThiccDaddy/toktickit/pull/25)	#11 E2E and Release Preparation	`feature/11-e2e-release`	`92c4942`	Approved and merged after Playwright, responsive, and release checks.
[#26](https://github.com/HolyThiccDaddy/toktickit/pull/26)	Lab 2 review documentation	`feature/lab2-reviewer-docs`	`dcd28d9`	Merged; review-history documentation completed.
[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)	Lab 2 release integration	`lab2-staging` -> `main`	`a145b05`	Merged release integration.
[#28](https://github.com/HolyThiccDaddy/toktickit/pull/28)	Lab 2 README publication	`feature/lab2-reviewer-docs`	`d35cf17`	Documentation-only update merged into `lab2-staging`.
[#29](https://github.com/HolyThiccDaddy/toktickit/pull/29)	Lab 2 README release integration	`lab2-staging` -> `main`	`2d963f7`	Merged release integration.

### Conversations on PRs I Authored

- **PR [#19](https://github.com/HolyThiccDaddy/toktickit/pull/19) (`feature/5-spec-test-plan`):** The reviewer requested contract updates for attachment-failure compensation, true idempotency wording, backend attachment-boundary tests, unit/style/responsive test coverage, Requester Selection loading/empty/failure states, seed quantities, and a database-design justification. I addressed the comments in commits `0c73a62` and `d9839c4`; osizk then approved with "Everything looks good. I'll merge it now." and merged `296350c` into `lab2-staging`.
- **PR [#20](https://github.com/HolyThiccDaddy/toktickit/pull/20) (`feature/6-db-seed`):** The reviewer requested the missing attachment relation, concurrency-safe ticket counter, idempotent seed tests, isolated `.env.test` execution, and Node.js 18 compatibility. Follow-up comments recorded the test-database and environment-file fixes, then the Node 18 compatibility fix; after the re-review requests, osizk approved and asked to merge before `81d1c33` landed.
- **PR [#21](https://github.com/HolyThiccDaddy/toktickit/pull/21) (`feature/7-requester-context`):** The reviewer requested validated requester persistence, deterministic requester fixtures, and preservation of the Lab 1 Check System behavior. After the fixes, osizk confirmed the points were resolved and that the client tests and builds passed, and I agreed to merge `37f7e40`.
- **PR [#22](https://github.com/HolyThiccDaddy/toktickit/pull/22) (`feature/8-create-ticket`):** The reviewer requested atomic attachment staging, an isolated upload root for tests, valid-header field-validation coverage, and backend-generated ticket dates. The follow-up review approved the updates and asked to merge; I agreed before `26b2e9c` landed.
- **PR [#23](https://github.com/HolyThiccDaddy/toktickit/pull/23) (`feature/9-my-tickets`):** The reviewer requested an explicit category-loading error state with a retry action. This was implemented; the reviewer later corrected a review posted on the wrong commit, confirmed the result was fine, and the PR was merged at `f2356bf`.
- **PR [#24](https://github.com/HolyThiccDaddy/toktickit/pull/24) (`feature/10-ticket-detail`):** The reviewer first flagged duplicate screenshots and mismatched PNG extensions, then requested separate upload/removal busy states and both attachment-validation error keys. The corrected evidence and UI changes were approved before `08882a2` landed.
- **PR [#25](https://github.com/HolyThiccDaddy/toktickit/pull/25) (`feature/11-e2e-release`):** The reviewer requested Playwright under `client/` and responsive E2E journeys for Create Ticket, My Tickets, and Ticket Detail at desktop, tablet, and mobile sizes. The follow-up commit aligned the setup and expanded the journeys/screenshots; osizk confirmed it was ready to merge, and I agreed before `92c4942c` landed in `lab2-staging`.
- **PR [#26](https://github.com/HolyThiccDaddy/toktickit/pull/26) (`feature/lab2-reviewer-docs`):** The documentation-only update synchronized the review record with the actual PR history. osizk confirmed the document looked good and asked to merge; I agreed before `dcd28d9` landed.
- **PR [#27](https://github.com/HolyThiccDaddy/toktickit/pull/27) (`lab2-staging` -> `main`):** The release PR had no additional substantive review comment and merged the completed Lab 2 increment into `main` at `a145b05`.
- **PR [#28](https://github.com/HolyThiccDaddy/toktickit/pull/28) (`feature/lab2-reviewer-docs`):** The README publication was documentation-only. GitHub records no review comments before the merge into `lab2-staging`.
- **PR [#29](https://github.com/HolyThiccDaddy/toktickit/pull/29) (`lab2-staging` -> `main`):** The README release promotion was documentation-only. GitHub records no review comments before the merge into `main`.

---
```

Rendered source capture of `docs/lab-02/reviewer.md`, including the contract PR #19, merge commits, and review outcomes.

| Authored PR | Issue / Branch | Merge commit | Partner verdict |
|---------------------|----------------------------------|--------------|--|
| #19 | #5 / feature/5-spec-test-plan | 296350c | Approved after contract revisions and merged into lab2-staging |
| #20 | #6 / feature/6-db-seed | 81d1c33 | Approved and merged |
| #21 | #7 / feature/7-requester-context | 37f7e40 | Approved and merged |
| #22 | #8 / feature/8-create-ticket | 26b2e9c | Approved and merged |
| #23 | #9 / feature/9-my-tickets | f2356bf | Approved and merged |
| #24 | #10 / feature/10-ticket-detail | 08882a2 | Approved and merged |
| #25 | #11 / feature/11-e2e-release | 92c4942 | Approved and merged |
| #26 | Lab 2 review documentation | dcd28d9 | Merged |
| #27 | Lab 2 release integration | a145b05 | Merged into main |

The reciprocal review record contains authored PR #19, partner PRs #20-#32, requested changes, responses, and approval outcomes. [Open the full rendered reviewer.md record.](#)

Answer Part 2: Specification-Driven Development (5 Points)

The Lab 2 contract is recorded in [specification.md](#), [api-spec.md](#), and [ui-spec.md](#). The specification defines the requester-facing scope, API behavior, data design, Zen Green UI rules, acceptance criteria, and Definition of Done.

| Contract area | Recorded evidence | Implementation mapping |
|-------------------------|---|--|
| Functional requirements | FR-01 to FR-12 | Requester selection, references, ticket creation, search/filter/sort/page, owned detail, attachments, and ownership protection |
| Business rules | BR-01 to BR-11 | Atomic ticket numbers, status NEW, test-only requester context, validation, attachment limits, soft removal, ownership, and rollback |
| Database design | RequesterUser, Category, RelatedSystem, Ticket, Attachment, TicketCounter | Versioned Prisma migrations plus idempotent seed data |
| API contract | Sections 3.1 to 3.9 | Active references, create/list/detail, attachment upload/download/soft-remove |
| Acceptance criteria | AC-01 to AC-11 | Traceable to the unit, API, UI, style, responsive, and E2E tests in Part 3 |
| Definition of Done | Section 10 | Implementation, tests, docs, review, visual inspection, and release workflow |

2.1 Rendered specification excerpt

Lab 2 Engineering Contract

```
PS D:\Downloads\toktickit> Get-Content .\docs\lab-02\specification.md
# Lab 2 Sprint Engineering Specification

## 1. Sprint Goal
Deliver a robust, responsive Requester-facing IT Ticketing MVP for TokTickIT using the Zen Green design system. This increment enables simulated Development Requesters to submit support tickets with file attachments, view and manage their submitted tickets with search, filtering, and pagination, inspect read-only ticket details, and manage permitted attachments with soft-removal rules while enforcing strict multi-user ownership boundaries.

## 2. Stakeholder Request Interpretation
The IT department requires a full-stack, responsive web application for end-users (Requesters) to report IT incidents and service requests. The system must capture essential ticket metadata (summary, description, category, related system, requested priority, and attachments), automatically generate unique ticket identifiers, and provide self-service inquiry via "My Tickets" and "Ticket Detail" views. Because full authentication is scheduled for Lab 3, Lab 2 introduces a simulated Development Requester context to model and enforce tenant/user ownership across all API endpoints and frontend views.

## 3. Scope

### Included
- **Development Requester Simulation:** Selection screen to choose an active development requester identity, global React context, and persistent header display with switcher.
- **Reference Data Retrieval:** Endpoints for active categories, related systems, and active requesters.
- **Ticket Creation (Create Mode):** Form validation, automatic Ticket Number generation ('TKT-YYYY-XXXXXX'), file attachment upload (JPEG, PNG, WEBP, PDF up to 5MB, max 5 active attachments), and duplicate-submission prevention.
- **Ticket Inquiry (My Tickets):** Paginated listing of tickets owned by the active requester with full-text search, multi-field filtering (category, priority, status), column sorting, and responsive table/card layout.
- **Ticket Detail (View Mode):** Read-only presentation of ticket headers, classification, timestamps, and active/soft-removed attachments.
- **Attachment Management:** Uploading additional attachments to existing tickets, downloading active attachments, and soft-removing attachments with mandatory reason tracking.
- **Data Isolation & Ownership:** Enforced isolation preventing any requester from viewing, querying, creating, or modifying tickets or attachments belonging to another user.
- **Zen Green UI System:** Strict adherence to the specified color palette, typography, spacing, component hierarchy, responsive breakpoints (Desktop, Tablet, Mobile), and accessible state indicators.

### Excluded
- Real user authentication, password hashing, JWT/session management, and role-based access control (deferred to Lab 3).
- IT Staff workflow (ticket claiming, assignment, internal priority adjustment, status progression beyond 'New').
- Collaboration features (Public Comments, Internal Notes, Actions Taken).
- Advanced ticket lifecycle transitions (In Progress, Resolved, Closed, Reopened, Cancelled).
- Administrative user/system management interfaces.

---
```

Terminal capture of the Lab 2 sprint specification and included/excluded scope.

[Open the complete specification.](#)

2.2 Contract-before-implementation Timeline

| | | | | |
|--|----------|---------------|----------------------|-------------|
| HolyThiccDaddy / ticketkit | | | Type to search | |
| Code | Issues | Pull requests | Agents | Discussions |
| Actions | Projects | Wiki | Security and quality | Insights |
| Settings | | | | |
| Commits | | | | |
| main | | | | |
| All users | | | | |
| Aug 22 - Sep 4 | | | | |
| Commits on Sep 4, 2026 | | | | |
| docs: update README for Lab 2 | | | | |
| Merge pull request #27 from HolyThiccDaddy/lab2-staging | | | | |
| Merge pull request #26 from HolyThiccDaddy/feature/lab2-reviewer-docs | | | | |
| docs: record partner Lab 2 reviews | | | | |
| docs: record Lab 2 peer review history | | | | |
| Merge pull request #25 from HolyThiccDaddy/feature/11-e2e-release | | | | |
| test: align Playwright setup and responsive coverage | | | | |
| Commits on Sep 3, 2026 | | | | |
| test: add issue #11 E2E and release checks | | | | |
| Merge pull request #24 from HolyThiccDaddy/feature/10-ticket-detail | | | | |
| Fix issue #10 review comments | | | | |
| Issue #10: Add ticket detail and attachment management | | | | |
| Merge pull request #23 from HolyThiccDaddy/feature/9-my-tickets | | | | |
| Fix My Tickets category loading failure state | | | | |
| Issue #9: Implement requester-owned My Tickets | | | | |
| Commits on Sep 1, 2026 | | | | |
| Merge pull request #22 from HolyThiccDaddy/feature/8-create-ticket | | | | |
| Use backend ticket date and restore category behavior | | | | |
| Fix active category filtering | | | | |
| Fix create ticket attachment atomicity tests | | | | |
| Feature 8: Create Ticket Screen and API | | | | |
| Merge pull request #21 from HolyThiccDaddy/feature/7-requester-context | | | | |
| fix: preserve Lab 1 workspace behavior | | | | |
| fix: validate requester context and isolate database tests | | | | |
| feat: add development requester context | | | | |
| Merge pull request #20 from HolyThiccDaddy/feature/6-db-seed | | | | |
| test: support Node 18 env loading | | | | |
| test: isolate seed suite in dedicated test database | | | | |
| Commits on Aug 30, 2026 | | | | |
| test: add .env.test.example and verify TicketCounter sequence preservation on re-seed | | | | |
| feat: add TicketCounter model, uploader relation, and idempotent seed tests for Lab 2 | | | | |
| Commits on Aug 22, 2026 | | | | |
| feat: expand Prisma schema models and add idempotent seed data for Lab 2 | | | | |
| Merge pull request #19 from HolyThiccDaddy/feature/5-spec-test-plan | | | | |
| docs: document seed data quantities and database design justifications in specification.md | | | | |
| docs: refine Lab 2 specifications and test plans based on peer review feedback | | | | |
| docs: add Lab 2 specification, test plan, UI spec, and API spec | | | | |
| chore: setup lab-02 directory structure | | | | |

GitHub main-branch commit history showing specification PR #19 before database PR #20, requester-context PR #21, and E2E/release PR #25.

Answer Part 3: Test-Driven Development and Verification (10 Points)

The test plan defines unit, API integration, UI component, style/responsive, and Playwright E2E layers. The source table records all required test IDs and the AC traceability matrix. [Open docs/lab-02/tests.md](#).

3.1 Planned Test Specification Table

Test Plan Terminal Evidence

```
PS D:\Downloads\toktickit> Get-Content .\docs\lab-02\tests.md
# Lab 2 Test Plan and Results

## 1. Test Strategy
The testing strategy for TokTickIT Lab 2 guarantees complete functional correctness, multi-user data isolation, boundary validation, and responsive UI behavior through five distinct testing layers:
1. **Unit Testing:** Validates pure business logic functions (e.g., Ticket Number generator formatting, attachment size/MIME validators).
2. **API Integration Testing (Supertest + Vitest):** Verifies all backend endpoints, HTTP status codes, payload structures, database persistence, transaction rollback, and ownership enforcement.
3. **Frontend UI Component Testing (React Testing Library + Vitest):** Verifies screen rendering, component state transitions (idle, busy, success, error, empty), form validation messages, and user interactions with mocked API services.
4. **UI Style & Responsive Verification (Automated Component & Style Tests):** Confirms Zen Green theme tokens, field styling, button hierarchies, and layout integrity across Desktop (>= 992px), Tablet (768-991px), and Mobile (< 768px).
5. **End-to-End Testing (Playwright):** Simulates realistic user journeys from Development Requester selection to ticket submission, list filtering, and attachment management.

## 1.1 Issue and Release Traceability

The GitHub issue records for the Lab 2 work remain open because the merged pull requests did not close them automatically. Each issue is nevertheless linked to its completed implementation PR and to the final release PR, so the implementation and release state are auditable.

GitHub Issue	Lab 2 scope	Completed implementation PR	Release link
[#12](https://github.com/HolyThiccDaddy/toktickit/issues/12)	Contract and test plan	[#19](https://github.com/HolyThiccDaddy/toktickit/pull/19)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)
[#13](https://github.com/HolyThiccDaddy/toktickit/issues/13)	Database schema and seed	[#20](https://github.com/HolyThiccDaddy/toktickit/pull/20)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)
[#14](https://github.com/HolyThiccDaddy/toktickit/issues/14)	Requester context	[#21](https://github.com/HolyThiccDaddy/toktickit/pull/21)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)
[#15](https://github.com/HolyThiccDaddy/toktickit/issues/15)	Create Ticket	[#22](https://github.com/HolyThiccDaddy/toktickit/pull/22)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)
[#16](https://github.com/HolyThiccDaddy/toktickit/issues/16)	My Tickets	[#23](https://github.com/HolyThiccDaddy/toktickit/pull/23)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)
[#17](https://github.com/HolyThiccDaddy/toktickit/issues/17)	Ticket Detail and attachments	[#24](https://github.com/HolyThiccDaddy/toktickit/pull/24)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)
[#18](https://github.com/HolyThiccDaddy/toktickit/issues/18)	E2E and release preparation	[#25](https://github.com/HolyThiccDaddy/toktickit/pull/25)	[#27](https://github.com/HolyThiccDaddy/toktickit/pull/27)

---

## 2. Planned Tests
```

Terminal capture of 'docs/lab-02/tests.md', showing the test strategy, issue traceability, and planned test table.

| ID | Scope / AC | What it verifies | Automated test file | Status |
|------------|-------------------------|--|---|--------|
| UNIT-01 | BR-01, FR-04 | Ticket number format and zero-padding | server/tests/lab-02/ticket-number.unit.test.ts | Passed |
| UNIT-02 | BR-06, AC-05 | Extension, MIME, magic bytes, and size validation | server/tests/lab-02/attachment-validator.unit.test.ts | Passed |
| API-01..06 | AC-01, AC-03..05, AC-11 | Active references, create validation, valid/rejected attachments, rollback | server/tests/lab-02/requesters.api.test.ts
server/tests/lab-02/create-ticket.api.test.ts | Passed |
| API-07..09 | AC-06, AC-07 | Requester-owned list, filters, search, sort, and pagination | server/tests/lab-02/my-tickets.api.test.ts | Passed |
| API-10..16 | AC-08..10 | Owned detail, cross-owner denial, attachment lifecycle and download blocking | server/tests/lab-02/ticket-detail.api.test.ts | Passed |
| UI-01..03 | AC-01, AC-02 | Requester selector, loading/empty/error, validated session context | client/tests/lab-02/RequesterSelector.test.tsx | Passed |
| UI-04..07 | AC-03..05, AC-11 | Create form validation, busy state, file rejection, and data preservation | client/tests/lab-02/CreateTicket.test.tsx | Passed |
| UI-08..09 | AC-06, AC-07 | My Tickets list, filters, empty and no-results states | client/tests/lab-02/MyTickets.test.tsx | Passed |
| UI-10..11 | AC-08, AC-09 | Read-only detail and reason-required removal modal | client/tests/lab-02/TicketDetail.test.tsx | Passed |
| STYLE-01 | UI Spec Section 7 | Zen Green tokens, fields, buttons, and badges | client/tests/lab-02/ThemeStyles.test.tsx | Passed |
| RESP-01 | UI Spec Section 8.7 | Table/card switch, touch targets, and form stacking | client/tests/lab-02/ResponsiveLayout.test.tsx | Passed |
| E2E-01..02 | AC-01..10 | Requester flow, list isolation, and cross-owner protection | e2e/lab-02/requester-ticket-flow.spec.ts
e2e/lab-02/multi-requester-isolation.spec.ts | Passed |

| | | | | |
|--------|-----------------------------------|--|--------------------------------------|--|
| E2E-03 | AC-01, AC-02, AC-04, AC-06, AC-08 | Responsive requester workspace, Create Ticket, My Tickets, and Ticket Detail journey at all three viewport sizes; no horizontal overflow | e2e/lab-02/responsive.visual.spec.ts | Passed
(desktop/tablet/mobile) |
|--------|-----------------------------------|--|--------------------------------------|--|

3.2 Acceptance-Criterion Traceability Matrix

| Acceptance criterion | Covered tests | Verification scope |
|-------------------------------------|--|---|
| AC-01 Requester initialization | API-01, UI-01, UI-02, E2E-01, E2E-03 | Active selector data with loading, empty, and error states |
| AC-02 Context persistence | UI-03, E2E-01, E2E-03 | Header identity and requester-specific queries across routes |
| AC-03 Form validation | API-03, UI-04 | Field-level errors and no invalid API submission |
| AC-04 Ticket creation | API-02, UI-05, UNIT-01, E2E-01, E2E-03 | Saved ticket, status NEW, and unique official number |
| AC-05 Attachment validation | API-04, API-05, API-13, UI-06, UNIT-02 | Permitted files, 5 MB limit, MIME/extension/count checks |
| AC-06 Multi-tenant ownership | API-07, UI-08, E2E-01, E2E-02, E2E-03 | Requester-scoped list and isolation |
| AC-07 Search and filtering | API-08, API-09, UI-08, UI-09 | Search, category/priority/status filters, sorting, pagination |
| AC-08 Read-only detail | API-10, UI-10, E2E-01, E2E-03 | Owned detail fields are displayed without edit controls |
| AC-09 Soft removal | API-14, API-15, API-16, UI-11, E2E-01 | Reason retained, metadata visible, removed download blocked |
| AC-10 Unauthorized detail | API-11, E2E-02 | Cross-owner detail access returns 403 |
| AC-11 Compensation and preservation | API-06, UI-07 | Rollback, cleanup, no orphan, and preserved form values |

3.3 Recorded Final Results

| Check | Command recorded in tests.md | Result recorded |
|--|--|--|
| Issue #7 server/client regression and build | cd server && npm test
cd server && npm run build
cd client && npm test
cd client && npm run build | Passed: server 4 files/10 tests; client 2 files/8 tests |
| Issue #8 server/client regression and build | Same server/client commands | Passed twice: server 7 files/25 tests; client 4 files/19 tests |
| Issue #9 server/client regression and build | Same server/client commands | Passed twice: server 8 files/45 tests; client 5 files/27 tests |
| Issue #10 server/client regression and build | Same server/client commands | Passed twice: server 9 files/56 tests; client 6 files/34 tests |
| Issue #11 E2E and database safety | cd client && npx playwright test | Passed: 5 tests total - 2 functional desktop tests plus 3 responsive-project tests; deterministic fixtures loaded into tokticket_test |

3.4 Actual Test and Build Output

Server tests - npm test -- --run

```
PS D:\Downloads\toktickit> cd D:\Downloads\toktickit\server
PS D:\Downloads\toktickit\server> npm test

> toktickit-server@1.0.0 test
> vitest run

RUN v2.1.9 D:/Downloads/toktickit/server

✓ tests/lab-01/categories.test.ts (1)
✓ tests/lab-01/health.test.ts (1)
✓ tests/lab-02/attachment-validator.unit.test.ts (2)
✓ tests/lab-02/create-ticket.api.test.ts (12) 450ms
✓ tests/lab-02/my-tickets.api.test.ts (20)
✓ tests/lab-02/requesters.api.test.ts (2)
✓ tests/lab-02/seed.test.ts (6)
✓ tests/lab-02/ticket-detail.api.test.ts (11) 550ms
✓ tests/lab-02/ticket-number.unit.test.ts (1)

Test Files  9 passed (9)
Tests       56 passed (56)
Start at    00:57:54
Duration    7.82s (transform 291ms, setup 0ms, collect 2.83s, tests 1.70s, environment 2ms, prepare 1.18s)
```

First real terminal run: 9 test files and 56 tests passed.

```
PS D:\Downloads\toktickit\server> cd D:\Downloads\toktickit\server
>> npm test

> toktickit-server@1.0.0 test
> vitest run

RUN v2.1.9 D:/Downloads/toktickit/server

✓ tests/lab-01/categories.test.ts (1)
✓ tests/lab-01/health.test.ts (1)
✓ tests/lab-02/attachment-validator.unit.test.ts (2)
✓ tests/lab-02/create-ticket.api.test.ts (12) 744ms
✓ tests/lab-02/my-tickets.api.test.ts (20) 527ms
✓ tests/lab-02/requesters.api.test.ts (2)
✓ tests/lab-02/seed.test.ts (6)
✓ tests/lab-02/ticket-detail.api.test.ts (11) 576ms
✓ tests/lab-02/ticket-number.unit.test.ts (1)

Test Files  9 passed (9)
Tests       56 passed (56)
Start at    00:58:26
Duration    9.29s (transform 172ms, setup 0ms, collect 3.50s, tests 2.42s, environment 2ms, prepare 1.22s)
```

Repeated real terminal run: 9 test files and 56 tests passed again.

Client tests - npm test -- --run

```
PS D:\Downloads\toktickit\server> cd ..\client
● >> npm test

> toktickit-client@1.0.0 test
> vitest run

RUN v2.1.9 D:/Downloads/toktickit/client

✓ tests/lab-01/App.test.tsx (3) 315ms
✓ tests/lab-02/api.test.tsx (8)
✓ tests/lab-02/CreateTicket.test.tsx (8) 1346ms
✓ tests/lab-02/MyTickets.test.tsx (7) 1943ms
✓ tests/lab-02/RequesterSelector.test.tsx (5) 460ms
✓ tests/lab-02/ResponsiveLayout.test.tsx (2)
✓ tests/lab-02/ThemeStyles.test.tsx (2)
✓ tests/lab-02/TicketDetail.test.tsx (6) 849ms

Test Files  8 passed (8)
Tests       41 passed (41)
Start at    01:07:50
Duration    6.37s (transform 446ms, setup 1.82s, collect 2.53s, tests 5.16s, environment 13.51s, prepare 1.93s)
```

Real terminal run: 8 test files and 41 tests passed.

E2E tests - npm run test:e2e

```
● PS D:\Downloads\toktickit\client> npm run test:e2e

> toktickit-client@1.0.0 test:e2e
> playwright test

Running 5 tests using 1 worker

✓ 1 [desktop] > ..\e2e\lab-02\multi-requester-isolation.spec.ts:6:3 > Issue #11 multi-requester isolation > keeps requester A tickets invisible and inaccessible to requester B (1.0s)
✓ 2 [desktop] > ..\e2e\lab-02\requester-ticket-flow.spec.ts:7:3 > Issue #11 requester ticket flow > selects a requester, creates a ticket, opens detail, and removes an attachment (1.6s)
✓ 3 [desktop] > ..\e2e\lab-02\responsive.visual.spec.ts:29:1 > covers the requester journey across Create Ticket, My Tickets, and Ticket Detail (1.2s)
✓ 4 [tablet] > ..\e2e\lab-02\responsive.visual.spec.ts:29:1 > covers the requester journey across Create Ticket, My Tickets, and Ticket Detail (1.2s)
✓ 5 [mobile] > ..\e2e\lab-02\responsive.visual.spec.ts:29:1 > covers the requester journey across Create Ticket, My Tickets, and Ticket Detail (2.8s)

5 passed (18.2s)
```

Real Playwright terminal run: all five requester and responsive E2E tests passed.

Test database migration and repeated seed

```
PS D:\Downloads\toktickit\client> cd ../server
PS D:\Downloads\toktickit\server> $env:DATABASE_URL = (Get-Content .env.test | Where-Object { $_ -match '^DATABASE_URL=' } | ForEach-Object { $_.Substring(13).Trim(' ') })
PS D:\Downloads\toktickit\server> npx prisma migrate deploy
• Environment variables loaded from .env
Prisma schema loaded from prisma/schema.prisma
Datasource "db": PostgreSQL database "toktickit_test", schema "public" at "localhost:5432"

3 migrations found in prisma/migrations

No pending migrations to apply.
```

Real terminal migration run against the dedicated 'toktickit_test' database; no pending migrations remain.

```
PS D:\Downloads\toktickit\server> npm run prisma:seed
•
> toktickit-server@1.0.0 prisma:seed
> tsx prisma/seed.ts

Seeded 4 categories.
Seeded 7 related systems.
Seeded 5 development requesters (4 active, 1 inactive).
Initialized ticket counter.
```

First real terminal seed run.

```
PS D:\Downloads\toktickit\server> npm run prisma:seed
•
> toktickit-server@1.0.0 prisma:seed
> tsx prisma/seed.ts

Seeded 4 categories.
Seeded 7 related systems.
Seeded 5 development requesters (4 active, 1 inactive).
Initialized ticket counter.
```

Second real terminal seed run with the same deterministic counts.

Full readable terminal logs: [server tests](#), [server build](#), [client tests](#), [client build](#), [migration](#), [repeated seed](#), and [Playwright E2E](#).

Evidence note: These are the command results captured during this report run. The Issue #6 seed suite is included in the 9-file/56-test server result, and the migration/seed logs prove the dedicated toktickit_test setup and repeatability.

Answer Part 4: AI Use and Reflection (5 Points)

The project used Codex as a pair-programming and review-analysis assistant. The source log is [docs/lab-02/ai-use.md](#).

| Prompt name | Actual prompt or instruction | My reflection |
|-------------------------|---|---|
| Repository readiness | Verify the current branch and update it from the latest lab2-staging merge. | Confirmed the feature branch and release ancestry before changes. |
| E2E design | Implement deterministic Playwright coverage for requester flow and multi-requester isolation. | Turned the acceptance criteria into real browser journeys. |
| Test safety | Ensure destructive setup cannot run against a non-test database. | The strict _test guard and isolated upload root improved repeatability. |
| Responsive verification | Inspect desktop, tablet, and mobile layouts and capture reviewable evidence. | Combined behavior assertions with viewport screenshots. |
| Documentation | Update the Lab 2 test plan, peer-review record, and AI-use reflection. | Made review history and test outcomes traceable. |
| Review feedback | Check the implementation against the partner's review comments before release. | Reconciled the requested setup, cleanup, evidence, and documentation changes with the actual source and test results. |
| Submission report | Map the Lab 2 evidence into the Lab 1 report structure and replace missing evidence placeholders. | Preserved the Part 1-9 hierarchy and linked every visual artifact to its source path. |
| Final audit | Re-check stale Lab 1 wording, pending checkboxes, incomplete E2E traceability, and source/PDF mismatches. | Updated the source documents, regenerated the PDF, and verified the final rendered pages. |


My Reflection: AI was useful for translating a long engineering contract into small, testable acceptance slices and for checking review feedback against the repository. Human verification remained necessary for branch ancestry, database safety, test output, screenshots, and the final course-delivery checklist.

The source log contains eight selected interactions (within the Lab 2 requirement of six to ten), including the final audit used to reconcile the PDF with the repository.

Answer Part 5: Development Requester Selection Screen (0 Points)


The Development Requester selector is a Lab 2 testing mechanism, not real authentication. It loads active requesters from the API, excludes the inactive seed, shows the Lab 3 authentication disclaimer, and persists the selected requester context for the requester-facing screens.

5.1 Development Requester Workspace




Desktop evidence from artifacts/lab-02/screenshots/release/desktop_requester_workspace.png.

5.2 Loading State




Live API request held open to show the loading state.

5.3 Failure and Retry



Simulated requester API failure with Retry Connection action.

5.4 Selected Requester Workspace



Selected Jennifer Anderson context before opening Create Ticket.

Answer Part 6: Working Ticket Screen - Create Mode (10 Points)

Create Ticket uses the selected Development Requester, active Category and Related System reference data, mandatory field validation, attachment validation, backend-generated ticket number/date, and a safe failure state that preserves form values.

| Required evidence | Repository evidence | Status |
|--|--|-------------------------|
| Selected requester populates the form and saved ticket requesterId matches | client/tests/lab-02/CreateTicket.test.tsx, server/tests/lab-02/create-ticket.api.test.ts, E2E requester flow | Test recorded as passed |
| Desktop initial screen and database reference data | release/desktop_create_ticket.png | Screenshot present |
| Validation failure with field-level messages | create-ticket/01_validation_failure.png | Screenshot captured |
| Submitting / busy state | create-ticket/02_submitting.png | Screenshot captured |
| Success with backend number and saved values | release/desktop_create_success.png, tablet and mobile equivalents | Screenshots present |
| API failure with preserved values | create-ticket/03_api_failure_preserved.png | Screenshot captured |
| One valid and one invalid attachment | create-ticket/04_invalid_attachment.png | Screenshot captured |

6.1 Desktop - Initial Create Ticket

TokTicket

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Select category

Related System *

Select related system

Ticket Summary *

Description *

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submit Ticket

Present in release evidence.

6.2 Desktop - Success

TokTicket

HomeMy TicketsCreate Ticket

Jennifer AndersonChange Requester

Ticket created successfully

Official Ticket Number: TKT-2026-000003

Created: 9/5/2026, 1:09:00 AM

Back

Present in release evidence; ticket number and backend-created date are displayed after API success.

6.3 Tablet - Initial Create Ticket

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Select category

Related System *

Select related system

Ticket Summary *

Description *

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submit Ticket

Present in release evidence.

6.4 Mobile - Success

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Ticket created successfully

Official Ticket Number: **TKT-2026-000005**

Created: **9/5/2026, 1:09:05 AM**

Back

Present in release evidence.

6.5 Validation Failure

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Select category

Related System *

Select related system

Ticket Summary *

Description *

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submit Ticket

Required fields show field-level messages and the API is not invoked.

6.6 Submitting State

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket Date

Assigned on submission

Requester

Jennifer Anderson

Category *

Hardware

Related System *

Email

Ticket Summary *

Submitting state capture

Description *

Capture the disabled submit button and spinner while the request is pending.

Requested Priority *

MEDIUM

Attachments

Choose FilesNo file chosen

Cancel

Submitting...

Submit button is disabled and shows the spinner while the request is pending.

6.7 API Failure with Values Preserved

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket DateAssigned on submission

RequesterJennifer Anderson

Category *Hardware

Related System *Email

Ticket Summary *API failure preserved values

Description *Typed values must remain visible when the ticket API fails.

Requested Priority *MEDIUM

AttachmentsChoose FilesNo file chosen

Unable to create ticket

CancelSubmit Ticket

Simulated 500 response leaves the typed summary and description visible.

6.8 Valid and Invalid Attachments

TokTicketIT

HomeMy Tickets+ Create TicketJennifer AndersonChange Requester

Create Ticket

Fields marked * are required.

Ticket DateAssigned on submission

RequesterJennifer Anderson

Category *Select category

Related System *Select related system

Ticket Summary *

Description *

Requested Priority *MEDIUM

AttachmentsChoose Files2 files

not-an-image.txt must be JPG, PNG, WEBP, or PDF and no larger than 5 MB

CancelSubmit Ticket

Two files are selected; the invalid text file is rejected with the explicit file error.

Answer Part 7: Working My Tickets Screen (10 Points)

My Tickets is requester-scoped and supports search, category/priority/status filters, multi-column sorting, pagination, empty/no-results states, and requester switching. The source test plan records API-07 to API-09, UI-08 to UI-09, and both E2E isolation checks.

| Required state | Evidence path | Result |
|--|---------------------------------------|--------|
| Requester-owned desktop table and sort indicator | my-tickets/01_ticket_list_desktop.png | Passed |
| Combined search and filters | my-tickets/02_search_and_filter.png | Passed |
| Pagination | my-tickets/03_pagination.png | Passed |
| Empty account | my-tickets/04_empty_state.png | Passed |
| Mobile ticket cards | my-tickets/05_mobile_card_view.png | Passed |
| Requester switch / isolation | my-tickets/06_requester_isolation.png | Passed |
| Filtered no-results and Clear Filters | my-tickets/07_no_results.png | Passed |
| Tablet table at 768px | my-tickets/08_tablet_table_view.png | Passed |

7.1 Desktop List

My Tickets

Track IT requests submitted by Jennifer Anderson.

Search tickets

Category

Requested Priority

Current Status

Clear Filters

| Ticket No. | Created Date | Summary | Category | Requested Priority | Current Status | Actions |
|-----------------|--------------|------------------------------------|--------------------|--------------------|----------------|---------|
| TKT-2026-000012 | 9/3/2026 | Corporate laptop keyboard issue | Network | URGENT | NEW | View |
| TKT-2026-000011 | 9/3/2026 | Printer produces blank pages | Software | HIGH | NEW | View |
| TKT-2026-000010 | 9/3/2026 | Wi-Fi signal weak in office | Hardware | MEDIUM | NEW | View |
| TKT-2026-000009 | 9/3/2026 | Email password reset required | Account and Access | LOW | NEW | View |
| TKT-2026-000008 | 9/3/2026 | Laptop screen flickers after login | Network | URGENT | NEW | View |
| TKT-2026-000007 | 9/3/2026 | VPN access needed for travel | Software | HIGH | NEW | View |
| TKT-2026-000006 | 9/3/2026 | Software license activation fails | Hardware | MEDIUM | NEW | View |
| TKT-2026-000005 | 9/3/2026 | Printer queue remains stuck | Account and Access | LOW | NEW | View |
| TKT-2026-000004 | 9/3/2026 | Campus Wi-Fi drops in meetings | Network | URGENT | NEW | View |
| TKT-2026-000003 | 9/3/2026 | Email attachments will not open | Software | HIGH | NEW | View |

7.2 Search and Filter

My Tickets

Track IT requests submitted by Jennifer Anderson.

Search tickets

Category

Requested Priority

Current Status

Clear Filters

| Ticket No. | Created Date | Summary | Category | Requested Priority | Current Status | Actions |
|-----------------|--------------|-----------------------------|--------------------|--------------------|----------------|---------|
| TKT-2026-000005 | 9/3/2026 | Printer queue remains stuck | Account and Access | LOW | NEW | View |

7.3 Pagination

My Tickets

Track IT requests submitted by Jennifer Anderson.

Search tickets

Category

Requested Priority

Current Status

Clear Filters

| Ticket No. | Created Date | Summary | Category | Requested Priority | Current Status | Actions |
|-----------------|--------------|-------------------------------|--------------------|--------------------|----------------|---------|
| TKT-2026-000002 | 9/3/2026 | Laptop battery drains quickly | Hardware | MEDIUM | NEW | View |
| TKT-2026-000001 | 9/3/2026 | VPN disconnects every hour | Account and Access | LOW | NEW | View |

7.4 Empty Account

My Tickets

Track IT requests submitted by Sarah Johnson.

Search tickets

Category

Requested Priority

Current Status

Clear Filters

No tickets found. You have not submitted any IT support tickets yet.

Create Your First Ticket

7.5 Mobile Cards

TokTickIT

Home

My Tickets

+ Create Ticket

Jennifer Anderson

Change Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

+ Create Ticket

Search tickets

Summary or ticket number

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters

TKT-2026-000001

NEW

Tablet responsive verification

Network 9/3/2026

HIGH

Previous1Next

7.6 Requester Isolation

TokTickIT

Home

My Tickets

+ Create Ticket

Michael Brown

Change Requester

My Tickets

Track IT requests submitted by Michael Brown.

+ Create Ticket

Search tickets

Summary or ticket number

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters

| Ticket No. | Created Date ↓ | Summary | Category | Requested Priority | Current Status | Actions |
|-----------------|----------------|------------------------------|--------------------|--------------------|----------------|---------|
| TKT-2026-000013 | 9/3/2026 | Finance email access request | Account and Access | MEDIUM | NEW | View |

Previous1Next

7.7 No Results

TokTickIT

Home

My Tickets

+ Create Ticket

Michael Brown

Change Requester

My Tickets

Track IT requests submitted by Michael Brown.

+ Create Ticket

Search tickets

does-not-exist

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters

No matching tickets found for the selected search and filter criteria.

Clear Filters

7.8 Tablet Table

TokTickIT

Home

My Tickets

+ Create Ticket

Jennifer Anderson

Change Requester

My Tickets

Track IT requests submitted by Jennifer Anderson.

+ Create Ticket

Search tickets

Summary or ticket number

Category

All categories

Requested Priority

All priorities

Current Status

All statuses

Clear Filters





| Ticket No. | Created Date ↓ | Summary | Category | Requested Priority | Current Status | Actions |
|-----------------|----------------|--------------------------------|----------|--------------------|----------------|---------|
| TKT-2026-000001 | 9/3/2026 | Tablet responsive verification | Network | HIGH | NEW | View |

Previous1Next

Answer Part 8: Owned Ticket Screen - View Mode and Attachments (5 Points)

Ticket Detail is read-only for owned tickets. Requesters can add a permitted attachment, download an active attachment, and soft-remove an attachment with a non-empty reason. Removed metadata remains visible while download is blocked. Cross-requester detail and attachment access is rejected by the API.



| Required state | Evidence path | Result |
|---|---|-----------------------------|
| Read-only ticket detail | ticket-detail/01_ticket_detail_readonly.png | Passed |
| Active attachment list and download/remove controls | ticket-detail/02_attachment_list.png | Passed |
| Removal modal with required reason | ticket-detail/03_soft_removal_modal.png | Passed |
| Soft-removed metadata and blocked download | ticket-detail/04_soft_removed_state.png | Passed |
| Unauthorized ticket / attachment access | server/tests/lab-02/ticket-detail.api.test.ts, e2e/lab-02/multi-requester-isolation.spec.ts | Automated evidence recorded |



Answer Part 9: Zen Green UI and Responsive Evidence (5 Points)

The rendered UI contract is [docs/lab-02/ui-spec.md](#). The application uses reusable Zen Green tokens, explicit input and validation states, primary/secondary/destructive button hierarchy, read-only detail fields, and responsive table/card behavior.

| Token or rule | Contract value | Evidence |
|------------------------|--|--|
| Header / primary | #006B3C | ThemeStyles.test.tsx and release screenshots |
| Hover / active | #0B7A46 | ThemeStyles.test.tsx |
| Pale surface | #EAF6EF | ThemeStyles.test.tsx |
| Body surface | #F5F7F6 | ThemeStyles.test.tsx |
| Breakpoints | Desktop >= 992px; tablet 768-991px; mobile < 768px | ResponsiveLayout.test.tsx and Playwright responsive spec |
| Accessibility / layout | Labels, focus, non-color states, touch targets >= 44px, no clipping or horizontal overflow | UI tests, responsive tests, and Issue #11 E2E result |



9.3 Mobile Requester Workspace

TokTickIT

Home My Tickets + Create Ticket

Jennifer Anderson Change Requester

TokTickIT IT Service Desk

Check System

9.4 Desktop Ticket Detail

TokTickIT Home My Tickets + Create Ticket Jennifer Anderson Change Requester

[← Back to My Tickets](#) NEW

Ticket No.
TKT-2026-000003

TICKET DATE
9/5/2026, 1:09:00 AM

CATEGORY
Hardware

REQUESTED PRIORITY
MEDIUM

REQUESTER
Jennifer Anderson (jennifer.anderson@example.com)

RELATED SYSTEM
Email

Responsive desktop ticket
Verify responsive Create Ticket, My Tickets, and Ticket Detail layouts.

Attachments
0 of 5 active attachments
No active attachments.

Add Attachment

9.5 Tablet Ticket Detail

TokTickIT Home My Tickets + Create Ticket Jennifer Anderson Change Requester

[← Back to My Tickets](#) NEW

Ticket No.
TKT-2026-000004

TICKET DATE
9/5/2026, 1:09:02 AM

CATEGORY
Hardware

REQUESTED PRIORITY
MEDIUM

REQUESTER
Jennifer Anderson
(jennifer.anderson@example.com)

RELATED SYSTEM
Email

Responsive tablet ticket
Verify responsive Create Ticket, My Tickets, and Ticket Detail layouts.

Attachments
0 of 5 active attachments
No active attachments.

Add Attachment

9.6 Mobile Ticket Detail

TokTickIT Home My Tickets + Create Ticket Jennifer Anderson Change Requester

[← Back to My Tickets](#) NEW

Ticket No.
TKT-2026-000005

TICKET DATE
9/5/2026, 1:09:05 AM

REQUESTER
Jennifer Anderson
(jennifer.anderson@example.com)

CATEGORY
Hardware

RELATED SYSTEM
Email

REQUESTED PRIORITY
MEDIUM

Responsive mobile ticket
Verify responsive Create Ticket, My Tickets, and Ticket Detail layouts.

Attachments
0 of 5 active attachments
No active attachments.

Add Attachment

9.7 Responsive and Visual Checklist

- [x] Zen Green palette tokens are asserted in ThemeStyles.test.tsx.
- [x] Typography, spacing, labels, and required-field markers are covered by the UI contract and style tests.
- [x] Primary, outline, warning, and destructive button hierarchy is defined in ui-spec.md.

- [x] Desktop layout is covered by release screenshots and the responsive E2E journey.
- [x] Tablet layout is covered at 768px with a responsive table.
- [x] Mobile layout is covered with stacked forms and ticket cards.
- [x] Recorded Issue #11 result reports no clipping, overlap, horizontal overflow, or console errors.

The source checklist in `docs/lab-02/tests.md` is now checked to match the automated and visual results recorded above.

Report snapshot checked against the GitHub default branch on 2026-09-04. This single HTML file embeds its CSS and uses repository-relative image paths so it can be opened from the repository and printed to A4 PDF. Repository evidence captures, source-document links, test output, and merge metadata are included in the report.