

FLOOR PLAN LEGEND:

1. ALL DIMENSIONS ARE REFERENCED TO GRID LINES OR FACE OF FINISH, TYP. UON.
2. LOCATE BUILDING ON SITE PER FOLLOWING:
A) GRIDLINE "J" IS 3' - 6" FROM FAIROAKS PROPERTY LINE
B) GRIDLINE "1" IS 3' - 6" FROM INTERSECTION OF FAIR OAKS AND ALESSANDRO PROPERTY LINE


ROOF LEGEND (INCL. PROTECTED ROOFS)

- SLOPE TO DRAIN MIN 1/4" PER FOOT, UON (FOR PVC ROOFS)
- ROOF DRAIN AND OVERFLOW DRAIN PER DETAIL E4/A5.31
- AREA DRAIN (SEE PLUMBING)
- TRAFFIC WALKWAY PAD
- 05 50 00 SAFETY LINE TIEBACK SEE DETAIL 9/A5.31 + 18/A5.31

GENERAL NOTES

1. SEE A501 FOR ROOFING SYSTEM DESIGNATIONS (R, RS, RV, RP, RD, RG, RR)
2. PROVIDE MINIMUM 1/4" PER FOOT SLOPE TO DRAINS, TYP. UON (FOR PVC ROOFS)
3. ALSO SEE ARCHITECTURAL SLAB PLANS AND SLAB PLAN NOTES.
4. SEE TYPICAL DETAILS, SHEET A5.31 AND A5.32
5. PROVIDE PADS AND SUPPORTS FOR ALL ROOFTOP EQUIPMENT, UON. COORDINATE SIZE, HEIGHT, LAYOUT, AND OTHER REQUIREMENTS TAKING INTO ACCOUNT ALL EQUIPMENT AND TRADES.
6. PROVIDE WEATHERPROOF COVERING ENTIRELY OVER ALL OUTDOOR PADS, INCLUDING AREAS COVERED BY EQUIPMENT.
7. COORDINATE LAYOUT OF EQUIPMENT TO PROVIDE WALKABLE ACCESS PATHS TO ALL AREAS REQUIRING MAINTENANCE.
8. PROVIDE A COORDINATED SHOP DRAWING SECTIONAL VIEW TO CONFIRM THAT THE FINAL EQUIPMENT INSTALLATION WILL AT NO POINT PROJECT HIGHER THAN THE SCREEN.
9. UNISTRUT, ANGLES, AND OTHER UN-FLASHABLE SHAPES SHALL NOT PENETRATE THE MEMBRANE.
10. NO PITCH POCKETS.
- 11A. SKYLIGHT GLASS IGU TYPE:
- OUTER LITE: 1/4" CLEAR TEMPERED
- INNER LITE: 5/16" LAMINATED W/ 2 PLYS HEAT STRENGTHENED FLOAT, 0.030-INCH PVB INTERLAYER, SEE 088000 FOR ADDTL INFO.
- 11B. PROVIDE LABELING OF SKYLIGHTS COMPLYING W/ CBC 2013 2405.5

SHRINERS FOR CHILDREN MEDICAL CENTER

908 SOUTH FAIR OAKS AVENUE
PASADENA, CALIFORNIA 91105Drawing Title
PLAN - LEVEL 1SCALE: 1/8" = 1'-0"
Drawing scales indicated apply to 30" x 42" drawing sheets. Scale may not be accurate if drawing plots are less than this size.

No.	Description	Date
1	Addendum 12	11/20/2015
2	County Submission	02/10/2016
3	ASI 17	3/3/16

Drawn by
SRG
Checked by
Checker
Date
MAY 29, 2015
Project No
213007
Consultant Project No

Drawing No

A111

SPACE FOR OSHPD STAMP