

HomeEase Module Map

Modules of the HomeEase on-demand household-help marketplace: what each contains and does.

Backend (backend/, Express 5 + Prisma)

#	Module	Contains	Does
B1	Core and config	index.ts, app.ts, socket.ts, instrument.ts, config/*	Boot, env checks, DB privilege check, Express app, Socket.IO, Sentry, Redis and Supabase clients
B2	Auth and security	authController, sessionService, utils/{jwt,otp*,mfa*,password*,loginAttemptLimiter,tokenRevocation}, middleware/{auth,role,rateLimit*}, securityAlertService	Login, refresh, OTP, admin TOTP MFA, rate limits, role guards
B3	Users and profiles	userController, workerController, workerSetupService, workerAvailabilityService, accountDeletionService, blockService/blockController	Client and worker profiles, availability, account deletion, user blocking
B4	KYC and verification	verificationController, verificationAiService, resumeParseService, verificationQueue/verificationWorker, utils/kyc*, constants/kycRequirements	Document upload, AI review (Anthropic), resume parsing, KYC expiry sweeps
B5	Service catalog and pricing	serviceController, admin{Catalog,ServiceType,ServiceTask,Package,PriceList}Controller, pricingRuleService, taskPriceService, config/pricing, utils/pricing, utils/quoteItems	Service types, tasks, scope fields, worker packages and prices, quotes
B6	Booking lifecycle	bookingController, bookingStateMachine, bookingStatusWrite, matchingService, pendingExpirySweep, bookingQueue/bookingWorker, disputeController, adminBooking/adminDispute/adminCancellation controllers	State transitions, worker matching, timeouts and no-shows, disputes, cancellations
B7	Payments and money	paymentController, xendit*Service, paymentLifecycleService, payoutStatusService, payoutQueue/payoutWorker, refundRequestService, debtLedgerService/debtController	Xendit invoices, webhooks, payouts, refunds, worker debts
B8	Ledger and tax	ledgerService, ledger*Service, financeReportService, tax*Service, vatSummaryService, admin{Ledger,Tax,Vat,Reports}Controller	Double-entry ledger in whole centavos, reconciliation, VAT, withholding tax, certificates
B9	Geo and maps	geoController, google{Places,Directions,Distance}Service, utils/geo	Google Places and Routes proxy, distance and ETA
B10	Messaging and notifications	messageController, notificationController, pushNotificationService, utils/{emailService,smsService,notify}	Chat, in-app notifications, Expo push, email (Brevo/SMTP/Gmail), SMS (PhilSMS)
B11	Admin	other admin* controllers and routes (users, analytics, dashboard, audit log, reviews, payments, service requests, promo banners), settingsController, appSettingsService	Admin API, editable commission and tax rates (AppSettings)
B12	Data and infra	prisma/ (schema, migrations, seeds, sql), middleware/protectResponseData, utils/{fieldEncryption,encryption,ensureStorageBuckets,storageUrls}, dataRetentionService, internalCron/internalDiag routes	Schema, field encryption, signed URLs, retention, cron endpoints
B13	Backend tests and ops scripts	tests/ (unit, integration, mocks), scripts/ (db-roles, key rotation, backup/restore, neon-branch)	Jest suite, DB role setup, backups, key rotation

Mobile (mobile/, Expo, one app for clients and workers)

#	Module	Contains	Does
M1	App shell and auth	app/_layout, index, landing, role-selection, (auth)/*, (onboarding)	Routing by auth state and role, sign-in and sign-up, OTP, terms
M2	Worker KYC flow	app/(kyc)/*	ID upload, selfie, documents, resume, contract, approval status
M3	Client app	app/(client)/{home,category,booking,inbox,profile}, components/{booking4step,booking-detail,payment}	Browse, 4-step booking, tracking, chat, profile, blocked users
M4	Worker app	app/(worker)/{home,requests,records,earnings,inbox,profile}, components/{worker,worker-home}	Job requests, jobs, earnings, availability, chat
M5	Shared UI	components/{ui,cards,modals,bottom-sheets,chat,feedback,icons,illustrations,legal,list-items,steppers,support,account}	Reusable components, Google map, chat bubbles
M6	Services layer	services/{api,socket,notificationService,offline-sync,location}	Axios with token refresh, realtime, push, offline sync
M7	State	store/* (auth, booking, message, notification, search, worker, tabRefresh)	Zustand stores with paging
M8	Hooks and utils	hooks/*, utils/*, contexts/, constants/, types/	Polling, uploads, tracking route, validation, formatting, pricing estimates

Web (web/, admin dashboard) and shared

#	Module	Contains	Does
W1	Admin shell	App.jsx, context/, components/{layout,auth,common}, hooks/	Layout, routing, auth and MFA, toasts, idle sign-out
W2	Operations pages	pages/{Dashboard,Bookings,BookingDetail,BookingDispute,CancellationReviews,Users,Workers,WorkerDetail,ClientDetail,Verification*,Reviews*}	Bookings, users, KYC review, disputes, reviews
W3	Finance pages	pages/{Payments,Payouts,Refunds,Tax*,VatRegistrations,Reports,TransactionDetail,CommissionSettings}	Payments, payouts, tax, VAT, reports
W4	Catalog and content pages	pages/{ServiceCatalog*,PriceList,PriceAdjustments,WorkerPackages,PromoBanners,ServiceRequests,Settings,Analytics}	Service catalog, prices, banners, settings
W5	Web API layer	services/*.js, utils/*, data/, constants/	One API wrapper per feature, CSV export, labels
S1	shared/	api-client, constants	API client and enums, used by the web app

Infra and docs

#	Module	Contains	Does
I1	CI/CD and deploy	.github/workflows (CI, cron-sweeps, keep-alive, backup, restore-drill, security), render.yaml, docker-compose.yml, Dockerfile, mobile/eas.json, web/vercel.json	Build, test, deploy, scheduled jobs
I2	Docs	docs/*, DEPLOY.md, SECURITY.md, CLAUDE.md	Secrets, monitoring, incident response, data map

Maintenance notes

- Real seams: B6 (state machine), B7+B8 (money), B4 (KYC). Most bugs cluster in B6 and B7, so test and review those first.
- shared/ is used only by web. Mobile has its own services/api.ts and utils/*, which duplicates shared/constants. Unify the enums if drift becomes a problem.
- backend/src/controllers is flat with 38 files. Grouping by the B-modules (controllers/admin/, controllers/booking/, ...) is the cheapest way to reflect this split in the file tree.
- Stray _probe*.js and _fix_*.js files sit at the backend root, plus mobile/expo-log.txt and mobile/coverage. Candidates to delete or gitignore.