

Reviewability turns generation into a product decision

Reviewability turns generation into a product decision

A museum needs chapters, not a wall of thumbnails

A museum needs chapters, not a wall of thumbnails


82 of 84 candidates cleared browser and PowerPoint proof

82 of 84 candidates cleared browser and PowerPoint proof


The useful promise is editable evidence, not instant polish

The useful promise is editable evidence, not instant polish

The harness removes clutter before it adds decoration



Before · light



After · dark


The operating verdict should scan in under five seconds




Direct labels make divergence visible without inventing a cause




A forecast is more credible when its range is impossible to miss



Harness gains come from several small controls, not one magic prompt




The best route sits on a frontier, not at one universal optimum



Dense tables stay readable when hierarchy does the filtering

Series	A	B
series-1	62	86

A dashboard can be dense without becoming a card graveyard




The portable protocol keeps product logic above backend choice




Review custody is visible at every handoff



Better receipts reinforce trust; unchecked complexity pushes back




Every visual can retain the path from source to slide




Routing should spend capability only where the task needs it




NodeKit connects the stack while NodeSlide proves the journey




Human approval remains the gate between experiment and harness change



The next release sequence exposes dependencies and confidence



Evidence becomes a decision through five inspectable states



1. source

2. capture


3. fact

4. claim

5. slide-element

5-step build sequence (transition: scrub) — each state reveals on advance over the pinned visual.

The trend means more when the audience sees the baseline move



1. baseline-series — 62

2. plan-delta — 68

3. measured-delta — 74

4. variance-band — 80

5. final-series — 86

5-step build sequence (transition: step) — each state reveals on advance over the pinned visual.

A visual story can lead with atmosphere and still preserve proof


The screenshot displays the NodeSlide application interface, which is designed for creating and editing visual stories. The interface is divided into several sections:

- Left Sidebar:** Contains a list of slides under different categories. The categories are: **NODESLIDE / 01** (1 slide), **SCENARIO / 02** (1 slide), **FOUNDATION / 03** (1 slide), **WORKFLOW / 04** (1 slide), and **PROOF / 05** (1 slide). Each slide is represented by a thumbnail and a title. For example, under NODESLIDE / 01, the slide is titled "Stories with struc..." and has 1 source. Under SCENARIO / 02, the slide is titled "The handoff tax c..." and has 2 sources. Under FOUNDATION / 03, the slide is titled "A deck is a typed..." and has 2 sources. Under WORKFLOW / 04, the slide is titled "One intent, three..." and has 2 sources. Under PROOF / 05, the slide is titled "One intent, three..." and has 2 sources. At the bottom of the sidebar, there is a button to "Add slide" and a note: "drag rows to reorder · double-click to rename".
- Top Bar:** Includes the NodeSlide logo, a breadcrumb "NodeSlide — stories wi...", a version indicator "v3", and various utility buttons: "EN", "Reset demo", "Share", "Present", and "Export".
- Central Editing Area:** Displays the selected slide, "01. Stories with structure", which is marked as "verified". The slide content includes the title "Build the story. Keep every decision editable." and a paragraph: "NodeSlide treats a deck as a typed system: narrative, geometry, sources, comments, and changes stay connected from first brief to final room." Below the text, there are three bullet points: "Structured canvas", "Guarded edits", and "Traceable claims". At the bottom of the slide, there is a small footer: "NODESLIDE · SOURCE · LAYER · TEXTUAL" and a red "E" icon.
- Right Panel:** Contains an "INSPECTOR" section with tabs for "Design", "Comments", "Versions", "Evidence", "JSON", and "Trace". The "CONTEXT" section shows the current slide, "Slide 01 · Stories with structure", and a note: "Scoped context by default; explicit @ references are additive." Below this, there is a "What should we change?" section with a prompt: "Describe the outcome. I'll return a scoped, validated patch for review before anything changes." At the bottom of the right panel, there is a section titled "Turn this into a crisp executive story..." with a "Generate 3 directions" button and a "Sharpen the story" button. Below these buttons, there is a "Reduce density" button and a "Whole slide" button. At the very bottom of the right panel, there is a status bar: "Structure, presentation, and cleanup checks passed".


The product proof is the interface people actually use

1. Capability menu

2. Blocked export path




One bounded interaction carries the story from selection to receipt




Declared poster frame — a still is not an interaction clip.

Review transforms a rough generation into a governed workspace



Before · light



After · dark

The canvas can move from whole system to exact evidence

The screenshot displays the NodeSlide application interface, which is designed for creating and editing structured narratives. The main canvas shows a slide titled "Build the story. Keep every decision editable." with a subtitle "NodeSlide treats a deck as a typed system: narrative, geometry, sources, comments, and changes stay connected from first brief to final room." Below the subtitle, there are three bullet points: "Structured canvas", "Guarded edits", and "Traceable claims".

The interface includes several panels and toolbars:

- Left Panel:** A sidebar with a list of slides and sections. The sections are "NODESLIDE / 01", "SCENARIO / 02", "FOUNDATION / 03", "WORKFLOW / 04", and "PROOF / 05". Each section has a corresponding slide thumbnail and a title. The "NODESLIDE / 01" section is currently selected.
- Top Bar:** A navigation bar with tabs for "Slides", "Outline", and "Layers". It also includes a search bar, a "Reset demo" button, and a "Share" button.
- Right Panel:** A panel with tabs for "Inspector", "Design", "Comments", "Versions", "Evidence", "JSON", and "Trace". The "Inspector" tab is active, showing a "CONTEXT" section with a "Read context" button and a "Slide 01 - Stories with structure" button. Below this, there is a "What should we change?" section with a text input and a "Generate 3 directions" button.
- Bottom Bar:** A status bar showing the current slide number "1 / 7", a zoom level of "65%", and a "Fit" button.


A claim is trustworthy when its entire path remains inspectable



Atlas v3 shipped zero native chart parts — [source](#)

The topology gate that measured it — [source](#)

Citation quality depends on the exact source region




OOXML c:dateAx (E

Runtime claims require a reproducible benchmark receipt

```
const raw = await pptx.write("nodebuffer");  
const a   = await injectOmml(raw, equations);  
const b   = await injectConnectors(a, diagrams);  
const out = await injectDateAxes(b, timelines);
```

Phase	Measured ms
pptx.write	242.076
inject.omml	27.773
inject.connectors	26.329
inject.dateAxes	25.158
inject.timing	18.767
total	340.103
sample size	1

Trace anatomy is illustrative until trace and span IDs are bound




Measured build spans (build-measurements.json) — [source](#)

The score is only useful when every symbol maps to evidence


A deck is not done until both pixels and semantics pass

Field	Value
artifact	deck-ci-receipt
kind	generic

Pipeline coverage is the risk that deserves action first



Routing improves when quality, cost, and latency are judged together



Different models fail differently under the same contract

Cohort	quality	cost	latency
claude	1	0.00862	8.193
kimi	0.9583333333333334	0.001303	17.617
gemma	0.9583333333333334	0	17.271
nemotron	—	—	—
gpt-oss	—	—	—
ensemble	—	—	—

V2 expands the harness without crediting the model

Cohort	artifactCoverage
v1	12
v2	38

Reuse the visual vocabulary, then adapt the communication contract

Reuse the visual vocabulary, then adapt the communication contract