Name: _____

Database Systems — CSci 4380 Midterm Exam #1 September 27, 2018

@rpi.edu

RCS ID: _____

RIN #:
Rules. The exam is 110 minutes for a total of 100 points. Open book and notes. Do not use any electronic tools including your computer, phone or tablet. Work alone. You cannot talk to anyone in class, or share notes or thoughts.
Question 1 (10*3=30 points). Write the following queries using relational algebra using the data model below. The model is described in detail in the back of the exam.
Users(<u>email</u> , password, name, street, state, city, zip, country, ccno) Houses(<u>id</u> , label, description, street, state, city, zip, country, price, owneremail) HouseAmenities(<u>houseid</u> , amenity) Trips(<u>id</u> , fromdate, todate, isconfirmed, totalprice, customeremail, houseid) Reviews(<u>tripid</u> , isclean, isgoodvalue, isgoodrenter, reviewtext) Messages(<u>id</u> , senderemail, receiveremail, messagetext, sentdatetime, prevmid)
(a) Return the email and name of all users who are both renters (i.e. owners of houses) and customers (i.e. customers on trips).

amenity 'Helipa							
Leturn the email	and name of all tribute.	renters who on	$\underline{ ext{ly}}$ received 5 sta	r reviews for th	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	$ m l\underline{y}$ received 5 sta	r reviews for th	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	$ ext{ly}$ received 5 sta	r reviews for the	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	l <u>y</u> received 5 sta	r reviews for the	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	ly received 5 sta	r reviews for the	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	ly received 5 sta	r reviews for th	neir houses wit	h respect	
deturn the email o isgoodvalue at	and name of all tribute.	renters who on	ly received 5 sta	r reviews for th	neir houses wit	h respect	
Leturn the email o isgoodvalue at	and name of all tribute.	renters who on	ly received 5 sta	r reviews for th	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	l <u>y</u> received 5 sta	r reviews for the	neir houses wit	h respect	
teturn the email o isgoodvalue at	and name of all tribute.	renters who on	l <u>y</u> received 5 sta	r reviews for the	neir houses wit	h respect	
deturn the email o isgoodvalue at	and name of all tribute.	renters who on	l <u>y</u> received 5 sta	r reviews for the	neir houses wit	h respect	
Return the email o isgoodvalue at	and name of all tribute.	renters who on	ly received 5 sta	r reviews for the	neir houses wit	h respect	
Return the email o isgoodvalue at	and name of all tribute.	renters who on	ly received 5 sta	r reviews for the	neir houses wit	h respect	
Return the email to isgoodvalue at	and name of all tribute.	renters who on	l <u>y</u> received 5 sta	r reviews for the	neir houses wit	h respect	

Question 2	(12+12=24)	points).	Suppose	you are	given th	ne followin	g relations t	o add to	the o	data
model in the ap-	pendix. Answer	questions i	regarding	each ad	ditional	relation b	elow.			

(a) Given a trip, the customer may add other names of people staying in the house with him or her as other travelers.

OtherTravelers(tripid, firstname, lastname, email, phone)

Other travelers on a trip are uniquely identified by their email. The same person may take multiple trips as an "other traveler". An other traveler can have multiple phones listed in the database.

- (1) Based on the above information, list all applicable functional dependencies.
- (2) What are the key(s)?
- (3) Is this relation in BCNF? 3NF? Explain why or why not.
- (4) If it is not in BCNF, use BCNF decomposition to get relations that are in BCNF.


b)	The following is a new relation for saving some houses in lists:
	SavedHouses(houseid, saveddatetime, useremail, note, listname)
	houseid, useremail, listname $ ightarrow$ saveddatetime
	saveddatetime, useremail \rightarrow houseid, useremail
	houseid, useremail $ ightarrow$ note
	Answer each of the following with yes/no and write a sentence to explain your answer.
	(1) Can a user save a house in multiple lists?
	(2) Can a user save two different houses in the same datetime?
	(3) Can a user have two different notes for the same house in two different lists?
	(4) What are the keys? Is this relation in 3NF?

Question 3 (12 points). You are given the following relation: R(A,B,C,D,E,F,G) with the following set of functional dependencies:

$$F = \{ AB \rightarrow CE, BF \rightarrow G, C \rightarrow A \}$$

- (a) List all the keys.
- (b) Convert this relation to 3NF using 3NF decomposition. Show your work.
- (c) For each resulting relation, show the key and state simply whether it is in BCNF or not.

Question 4 (6 points). You are given the following Entity-Relationship diagram. Based on this model, list all functional dependencies that this model implies.



Guestion 5 (12 points). Given the relation: $K(A,B,C,D,E,F)$ and $F = \{BC \to AE, DC \to F, AF \to D\}$					
Show whether the following decomposition is lossless or not with the Chase algorithm. Show your work. Decomposition: R1(A,B,E), R2(C,D,F), R3(A,D,F), R4(A,B,C,F)					

Question 6 (16 points). Create an Entity-Relationship diagram for the following database, capturing all the requirements below precisely. Make sure you list all the relevant attributes, underlining the keys. For each relationship, mark the participation constraints clearly (one-to-one, one-to-many or many-to-many). If you do not find a natural key for an entity, feel free to add an id attribute.

You are creating a database for storing data for a new social media company. In this database, you store users. Each user has an email, name, password, and a phone number. Emails are unique in the database.

Each user follows some users and is followed by some users. The following relationship is not symmetric; person A may follow person B while person B does not follow A. There are a number of known locations in the database. Each location has a unique coordinates (X,Y coordinates in the form of longitude and latitude values) and a label.

Each person generates posts. Each post has a datetime, text, URL and zero or more pictures. There can be at most one post by a specific user at a given datetime. Each picture may have a label and it may also have a location associated with it from the database. In addition, each picture may have zero or more rectangles drawn on them. Each rectangle is represented by its coordinates on the image (x1,y1,x2,y2) and another tagged user. Users may like or dislike posts of users. Users may also comment on other users' posts. Each comment has a sequence id (1,2,3,...) and text.

Use this page for scratch work only. Do not share your solutions or any drafts of your solutions with anyone.

Data model to be used in Exam #1

This is a data model based on the E-R problem from Homework#3, storing information about house rentals in a system similar to Airbnb. It is simplified in various ways to make it easier to user in an exam. Please read carefully. The keys of each relation are underlined.

Users(email, password, name, street, state, city, zip, country, ccno)

Stores information about all the users in the system, renters and customers including credit card number (ccno).

Houses(id, label, description, street, state, city, zip, country, price, owneremail)

Each house is listed by an owner and we store the email of the owner for each house. The daily price of a house is fixed for simplicity.

HouseAmenities(houseid, amenity)

This relation lists the various amenities a house has such as 'free wifi', 'garage parking', etc,

Trips(id, fromdate, todate, isconfirmed, totalprice, customeremail, houseid)

Each trip has a start and end date, whether it is confirmed or not (true/false value) and a total price for the trip. Each trip is by a user (customer), so his/her email is stored. This is the person paying for the trip. Each trip for a specific house, so the id of the house is also stored. (The renter can be deduced from the owner of the house).

Reviews(tripid, isclean, isgoodvalue, isgoodrenter, reviewtext)

We will only store the reviews of the houses in this database. There can only be one review for each trip, so we will use tripid as the key. Each review is for a specific house and its renter (stored in other relations) and contains 1-5 star values for isclean, isgoodvalue, isgoodrenter as well as a review text.

Messages(<u>id</u>, senderemail, receiveremail, messagetext, sentdatetime, prevmid)

Finally, we store messages simply from one user (sender) to another user (receiver) together with the text and datetime it was sent. The attribute prevmid can be null if this is an original email or store the id of the message that this message was sent in response to.

Use this page for scratch work only. with anyone.	Do not share your solutions or any drafts of your solutions